GLOSSARY

Abbreviations

Avg.

Average

HPHI

Hydrocarbon pore-thickness

Perm.

Permeability

PHI

Porosity

Sw

Water Saturation

Thick.

Thickness

Calculations/Cutoffs

Gross

Depths passing 'Initial' discriminator

Net

Depths passing Gross, Clay Volume cutoffs and 'Net' discriminator

Net Reservoir

Depths passing Net, Porosity cutoffs and 'Net_Reservoir' discriminator

Net Pay

Depths passing Net Reservoir, Sw, Permeability cutoffs and 'Net_Pay' discriminator

Summations

Thick.

Sum(h)

PHI-Thick.

Sum(Porosity * h)

HPHI-Thick.

Sum(Porosity * h * (I - Water saturation))

Perm-Thick.

Sum(Permeability * h)

Averages

Avg PHI

Sum(Porosity * h)/Sum(h)

Avg Clay Vol

Sum(Clay Volume * h)/Sum(h)

Avg Perm

Sum(Permeability * h)/Sum(h)

Avg Sw

Sum(Porosity * Water Saturation * h)/Sum(Porosity * h)

<u>Ratios</u>

Net / Gross Ratio

Net Pay Thickness / Gross Thickness