
REFERENCES

Abd El-Naby A.G. (2000): Correlates of the development of deep vein thrombosis among risky group following major surgery at El-manial University Hospital: A suggested prophylactic policy., master thesis, Faculty of nursing, Cairo University.

Abdel-Gabar M. (2004): A plan of discharge for cardio-thoracic surgery patients. Thesis of MD in nursing science, faculty of nursing, Ain shams University, pp: (59 – 99).

Abd-ElRhaman N.E.(2001): Designing a clinical pathway for the care management of patients with burns at king Fahad National Guard hospital in Riyadh., thesis as a partial requirement of master of science in nursing, collage of applied medical sciences, King Saudi University, Kingdom of Saudi Arabia.

Abo-Alizm S.E. (2003): A study of information needs among myocardial infarction patients and their families before hospital discharge in Menoufiya University Hospital, Thesis submitted fro partial fulfillment of master degree in medical-surgical nursing, faculty of nursing, Menoufiya University.

Ackley B.J., Ladwig G.B., Swan B.A. and Taker S.J.(2008): Evidence- based nursing care guidelines, medical – surgical interventions; canda, Mosby, inc

AHA statistical fact sheet. (2005): American Heart association. Retrieved May 18, 2005 From [www.American Heart.org](http://www.AmericanHeart.org).

Ahmad, I.M. (2008): Effect of cardiac rehabilitation on the self efficacy of acute myocardial infarction patients, thesis submitted for partial fulfillment of doctorate thesis in critical care nursing ,faculty of Nursing, Alexandria University.

Ahrens T.S., Prentice D., and Kleinpell R.M. (2007): Critical care nursing certification: preparation, review and practice Exams, (5th ed.), The McGraw-Hill companies, Inc, New York, pp: (67 – 73).

Akerkar, SM. and Bichile, LS. (2004): Doctor Patient Relationship: Changing dynamics in the information age., J Post Grad Med, 60: 120-2.

Akron, T. (2003): Heart center, myocardial infarction. European Journal of cardiovascular nursing; 39(2):13-18.

Al-Wossaby, S.A.M. (2007): Needs assessment for patient with myocardial infarction: A suggested discharge plan, thesis submitted for partial fulfillment of the master degree in nursing science, Faculty of nursing, Zagazig University.

American Association of Cardiovascular and Pulmonary Rehabilitation (AACVPR) (2004): Guidelines for cardiac rehabilitation and secondary prevention programs (4th ed.), Champaign, LL: Human kinetics.

American Heart association (2007): Heart disease and stroke statistics-2007 update. Dallas, Tex: American Heart Association. Available at [http://www.american heart. Org/](http://www.americanheart.org/).

American Heart Association, (2008): Guide to myocardial infarction treatment, recovery and prevention. New York Time Books.

Anderson, J.L. (2007): ACC/ AHA 2007 guideline update for the management of patients with unstable angina and non-St-Segment elevation myocardial infarction. Circulation, 116, e 148 – e 304.

Antman E.M., and Vandewerf F. (2006): Pharmacoinvasive therapy for St-elevation myocardial infarction. Circulation, 109 (21), 2480 – 2486.

Antman, E.M. and Braunwald, E. (2005): St-Segment elevation myocardial infarction, Harrison's principles of internal medicine., (16th ed.). McGraw-Hill.

Antonio, J.R. (2004): Common condition emerges as possible stroke, <http://www.amhrt.org/>.

Arab, M.M. (2003): Life-style behaviors influencing coronary heart disease among middle aged patients, thesis submitted for partial fulfillment of the master degree in nursing science, Faculty of Nursing , Menoufiya University.

Armstrong, G. Dunn, M. Bredin, Y. McCuskey, F. et al. (2004): Patients views on community cardiac rehabilitation proceedings of the British association for cardiac rehabilitation conference.

Armstrong, PW.(2003): Do guidelines influence practice ? ., Heart. March; 89(3): 349-352.

Arragon, D. Burton, V. and Cohen, M. (2002): The effect of a critical Pathway on patient's outcomes after carotid endarterectomy. American Journal of critical care, May 11 (3): 158-250.

Aslam, F., Haque, A., Lee V and Foody, J. (2009): Patient adherence and performance considerations in managing cardiovascular risk, patient preference and adherence 3 : 61 – 66.

Atlas of cardiovascular consultants.(2006): available at [http:// www.graysanatomy@ bartleby.com](http://www.graysanatomy@bartleby.com).

Attia, A.K. (2003): Clinical pathways for orientation of critical care nursed, ASNJ, Vol. 2, No. 1

Audimoolan, S. Nair, M. and Gaikwad, R. (2005): The role of clinical pathways in improving patient outcomes, American Journal of Critical Care February 11 (3): 250-158.

Ayalon,S.(2009): Cardio-vascular disease, dental management of the medically compromised patient, The Department of Oral Medicine, Hadassah – University Hospital Medical Center).

Badr, M. (2002): Rehabilitation of post cardiac surgery patient., Review article published at Faculty of Nursing., Alexandria University.

Bailey, J. (2004): Patient and nurses' perceptions of the cardiac patients' learning needs. A thesis submitted to the school of nursing in partial fulfillment of the requirements for the degree of master in science, the Florida State University.

Balady, GJ.; Comoss, P.; Southard, D. et al., (2005): Care components of cardiac rehabilitation/secondary prevention programs: a statement for health care professionals, from the American heart association and the American association of cardiovascular and pulmonary rehabilitation writing group. Circulation, 102 ; 1069 – 73.

Barrett A. (2006): Framework for developing clinical guidelines, Leicestershire country and Rutland.

Barry,LC., Lichtman,JH., Spertus,JA., Rumsfeld,JS., et al.(2007): patient satisfaction with treatment after acute myocardial infarction: role of psychosocial factors, psychosomatic medicine; 69:115-123.

Benget ,F.(2002): the role of the nurse in cardiac rehabilitation programmes. European Journal of cardiovascular nursing; 34(6):15-18.

Berger,P.B.,Sketch,M.H.,& Califf,R.M.(2004): Choosing between percutaneous coronary intervention and coronary artery bypass grafting for patients with multivessel disease: what can we learn from the

arterial revascularization therapy study(ARTS)?
Circulation,109(9),1079-1081

Beswick A.D., Rees K., Griebisch I., Taylor F.C. et al., (2004): Provision. Uptake and cost of cardiac rehabilitation programmes improving services to under-represented groups, available from <http://www.ncchta.org> (accessed 19 Nov 2004).

Black, J.M. and Hawks, J.H. (2009): Medical-surgical nursing, clinical management for positive outcomes, Acute myocardial infarction, (8th ed.), an imprint of Elsevier inc, Saunders, pp: (488 – 1511).

Boden WE., Shah, PK., Gupta V. and Ohman EM. (2008): Contemporary approach to the diagnosis and management of non- ST-Segment elevation acute coronary syndromes.,Prog Cardiovasc Dis, 50 (5); 311-35.

Boersma E., Pieper KS., Steyerberg EW., et al., (2000): Predictors of outcome in patients with acute coronary syndromes without persistent St-segment elevation. Coll. Cardiol., 39, 90-100.

Borg G.A.V. (2004): Borg's perceived exertion and pain scales Human kinetics London.

Bragato, L. and Jacobs, K. (2003): Care pathways: the road to better health services? Journal of health organization and management, 17 (3), 164-180.

Braunwald E., Antman EM., Beasley JW., et al., (2005): Acc/AHA 2005 guideline update for the management of patients with unstable angina and non-st-segment elevation myocardial infarction: a report of the American college of cardiology /American Heart Association task force on practice Guidelines (committee on the management of patients

with unstable angina) . JAM. Coll Cardiol 40 : 1366 – 74.
PMID/2383588.

Brennen, M.L, et al., (2003): Prognostic value of myeloperoxidase in patients with chest pain; New England Journal of Medicine, 349 (17), 1595 – 1604.

Bridgeman, T.V. (2005): Clinical Practice Improvement Centre, Queensland Health, Health Administration Press. Chicago, IL.

British Dental Association (2001): Modern NHS primary Dental care, organization and development, 2001-2005 ABDA Discussion document from the primary Dental care working party, October, London: BDA, 2001.

British Heart Foundation (2004): Coronary Heart disease statistics database, [www.heart stats. Org.](http://www.heartstats.org) [last accessed: february 21-2005].

Brown,J.A.(2005): The health care quality handbook: A professional resource and study guide. Pasadena,CA:JB Quality Solutions.

Browne G.J., Giles H., McCaskill M.E., Fasher B.J., and Lam L.T. (2001): The benefits of using clinical pathways for managing acute pediatric illness in an emergency department, Journal of quality in clinical practice, 21 (3), 50 – 55.

Browning, R and Hollingberg T. (2000): Mental health for good measure., Health Serv J., 110 (5725): 34-5.

Brubaker P.H., Kaminsky L.A. and Whaley, MH.(2002): Coronary artery disease, Essential of prevention and rehabilitation programs, United States of America, Human Kinetics, Inc., pp. (173 – 186).

Brynat, C.K. and Even, B. (1998): Increasing consumer satisfaction., Marketing Health Services., 18 (4) 1 - 71.

- Buckley T., Mckinley S., Gallagher R., Dracup K., Moser D.K., Aitken L.M. (2007):** The effect of education and counseling on knowledge, attitudes and beliefs about responses to acute myocardial infarction symptoms, *European Journal of Cardiovascular Nursing* (6): 105 – 111.
- Bulechek, G.M., Bucher, H.K., and Dochterman, J.M.(2008):** Nursing interventions classification(NIC), (5th ed.), St. Louis, Mosby.
- Bunker S., and Goble A.(2003):** Cardiac Rehabilitation: Under referral and underutilization ,*Medical Journal of Australia*, 179, 332-333.
- Cannon C.P., Gibson C.M., Lambrew C.T., et al. (2000):**Longer thrombolysis door- to- needle times are associated with increased mortality in acute myocardial infarction: an analysis of 85,589 patients in the National Registry of myocardial infarction., *JAM COLL Cardiol*, 35 (SupplA): 376A.
- Cannon, C.P. (2003):** Critical pathways for Acute Myocardial Infarction. *Reviews in Cardiovascular Medicine*. 4suppl(3).S47-S53.
- Cardozo, L. and Aherns, S. (2000):** Assessing the efficacy of a clinical pathway in the management of older patients hospitalized with congestive heart failure., *Journal for health care quality.*, Continuing education article (on line). <http://www.allenpress.com, JHQ/079/079.html>.
- Carison, K.K. (2009):** AACN advanced critical care nursing/Saunders, an imprint of Elsevier inc, St Louis, PP: (207 – 230).
- Carpeggiani C., L'abbate A., Landi P., Michelassi C., Raciti M., Macerata A., Emdin M.(2004):** Early assessment of heart rate variability is predictive of in – hospital death and major complications after acute myocardial infarction. *International Journal of Cardiology*; 12; 96: pp 361- 368.

- Carpenito-Moyet, L.J. (2006):** Nursing diagnosis, Application to clinical practice, (10th ed.), Philadelphia, lippincott Williams and Wilkins.
- Casey, P. (2004):** Markers of myocardial Injury and dysfunction., AACN clinical issues, 15(4), 54 – 557.
- Cheah J. (2000):** Development and implementation of clinical pathway program in an acute care general hospital in Singapore., International Journal for Quality in Health Care, 12 (5), 403-412.
- Chikeong, C. (2008):** Outpatient optimization of stable angina, National Heart Center Singapore., September from www.nhc.com.sg.
- Chokani-Namame, N.M. (2005):** Acute coronary syndromes patients characteristics optimizing outcomes in the pre-hospital phase of care, thesis submitted in fulfillment of the requirements for the degree of master of arts in the department of health studies at the University of South Africa.
- Coady, E. (2006):** Managing patients with non-St-segment elevation in acute coronary syndrome, nursing standard ,20(37),49-56.
- Conner, D., W. Rifkin, A. Silver, B. Flansbaum, and D. Rose. (2000):**"Critical Pathways: How Strong Is the Literature Supporting Their Use?" Journal of General Internal Medicine 15 (suppl. 1): 106.
- Copstead L.C., and Banasik, J.L. (2005):** Path physiology., (3rd ed.), Mo: Saunders., St- Louis.
- Craven,R.F.,and Hirnle, C.J.(2009):** Fundamentals of Nursing, Human Health and Function, Philadelphia, Lippincott Williams & Wilkins; pp.(885-888).

Cristopher P., Cannon M., James W., et al., (2009): Individual quality improvement in acute coronary syndromes, Crit pathways in cardiol, 8 : 43 – 48.

Crump N. (2000): Integrated care pathways Re- engineering the NHS for clinical covernance, Lancaster university management school, working paper., LUMS. Home page: [http// www. lums. lancs. ac.uk/](http://www.lums.lancs.ac.uk/).

Cummins R.O., Chamberlain DA. and Abramson N.S. (2004): Recommended guidelines for uniform reporting of data from out –of- hospital cardiac arrest: the utstein style, American Heart Association.

Currie, VL and Harvey, G. (1999): The origins and use of care pathways in the U.S.A, Australia and the United Kingdom. Report No. 15. Oxford: Royal College of Nursing Institute.

Daniels, R., Nicoll, L.H and Nosek ,L.J.(2007): contemporary medical – surgical nursing , acute coronary syndrome, united kingdom, Thomson, PP.(790-800).

Darer, J., Pronovost, P., and Bass, E.P.(2002): Use and evaluation of critical pathways in hospitals., Eff Clin Pract., 5: 114-119.

Davis N. (2005): Integrated care pathways: A guide to good Practice, National Leadership and Innovation Agency for health care. Available on website: www.nlian.wales.nhs.uk.

Day H.W. (2008): An intensive coronary care area, Journal of the American college of Chest physicians, Downloaded from chest Journal. Org on January 13.

De Bleser, L., Depreitere, R., De Waele, K., Vanhaecht, K., Vlayen, J. and Sermeus, W.(2006) : Defining pathways, Journal of Nursing Management 14: 553–563.

De Winter, R.(2006): Value of myoglobin, troponin T, and CK-MB mass in ruling out an acute myocardial infarction in the emergency room. *Circulation* ; 92: 3401–3407.

Deebene S. and Vaughan A. (2005): Acute coronary syndromes in S.L. Woods, E.S. Sivarajan Froelicher S. Underhill motzer, & E.J. Bridges (Eds.), *Cardiac Nursing*, (5th ed), Williams and Wilkins, Philadelphia., PP: (550 – 584).

Deelstra, M.H. (2005): Interventional cardiology techniques, *Cardiac nursing* (5th ed.,) Philadelphia; Lippincott Williams and Wilkins., pp; (585 – 600).

DelBene,S., and Vaughan,A.(2005): Acute coronary syndromes. In *cardiac nursing* (5th ed.). Philadelphia:Lippincott,Williams & Wilkins.

Deluc K. and Todd J. (2003): E- pathways computers and the patient's journey. Radc life, Medical press Ltd.

Deluc, K. (2004): Care pathways: An evaluation of their effectiveness, *Journal of Advanced Nursing*, 32 (2), 485 – 496.

Designed for Life (2005): Creating world class health and social care for Wales in the (21st) century: welsh Assembly Government, 2005.

Dhanani, RH. (2005): What are clinical pathways? *Medicine today*, vol, 3, No1., Jan- Mar [Special issue].

Dochterman J.M. and Bulechek G.M. (2004): NANDA's Nursing Diagnosis; Definition and Classification, Philadelphia, (4th ed.), St-Louis-Mosby.

Doenges M.E. and Moorhouse M.F. (2003): Application of nursing process and nursing diagnosis: An interactive text for diagnostic reasoning, (4th ed.), Philadelphia, F.A. Davis company.

Dolan, B. and Holt, L. (2008): Accident Emergency, Myocardial infarction, (2nd ed), Philadelphia, Elsevier.

Dossey, B.M., Keegan, L., and Guzzetta, C.E. (2005): Holistic Nursing , A handbook for practice., (4th ed), London, Jones and Bartlett Publishers.

Doven O., Akkus MN., Camsari A., Pekdemir H. et al., (2004): Impact of intensive strategy for the management of patients with cardiogenic shock after acute myocardial infarction., Coronary Artery Disease, 15 (6), 361 – 366.

Dowsey, M.M. (1999): Clinical pathway in hip and knee arthroplasty; A prospective randomized controlled study; Medical Journal of Australia, 170, 62.

Dudek D., Mielecki W., Legutko J. and Dubiel JS. (2005): Role of Thrombectomy and embolic protection devices. European heart Journal. Supplement. 1,7, 115 – 120.

Dykes, P., and Wheeler, K. (2000): Planning ,Implementing, and Evaluating Critical Pathways. A guide for health care survival into the 21st century. Springer Publishing Company., New York.

Eaton, L. (2003): Hospital patients say they are not fully informed about drugs., BMJ: British Medical Journal, 327 (7408), 1-2.

Eagle, K.A., and Guyton, R.A. (2004): ACC/AHA 2004 guideline update for coronary artery bypass graft surgery: Summary article. Circulation , 110(14), 1-9.

El- Sayed, A E. (1999): A study to identify the effect of individualized therapeutic informative communication on cardiac stress parameters and anxiety state of patient's with acute myocardial infarction. Doctorate Thesis In Medical- Surgical Nursing, Faculty Of Nursing, Alexandria University.

El-Baz , N.E. (2008): Effect of clinical pathway on outcome of CABG surgery, thesis submitted for a partial fulfillment of doctorate degree, University of Groningen, NetherLands.

El-Baz,N., Middle, B., DiJk,JP., Oosterhof,A., Boonstra, PW., ReiJneveld,SA.(2007): Are the outcomes of clinical pathways evidence-based? a critical appraisal of clinical pathway evaluation research., Journal of evaluation in clinical practice.(13) : 920- 929.

El-Hadary, S. M. (2009): Impact of a designed nursing clinical pathway on the outcome of patients with acute heart failure at the critical care department of El-manial University Hospital, thesis proposal submitted for partial fulfillment of the requirements of doctoral degree in medical-surgical nursing Sciences, Faculty of nursing, Cairo University.

El-Sayed, E.S. (2004): Orientation Guidelines for patients undergoing cardiothoracic surgery., master thesis in nursing science, Ain Shams University.

El-Shenawi, H.A. (2000): Effect of nursing intervention of myocardial infarction patient's intention and compliance to therapeutic regimen, master thesis submitted to the faculty of nursing, Alexandria University.

Erdman J.W.(2000): Soy Protein And Cardiovascular disease, Astatment for healthcare professionals from the nutrition committee of the AHA. Circulation; 102:2555-2559.

Eslick G.D.(2005): usefulness of chest pain character and location as diagnosis indicators of an acute coronary syndrome. Am J Cardiol,95,1228-1231.

European Pathway Association. (2005): Slovenia Board Meeting., Journal of integrated care pathway,5(3), April 2005.

Evans, C. and Tippins, E. (2008): Foundation of Nursing , An integrated approach, London, McGraw- Hill, pp.(75-80).

Every NR., Hochman J., Becker R., et al. (2000): Critical pathways: a review, An AHA scientific statement., Circulation, 101: 461-5.

Farmer A. (1999): Medical practice guidelines: lessons from the United States: BMJ, (307): 311-7.

Fass, A.E. (2003): Perspectives in the management of chronic coronary artery disease., Heart disease: A Journal of cardiovascular medicine, 5 (6), 365 – 367.

Fernandez – Aviles F, Alonso JJ, Castro-Beiras A, et al.,(2004): routine invasive strategy within 24 hours of thrombolysis versus ischemia – guided conservative approach for acute myocardial infarction with St-segment elevation: a randomized controlled trial. Lancet 364:1045-1053.

Ferry, C.T., Fitzpatrick, M.A., Long, P.W., Levi, C.R and Bishop, R.O.(2004): Towards A Safer Culture : Clinical Pathways In Acute Coronary Syndromes And Stroke, MJA; 180(10 SUPPI): S 92- S 96.

Field, L and Smith, B.(2008): Nursing care , an essential guide , Edinburgh, Pearson education limited.

Fisher, M.D. (1997): Implementing of a clinical pathway in the cardiology service, thesis submitted to the residency committee in candidacy for the degree of masters in health care administration, Walter reed army medical center, Washington.

Flynn F., Cafarelli M., Petrakos K and Christopher P. (2007): Improving outcomes for acute coronary syndrome patients in the hospital setting: successful implementation of the American Heart Association Get with the guidelines program by phase 1 cardiac rehabilitation Nurses,

Journal of cardiovascular nursing, Volume 22, Number 3, pages, 166 – 176.

Fonarow, GC., Gawlinski A., Moughrabi S., et al., (2001): Improved treatment of coronary heart disease by implementation of a cardiac hospitalization atherosclerosis management program; Am J cardiol, 87: 819-22.

Fox R., Moran S. and Maccormick A.(2003): Guidance for integrated care pathways: a reference document for an acute NHS trust., journal of integrated care pathways., 7, 100 – 106.

Franklin,B.(2002): Effects of contemporary exercise-based rehabilitation and cardiovascular risk reduction program on coronary patients with abnormal baseline risk factors. Chest, June, 122 (1): 338 – 43.

Garcia, J. A, Bakker, N.H, De Paus R, Carroll, JD. (2008): Stent Boost: A Useful Clinical Tool. Medicamund i; 52(2): 14-17.

Gardetto N., Greaney K., Arai L., Brenner A., Carroll K. and Howerton, NC. (2008): Critical pathway for the management of acute Heart failure at the veterans. Affairs San Diego Health care system; transforming performance measures in cardiac care; critical pathway in cardiology, 7 (3): 153-157.

Gardner, P. and Altman, G. (2005): Patho physiology of acute coronary syndrome in S.L. woods, E.S Sivarajan Froelicher [Eds]., Cardiac nursing., (5th ed.), Philadelphia : Lippincott Williams & Wilkins, pp, (541 – 549).

Garnick, D.W. and Hendricks, A.M. (2002): Malpractice claims, patient communication, and critical paths: a lawyers perspective, Qual Manage Health Care, 3: 65-70.

Giannuzzi P., Saner H., BJornstand H., Fioretti P. et al., (2003): Secondary prevention through cardiac rehabilitation: position paper of the working group on cardiac rehabilitation and exercise physiology of the European society of cardiology. *European Heart Journal*, 24, 1273 – 8.

Glenora, B.K., Berman,A., and Synder,S.(2008): *Fundamentals of Nursing, Concepts, Process and Practice*, Edinburg, Pearson education limited.

Goldszer, RC., Rutherford, A., Banks,P., et al.(2004): implementing clinical pathways for patients admitted to a medical service: lesson learned, *crit pathways in cardiol ; 3:35-41*).

Gotlieb, J.B. (2002): Understanding the effects of nurses on the process by which patients develop hospital satisfaction. *Holistic Nursing Practice*, 17 (1), 49-60.

Grace SL., Evindar A., Abramson B., and Stewart D.(2004): physician management preferences for cardiac patients: factors affecting referral to cardiac rehabilitation. *Canadian Journal of Cardiology*,20,1101-1107.

Graham I.D. and Harrison M.B. (2005): Evaluation and adaptation of clinical practice guidelines. *Evid. Based Nurs.* 8: 68-72.

Granto M., Goldstein-Ferber S. and Azzam A.S. (2004): Gender differences in the perception of chest pain., *Journal of pain and symptoms management*, 27 (2), 149 – 155.

Gulanic, M and Myers, JL.(2004): *Nursing Care Plans: Nursing Diagnosis and Intervention.* ,(5th ed). St Louis: Mosby, p.298-305.

Haagen E.C., Nelen WL., Hermens R.P., et al. (2005): Barriers to physician adherence to a sub fertility guideline. *Hum Report* 20: 3301. 3306.

Haidar, M.I. (2005): Effect of dietary and exercise regimen on serum Lipids in coronary artery disease patients with hypercholesterolemia, thesis submitted in a partial fulfillment of the requirements of doctorate thesis, Faculty of nursing, Alexandria University.

Hall, J.A and Dornan, M.C.(1999): Patient sociodemographic characteristics as predictors of satisfaction with medical care ; a meta analysis; Soc Sci Med; 30:811-8.

Hammermeister K., Daley J. and Rover F. (2000): Using outcomes data to improve clinical practice: what we have learned. Annals of thoracic surg ; 58: 1809-11.

Handler, C & Coghlan ,G.(2007): Living with coronary disease , heart problems in women, London: springer; 207 – 221.

Hatchett, R.,Thompson, DR. and Mullally, S. (2002): Cardiac nursing; A comprehensive guide, (1st ed.), Churchill Livingstone, Sydney; pp. (235-242).

Havva, Tel and Hatice, Tel. (2006): The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families., Heart and lung, 35; 9: pp(101-107).

Health, (2005): Clinical pathways, lylwodraeth crynullad, cymruwelsh Assembly Government. Retrieved 20 January from http://www.wales.gov.uk/subi/health/content/keypubs/clinical/pt1/clinical_path_e.htm.

Herberman, M. (2000): Building a seamless system of hospital-Home Health services, Semin Nurse Manag; 8; 20-5.

Hochman JS., Sleeper LA., Webb JC., Dzavik V. et al., (2006): "Early revascularization and long-term survival in cardiogenic shock complicating acute myocardial infarction". JAMA 295 (21): 2511 – 5.

Hochman, J.S. (2003): Cardiogenic complicating acute myocardial infarction: Expanding the paradigm., *Circulation.*, 107 (24): 2996 – 3002.

Hoeman, Sp. (2008): Rehabilitation nursing, prevention, intervention and outcomes; [4th ed.], Mosby, Inc, an affiliate of Elsevier Inc., USA., pp (674 – 689).

Holland,K., Jenkins, J., Solomon,J., Whittam,S.(2008):Applying the Roper.Logan- Tierney model in Practice.,(2nd ed)., Philadelphia, Churchill Livingstone, Elsevier.

Holloway NM.(2004): Medical-Surgical Care Planning. (4thed.), Philadelphia: Lippincott Williams & Wilkins; p.(432-9).

Holmboe E.S., Meehan T.P., Radford M.J., et al., (1999): Use of critical pathways to improve the care of patients with acute myocardial infarction. *Am J. Med*; 107: 324 – 331.

Holsclaw,S.L., Olson, K.L and Hornak,R.(2005): Assessment of patient satisfaction with telephone and mail interventions provided by a clinical pharmacy risk reduction service, *Journal of Managed Care Pharmacy.*,Vol.11.,No.5.

Horton, ED. and Horton, ES.(2004):Cardiac rehabilitation.
<http://www.spauldingrehab.org>.

Hoxie L.H. (2001): outcomes measurement: a primer for orthotic and prosthetic care. *JPO*; 7:4:132-6.

Huikuri, H., et al., (2001): Sudden death due to cardiac arrhythmias., *New England Journal of Medicine*, 345 (20), 1473 – 1482.

Humard, J. (2004): Management of atrial fibrillation. *Nursing times*, 100 (6), 42 – 44.

- Hunter B, and Segrott J.(2007):** Re-mapping client journeys and professional identities: A Review of the literature on clinical pathways. International Journal of Nursing Studies. doi: 10.1016/j.ijnurstu.2007.04.001
- Hussein, H.A. (2005):** Effect of a rehabilitation program for patients after acute myocardial infarction., Doctorate thesis, Faculty of nursing, Ain Shams University.
- Husting, P.M.(1997):** A Trans cultural critique of Imogene kings' theory of goal attainment . the journal of multicultural nursing and health , 3(3),15-20.
- Ignatavicius, DD and Hausman, KA. (2000):** Clinical pathways for collaborative practice, Philadelphia, W.B. Saunders company, pp. [3-35, 90-93].
- Jacavone J.B. Dantels R.D. and Tyner I. (2004):** Facilitation of a cardiac surgery clinical pathway program., Clin Nurse spec., 13 : 126 – 132.
- Jenkins,G.W., Kemnitz, C.P., and Tortora, G.J.(2007):** Anatomy and physiology from science to life., published by John wiley & sons, Inc, pp(693:718).
- Jha,A.K., Perlin, J.B and Kizer, K.W.(2003):** Effect of the transformation of the veteran's Affairs Health care system on the quality of care. NEngl J Med, 348: 2218-2227.
- Johnson S. (2001):** Journal of integrated care pathways., 5 (1), April., West Sussex: the Royal Society of Medicine press Ltd.
- Jones A. and Johnstone R. (2004):** Reflection on implementing a care pathway for the last few days of life in nursing homes in north Wales. Int J Palliate Nurs., 10: 507-9.

Kaplow R. and Hardin S. (2007): Critical care nursing; synergy for optimal outcomes, Boston, Jones and Bartlett publishers. Pp. (181 – 195).

Karch,A.M.(2008): Focus on Nursing Pharmacology, (4th ed.), Philadelphia, Lippincott Williams & Wilkins, pp(414-440).

Kasper, D.L, Braunwald, E., Fauci, A.S., et al., (2005): Harrison's principles of internal medicine (16th ed.), McGraw-Hill (Harrison's online).Retrieved may 18, from [www.access medicine. Com](http://www.accessmedicine.com).

Kaul P., McAleer, E.P. and Steingart R.M. (2005): New biomarkers for myocardial infarction and unstable angina. clinical advisor, 8 (1), 35 – 38.

Khader YS., Rice J. and John L., (2003): "Oral contraceptives use and the risk of myocardial infarction: a meta – analysis". Contraception ,68 (1): 11 – 7.

Khowaja, K.(2003): Integrated clinical pathway of transurethral resection of the prostate: impact on clinical quality, cost, and patient satisfaction, thesis submitted in fulfillment of the requirements for the degree of doctor of philosophy, school of nursing, University of Ballarate, Australia.

Kleiman, N.S. and Califf, R.M. (2000): Results from Late-breaking clinical trials sessions at ACCIS 2000 and ACC 2000., American College of Cardiology, Jam Coll Cardiol, 36 : 310 – 25.

Kucenic, M.J. and Meyers, D.G. (2000): Impact of a clinical pathway on the care and costs of myocardial infarction, Angiology, May 1, 51 (5): 393-409.

Kwan, J. and Sandercock, P. (2002): In-Hospital care pathways for stroke, Cochrane database of systematic Reviews, 137 (2),77.

Lancaster University Management school working paper (2000): Integrated care pathways re-engineering the NHS for clinical Governance United kingdom, Norman Grump, the Lums working papers series can be accessed at <http://www.lums.Lancs.ac.uk>.

Latini R., Lidia S., Maggioni A., Marino P., Francisco H., Tognoni G Labarta V .(2003): Beneficial effects of angiotensin – converting enzyme inhibitor and nitrate association on left ventricular remodeling in patients with large acute myocardial infarction : The Delapril Remodeling after Acute Myocardial Infarction (DRAM) trial . American Heart Journal; 164; 1:PP 1-8.

Lau, J. et al., (2001): Evaluation of technologies for identifying acute cardiac ischemia in emergency departments., AHRQ publication evidence report technology assessment, Number 26., Available on <http://www.ahrq.gov/>.

Laurent D. and Shinn J.A.(2005): Acute heart failure and shock., in S.L. Woods,E.S. Sivarajan Froelicher, (Eds.), Cardiac nursing, (5th ed), Lippincott Williams and Wilkins, Philadelphia, pp. 659 – 688.

Lee, K. and Anderson, Y. (2006): The association between clinical pathways and Hospital length of stay: A case study., Journal of Medical Systems, Volume 31, Number 1, 79 – 83.

Lemmens L., Vanzelm R., Borel Rinkes I. and Van Hillegers berg R. (2009): Clinical and organizational content of clinical pathways for digestive surgery; A systematic Review, Dig Surg, 26: 91 – 99.

Lemone, P. and Burke K. (2008): Medical-Surgical nursing, critical thinking in client care,(4th ed.,) Pearson Education inc, upper saddle River, new Jersey, pp:(958 – 1020).

Lennie T. and Carter L. (2008): Relationship of heart failure patients' knowledge perceived barriers, skills, and attitudes regarding to adherence., progress in cardiovascular nursing, 46 (28): 6 – 11.

Lewis S.L., Heit Kemper M.M., Dirksen S.R, O'Brien P.G. Bucher L. (2007): Medical-surgical nursing, assessment of clinical problems, Volume., Mosby – Year Book, Inc: St-Louis., PP: (802 – 820).

Libby, P. (2005): The vascular biology of atherosclerosis. In Braunwald's heart disease: a textbook of Cardiovascular medicine, (7th ed.), Elsevier.,inc., Philadelphia.

Limmer , D. and O'keefe, MF. (2009): Emergency care , upper saddle river, Pearson education, inc.

Linton A.D. (2007): Introduction medical-surgical nursing., Saunders, an imprint of Elsevier Inc., Philadelphia, pp (657 – 661).

Loddon Mallee Region Emergency and Critical care consultative Committee (2002): Guidelines for the Early management of acute myocardial infarction. Bendigo: Department of Human Services.

Lopez-Garcia E., Van Dam RM.; Manson JE. et al., (2006): Coffee consumption and coronary heart disease in men and women: a prospective cohort study. Circulation. May 2, 113 (17): 3045 – 53.

Luttman, R.J. (1998): Next Generation quality, Top Health Inf Manage, Nov, vol, 19 (Issue 2); pp 12-21.

Malla,R.R and Sayami, A.(2007): In hospital complications and mortality of patients of inferior wall myocardial infarction with right ventricular infarction, J Nepal Med Assoc; 46(167): 99-102.

- Marieb, E.N.(2009):** Essentials of human anatomy and physiology, laboratory manual, (4th ed.), Pearson education, Inc, San Francisco, pp: (233-279).
- Marrie, T.J. ,Lau, CY. and Wheeler, SL. (2000):** A controlled trial of a critical pathway for treatment of community-acquired pneumonia., Capital study investigators. Community- Acquired pneumonia intervention trial assessing., Levofloxacin., JAMA; 283: 749-55.
- Martinez JA. (2003):** Complications of acute myocardial infarction., Emergency medicine, 35 (7), 20 – 32.
- Masoudi FA., Magid DJ, Vinson DR. et al., (2006):** "Implications of the failure to identify high-risk electrocardiogram findings for the quality of care of patient with acute myocardial infarction"., circulation, 114 : 1565 – 1571.
- Matura L.A. and Mengo D.F. (2003):** Guidelines for the diagnosis and management of unstable angina and non St-segment elevation myocardial infarction. Internet Journal of Advanced nursing practice, 6 (1) Retrieved may 3, 2005, from <http://www.is pub.com>.
- Mazzini M.J., Stevens G.R., Whalen D., Ozonoff A., and Balady G.J. (2008):** Effect of an American Heart Association Get with the guidelines program-based clinical pathway on referral and enrollment into cardiac rehabilitation after acute myocardial infarction. Am J Cardiol., 101 (8): 1084 – 1087.
- McCance, K.L.and Huether, S.E. (2006):** Path physiology: the biologic basis for disease in adults and children, (5th ed.), St-Lousi, Mo: Mosby.
- McCann J.A, Holmes H.N,Robinsson J.M, Ludwicki M,et al.(2009):** Nursing know- how evaluating heart & breath sounds, Philadelphia, Lippincott williams & Wilkins.

Mccloskey J.C. and Bulechek G.M. (eds) (2000): Nursing Interventions Classification (NIC)., (3rd ed)., St- Louis: Mosby.

McDonald, P.S, Whittle, C.L, Dun, L, de Luc, K.(2006): Shortfalls in integrated care pathways. Part 1: what don't they contain? Journal of Integrated Care Pathways,10(1):17-22.

Mckay J. and Mensah G.A. (2004): The Atlas of Heart Disease and stroke, Geneva, world Health organization, from El- baz 2008.

Menzin J., Wygant GO., Jakel J and Friedman M. (2008): One- year costs of ischaemic heart disease among patients with acute coronary syndromes; findings from amulti- employer claims data base. Curr Med Res opin, 24 (2): 461-468.

Merritt T.A., Gold M. and Holland J. (1999): A critical evaluation of clinical practice guidelines in neonatal medicine; does their use improve quality and lower costs? Journal of evaluation in Clinical Practice, 5 (2); 169 -177.

Michael, B. and Goldschlager, G. (2000): Heart disease: A text book of cardiovascular medicine, (6th ed.), W.B. Saunders Co; Toronto; pp.(1270-1276).

Middleton S., Barnett J. and Reeves D. (2001): What is an integrated care pathway? Hayward Med communications; 3:1-9 Available from <http://www.evidence-based-medicine.co.uk>.

Miller P., Wikoff R. (1990): Regimen compliance two years after myocardial infarction . Nursing Research . 33(6): 333- 336.

Miller, M., and Kearney, N.(2003): Guidelines for clinical practice: development, dissemination and implementation. International Journal of Nursing Studies 41 (7), 813–821.

Miller, T.; Ryan, M. and York, C. (2005): Utilizing algorithms and pathways of care in allied health practice, the internet journal of Allied Health science and practice, April, volume 3, Number 2.

Mills, K. and Grindel, C. (2006): Coronary artery bypass surgery in women and men: preoperative profile and postoperative outcomes. Med-Surg. Nursing; 8, 3: pp (167 – 172).

Mohamed A.R. (2003): myocardial perfusion imaging and functional assessment for the efficacy or rehabilitation program post myocardial infarction, M.D. Thesis, physical therapy, Faculty of physical therapy, Cairo University, 72 : 74 : 90 : 99.

Mohamed, N. E.L. (2006): Effect of counseling on patients' compliance with therapeutic regimen after artificial valvular heart replacement surgery, doctorate degree, Ain Shams University

Montoye, C.K. (2003): Evidence Based Medicine, a rapid- cycle collaborative Model to Promote guidelines for acute myocardial infarction, joint commission journal on quality and safety, September, Volume 29 Number 9.

Moorhead S., Johnson M., and Mass M.(2004): Nursing outcomes classification (NOC)., (3rd ed.), St - Louis, Mo: Mosby.

Morton, P.G. (2005): Acute myocardial infarction. In P.G. Morton, D.K. Fontaine, C.M. Hudake & B.M. Callo [Eds]., Critical care nursing : A holistic approach, (8th ed.), Lippincott Williams and Wilkins., Philadelphia., pp: (422 – 447).

Mosaad, M. H. (2000): Risk factors in-patients with ischaemic heart disease in relation to the extent of coronary artery lesion and left ventricular function. Master thesis, faculty of medicine, Menoufiya University.

Moser,DK and Riegel,B. (2008): cardiac nursing, a companion to Braunwald's heart disease, St-Louis, Saunders, an imprint of Elsevier inc ,pp :⊙(811-822).

Mostafa, H. (2001): Follow your heart; Heart Journal, Kasr Al Aini Cardiology department, Cairo University. Retrieved from [http://www.Egypt today. Com/main/feat Follow Your Heart. htm](http://www.Egypt.Com/main/feat Follow Your Heart. htm).

Naido, M. and Bullock, R. (2001): An integrated care pathway for dementia, Best practice for dementia care. Swindon: Harcourt Health communications.

Nallamothu B.K., Wang Y., Magid DJ., et al., (2008): Relationship between hospital specialization with primary percutaneous coronary intervention and clinical outcomes in St-segment elevation myocardial infarction: National Registry of myocardial infarction. 4 analysis, circulation., 113 (2): 222 – 229.

NANDA international. (2007): NANDA-I nursing diagnoses: Definitions and classification 2007 – 2008 Philadelphia: Author .

Naranjo JC., Fernandez C., Pomes S., et al., (2006): Care- paths: searching the way to implement pathways, computers in Cardiology, 33: 285-288.

National Assembly of Wales. (2001): Introduction to Clinical pathways: putting patients first. Cardiff: National Assembly for Wales.

National cholesterol Education program (NCEP) (2002): Expert panel on detection evaluation, and treatment of high blood cholesterol in adults, Final Report, Circulation, 106 : 3143. .

National Heart Lung and Blood Institute (2007): Diseases and condition index.,Atherosclerosis;available,at:<http://www.nhlbi.nih.gov/health/dic/diseases/atherosclerosis/atherosclerosis-what-is.htm>.

- National Heart, lung and Blood institute (2006):* Heart attack warning sings. Retrieved, November 22.
- Nelson,A, Dumville,J., and Togerson,J.(2006):* Experimental research. In : Gerish K, Lacey A(eds): the research process in nursing, (5th ed.), BlackWell Scientific, Oxford.
- Newby, LK., Eisenstein EL., Califf, RM., et al., (2000):* Cost effectiveness or early discharge after uncomplicated acute myocardial infarction , NE ngl J Med. 342:749-55.
- Newens A. and McColl, E. (2006):* Nurse involvement in cardiac rehabilitation prior to hospital discharge, J. Clin-Nurs., 6 (4); PP. 240 – 247.
- Nichol, G., Walls, R. Goldman, L. et al., (1999):* A critical pathway for the management of patients with acute chest pain who are at low risk for myocardial ischemia: recommendations and potential impact Ann International Med, 127: 996 – 1005.
- Nigam, P.K. (2007):* Biochemical markers of myocardial injury. Indian Journal of clinical Biochemistry, 22 (1) 10-17.
- Nursing Times (2003).* Protocol Based Care. London: Emap Healthcare Ltd.
- O'Keefe, D.L. (2009):* Emergency care, (5th ed)., pearson Education, inc., upper Saddle River, New Jersey., PP (204 – 399).
- Olive,M.(2009):* Integrated care pathways and variance: a source of practice-based evidence?, Bristol Institute of Technology, University of The West of England, United Kingdom.
- Ownby, F.D. (2007):* Factors affecting mortality in acute myocardial infarction, Americans College of Chest Physicians from [http:// chest journals](http://chestjournals.org). Org in may21.

Panella, M., Marchisio, S and Pistanislaio, F. (2003): Reducing clinical variations with clinical pathways: do pathways work? Int. J. Qual. Health care, December 15 (6): 509-521.

Parrott, A. (2008): does cigarette smoking cause stress? American Psychologist, 54(10):53-59.

Patricia, C., Dykes, R and Leanne, C. (2006): Patient education and recovery learning system [PEARLS] pathway: A tool to drive patient centered evidence- based practice, Journal of health care information management. Vol.18, No. 4.

Patrick, T.O.(2006): Critical pathways in cardiovascular medicine, (2nd ed.), Lippincott Williams & Wilkins, pp (336-339).

Perer's,E.(2006): Acute Coronary syndromes, characteristics, management and prognosis in relation to gender and type of syndrome, department of cardiology, the sahlgrenska Academy at Goteborg University, Goteborg, Sweden.

Phillips G.A., Brophy D.S., Weiland T.J. et al. (2006): The effect of multidisciplinary case management on selected outcomes for frequent attenders at an emergency department., Medical journal of Australia, 184 (12): 602-606.

Porrier, G.P. and Oberleitner, M.G. (1999): Clinical pathways in nursing: A guide to managing care from hospital to Home., Spring-house, PA: Springhouse Corporation.

Potter, P.A. and Perry,A.G.(2009): Fundamentals of nursing, (7th ed.), St.Louis, Mosby.

Powell,S.K and Tahan,H.A.(2008): Core Curriculum for Case Management., Philadelphia, Wolters Kluwer\ Lippincott Williams & Wilkins.

- Powers, TL and Bendall-Lyon, D. (2003):** The satisfaction score, marketing Health services, 23 (3). 28.
- Press, I.(2002):** Patient Satisfaction: Defining, Measuring, and Improving the experience of care. Health administration press. Chicago,LL
- Pyne C. (2004):** Classification of acute coronary syndromes using the 12-Lead electrocardiogram as a guide., AACN clinical issues, 15 (14), 558 – 567.
- Rafazee M., Abou E.L. and Maged, A. (2002):** Egyptian Heart current health status, Al Ahram symposium, Al- Ahram Journal.
- Rajendra, H., Thomas, T., Elsie, N., Nolan, E. and Eagle, K. (2000):** Quality improvement initiative and its impact on the management of patients with acute myocardial infarction, ARCH Intern Med., Vol 160: 3057-3062.
- Reen, S. (2005):** Laboratory tests using blood. In S.L. Woods, E.S. Sivarajan Froelicher, S. Underhill motzer & E.J. Bridges (Eds).,Cardiac nursing, (5th ed.), Lippincott Williams & Wilkins: Philadelphia, pp : (265 – 295).
- Resuscitation Council (UK) (2005):** Advanced life support course provider Manual, (5th ed.), London: Resuscitation Council.
- Rogers, WJ., Canto, JG. and Lambrew, CT., et al. (2000):** Temporal trends in the treatment of over 1,5 million patients with myocardial infarction in the U.S. from 1990 through 1999: the National Registry of myocardial infarction 1,2 and 3, J. Am. Coll- Cardiol, 36 (7): 2056-2063.
- Rotter T, Koch R, Kugler J, Gothe H, Kinsman L, James E.(2006):** Clinical pathways: effects on professional practice, patient outcomes, length of stay and hospital costs (Protocol), Cochrane Database of Systematic Reviews, Ltd, Issue 3, <http://www.thecochranelibrary.com>

Rui-Yan, Z., QI, Z., Jian, Q., et al., (2009): Impact of different clinical pathway on outcomes of patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: The Rapid AMI study., *Journal of Medical Chinese*, 122 (6) 636 – 642.

Saint,S., Hofer,T., Rose, JS., Kaufman, SR., et al.(2003) : use of critical pathways to improve efficiency : a cautionary tale ; *Am J Manag Care* ;9:758-765.

Saleh, A.A. (2004) :Discharge plan model for coronary artery disease patients , Master thesis , Faculty of Nursing , Ain Shams University; P. 75 .

Salloum, R.D. (2008): Stressful life events in patients with coronary artery disease, thesis submitted for partial fulfillment of the requirements of the degree of master thesis, Faculty of Nursing, Alexandria University.

Salomon, L.,Gasquet, I.,Mesbah, M.and Ravaud, P. (2001): Construction of a scale measuring in patient's opinion on quality of care, *International journal for quality in health care*, 11 (6), 507-516.

Santoso, U., Iau, P.T., Lim, J. and Koh, C.S. (2002): The mastectomy clinical pathway: What has it achieved, *Ann Acad Med Singapore*, 31 : 440 – 5.

Schilling, McCann, J.A., Moreau ,D., Robinson, J.M., Ludwicki, M., Diehl, T.S., Meyering, J.(2008): *Critical Care Nursing Made Incredibly Easy*, (2nd ed), Philadelphia, Lippincott williams & Wilkins, PP.(247-252).

Schirg, G.R. (2007): Determining the patient satisfaction factor for hospital room service and the association of room service with the overall satisfaction with the hospital experience. Master of science degree, University of Wisconsin, Stout.

Schriefer J. (1999): Managing critical pathway variances, Qual Mgmt in hlth care., 3 (2): 30-41., Aspen publishers.

Schwartz,D.W.,& Vaitkus, P.(2003). Drug-eluting stents to prevent reblockage of coronary arteries. Journal of Cardiovascular Nursing, 18 (1),(11-16)

Scott, J.C. (1999): Clinical pathways in Australia: current issues and future challenges. Contemporary nurse (6), 2-4.

Scottish Intercollegiate Guidelines Network (SIGN) (2002): An introduction to SIGN Methodology for the development of evidence- based clinical guidelines. July. www. Show. Scot. Nhs /sign /home. htm.

Sermeus, W. (2007): Introduction to care pathways, center for health services and nursing research, Katholieke University Leuven, Belgium.

Serruys, PW, Kutryk, MJ and Ong, AT. (2006): coronary artery stents. N Engl J Med 354:483-495.

Shabbir, M., Kayani, AM., Qureshi, O. and Mughal, MM.(2008): predictors of fatal outcome in acute myocardial infarction, Jayub Med Coll Abbott bad; 20 (3) 14-16.

Shuttleworth, A. (2003): Nursing times protocol based care., Emap Health care. London.

Sidebotham, D., Mckee, A., Gillham M., Levy, J.H. (2007): Cardiothoracic critical care, Butterworth – Heinemann, an imprint of Elsevier Inc., pp: (260 – 277).

Slater, C.H. (2002): Health services organization, University of Texas, school of public Health, Houston. Texas commentary and outlines.

Smeltzer,S.C., Bare, B.G .,Hinkle, J.L., Cheever, K.H. (2008): Brunner & Suddarth's, Textbook of medical - surgical nursing, (11th ed), Lippincott Williams & Wilkins, Philadelphia, pp (874 – 910).

Smith B.J., Dalzier K., McElory HJ. et al. (2005): Barriers to success for an evidence based guideline for chronic obstructive pulmonary disease. *Chronic respiratory disease 2* : 121 – 131.

Smith D. and Gow P. (1999): Towards excellence in quality patient care: A clinical pathway for myocardial infarction, *J. Qual. Clin. Practice*, 19, 103 – 105.

Spaulding C, Henry P, Teiger E, et al., (2006): Sirolimus-eluting versus uncoated stents in acute myocardial infarction. *New England Journal of Medicine.*, 355, 11, 1093 – 1104.

Specialist Library Protocols and Care Pathways. (2001): The history and spread of ICPs, About Integrated Care Pathways (ICPs), National electronic Library for Health. <http://libraries.nelh.nhs.uk/pathways/about ICPs. asp>.

Spencer, F.A., Salami, B., Yarzebski, J., Lessard, D. et al., (2001): Temporal trends and associated factors of inpatient cardiac rehabilitation in patients with acute myocardial infarction: A community-wide perspective. *Journal of Cardiopulmonary Rehabilitation*, 21 (6), 377 – 84.

Sperry, S.P. and BridSall,C. (1997): Clinical paths in medical surgical practice, St -Louis Baltimore, Mosby- year book, inc.

Spertus, JA., Radford, MJ., Every, NR., Ellerbeck EF., et al., (2009): Challenges and opportunities in quantifying the quality of care for acute myocardial infarction, *Journal of the American College of Cardiology*, May 10, the online version of this article: [http://content .online Jacc. Org/](http://content.online Jacc. Org/)

Stiller J.J. and Holl M.M. (2004): Factors influencing referral of cardiac patients for cardiac rehabilitation. *Rehabilitation Nursing*/ 29 (1), 18 – 23.

Stromberg, A. (2005): Patient-related factors of compliance in heart failure: some new insights into an old problem. *European Heart Journal* 27 (4): 379 – 381.

Sutton AG., Cambell PG., Price DJ. et al., (2000): Failures of thrombolysis by streptokinase: detection with a simple electrocardiographic method. *Heart*. 84, 2, 149 – 156.

Swearingen, P.L. (2008): All- in- one; Care planning resource., (2nd ed.), Mosby, Inc., St- Louis., pp. (166-175).

Tavazzi,L., and Arbustini,E.(2004): clinical pathway for heart failue.,*Dialogues in Cardiovascular Medicine*.,Vol.9,No.4.

Taylor, R.S. (2004): Exercise-based rehabilitation for patients with coronary heart disease; systematic review and meta analysis of randomized controlled trials. *American Journal of Medicine*, 116 (10): 682 – 692.

The American Institute of Medicine (2000): Clinical practice guidelines., Washington: National Academy press .

The Clinical Quality Improvement Net Work (COIN) Investigators (2005): The influence of a critical path management tool in the treatment of Acute myocardial infarction, the *American Journal of Managed Care*, 4: 1243-1251.

The Health care Advisory Board (HCAB).(2003): Executive summary: clinical pathways overview, Washington. D.C.

The Joint European society of Cardiology. (2000): Myocardial infarction redefined ; A consensus document of the Joint European Society of

cardiology, American College of Cardiology for the redefinition of myocardial infarction., Eur Heart J, 21 : 1502 – 13.

The National Heart Attack Alert Program (NHAAP) Coordinating Committee. (2002): Assessment of effectiveness of critical pathways for management of patients with acute coronary syndromes, American Heart Journal, 143: 777- 86.

The National information center for health .(2008):Ministry of health ,on available website <http://www.moheath.gov.eg>

The New Zealand Guideline Group. (2002): Best practice evidence. Based guideline cardiac rehabilitation. Available on: <http://www.nZ99.nz/library/9L-complete/cardiac-Rehab/index>. CFM.

Thibodeau,G.A., and Patton,K.T.(2007): Anatomy and physiology, (6th ed.).St. Louis, MO: Mosby.

Thompson P.D., Buchner D., Pina L., Balady G.I. et., (2003): Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease. Circulation, 107, 3109 – 3123.

Thompson, JM., McFarland CK., Hirsch JE and Tucker SM. (2002): Mosby's clinical nursing., (5th ed.),St Louis ; Mosby's, inc., pp (58-67).

Tierney L.M. Mcphee S.J.and Papadakis M.A. (2005): Current medical diagnosis and treatment., (44th ed.,) New York: McGraw-Hill.

Todd, J.K.(2004): Perfecting practice guidelines., The Journal of Pediatrics, 144(6),695-696.

Tough J.(2005): thrombolytic therapy in acute myocardial infarction. Nursing standard,19,37,55-64.

Touze E., Saillour- Glenisson F., Duireux P., et al. (2006): Lack of validity of a French adaptation of a scale measuring attitudes towards clinical practice guidelines. *Int J Qual Health care.* 18: 195-202.

Townsend, Courtney M., Beauchamp D.R. Evers, M.B. et al., (2004): Sabiston Text book of surgery. The biological basis of modern surgical practice – Philadelphia, Pennsylvania: Elsevier Saunders, 1871. IS BN O- 7216 – 0409-9.

UC Atlas of Global inequality. (2006): Cause of death, Center for Global, International and Regional Studies (CGIRS) at the University of California, Santa Cruz.. Retrieved on December 7, 2006.

Ungrattanachai,P.(2007): outcomes of acute st- elevation myocardial infarction patients' who underwent primary percutaneous coronary intervention, master of nursing science thesis, faculty of graduate studies, Mahidol University.

Urden L., Lough M. and Stacy K. (2006): Thelans' critical care nursing: Diagnosis and management (5th ed), Mosby., St. Louis.

Vanden Hurk ,J. and Mukherjee,A.(2008) : the cardiology care cycle, *Medicamundi ;* 52(2): 14-20).

Vandewerf, F. (2003): Management of acute myocardial infarction in patients presenting with St- Segment elevation., the task force on the management of acute myocardial infarction of the European Society of Cardiology ,*European Heart Journal,* 24 : 28 – 66.

Vanhaecht, K., De Witte, K., Depreitere, R., Sermeus, W.(2006): Clinical pathway audit tools: a systematic review., *J.Nurs.Manag.,* 14(7):529-37.

Virmani R., Kolodgie FD., Burke AP., et al., (2005): Atherosclerotic plaque progression and vulnerability to rupture., *Arteriosclerosis thrombosis vascular Biology*, 25 (10), 2054- 2061.

Wales H. (2003): Integrated care pathways, what are they or how can they be used? *Clin. Gov. Bulletin* 4-2.

Walsh ,M.(2002): Models and Critical Pathways in Clinical Nursing: Conceptual Framework for Care Planning., (2nd ed.), Bailliere Tindal,Oxford.,London.

Walsh, M. (1998): Models and critical pathways in clinical nursing, (2nd ed.), London: Bailliere Tindall.

Watson,R., Mckenna,H., Cowman,S., Keady,J.(2008): Nursing research, designs and methods., Philadelphia, Churchill Livingstone., P.194-195.

Weiner P., Waizman J., Weiner M., Rabner M., MaJadle R., Zamir D.(2000): Smoking and first acute myocardial infarction: Age, mortality and smoking cessation rate, *IMAJ*, Vol 2.

Welin C., Lappas G. and Wilhelmsen L. (2000): Independent importance of psychosocial factors for prognosis after myocardial infarction, *Journal of Internal Medicine*, 247 : pp (629 – 639).

White T. (2004): Are you falling down in the prevention of falls? Changing the delivery of care through the development and implementation of a multidisciplinary assessment tool and care pathways, *journal of integrated care pathways*, (8); 19-26.

Whittle CL, McDonald P, Dunn L.(2004): Developing the integrated care pathway appraisal tool (ICPAT) : a pilot study , *Journal of integrated care pathways*, 8(2):77-81.

- Widjaja, L.S., Chan, B.P., Chen,H., Ong,B.K. (2002):**Variance Analysis Applied to a Stroke Pathway: How This Can Improve Efficiency of Healthcare Delivery, *Ann Acad Med Singapore*; 31:425-30.
- Woods NF., Long BC., Cass Meyer VL., et al.(2000):** physical and psychological outcomes after coronary artery bypass graft surgery; Review of the literature, *heart and lung*; 19(1):49- 54.
- World Health Organization (2007):** Cardiovascular diseases, available at [www.who. Int/Topics/cardiovascular –diseases/en/index. html](http://www.who.int/Topics/cardiovascular-diseases/en/index.html).
- World Health Organization. (2005):** Preventing chronic disease: a vital investment. Geneva.
- Worwag, E. and Chodak, G.W. (1998):** Overnight Hospitalization after radical prostatectomy: The impact of two clinical pathways on patient satisfaction, length of hospitalization, and morbidity., *Anesthesia and Analgesia*, 87 (1) 62 – 67.
- Yazbeck A., Zander K and Panella M. (2006):** Prevalence and use of clinical pathways in 23 countries- An international survey by the European pathway Association., *Journal of integrated care pathways*, 10 (1), 28-34.
- Zander, K. (2002):** integrated care pathways ; eleven international trends. *Journal of integrated care pathways*, 6: 101- 107.
- Zerwic, J. (2007):** Perception of patients with cardiovascular disease about the causes of coronary artery disease, *Heart and lung*, 35 : 100 -102.
- Zevola, D.R. (2003):** Clinical pathway and coronary artery bypass surgery. *Critical Care Nurse*, 17 (6) 1-8.
- Zipes D.P., Libby P. Bonow R.D., et al., (2005):** Braunwalds' heart disease (10th ed.), Saunders., Philadelphia.,pp(99-115).