

REFERENCES

- 1- Zimmet, S.E. (2003):**
Sclerotherapy treatment of telangiectasias and varicose veins. Tech Vasc Interv Radiol .6:116–20.

- 2- Robertson, L. ; Evans, C. and Fowkes, F.G. (2008):**
Epidemiology of chronic venous disease. Phlebology.23:103–111.

- 3- Dodd, H. and Cockett, F. (2002):**
Surgical anatomy of the veins of the lower limb.
In: Dodd H, Cockett F, ed. The pathology and surgery of the veins of the lower limb. London: E. & S. Livingstone. 28–64.

- 4-Alimi, Y.S. ; Barthelemy, P. and Juhan, C. (2000):**
Venous pump of the calf : a study of venous and muscular pressures. J Vasc Surg. Nov.20 (5): 728-35.

- 5- Williams, L. ; Warwick, R. ; Dyson, M. and Bannister, H.(2001):**
Gray's anatomy . 37th ed.,Chruchill Livingostone;Edinburgh, London, Melbourne and New York.

- 6- Negus, D. (2003):**
Prevention and treatment of venous ulceration . Ann R Coll Surg; 67:144-148.

- 7- Nehler, M.R. and Moneta, G.L.(2002) :**
The lower extremity venous system : Anatomy and normal physiology . Prespect Vasc Surg ;4:104-116.

8- Braverman, I.M. (1999):

Ultrastructure and organization of the cutaneous microvasculature in normal and pathologic states. *J Invest Dermatol* ; 93:28 .

9- Weiss, R.A. ; Feied, C. and Weiss, M.A. (2001):

Vein diagnosis and treatment . A comprehensive approach . venous anatomy . St Louis, Medical Publishing Division, .1:9-14.

10- Weiss, R.A. and Weiss ,M.A. (1998):

Doppler ultrasound findings in reticular veins of the thigh subdermic lateral venous system and implications for sclerotherapy . *J Dermatol Surg Oncol*; 691 (10): 947-951.

11- Bergan, J. and Pascarella, L. (2007) :

Venous Anatomy, Physiology, and Pathophysiology. In: Bergan, J.J.,*The vein Book*.347-352.

12- Somjen, G.M. (1995):

Anatomy of superficial venous system. *Dermtol Surg*. 38 : 955-965.

13- Fegan, W.G. and Pegum, J.M. (2005):

Interventions for uncomplicated varicose veins *J Vasc Surg* . 21:635–45.

14- May, R.(1995):

Nomenclature of the surgically most important connecting veins. In: May R, Partsch H, Staubesand J, eds. *Perforating veins*. Baltimore: Urban & Schwarzenberg. 13–18.

15- Hobbs, J.T. (1999) :

Surgery and sclerotherapy in the treatment of varicose veins. *Lancet*. 2(7788):1188–1191.

16- Browse ,N.L. ; Burnand ,K.J. ; Irvine, A.T. and Wilson, N.M. (1991):

Embryology and radiographic anatomy. In: Browse NL, Burnand K, Irvine AT, Wilson NM, ed. *Diseases of the veins*, 2e. London: Arnold. . 23–48.

17- Duplessis , D.(1997) :

Hemorrhoids and varicose veins. *Dig Dis Sci* . 37:179-86.

18- Moos, M. and Hartwell,J.R. (1998):

The surgical significance of subfascial course of the lesser saphenous Vein ., *Surg Gny and Obst.*, 16:118-761.

19- Labropoulos, N. ; Tassiopoulos, A.K. ; Kang, S.S. ; Mansour, M.A.; Littooy, F.N. and Bader ,W.H. (2000):

Prevalence of deep venous reflux in patients with primary superficial vein incompetence. *J Vasc Surg* 2000; 32: 663-8.

20- Strandness, D.E. and Thiele, B.L. (2000):

Selected topics in venous disorders . New York : Future Publishing Co, 253-283.

21- Belcaro ,G.V. ; Grimaldi, R. and Guidi .G. (1995):

Improvement of capillary permeability in patients with venous hypertension after treatment with TTCA. *Angiology*. 41:533-540.

22- Raju, S.(1998):

Venous insufficiency of the lower limb and stasis ulceration. Ann Surg, 197:688.

23- Powell ,T. and Lynn, R.B. (1996):

The venous valves of the lower extremities . Surg Gyn and Obst., 92:453.

24- Summer, D.S. (1995):

Hemodynamic and pathophysiology of venous disease . In Rutherford RB., Vascular surgery. 3rd ed. :1483-1503 .

25- Le Gros Clark, W.B. (2004):

The tissues of the body . 13th ed., London , Oxford university press. :199-202.

26- Almegren, B. and Eriksson, I. (2001):

Vascular incompetence in superficial , deep and perforator veins of the limbs with varicose veins , Acta chir Scand, 165:69.

27- Goldman, M.P. and Bennett, R. (1990):

Treatment of telangiectasia .A review. J Am Acad Dermatol 17:167-82.

28- Goldman, M.P. (1995):

Sclerotherapy for for superficial venules and telangiectasias of the lower extremities . Dermatol Clin . 5: 369-79.

29- Habif, T.P. (2001):

Vascular tumors and malformations . In ; Skin Disease : Diagnosis and treatment .Edited by Habif, T.P. ; Campbell, J.L. Quitadamo, M.J. and Zug, K.A. Mosby London . 444-447.

30- Weiss , R.A. and Weiss, M.A. (2005):

Painful telangiectasias :diagnosis and treatment . In: Bergan, J.J. ; Weiss, R.A.; Goldman, M.P. editors. Varicose Veins and Telangiectasias: Daignosis and treatment , 2nd ed.St. Louis: Quality Medical . 389-406.

31- Somjen ,G.M. ; Ziegenbein, R. ; Johnston, A.H., and Royle ,J.P.(2001):

Anatomical examination of leg telangectasiaes with duplex scanning. J Dermatol Surg Oncol ; 19(10):940-945.

32- Braverman, I.M. and Keh-Yen,A. (1993):

Ultrastructure of the human dermal microcirculation . IV. Valve-containing collecting veins at the dermal – subcutaneous junction . J. Invest Dermatol .438-442.(Quoted from Weiss et., 2001).

33- McCarthy, J.G. (1997):

Cutaneous vascular anomalies . In Plastic Surgery. Edited by : McCarthy, J.G. ; W.B. Saunder Company .Philadelphia . London , Toronto , Momental , Sydney , Tokyo . 66(5):3191-3274.

34- Mulliken, J.B.(1998):

Cutaneous vascular anomalies . In Plastic Surgery. Edited by : McCarthy, J.G. ; W.B. Saunder Company .Philadelphia . London , Toronto , Momental , Sydney , Tokyo . 66(5):3191-3274.

35- Spira , M. ,(1995):

Embryology and classification of hemangiomas Symposium of vascular malformations and melanotic lesions .Edited by :Williams, H.B. , The C.V. Mobsy Company , St.Louis , Toronto, London .1:3-20.

36- Rassner, G. (1994):

Diseases of the cutaneous vascular system . In : Atlas of Dermatology (3rd edition) . Edited by : Burgdorf W.H.C. Lea and Febiger , Philadelphia .14:266-267.

37- Weiss, R.A. and weiss, M.A. (1994):

Sclerotherapy .In: Wheeland, R.G., editor. Cutaneous Surgery . Philadelphia, W.B. Saunders .951-981.

38- Bergan, J.J. (2000):

Varicose veins: Treatment by surgery and sclerotherapy . In vascular surgery , Rutherford RB 5TM sd., WB Saunders. 2007-2020.

39- Takase , S, and Bergan, J.J.(2000) :

Expression of adhesion molecules and cytokines on saphenous veins in chronic venous insufficiency. Ann Vasc Surg . 14: 427-35.

40- Takase,S. and Bergan, J.J.(2004) :

The inflammatory reaction during venous hypertension in the rat. Microcirculation .7:41-52.

41- Raffetto, J.D. and Khalil, R.A. (2008):

Mechanisms of varicose vein formation: valve dysfunction and wall dilation. *Phlebology* 23:85–98.

42- Thomas, M. (1998) :

Modern treatment of varicose veins. *Br J Surg.* 75(4):297–298.

43- Scott, I.T. ; Smith, P.D.C. and Scurr, J.H. (1999):

Histological study of white blood cells and their association with lipodermatosclerosis and venous ulceration . *Brj Surg.* 78:210-211.

44- Wilkerson, T.N. and pappas, L.O. (1997):

Skin biopsies in liposclerotic and eczematous skin macrophages . *Brit Med J .* 13: 115-128.

45- Labropoulos , N. ; Giannoukas, A.D. ; Nicolaidis, A.N. ; Veller, M. ;Leon, M. and Volteas, N. (1997):

The role of venous reflux and calf muscle pump function in non thrombotic ch.v.I. correlation with severity of signs and symptoms .*Arch Surgery.* 131 (4) :403-406.

46- Gunderson , J. (1996):

Hereditary factors in venous insufficiency *Angiology .*20:340-355.

47- Al- Naemi, H. and Baldwin, A.L. (2001) :

Nitric oxide protects venules against histamine- induced leaks, microcirculation . 7 :215-223.

48- Burnand ,K.G. ; Whimster, I. ; Clemenson,G. ; Thomase, M.L. and Browse, N.L. (1991):

The relationship between the capillaries of the canine hind limb. *Brit MedJ.* 69:297-300.

49- Junger,M. ; Hanu, U.; Bort, S. ; Kiyscs, I. Manu,M. and Browse , N.L. (1994):

The relation ship between the number of the capillaries in the skin of the venous ulcer , bearing area of the lower leg and the fall in foot vein pressure during examine, *Acta Chir Scand.* 68:297-300.

50- Bates,T.(1996):

Curricular training and the new deal. *Ann R Coll Surg Engl .* **78:** 61-2.

51- Soab , S.S. ; Scurr, J.H. and Coleridge –Smith, P.D.(1999):

VEGE as a marker of therapy in patient with chronic venous disease , treated with micronized fraction apilot study. *Vasc Endovasc Surg .* 28(5): 471-478.

52- Kim, I. ; Moon , S.O. ; Kim , S.H. ; Kim , H.J. and Koh, G.Y. (2001):

Vascular endothelial growth factors expression of intercellular adhesion molecule 1 CI (AM-1) , Vascular cell adhesion molecule , CV (AM -1) and E Selectin through nuclear factor –Kappa-B activation in endothelial cells , *J Bio Chem.* 276: 7614-7620.

53- Abumiya, T. (2002):

Shear Stress Induces Expression of Vascular Endothelial Growth Factor. *Arterioscler Thromb Vasc Biol .*22: 907-913

- 54- Pappas, P.J. ; You, R. ; Rameshwar , P.; Gorti, R. De Fouw Do ; Phillips, C.K. et al., (1999) :**
Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor- beta 1 gene expression and protein production, *Vasc Surg* . 30:1129-1145.
- 55- Gandhi, R.H. ; Irizarry ,E. and Nackman , G.B. (1994):**
Analysis of the connective tissue matrix and proteolytic activity of primary varicose veins . *Journal Vascular Surgery* .18:338-340.
- 56- Sansilvestri-Morel, P.(1998):**
Vascular remodeling in varicose veins *Angiology*. *J Vasc Surg* .8:669-75.
- 57- Pappas, P.J. ; De Fouw Do; Venezio, L.M. Gorti, R.; Padlege, F.I.J.R. ; Saliva , M.P., J.R. et al., (1997):**
Assessment of the dermal microcirculation in patients with chronic venous insufficiency . *J Vasc Surg*. 26: 784-795.
- 58- Golledge , J. and Quigley, F.G. (2003):**
Pathogenesis of varicose veins .*Eur Vasc Surg*. 25:319-324.
- 59- Browse ,N.L. ; Burnand, K.J. ; Irvine, A.T. and Willson, N.M. (1999):**
Recurrent varicose veins. In: *diseases of the veins* :225-248.
- 60- Lofgren, E.P. (1999):**
varicose veins after the stripping operation. *Arch Surg*, . **102** : 111-114.

61- Lofgren, K.A.(1995):

Varicose veins. Their symptoms, complications and management.
Postgrad. Med. J. 65: 131-139.

62- Hirai, M. (1999):

Prevalence and risk factors of varicose veins in Japanese women .
Angiology . 3:228-232.

63- Burnand, K.J. ;Pattison , M. ; Pourell, S. ; Lea, T.M. and Browse, N.L. (1995):

Can we diagnose long saphenous incompetence correctly ?
phlebology.101-105.

64- Cockett , F.B. (1990):

Diagnosis and surgery of high pressure venous leaks in the leg. A
new overall concept in the surgery of varicose veins and venous
ulcers. British Medical Journal . 2:1399-1403.

65- Tompsett, D.M. (2003):

In the pathology and surgery of veins of the lower limb , 9th edition
New York .

66- Carnley , J.J (1998):

Varicose veins ; a comparison of surgery and compression
sclerotherapy. Lancet . 2:1188-1992.

67- Bergan, J.J. (2004):

Surgical procedures for varicose veins : axial stripping and stab avulsion . In Bergan , J.J. and Kistner, P.L. (eds) : Atlas of Venous Surgery , Philadelphia ,WB Saunder .

68- Chevrier, L.(1990):

L'examin aux reflux veinaux dans les varices superficielles. Arch Genchir,quoted : Diseases of the veins 2nd edition.2 :44.

69- Burnand, K.J. (1997):

Managemet of varicose veins of the legs. Nurs mirror.144(11):45.

70- Eklöf, B. ; Rutherford ,R.B. ; Bergan, J.J. ; Carpentier, P.H . ; Gloviczki, P. and Kistner, R.L (2004):

American Venous Forum International Ad Hoc Committee for Revision of the CEAP Classification .Revision of the CEAP classification for chronic venous disorders: consensus statement. J Vasc Surg. 40:1248–1252.

71- Callum , M.J. ;Ruckley ,C.V. ; Dale, J.J. and Happer, D.R. (1998) :

‘Hazards of compression treatment of the leg: an estimate from Scottish surgeons’ ,*Br. Med. J.*,**295**, p. 1382.

72- Papachristou, D. and Fortner, J.G. (2004):

Prediction of intestinal viability by intra-arterial dye injection : A simple test .Am J Surg. 132: 572.

- 73- Barnes ,R.W. ; Collicott ,P.E. ; Mozersky, D.J. ; Sumner, D.S. and Strandness, J.D.E. (1997):**
Noninvasive quantitation of venous reflux in the postphlebotic syndrome. Surg Gynecol Obstet. . 136(5): 769-73 .
- 74- Criado,E. and Johnson , G. (2001):**
Venous disease. Curr Prob Surg. 28:339-400.
- 75- Grabs ,A.J. ; Wakely, M.C.; Nyameke, I. ; Ghauri, A.S.K. and Poskitt, K.R.(2006):**
Colour duplex ultrasonography in the rational management of chronic venous leg ulcers. Brit J Surg . 83: 1380-1382 .
- 76- Yamaki, T.; Sasaki, K. and Nozaki, M. (2008):**
Preoperative Duplex-Derived Parameters and Angioscopic Evidence of Valvular Incompetence Associated With Superficial Venous Insufficiency. J ENDOVASC THER .9:229–233.
- 77- Welch , H.J. ; Faliakou, E.C. ;Umphery, S.E. ; Belkin , M. and O'Donnel , T.F. (2002):**
Comparison of descending plethysmography , and duplex quantitative valve closure time J Vasc Surg. 22:53-414.
- 78- Sarin , S. ; Scurr,J.H. and Coleridge- Smith, P.D. (2002):**
Varicose vein management . Cited from : Recent advances in surgery . Johnson C.D. , Taylor. I.Ed. Part (16).
- 79- Carpenter, J.P., Holland ,G.A. and Golden ,M.A.(1999):**
Magnetic resonance angiography of the aortic arch. J Vasc Surg . 25:145–151.

80- Vowden ,P. (1998):

The investigation and assessment of venous disease. *J Would Car.* 7: 143-7.

81- Haimovici, H. (2004):

Arterial embolism of the extremities and technique of embolectomy. In: Haimovici H, Ascer E, Hollier LH, Strandness Jr. DE, Towne JB. *Vascular surgery: principles and techniques.* 4th ed. Massachusetts: Blackwell Science . p. 423-44.

82- Adhikari , A. ; Criqui, M.H. and Wool , V. et al., (2000):

Chronic venous diseases, *Phlebology* **15**, p. 2.

83- Le Devehat, C. (1997) :

Evaluation of haemorrhageological and microcirculatory disturbance in chronic venous insufficiency : Activity of Daflon 500mg . *Int J MICROCIRC Clin Exp.* 1:27-33.

84- Dudelzak , J. ; Hussain, M. and Goldberg, D.J. (2009):

Vascular-specific laser wave length for the treatment of telangiectasias . *J Dermatol.*8(3): 227-9.

85- Martin, D, and Goldman ,M. (2000):

A comparison of sclerosing agent; Clinical and histologic effects of intravascular sodium tetradecyl sulfate and chromated glycerin in the dorsal rabbit ear vein. *J Dermatol Surg Oncol.* 16:18-22.

- 86- Campbell , G. ; Campbell, J. and Manderson , J. (1998):**
Arterial smooth muscle . Arch Path Lab Med . 112:977-986.
- 87- Green , D. (2003):**
Compression sclerotherapy techniques .Dermatol Clin .7 :137-146.
- 88- Green , D. (2005):**
Mechanism of action of sclerotherapy . Seminars in Dermatology.
27: 161-5.
- 89- Feied ,C. (2007):**
Sclerosing solutions. In: Bergan, J.J.,The vein Book. Elsevier
Academic Press .125-131.
- 90- Sadick , N. (2008):**
Hyperosmolar versus detergent sclerosing agents in sclerotherapy . J
Dermatol Surg Oncol .20: 313-6.
- 91- Sadick , N. (2004):**
Sclerotherapy of varicose and telangiectatic leg veins . Minimal
sclerosant concentration of hypertonic saline and its relationship to
vessel diameter . J Dermatol Surg Oncol . 17:65-70.
- 92- Goldman, M.P. (1997):**
Polidocanol (Aethoxysklerol) for sclerotherapy of superficial
venules and telangiectasias . J Dermatol Sug Oncol. 15:204-9.

93- Ouvry, P.A. (1999) :

Telangiectasia and sclerotherapy. *J Dermatol Surg. Oncol* .15:177-81

94- Noel, B.(2004):

Polidocanol or chromated glycerin for sclerotherapy of telangiectatic leg veins . *Dermatol Surg* . 30: 1272-1273.

95- Kern , P. ; Ramelet, A.A. ; Wutschert, R.; Bounameaux, H. and Hayoz, D. (2004):

Single-blind , randomized study comparing chromated glycerin, polidocanol solution, and polidocanol foam for treatment of telangiectatic leg veins . *Dermatol Surg*. 30:367-72.

96- Weiss,R.A. and Weiss ,M.A. (2007):

Sclerotherapy treatment of telangiectasia. In: Bergan, J.J.,*The vein Book*. Elsevier Academic Press.133-138.

97- Cheng, L. and Lee, D. (1999):

Review of latex allergy, *J Am Board Fam Pract*. 12(4): 285–292

98- Bodian , E. (2002):

Techniques of sclerotherapy for sunburst venous blemishes . *J Dermatol Surg Oncol* . 11:696-704. (Quoted from Goldman , M. 1987).

99- Duffy, D.M. (2008):

Small vessel sclerotherapy: An overview. *Adv Dermatol*. 3: 221–242.

100- Yamaki ,T. ; Nozaki ,M. and Iwasaka, S. (2004):

Comparative study of duplex guided foam sclerotherapy and duplex guided liquid sclerotherapy for the treatment of superficial venous insufficiency, *Dermatol Surg.* 2004. 30: 718–722.

101- Guex, J.J. (2006):

Foam sclerotherapy: An overview of use for primary venous insufficiency, *Semin Vasc Surg.* 2005. 18: 25–29.

102- Shields , J.L. and Jansen , G.T. (2003):

Therapy for superficial telangiectasias of the lower extremities. *J Dermatol Surg Oncol .* 8 :857-860.

103- Weiss, R.A. ; Sadick , N.S. ; Goldman,M.P. (2005):

Post sclerotherapy compression : controlled comparative study of duration of compression and its effects on clinical outcome . *Dermatol Surg.* 25;105.

104- Weiss, R.A. and Duff,D. (1999):

Clinical benefits of lightweight compression: Reduction of venous-related symptoms by ready to wear lightweight gradient compression hosiery . *Dermatol Surg.* 25:701-704.

105- Goldman, M.P. ; Beaudoin , D. and Marley, W. (1990):

Compression in the treatment of leg telangiectasia . A pre-liminary report. *J Dermatol Surg Oncol .*16: 322-325.

106- Bohler- Sommeregger, K. ; Karnei, F. and Schuller-Petrovic, S. (1998):

Do telangiectases communicate with the deep venous system . J Dermatol Surg Oncol . 18: 403-406.

107- Guex, J.J. (2005):

Contraindications of sclerotherapy, update 2005, J Mal Vasc **30** . pp. 144–149.

108- Goldman, M.P. ; Sadick , N. and Weiss , R. (1995):

Cutaneous necrosis , telangiectatic matting and hyperpigmentation following sclerotherapy . Dermatol Surg . 21: 19-29.

109- Duffy ,D.M. (2004):

Cutaneous necrosis following sclerotherapy . J Aesthetic Dermatol Cosmetic Surg. 1:157.

110- Zenk, K. (1991):

Management of intravenous extravasation . Infusion. 5: 77-9.

111- Kern, P. (2002):

Sclerotherapy of varicose veins . Technique , indications and complications . International Angiology, 21(Suppl 1), 40-45.

112- Guex, J.J. ; Allaert, F. A. ; Gillet, J.L. and Chleir, F. (2005):

Immediate and Midterm Complications of Sclerotherapy: Report of a Prospective Multicentre Registry of 12,173 Sclerotherapy Sessions. *Dermatologic Surgery*, 31, 123-128.

- 113- Goldman, M.P. ; Bergan ,B.J. and Guex, J.J. (2007):**
Sclerotherapy treatment of varicose and telangiectatic leg veins :
diagnosis and treatment . 4th ed .London :Moby Elsevier .
- 114- Bodian , E.(1999) :**
Sclerotherapy : A personal appraisal . J Dermatol Surg Oncol . 15:
156-61.
- 115- Davis, L.T. and Duffy, D.M. (2003):**
Determination of incidence and risk factors for postsclerotherapy
telangiectatic matting of the lower extremity A retrospective
analysis, *J Dermatol Surg Oncol* **16** . pp. 327–330.
- 116- Biegeleisen, K. (1996):**
Primary lower extremity telangiectasias –relationship of size to color
. *Angiology*. 38: 760-8.
- 117- Branhill, R. and Wolf ,J. (1994):**
Angiogenesis and the skin . J Am Acad Dermatol. 16:1226-9.
- 118- Angell, M. and Relman ,A. (1999):**
Successful treatment of an angiogenic disease . New Engl J Med .
320: 121-3.
- 119- Goldman, M.P. and Fitzpatrick, R.E. (1995):**
Pulsed-dye laser treatment of leg telangiectasia : With and without
simultaneous sclerotherapy. J Dermatol Surg Oncol. 16:338-344.

120- Georgiev , M.P. (1993) :

Postsclerotherapy hyperpigmentation : a one-year follow-up . J Dermatol Surg Oncol. 16:608-10.

121- Goldman, M.P. (1992):

Postsclerotherapy hyperpigmentation : treatment with a flashlamp excited pulsed dye laser . J Dermatol Surg Oncol. 18: 417-22.

122- Thibault, P. and Wlodarczyk, J. (2002):

Postsclerotherapy hyperpigmentation . The role of serum ferritin levels and the effectiveness of treatment with the copper vapor laser. J Dermatol Surg Oncol. 18: 47-52.

123- Kanter,A. ; Lsaacs , M. and Gardener, M. (2003) :

Ultrasonographically demonstrable AVA in saphenous trunk disease . Presented at the national meeting of the North American Society of Phlebology, Orlando.

124- Biegeleisen, K. ; Neilsen , R.D. and O'Shaughnessy, A. (2005):

Inadvertent intra-arterial injection complicating ordinary and ultrasound guided sclerotherapy . J Dermatol Surg Onc . 19:953-58.

125- Sternbergh, W.C. ; Makhoul , R.G. ; Adelman, B. and McGuire, H.H. (2006):

Heparin prevents postischemic endothelial cell dysfunction by a mechanism independent of its anticoagulant activity . J Vasc Surg. 15(6):1075.

126- Bergan, J. ; Pascarella, L. and Mekenas, L.J. (2006):

Venous disorders: treatment with sclerosant foam, *Cardiovasc Surg (Torino)* **47** pp. 9–18.

127- Carlin, M.C. and Ratz , J.L. (2002):

Treatment of telangiectasia : Comparison of sclerosing agents. J Dermatol Surg Oncol. 13: 1181-1184.

128- Hobbs, J.T. (2007):

The management of of recurrent and residual veins . Stoke Mandeville Hospital Symposium. The treatment of varicose veins by injection and compression . pp 28-31.

129- Rao, J. ; Wildemore, J.K. and Goldman, M.P.(2005):

Double-blind prospective comparative trial between foamed and liquid polidocanol and sodium tetradecyl sulfate in the treatment of varicose and telangiectatic leg veins. Dermatol Surg 2005;31:631–5.

130- Swinscow, T.D.V. (1997):

Statistics at Square One. BMJ Publishing Group.

131- Sladen ,J. (1998):

Compression sclerotherapy : preparation technique, complications, and results . Am J Surg.146:228-32.

132- Weiss, R.A. and Weiss, M.A. (1990):

Resolution of pain associated with varicose and telangiectatic leg veins after compression sclerotherapy. J Dermatol Surg Oncol . 16:333–6.

133- Alos ,J. ; Carreno, P. ; Lopez,J.A. Estadella , B. ; Serra-Prat, M. and Marinel-Io, J.(2006):

Efficacy and safety of sclerotherapy using polidocanol foam : a controlled clinical trial .Eur J Vasc Endovasc Surg . 31:101-7.

134- Rabe,E. ; Schliephake,D. ; Otto,J. ; Breu,F.X. and Pannier,F. (2010):

Sclerotherapy of telangiectases and reticular veins : a double- blind, randomized , comparative clinical trial of polidocanol , sodium tetradecyl sulphate and isotonic saline (EASI). *Phlebology*.25: 124-131.

135- Frullini , A. and Cavezzi, A. (2010):

Sclerosing foam in the treatment of varicose veins and telangiectases : history and analysis of safety and complications. *Dermatol Surg* . 28: 11-5.

136- Hamel-Desons,C. and Albert, F.A.(2009):

Liquid versus foam sclerotherapy. *Phlebology*. 24:240-246.

137- Smith, P.C. (2009):

Foam and liquid sclerotherapy for varicose veins. *Phlebology*. 24(1):62-72.

138- Kern, P. ; Ramelet, A.A. ; Tschert,W.U.R. and Hayoz, D. (2007):

Compression after sclerotherapy for telangiectasias and reticular leg veins: a randomized controlled study. *J Vasc Surg* .45:1212–6.

139- Uncu, H. (2009):

Sclerotherapy: a study comparing polidocanol in foam and liquid form. *Phlebology* .25:44–49.

140- Weiss, R.A. ; Weiss, M.A. and Goldman, M.P. (1992):

Physicians' negative perception of sclerotherapy for venous disorders: review of a 7-year experience with modern sclerotherapy. South Med J .85:1101–6.

141- Goldman, M.P. ; Kaplan ,R.P. and Duffy, D.M. (1997):

Postsclerotherapy hyperpigmentation: a histologic evaluation. J Dermatol Surg Oncol .13:547–50.

142- Green, D.(1998):

Sclerotherapy for the permanent eradication of varicose veins: theoretical and practical considerations. J Am Acad Dermatol .38:461–75.