

REFERENCES

- Abulafi A.M., Williams N.S. (1994):** Local recurrence of colorectal cancer: the problem, mechanisms, management and adjuvant therapy. Br.J. Surg. 81 (1):7-19.
- Ahlquist D, Wieand H, Moertal C et al. (1995):** Accuracy of fecal occult blood screening for colorectal neoplasia: a prospective study using Hemoccult and Hemoquant. J Am Med. Assoc; 269: 1262-1267.
- Ahmad NA, Kochman ML and Ginsberg GG. et al., (2002):** Endoscopic ultrasound and endoscopic mucosal resection for rectal cancers and villous adenomas. Hemotol Oncol Clin North Am; 16: 897-906.
- Baron JA, Beach M, Mandel JS, et al. (1999):** Calcium supplements for the prevention of colorectal adenomas. Calcium Polyp Prevention Study Group. N Engl J Med; 340 (2): 101.
- Beart R.W. Jr., O'Connell M.J. (1999):** Postoperative follow up of patients with carcinoma of the colon. Mayo Clin. Proc; 58: 361-3.
- Berger A, Tiret E, Par R, Frileux P, Hannonu L, Nordlinger B et al. (1999):** Excision of the rectum with colonic J pouch-anal anastomosis for adenocarcinoma of the low and mid rectum. Br. J. Surg. 16: 470-477.

- Bird CL, Witte JS, Swendseid ME, et al. (1996):** Plasma ferritin, iron intake, and the risk of colorectal polyps. *Am J Epidemiol*: 144: 34.
- Birnbaum, E.H.; Ogunbiyi, O.A. and Gagliardi, G. (1999):** Selection criteria for treatment of rectal cancer with combined external and endocavitary radiation. *Dis. colon rectum, Br. J. Surg.* 42, Br. J. Surg. P: 727-733.
- Bisset, I.P.; Chau, K.Y. and Hill, G.L. (2000):** Mesorectal fascia excision of the rectum: surgical anatomy of the fascia propria. *Dis. Colon Rectum*, number 43. P: 903-910.
- Bjorklun B. (1990):** On the nature and clinical use of tissue polypeptide antigen (TPA). *Tumor Diagnos.* 1: 9-20.
- Bleday, R.; Breen, E. and Jessup, J.M. (1997):** Prospective evaluation of local excision for small rectal cancers. *Dis Colon Rectum*, Volum 40, number 4. P: 388-392.
- Breivik J. and Gaudernack, G. (1999):** Genomic instability, DNA methylation, and natural selection in colorectal carcinogenesis. *Semin Cancer Biol*, number 9. P: 245-254.
- Brentnall, T.A.; Crispin, D.A. and Rabinovitch, P.S.(1994):** Mutations in the p53 gene: an early marker of neoplastic progression in ulcerative colitis. *Gastroenterology* 4th ed. Ed by Brentnall, T.A.; Crispin, D.A. and Rabinovitch, P.S. Philadelphia Vol. 2, P:369-378.

- Burrows L., Tartter P. (1998):** Effect of blood transfusions on colonic malignancy rate. Br. J. Surg. 2: 662.
- Burt, R.W. and Jacoby, R.F. (1999):** Polyposis syndromes. In : Text. Book Of Gastroenterology, 3rd ed. Ed by Burt, R.W. and Jacoby, R.F. Philadelphia: Lipincott Raven. P: 1995-2022.
- Bussey HJR et al., (1990):** Familial adenomatous polyposis Ann. J. Surg. :1 P. 260-265.
- Cahill, D.P.; Lengauer, C. and Yu, J. (1998):** Mutations of mitotic checkpoint genes in human cancer. Br. J. Surg. P: 300-303.
- Cedermar B, Johansson H, Rutqvist LE, Wilking N. (2001):** The Stockholm I trial of preoperative short term radiotherapy in operable rectal carcinoma. A prospective randomized trial. Stockholm Colorectal Cancer Study Group. Cancer 1995; 75: 69-75.; 2269-75.
- Chaplin, M.F. (1998):** Bile acids, fiber and colon cancer: the story unfolds J R Soc Health, P: 53-61.
- Chapman AE, Levitt MD, Hewett P, Woods R, Sheiner H, Maddern GJ. (2001):** Laparoscopic-assisted resection of colorectal malignancies: a systematic review. Ann Surg.; 234: 590-606.

- Chen Y, Liu ZY, Li RX, Guo Z. (1999):** Structural studies of initial lymphatics adjacent to gastric and colonic malignant neoplasms. *Lymphology*; 32: 70.
- Cohen, A.M.; (2002):** Operations for colorectal cancer In: Zuidema, G.M.; Yeo, C.J. *Surgery of GIT*, 5th ed. Ed. by Cohen, Volum 4, Philadelphia: W.B. Saunders. P: 245-560.
- Cuschieri, A. S.; Steele, C.J. and Moossa, R.A.(2002):** Disorder of the colon and rectum. In : *Essential Surgical practice* 4th ed. Ed by Cuschieri, A.S.;Steele, C.J. and Moossa, R.A. Arnold, London, New York and New Delhi. Vol. 2, P:569-626.
- De Calan L, Bourlier P. et al; (1998):** Therapeutic choices for cancer of the rectum; discussion and update of the consensus conference. *J Chir*; 135: 51-56.
- Deen KL, Madoff RD, Belmonte C, Wong WD (1995):** Preoperative staging of rectal neoplasms with endorectal ultrasonography guided by clinical assessment. *Semin colon Rectl surg.*; 6: 78-85.
- Denonvilliers Charles Pierre, Last's Anatomy (1999):** Anatomy of the rectum, rectovesical fascia in: *Last's Anatomy* 4th ed., Ed by Denonvilliers Charles, Paris. Vol. 2, (P. 286).
- DeRoos A., Hermans J., Odo Opden, Orth J. (1994):** Polypoid lesions of the sigmoid colon: a comparison of single-contrast, double contrast and biphasic examinations. *Radiology*; 151: 597-9.

- Devesa J.M., Morales V., Enriquez J.M. et al. (1999):** Colorectal cancer: the bases for a comprehensive follow up. Dis. Colon Rectum; 31: 636-652.
- Dowdall JF, Maguire D, McAnena OJ. (2002):** Experience of surgery for rectal cancer with total mesorectal excision in a general surgical practice. Br J Surg.; 89 P: 1014-1019.
- Durdey P., Williams N.S., Brown D.A. (1999):** Serum carcinoembryonic antigen and acute phase reactant proteins in the preoperative detection of fixation of colorectal tumours. Br. J. Surg.; 71:881-4.
- Engc, Talbot K, Burt R. (2000):** Histologic appearance of malignant polyps In: Hamiton SR, Aaltonen LA, eds. WHO classification of treatments, pathology and genetics: Tumors of the digestive system, lyon, France 2nd ed. 34: 132-134.
- Enker, W.E.;Kafka, N.J. and Martz, J. (2000):** Planes of sharp pelvic dissection for primary, locally advanced, or recurrent rectal cancer. Semin Surg. Oncol, number18. P:199-206.
- Entius, M.M.; Westerman, A.M. and Velthuysen, M.L. (1999):** Molecular and phenotypic markers of hamartomatous polyposis syndromes in the gastrointestinal tract. In : The Hepatogastroenterol 4th ed. Ed by Entius, M.M.; Westerman, A.M. and Velthuysen, M.L. London, New York. Vol. 3, P: 661-666.

Fazio UW, James M. Church, Conar P. Delangy (2005): Instigated treatment needle cancer Dis colon And rectum, Mosby, P. 165-180.

Fearn head NS, Britton MP, Bodmer WF (2001): The ABC of APC : Human genetics Dis. Colon and rectum; P. 721-733.

Ferrucci. J.T, (1990):s Liver tumor imaging: current concepts. AJR, 155:473-84.

Fodde R, Smits R. (2001): Disease model: Familial adenomatous polyposis. Trends mol. Med. 7: 369-373.

Francois Y, Nemoz CJ, Baulieux J, Vignal J, Grandjean JP, Partensky C et al., (1999): Influence of the interval between preoperative radiation therapy and surgery on downstaging and on the rate of sphincter-sparing surgery for rectal cancer: the Lyon R 90-01 randomized trial. J Clin Oncol; 17: 2396.

Fucini C., Tommasi S.M., Rosi S., Malatantis G., Gardona G., Panichi S., Bettini U. (1997): Follow up of colorectal cancer researcted for cure: an experience with CEA, TPA, CA 19.9 analysis and second look surgery. Dis. Colon Rectum; 30: 273-377.

Funcini C, Elbetti C, Petrolo A, Casella D. Excision of the levator muscles with external sphincter preservation in the

treatment of selected low T4 rectal cancers. *Dis Colon Rectum* 2002; 45: 1697-1705.

Garcia –Aguliar J, Pollack J, Lee S.H. (2002): Accuracy of endorectal ultrasonography in pre-operation staging of rectal tumors. *Dis. colon rectum*, 45: 10-15.

Gasparini M., Buraggi G.L. Regalia E., Maffioli L., Balzarini L., Gennari L. (1994): Comparison of radioimmunodetection with other imaging methods in evaluating local relapses of colorectal carcinoma. *Dis. Colon rectum*; p. 846-9.

Gatta G, Capocacda R, Sant M et al; (2000): Understanding variations in survival for colorectal cancer 31 j in Europe: a EURO CARE high resolution study. *Gut* 47:533-538.

Georgiades, I. B.; Curtis, L.J. and Morris, R.M.(1999): Heterogeneity studies identify a subset of sporadic colorectal cancers without evidence for chromosomal or microsatellite instability. *Oncogenesis*, P: 7933-7940.

Gerad, J.P.; Romestastating, P. and Ardiet, J.M. (1998): Endocavitary radiation therapy. *Semin radiat Oncol*, volum 8, number 1. P: 13-23.

Gertig DM, Hunter DJ. (1995): Genes and environment in the etiology of colorectal cancer. *Semin Cancer Biol.* S: 28S.

Gervaz P, Rotholtz N, Wexner SD, You SY, Saigusa N, Kaplan et al; (2001): Colonic J-pouch function in rectal cancer patients: impact of adjuvant chemoradiotherapy. Dis Colon Rectum 44: 1667-1675.

Gionannucci, E. (2001): An updated review of the epidemiological evidence that cigarette smoker increases risk of colorectal cancer. Cancer Epidemiol Biomarkers prev 10: 725-31.

Goligher J.C. (1998): What can be done to improve the results in colorectal cancer? Br. J. Gasrointerol; 23 (suppl. (148): 190-194.

Goligher J.C., Pukes C.E., Bussey H.J.R. (1951): Local recurrence after sphincter saving excision for carcinoma of the rectum and rectosigmoid. Br. J. Surg.; 39: 199-211.

Golighrt, J.C.;Duthie, H.L. and Nixon, H.H. (1984): Management of colorectal cancer. Br. J. Surg. London, New-York. P:43-465.

Greegor D.H. (1971): Occult blood in testing for detection of asymptomatic colon cancer. Cancer; 28: 131-134.

Grodstein, F. ; Newcomb, P.A. and Stampfer, M.J. (1999): Postmenopausal hormonal therapy and the risk of colorectal cancer: a review and meta- analysis. Is J Med, number 106. P: 574-582.

- Harcourt Brace (1999):** Management of rectal cancer. Br. J. Surg. Tottenham, London. P: 280-287.
- Harper S.G. (1995):** Use of ultrasonography in the staging of rectal cancer. In : Current Surgery; of colon and rectal disease, 4th ed. Ed by Harper, London, Vol. 3; p.469-472.
- Hartley JE, Guillem J, Lopez RA (2003):** Resection of locally recurrent colorectal cancer in the presence of distant metastases: Can it be just refied? Ann surg Oncel; 10 (3): 227-233.
- Hartley JE, Mehigan BJ, Qureshi AE, Duthie GS, I. PWR, Monson JRT. (2001):** Total mesorectal excision:assessment of the laparoscopic approach. Dis. Colon Rectum 44: 31S-321.
- Havenga, K. and Knker, E.W. (2002):** Autonomic nerve preserving total mesorectal excision. Surg Clin N Am, Number 82. P: 1009-1018.
- Havenga, K.; Maas, C.P. and et al (2000):** Avoiding long term disturbance to bladder and sexual function in pelvic surgery. Semin surg oncol, volum 18. P: 235-243.
- Heiken J.P., Weyman P.J., Lee J.K.T. et al., (1999):** Detection of local hepatic masses: prospective evaluation with CT, delayed CT, CT during arterial portography and MR imaging. Radiology; 171 : 47-51.

Hemingway DM, Cooke TG, McCurrach G (1992): Clinical correlation of high activity dynamic hepatic scintigraphy in patients with colorectal cancer. Br J cancer; 65: 781-78?

Hoflman GC, Baker JW, Doxey JB, Hbbard GW, Ruffin WTC, Wishner JA. (2001): Minimally invasive surgery for colorectal cancer. Initial follow-up. Ann Surg 223: 790-798.

Houston J. (1999): Lecturer of Surgery in Dublin and Physician in the City Hospital. Internal rectal folds. Br. J. Surg. P. 340-341.

Huner Bein M, Pegios W, Rau B (2000): Perspective comparison SRVS, three dimensional ERUS, and endorectal MRI in the preoperative evaluation of rectal tumors. Surg. Endos, 14: 1005-1009.

Hurest K et al. (1999): Anatomy of the rectum. In: Last's Anatomy (Regional & Applied). 9th edition ed. by Hurest, London Vol. 2, p. 338-339.

Invanovich JL, Read TE, Riske Dj. (1999): A practical approach to familial and hereditary colorectal cancer. Am J Med 107: 68-77.

James D, et al. (1999): Anatomy and embryology of the rectum and anal canal. In : Gray's anatomy, 7th edition, ed. by James Philadelphia. Vol. 3, P. 1327-1345.

Jass, J.R. (1999): Towards a molecular classification of colorectal cancer. Int J Colorectal Dis, number 14. P: 194-200.

Jass, J.R.; constable, L. and Sutherland, R, (2000): Adenocarcinoma of colon differentiating as dome epithelium of gut- associated lymphoid tissue. In :Histopathology of cancer rectum 4th ed. Ed by Jass, J.R.; Constable, L. and Sutherland, R. Vol. 2, P:116-120.

Jmenez R, Shoup M, Chen AM (2003): Contemporary outcomes of total pelvic exenteration in the treatment of colorectal cancer. Dis. colon Rectum; 46: 1619-1625.

Kapiteijn E, Marijnen CAM, Nagtegaal ID, et. al., (2001): Preoperative radiotherapy combined with total mesorectal excision for respectable rectal cancer. N Engl. J Med; 345: 638-46.

Kato I, Dnistrian AM, Schwartz M, et al. (1999): Serum folate, homocystiene and colorectal cancer risk in women: A case-control study. 2nd ed., London. Br. J Cancer, 79: 1917.

Keven M. Lin, Shashidharan M, Thorson AG (2005): hereditary Non polyposis colorectal cancer. In: Current therapy in Colon And Rectal Surg. 2nd ed, Ed. by Keven Mosby Vol. 2; p. 62: 359: 367.

Kikuchi R. Takano Takagi K, Fujimoto N, Nozaki R and Fujiyoshit et al. (1995): Management of early invasive colorectal cancer. Risk of recurrence and clinical guidelines, Dis. Colon and Rectum; p. 1286-1295.

Kirk R.M. (2000): General Surgical Operations. Fourth ed., Honorary Consulting Surgery. The Royal Free Hospital, London, UK, p. 328-333.

Kodner ILJ. (1997): Management of rectal cancer. Br. J. Surg. Vol. 3,P. 1455-1501.

Koea J.B., Shaw J.H.F. (1992): The effect of tumor bulk on the metabolic response to cancer. Ann. Urg.; 215: 282-288.

Krestin G.P., Steinbrich E., Friedmann G. (1998): Recurrent rectal cancer: diagnosis with MR imaging versus CT. Radiology;168: 307-11.

Krukal JB, Kane RA (1992): Correlative imaging of malignant liver tumors. Semin ultrasound CT and MRI; 13: 336-354.

Kusunoki M, Yanagi H, Shoji Y, Yamamura T, Utsunomiya J. (1997): Anoabdominal rectal resection and colonic J pouch-anal anastomosis, Br. J. Surg. p. 1277-1280.

Lacy AM, Garcia-Vldecasas JC, Delgado S, Castells A, Taura P, Pique JM et al (2002): Laparoscopy-assisted colectomy versus open colectomy for treatment of non-metastatic colon

cancer London.: a randomized trial. Lancet 359. 2224-2229.

Langmaid HE III, Dupluy D.E. Kane RA (1992): Non invasive their imaging: new techniques and practical strategies semin ultrasound, CT and MRI, 13: 377-398.

Lazorthes F, Gamagami R, Chiotasso P, Istyan G, Muhammad S. (1997): Prospective, randomized study comparing clinical results between small and large colonic J-pouch following coloanal anastomosis. Dis Colon Rectum 5th ed., Phildelphia; 40: 1409-1413.

Lebani M., Basso D., Roveroni G., DePaoll M., Galeotti F., Corsini A. (2002): N-Terminal peptide of type III procollagen. A possible predictor of colorectal carcinoma recurrence. Cancer; 79: 1299-303.

Lee J.K., Stanley R.J., Sagel S.S. et al., (1991): CT appearance of the pelvis after abdominoperineal resection for rectal carcinoma. Radiology; 141: 737-41.

Leroy, J.; Jamali, F.; Forbes, L.; et al., (2004): Laparoscopic toatal mesorectal excision for rectal cancer. Surg Endosc, volum 18, number 2. P: 281-289.

Lezoche F, Guerrieri M, Paganimi AM, Felicio TT (2002): Transanal endoscopic microsurgery excision. World J surgery, London., 305-317.

Lindsey, I. ; Guy, R.J. and Warren, B.F. (2000): Anatomy of Denonvilliers' fascia and pelvic nerve, impotence and complication for the colorectal surgeon. Br J Surg, number 87. P:1288-1299.

Link KH, Sunelactis E, Kornmann M (2001):Regional chemo therapy of non respectable colorectal liver metastases; Br. J. Surg. 92: 2746-2793.

Loren DE, Kochman ML, Forman LM (2002): Endoscopic and ERCS directed therapy for rectal cancer. Gastroenteology; 122 (4): A 331.

Mackay SG, Pager CK, Joseph D, Solomon M (2003): Assessment of accuracy of transrectal U/S in anorectal neoplasia; Br. J. Surg. p. 134-138.

Makela J.T., Laininen S.O., Kairaluma M.I. (1995): Five-year follow up after radical surgery for colorectal cancer results of a prospective randomized trial. Arch. Surg., London.; 130: 1062-1067.

Mamyh CR, Hull TL, Fazio W. (2001): Different methods of reconstruction and anastomosis Dis colon Rectum, Totteham.; 30: 305-309.

Mantyh CR, Hull TL, Fazio VW. (2001): Coloplasty in low colorectal anastomosis: manometric and functional comparison with

straight and colonic J-pouch anastomosis. Dis Colon Rectum, New York ; 44: 37-42.

Marijnen CA, Nagtegaal ID, Kiein Kranehburg E, hermans J. Van de Velde CJ, Leer JW et al. (2001): Downstaging after short-term preoperative radiotherapy in rectal cancer patients. J Clin Oncol. 3rd ed., Phildelphia.; 19: 1976-84.

Marijnen CAM, Kapietijn E, van de Velde CJH, Maritjn H, Steup WH, Wiggers T et al. (2003): Acute side effects and complications after short-term preoperative radiotherapy combined with total mesorectal excision in primary rectal cancer. J Clin Oncol p. 15 : 80-85.

Martinez ME. Et al (1999): Physical activity, body mass index, and prostaglandin E2 level in rectal mucosa J Nat. cancer institute; 91: 950.

Martling A, Cedemiark B, Johansson H, Rutquivst LE, Holm T. (2002): The surgeon as a prognostic factor after the introduction of total mesorctal excision in the treatment of rectal cancer. Br J Sur, New York; 89: 1008-1013.

Martling, A.; Cedermark, B. and et al. (2002): The surgeon as a prognostic factor after introduction of TME in the treatment of rectal cancer. BR Surg, Volume 89. P: 1003-1013.

- Marusch F, Koch A and Schmrtdt V (2002):** Routine use of transrectal ultrasound in rectal carcinoma: results of a prospective multicenter study. *Endoscopy*; 34: 385- 390.
- Mason A.Y. (2002):** Surgical access to the rectum-a transsphincteric exposure. *Gastroenterology*, Tottenham; 91-94.
- McAnena OJ, Helad RJ, Locakhart-Mummery HE. (1998):** Operative and functional results of total mesorectal excision with ultra-low anterior resection in the management of carcinoma of the lower one-third of the rectum. *Surg Gynecol Obstet, Br. J. Surg. London*; 170: 517-521.
- Miller AS, Lewis WG, Williamson ME, Holdsworth PJ, Johnston d, Finan PJ. (1995):** Factors that influence functional outcome after coloanal anastomosis for carcinoma of the rectum. *Br J Surg*; 82: 1327-1330.
- Minton J.P., Hoehn I.L., Gerber D.M. et al., (2000):** Results of a 400-patient carcinoembryonic antigen second look colorectal cancer study. *Cancer*; 55: 1284-90.
- Moreira L.F., Hizuta A., Iwagaki H., Tanaka N., Orita K. (1994):** Lateral lymph node dissection for rectal carcinoma below the peritoneal reflection. *Br. J. Surg.*; 81: 293-6.
- Nagata C. et al., (1999):** Cigarette smoking, alcohol use, and colorectal adenoma in Japanese. *Dis. Colorectal; Br. J. Surg.* 42: 337.

Nelson RL, Persky V, Turyk M. (1999): Determination of factors responsible for the declining incidence of colorectal cancer. Dis. Colon Rectum; 42: 741.

Nissan A, Gullem JG, Play PB, Douglas Wong W, Minsky B, Saltz L et al. (2001): Abdominoperineal resection for rectal cancer at a specialty center. Dis. Colon Rectum; 44: 27-35; Discussion 35-36.

Oshima M., Nesbakken A., Nygaard K. (2001): Bladder and sexual dysfunction after mesorectal excision for rectal cancer. Br J Surg. Tokyo; 87: 2107-210.

Ota, M.d.; Jacobs, L. and Kuvshionff, B. (2002): Rectal Cancer: the sphincter_Sparing Approach. Surg Clin. N Am, number 82. P: 983-993.

Parkin D.M., Pisani P., Ferlay J (1997):Global cancer statistics. CA Cancer J Clin; 1997 49: 35.

Parks AG. Percy I.P. (2000): Resection and sutured colo-anal anastomosis for rectal carcinoma. Br J Surg; 69: 301-304.

Patchett S.E., Mucahy H.E., O'Donoghue D.P. (1993): Colonoscopic surveillance after curative resection for colorectal cancer. Br. J. Surg.; 80:1330-1332.

- Pezim M.E., Nicholls R.J. (1994):*** Survival after high or low ligation of the inferior mesenteric artery during curative surgery for rectal cancer. *Ann. Surg.* 1984; 200: 729-33.
- Phag, P.T. (2004):*** Total mesorectal excision: technical aspects. *Br. J Sug.*, volum 47, number 2. P: 130-137.
- Phang PT, MacFarlare J, Taylor RH. (2002):*** Effects of positive resection margin and tumor distance from anus on rectal cancer treatment outcomes. *Am J Surg*; 183: 504-508.
- Phang, P.T. and Wong, W.D. (1997):*** The use of endoluminal ultrasound for malignant and benign anorectal disease. *Curre opin Gastroenterol*, Volum 13. P : 47-53.
- Phillips R.K., Hittinger R., Blesovsky L., Fry J.S., Fielding L.P. (1999):*** Local recurrence following curative surgery for large bowel cancer. The overall picture. *Br. J. Surg.*; 71: 12-16.
- Pierre C, et al. (1999):*** Anatomy of the rectum. In: *Last's anatomy (regional and applied)*, 9th edition, Ed by Pierre, London; Vol. 5, P. 337-38.
- Pihl E., McNaughton J., Ma J., Ward H.A., Nairn R.C. (1980):*** Immunohistological patterns of carcinoembryonic antigen in colorectal carcinoma. Correlation with staging and blood levels. *Pathology*; 12: 7-13.

Pikarsky, A.J.; Rosenthal, R.; Weiss, E.G. and Wexner, S.D. (2002): Laparoscopic total mesorectal excision. Surg Endosc, Volum 16, Number4. P: 558-562.

Pisani P., Parkin DM, Ferlay J (1993): Estimates of worldwide incidence of eighteen major cancers in 1993. In J Cancer, 54 (4): 594.

Pollett W.J., Nicholls R.J. (1984): The relationship between the extent of distal clearance and survival and local recurrence rates after curative anterior resection for carcinoma of the rectum. Ann. Surg.; 159-63.

Potter, J.K. (1999): Colorectal cancer: molecules and populations. J Nat. Cancer Inst, number 91. P: 916-332.

Ries L, Kosary CL, Hankey BF, et al., (1998): Cancer statistics review 1973-1995. Bethesda: National Cancer Institute. P. 215-220.

Robertson et al. (1998): Rectal anatomy, embryology and relation of the rectum in: Gray's anatomy 7th edition Ed. by Robertson, London, Vol. 2, p. 1320-1322.

Romano G., Esercizio L., Santangelo M. et al. (1993): Impact of computed tomography vs. intrarectal ultrasound on the diagnosis, respectability and prognosis of locally recurrent rectal cancer. Dis. Colon Rectum; 36: 261 265.

- Ropponen KM, Eselinen Mj, Lipponer PK (1997):** Prognostic value of tumor infiltration lymphocytes (TILS) in Colorectal Can. J Pathology, 2nd e. 182: 318-324.
- Rosai, J. (1996):** Gastrointestinal tract. In: Ackerman's Surgical Pathology, 8th ed. Ed by Rosai, J. London. Vol. 5, P: 616-787.
- Rosenberg SA (1992):** Gene therapy and antibody targeting for cancer. JAMA 268: 2416-2419.
- Rozen P, Fireman E, Fine N, et al. (1989):** Oral calcium suppresses increased rectal epithelial proliferation of persons at risk of colorectal cancer. Gut; 30: 650.
- Rullier E, Zerbib F, Laurent C, Bonnel C, Caudry m, Saric J et al. (2002):** Intersphincteric resection with excision of internal anal sphincter for conservative treatment of very low rectal cancer. Dis. Colon Rectum 42: 1168-1175.
- Russell, A.H.; Harris, J. and Rosenberg, P.J. (2000):** Anal sphincter conservation for patients with adenocarcinoma of the distal rectum: long-term results of radiation therapy oncology group protocol 89-02. Int J Radiat Oncol Biol Phys, Volum 46, Number 2. P: 313 -322.
- Russell, Williams (2004):** Rectal cancer. In: Bailey & Love's Short Practice Of Surgery, 2nd ed., Ed. by Russell, Williams, London; Vol. 2, P: 1229-1241.

Russo A, Franceschi S, La V, et al. (1999): Body size and colorectal-cancer risk. *Int. J Cancer* 1998; 78: 161. Ma J, Giovannucci E, Pollak M, Stampfer M. Response: re: prospective study of colorectal cancer risk in men and plasma levels of insulin-like growth factor (IGF)- I and IGF-binding protein-3. *J Natl Cancer Inst*: 91: 2052.

Saclarides, T.J. (1998): Transanal endoscopic microsurgery: a single surgeon's experience. *Arch surg*, Volum 133, number6. P: 595-598.

Sailer M, Funchs KH, Fein AI, Thiede A. (2002): Randomized clinical trial comparing quality of life after straight and pouch coloanal reconstruction. *Br J Sm-g* 89-1108-1117.

Salo JC, Paty PB, Guillem J (1998): Surgical salvage of recurrent rectal cancer after curative resection: A 10-years experience. *Ann Surg Oncol*; (2): 171-177.

Saltz LB, Cox JV, Blanke C (2000): Chemotherapy in metastatic colorectal cancer. *N Engl. J Med*; 343: 905-914.

Sardi A. (1991): Multiple operations for recurrent colorectal cancer. *Semin. Surg. Oncol.*; 7: 146-56.

Satochi, Okabe, Takehiro-Arai, Shaji Maruyama, et al., (1998): A clinical pathological investigation on superficial early invasive cancer of the colon and rectum, surgery today, *Jpn. J surg* 28: 687-695.

Saunders et al., (1999): Rectal anatomy, embryology and relation of the rectum in: Gray's anatomy 7th edition Ed. by Sunders, London, Vol. 2, p. 1322-1324.

Schiessel R., Wunderlich M., Herbst F. (2000): Local recurrence of colorectal cancer, effect of early detection and aggressive surgery, Br. J. Surg. 73: 342-4.

Schneebaum S., Arnold M.W., Young D. et al., (1999): Role of carcinoembryonic antigen in predicting respectability of recurrent colorectal cancer. Dis. Colon Rectum; 36: 810-815.

Schoen RE, Tangen CM, kuller LH, et al., (1999): Increased blood glucose and insulin, body size, and incident colorectal cancer. Nat. Cancer Inst: 91: 1147.

Schwatz DA, Harwood GC and Wiersema MJ (2002): Endorectal ultrasound (ERUS) for rectal disease Gastrointest Endosc; 56: 100-109.

Shike M. (1999): Diet and lifestyle in the prevention of colorectal cancer: an overview. Am J Med 106: I1S.

Shoup M, Gullem JC, Alektiar KM (2002): Predictor of survival in recurrent rectal cancer after resection and intra operative radiotherapy-Dis. Colon Rectum; 45 (5), 585-592.

Simunovic M, Sexton R, Rempel E, Moran BJ, healed RJ (2003): Optimal preoperative assessment and surgery for cancer rectum. Br J Surgery, 7: 83-91.

Siperstein A, Garland A, Engle K (2000): Local recurrence after laparoscopic radiofrequency Thermal ablation of hepatic tumor, Ann surg. Acol; 7; 106-113.

Skipper D., Cooper A.J., Martson J.E., Taylor I. (1999): Exfoliated malignant cells and local recurrence of colorectal cancer. Br. J. Sug., in press (abstract):

Soravia C, Berk T, Cohen Z (2000): Molecular genetic testing and surgical decision making in hereditary colorectal cancer. Int J Colorectal Dis.; 15: 21-28.

Soyer P, level sque M, Elias De (1992): Preoperative assessment of hepatic metastases from colorectal cancer, CT pornography vs songoraphy and dynamic CT Am Radiol; 159: 741-744.

Stacey E. Mills, Corter D., Greenson JK, Oberman HA, Reuter VL, Stoler MH (2004): Neoplastic intestinal polyps: In Sternberg's diagnostic surgical pathology, 4th ed, Ed. by Stacey et al., Philadelphia, Vol. 3; 34: 1555-1572.

Stage JG, Schultze S, Moller P, Overgaard H, Andersen M, Rebsdorf Pederson VB et al. (1997): Prospective randomized study of laparoscopic versus open colonic resection for adenocarcinoma. Br J Surg. 84: 391-396.

Strauss L.G., Clorius J.H., Schlag P. et al., (1999): Recurrence of colorectal tumors: PET evaluation., Radiology; 170: 329-332.

Sugarbker P.H., Gianola F.J. Neuman N.R. (1997): A simplified plan for follow up of patients with colon and rectal cancer supported by prospective studies of a laboratory and radiologic test results. Surgery; 102: 79-87.

Sumiyama K, Suzuki N, Katutani (2002): A novel 3-D ERV technique for visualiztion of the data reconstruction process. Gestrointest Endosc; 55: 723-728.

Takahara T. et al., (2002): Preoperative staging by multidetector-rw computed tomography in patient with rectal carcinoma. Am J Srg 2002; 184-131-135.

Takahashi, T.; Ueno, M. and Azekura, K. (2000): Lateral ligament : its anatomy and clinical importance. Semin Surg Oncol, number 19. P: 386-395.

Tami T, Endo Y, Kodama M. (1999): Abdomino-sacral approach for coloanal anastomosis for lower rectal cancer. Am J Surg; 178: 423-425.

Tate J.J.T., Rawlinson J., Royle G.T. et al., (1998): Preoperative or postoperative colonic examination for synchronous lesions in colorctal cancer. Br. J. Surg.; 75: 1016-18.

- Tomida H, Marcello PW, Milsom JW. (1999):** Laparoscopic surgery of the colon and rectum. *World J Surg* 23: 397-405.
- Tornquist A., Ekelund G., Leandoer L. (2000):** The value of intensive follows up after curative resection for colorectal carcinoma. *Br. J. Surg.*, 69: 725-8.
- Turler, A.; Schafer, h. and pichlmaier, H. (1997):** Role of transanal endoscopic microsurgery in the palliative treatment of rectal cancer. *Scand J Gastroenterol*, Volum32, number 1. P :58-61.
- Umpleby H.C., Fermor B., Symes M.O. Williamson R.C.N. (1999):** Viability of exfoliated carcinoma cells. *Br.J. Surg.*; 71: 659-663.
- Van Custem S., Kapietijn E., Nagegaal ID, Putter H. (2001):** Preoperative radiotherapy combined with total mesorectal excision for respectable rectal cancer. *N Engl. J Med*; 345: 648-646.
- Vasen H, Wijnen J, Menkof (1996):** Cancer risk in families with HNPC diagnosed by gene mutation *Gastronterology*, 2nd ed.; 110: 1020-1027.
- Von Flue M, harder F. (1999):** New technique for pouch-anal reconstruction after total mesorctal excistion. *Dis Colon Rctum* 37: 1160-1162.

- Wagman, R.; Minsky, B.D. and Cohen, A.M. (1999):** Conservative management of rectal cancer with local excision and postoperative adjuvant therapy. *Int J Radial Oncol Biol Phys*, Volum 44, number 4. P: 481-486.
- Watanabe M, Teramoto T, Hasegawa H, Kitajima M. (2002):** Laparoscopic ultra-low anterior resection combined with intersphincteric rectal dissection for lower rectal cancer. *Dis Colon Rectum* 43 (Suppl): S94-S97.
- Weaver MI, Ashton G, ZEmal R (1998):** Treatment of colorectal liver metastases by cryotherapy. *Semin Gncol*; 14: 163-170.
- Weiser MR, Milsom JW. (2000):** Laparoscopic total mesorectal excision with autonomic nerve preservation. *Semin Surg. Oncol*; 19:396-403.
- Whelan RL, Horvarh KD, Gicason NR, et al., (1999):** Vitamin and calcium supplement use is associated with decreased adenoma recurrence in patients with a previous history of neoplasia. *Dis. Colon Rectum*: 42: 212.
- Wibe, A.; Rendedal, P.R.; Svensson, E. and Norstein, J. (2002):** Prognostic significance of the circumferential resection margin following TME for rectal cancer. *Br J Surg*, Volum 89. P: 327-334.

- Will, J.C.; Galuska, D.A. and Vinicor, F. (1998):** Colorectal cancer: another complication of diabetes mellitus? Is J Epidemiol, number 147. P 252-816.
- Williams N.S. (2000):** Surgical treatment of rectal cancer. Br. J. Surg. London; 939-1053.
- Williams, C.S.; Mann, M. and DuBois, R.N. (1999):** The role of cyclooxygenases in inflammatory, cancer and development. Oncogene, number 18. P:7908-7916.
- Williams, L.P. ; Bannister, H.L.; Berry, M.M.; et al., (1995):** Rectal anatomy, embryology and relation of the rectum in: Gray's anatomy 7th edition Ed. by Robertson, London, Vol. 2, p. 1320-1322.
- Winawer SJ, Shike M. (1992):** Dietary factors in colorectal cancer and their possible effects on earlier stages of hyperproliferation and adenoma formation. Nat Cancer inst 84 (2): 74.
- Winawer, S.J.; Fletcher, R.H. and Miller, L. (1997):** Colorectal cancer screening: Clinical guidelines. Gastroenterology, P: 594-642.
- Winde, G.; Nottberg, H.; Keller, R.; Schmid, K.W. and Bunte, H. (1996):** Surgical care for early rectal carcinomas. Dis. Colon Rectum, Volum 39. P: 969-976.

Wood C.B., Gillis C.R., Hole D., Malcolm A.J., Blumgart L.H. (1999):

Local tumor invasion as a prognostic factor in colorectal cancer. Br. J. Surg.; 68: 326-8.

Young L, Deane-M, Monson JRT, Drzi A. (2001): Systematic review of

laparoscopic surgery for colorectal malignancy. Surg Endos. 15:1431-1439.