

REFERENCES

- Abdel Magid, R. and Ordia, J. (1988):** Adverse reactions of metrezamide compared to those of pantopaque myelography. *EJNS.*, 1: 27-39.
- Adams, M. and Hutton, W.C. (1985):** Gradual disc prolapse. *Spine*, 6: 524- 31.
- Adams, M.A., McMillan, D.W. and Green, T.P. (1996):** Sustained loading generates stress concentrations in lumbar intervertebral discs. *Spine*, 21(4): 434-8.
- Agarwal, R.D. and Routman, L.J. (1980):** Analysis and Performances of Fiber Composites, 2nd edition, Wiley, New York; chapter 1, pp12-20.
- Aharinejad, S., Bertagnoli, R., Wicke, K., and Schneider, B. (1990):** Morphometric analysis of vertebrae and intervertebral discs as a basis of disc replacement. *The American Journal of Anatomy*, 189: 69-76.
- Ala-Kokko, L. (2002):** Genetic risk factors for lumbar disc disease. *Ann Med.*, 34: 42-7.
- An, H.S., Silveri, C.P., Simpson, M.J., File, P., Simmons, C., Simeone, F.A. and Balderston, R.A. (1994):** Comparison of smoking habits between patients with surgically confirmed lumbar and cervical disc disease and controls. *J. Spinal Disord.*, 7(5): 369-373.
- An, H.S., Anderson, P.A., and Haughton, V.M. (2004):** Disc degeneration: Summary. *Spine*, 29(23): 2677-2678.
- Andesson, G.B. (1999):** Epidemiological features of chronic low-back pain. *Lancet*, 354(9178): 581-585.
- Andesson, J.E. (1985):** Anatomy of the vertebral column. In: Grant's atlas of Anatomy 8th Ed. Philadelphia, Saunders, W.B., Co., pp. 655-690.
- Andesson, G.B. (1991):** The epidemiology of spinal disorders. In: Frymoyer JW (ed). *The Adult Spine: Principles and Practice*. Raven Press, New York, vol. 1, pp. 1322-30.
- Andesson, G.B. and Deyo, R.A. (1996):** History and physical examination in patients with herniated lumbar discs. *Spine*, 21: 10s-18s.

- Aprill, C. and Bogduk, N. (1996):** High-intensity zone: A diagnostic sign of painful lumbar disc on MRI. *Br J Radiol.*, 65: 361-9.
- Arts, M.P., Peul, W.C., Brand, R., Koes, B.W. and Thomeer, R.T. (2006):** Cost-effectiveness of microendoscopic discectomy versus conventional open discectomy in the treatment of lumbar disc herniation: a prospective randomised controlled trial. *BMC Musculoskeletal Disorders*, 7: 42.
- Asch, H., Lewis, P., Moreland, D., Egnatchik, J., Yu, Y., Clabeaux, D. and Hyland, A.H. (2002):** Prospective multiple outcomes study of outpatient lumbar microdiscectomy. *J. Neurosurgery*, 96: 34-44.
- Ascher, P.W. and Heppner, F. (1984):** CO₂-laser in neurosurgery. *Neurosurg Rev.*, 7: 123-33.
- Assheuer, J., Sager, M., Schultz, K.P. (1994):** MR studies in models of disc resorption in dogs. Paper presented at: The 21st Meeting of ISSLS, Seattle.
- Atlas, S., Keller, R., Chang, Y., Deyo, R. and Singer, D. (2001):** Surgical and nonsurgical management of sciatica secondary to a lumbar disc herniation. *Spine*, 26: 1179-87.
- Baldwin, N.G. (2002):** Lumbar Disc Disease: The Natural history. *Neurosurgical Focus*, 13: E2.
- Baraldi, M., Poggioli, R. and Santi, M. (1983):** Antidepressants and opiates interaction, pharmacological and biochemical evidences. *Pharmacol Res Commun.*, 15: 843-857.
- Barclay, L. (2003):** Radiographs are as good as MRI for most patients with low back pain. *JAMA*, 289: 2810-8, 2863-4.
- Baron, E.M., Levene, H.B., Heller, J.E., Jallo, J.I., Loftus, C.M. and Dominique, D.A. (2005):** Neuroendoscopy for Spinal Disorders: A Brief Review. *Neurosurg Focus*, 19: E6.
- Barrios, C., Ahmed, M., Arrotegui, J., Bjornsson, A. and Gillstrom, P. (1990):** Microsurgery versus standard removal of the herniated lumbar disc. A 3-year comparison in 150 cases. *Acta Orthop Scand.*, 61(5): 399-403.
- Battie, M.C., Videman, T. and Parent, E. (2004):** Lumbar disc degeneration: Epidemiology and Genetic Influences. *Spine*, 29(23): 2679-2690.

- Battie, M.C. and Videman, T. (1991):** 1991 Volvo Award in clinical sciences. Smoking and intervertebral disc degeneration: an MRI study of identical twins. *Spine*, 16: 1015-21.
- Bogduk, N., Wilson, A.S. and Tynan, W. (1982):** The human lumbar dorsal rami. *J Ana.*, 134: 383-397.
- Bogduk, N. (1997):** Clinical anatomy of the lumbar spine and sacrum. In: Bogduk, N (ed). 3rd ed, Churchill Livingstone, New York, pp.1-50.
- Boos, N. (1995):** Volvo Award in Clinical Science: The Diagnostic Accuracy of MRI. *Spine*, 20(24): 2613-25.
- Boos, N., Semmer, N., Elfering, A., Schade, V., Gal, I., Zanetti, M., Kissling, R., Buchegger, N., Hodler, J. and Main, C.J. (2000):** Natural history of individuals with asymptomatic disc abnormalities in magnetic resonance imaging: predictors of low back pain-related medical consultation and work incapacity. *Spine*, 25: 1484-1492.
- Boswell, M.V., shah, R.V. and Everett, C.R. (2005):** Interventional Techniques in The Management of Chronic Spinal Pain: Evidence-Based Practice Guidelines. *Pain Physician*, 8: 1-47.
- Canale, T., Canale, S.T. and Campbell, W.C. (2003):** Injection studies. In: Campbell's Operative Orthopaedics, 10th ed. Mosby, Philadelphia, pp 1968-80.
- Caspar, W. (1977):** A new surgical procedure for lumbar disc herniation causing less tissue damage through a microsurgical approach. *Adv Neurosurg.*, 4: 74-80.
- Caspar, G.D. (1995):** Percutaneous Laser Disc Decompression with Holmium: YAG laser. *Journal of Clinical Laser Medicine & Surgery*, 13(3): 195-203.
- Castro, W.H., Assheuer, J. and Schulitz, K.R. (1995):** Hemodynamic changes in lumbar nerve root entrapment due to stenosis and/or herniated disc of the lumbar spinal canal: A magnetic resonance imaging study. *Eur Spine*, 4: 220.
- Cervellini, P., De Luca, G.P., Mazzetto, M. and Colombo, F. (2005):** Micro-endoscopic-discectomy (MED) for far lateral disc herniation in the lumbar spine. Technical note. *Acta Neurosur Suppl.*, 92: 99-101.

- Charatrain, A., Ludy, J. and Berger, D. (1986):** Is cortisone iontophoresis possible? *Arch Phys Med Rehabil.*, 67: 38-40.
- Chawalparit, O., Churojana, A., Chiewvit, P., Thanapipatsir, S., Vamavanij, V. and Charnchaowanish, P. (2006):** The limited Protocol MRI in diagnosis of lumbar disc herniation. *J Med Assoc Thai.*, 89(2): 182-188.
- Chedid, K.J. and Chedid, M.K. (2004):** The Tract of history in the treatment of lumbar degenerative disc disease. *Neurosurg Focus*, 16: E1.
- Chiu, J.C. (2004):** Evolving transforaminal endoscopic microdecompression for herniated lumbar discs and spinal stenosis. *Surg Technol Int.*, 13: 276-86.
- Choi, J.Y., Tenanbaum, B.S. and Milner, T.E. (2001):** Thermal, mechanical, optical and morphologic changes in bovine nucleus pulposus induced by Nd: YAG ($\lambda=1.32$ microm) laser irradiation. *Lasers Surg Med.*, 28: 248-54.
- Choy, D.S. (1998):** Percutaneous Laser Disc Decompression (PLDD): Twelve Years' Experience with 752 Procedures in 518 Patients. *Journal of Clinical Laser Medicine and Surgery*, 16(6): 325-31.
- Choy, D.S. (2004):** Percutaneous laser disc decompression: An update. *Photomed Laser surg.*, 22: 393-406.
- Choy, D.S., Ascher, P.W., Saddekni, S., Alkaitis, D., Liebler, W. Diwan, S. and Altman, P. (1992):** Percutaneous laser disc decompression: A new therapeutic modality. *Spine*, 17: 949-956.
- Clarke, G.A. Panjabi, M.M. and Wetzel, F.T. (1985):** Can infant malnutrition cause adult vertebral stenosis? *Spine*, 10: 165-170.
- Conley, F.K. (1999):** Decision making and conservative management of lumbar disc disease. In: Tindal GT, Cooper PR, Barrow DI (eds): *The Practice of Neurosurgery*. Williams and Wilkins Inc, vol. 3, part VII, section 163, pp 2473-80.
- Coxhead, C.E., Inskip, H. and Maede, T.W. (1981):** Multicentre trial of physiotherapy in the management of sciatic symptoms. *Lancet*, 1: 1065-1068.

- Cramer, G.D. (1995):** The lumbar region. In: Cramer GD and Darby SA. Basic and clinical anatomy of the spine, spinal cord, and ANS. 1st ed, Mosby-Year Book, St. Louis, pp 177-219.
- Crock, H.V. (1986):** Internal disc disruption: A challenge to disc prolapse fifty years on. *Spine*, 11: 650-653.
- Damkot, D.K., Pope, M.H., Lord, J. and Frymoyer, J.W. (1984):** The relationship between work history, work environment, and low-back pain in men. *Spine*, 9: 395-399.
- Dabezies, E.J., Langford, K., Morris, J., Shields, C.B. and Wilkinson, H.A. (1988):** Safety and efficacy of chymopapain in the treatment of sciatica due to a herniated nucleus pulposus. Results of a randomized, double-blind study. *Spine*, 13:561-565.
- Davis, G.W., Onik, G. and Helms, C. (1991):** Automated percutaneous discectomy. *Spine*, 16: 359-360.
- Davis, T.T., Delamarter, R.B., Sra, P., Goldstein, T.B. (2004):** The IDET procedure for chronic discogenic low back pain. *Spine*, 29(7): 752-756.
- Delamarter, R.B. (1995):** Percutaneous Lumbar Discectomy. *Journal of Bone and Joint Surgery*, 578-584.
- Delamarter, R.B., Fribourg, D.M., Kanim, L.E. and Bae, H. (2003):** ProDisc artificial total lumbar disc replacement: Introduction and early results from the United States clinical trial. *Spine*, 28 (Suppl): 167-175.
- Destandeau, J. (1999):** a special device for endoscopic surgery of lumbar disc herniation. *Neurol Res.*, 21: 39-43.
- Deutman, R. (2002):** Chemonucleolysis. In: Lumbar disc herniation. Lippincott Williams and Wilkins, 151-162.
- Deutsch, H. and Ratlif, J. (2006):** Endoscopic and minimally invasive surgery of the spine. In: Schmidek, HH and Roberts, DW (eds): Operative Neurosurgical Techniques: Indications, Methods and Results. 5th ed, Saunders, W.B., Philadelphia, vol. 4, chap 147, pp 2047-2054.
- Deyo, R.A., Rainville, J. and Kent, D.L. (1992):** What can the history and physical examination tell us about low back pain? *JAMA.*, 286: 760-765.
- Deyo, R.A. and Weinstein, J.N. (2001):** Low back pain. *N Engl J Med.*, 344(5): 363-370.

- Dovarak, J. (1996):** Neurophysiological tests in the diagnosis of nerve root compression caused by disc herniation. *Spine*, 21: 39s-44s.
- Drayer, B.P., Vassallo, C., Sudilousky, A., Luther, J.S., Wilkins, R.H., Allen, S. and Bates, M. (1983):** A double blind clinical trial of iopamidol versus metrezamide for lumbosacral myelography. *J. Neurosurg.*, 58: 531-537.
- Duggal, N., Mendiando, I., Pares, H.R., Jhawar, B.S., Das, K., Kenny, K., Dickman, C.A. (2004):** Anterior interbody fusion for treatment of failed back surgery: An outcome analysis. *Neurosurgery*, 54(3): 636-644.
- Epestein, J.A., Epstein, B.S., Rosenthal, A.D., Carras R., and Lavine, L.S. (1972):** Sciatica caused by nerve root entrapment in the lateral recess: The superior facet syndrome. *J. Neurosurg.*, 36: 584-589.
- Errington, R.J., Puustjarvi, K., White, I.R. and Urban, J.P. (1998):** Characterisation of cytoplasm-filled processes in cells of the intervertebral disc. *J. Anat.*, 192: 369-378.
- Fager, C.A. (1994):** Observations on spontaneous recovery from intervertebral disc herniation. *Surg Neurol.*, 42: 382-386.
- Fairbank, J.C., Couper, J.C., Davis J.R. and O'Brien (1980):** The Oswestry Low Back Pain disability Questionnaire. *Physiotherapy*, 22: 271-273.
- Farfan, H.F. (1977):** A reorientation in the surgical approach to degenerative joint disease. *Orthop Clin N.*, 8: 9-12.
- Fazzalari, N.L. (2001):** Mechanical & Pathologic Consequences of Induced Concentric Annular Tears. *Spine*, 26(23): 2575-2581.
- Fich, P.M., Price, L.M. and Drummond, P.D. (2005):** Radiofrequency hrating of painful annular disruptions: One-year outcomes. *J Spinal Disord Tech.*, 18: 6-13.
- Findlay, G.F., Hall, B.I., Musa, B.S., Oliveira, M.D. and Fear, S.C. (1998):** A 10-year follow-up of the outcome of lumbar microdiscectomy. *Spine*, 23: 1168-1171.
- Findaly, G.F. (2002):** Clinical presentation of degenerative disc disease. In: lumbar disc herniation, Lippincott Williams and Wilkins, Philadelphia. pp. 97-100.

- Fischgrund, J.S. and Montgomery, D.M. (1993):** Diagnosis and treatment of discogenic low back pain. *Orthop Rev.*, 22: 311-8.
- Fisher, C., Noonan, V., Bishop, P., Boyd, M., Fairholm, D., Wing, P. and Dvorak, M. (2004):** Outcome evaluation of the operative management of lumbar disc herniation causing sciatica. *Journal of Neurosurgery*, 100: 317-324.
- Foley, K.T. and Smith, M.M. (1997):** Microendoscopic discectomy. *Techn Neurosurg.*, 3: 301-307.
- Foley, K. and Gupta, S. (2002):** Percutaneous pedicle screw fixation of the lumbar spine: Preliminary clinical results. *J Neurosurg.*, 97(1 Suppl): 7-12.
- Foley, K., Holly, L.T., Schwender, J.D. (2003):** Minimally invasive lumbar fusion. *Spine*, 28: S26-S35.
- Fountas, K.N., Kapsalaki, E.Z., Feltes, C.H., Smisson, H.F., Johnston, K.W., Vogel, R.L. and Robinson, J.S. (2004):** Correlation of the amount of disc removed in a lumbar micridisectomy with long-term outcome. *Spine*, 29(22): 2521-2524
- Fraser, R.D. (1982):** Chymopapain for the treatment of intervertebral disc herniation. A preliminary report of a double-blind study. *Spine*, 7: 608–612.
- Freeman, B., Licina, P., Mehdian, S.H. (2000):** Posterior lumbar interbody fusion combined with instrumented postero-lateral fusion: 5-year results in 60 patients. *Eur Spine J.*, 9: 42-46.
- Freeman, B.J., Fraser, R.D., Cain, C.M., Hall, D.J. and Chapple, D.C. (2005):** A randomized double-blind, controlled trial: Intradiscal electrothermal therapy versus placebo for the treatment of chronic discogenic low back pain. *Spine*, 30(21): 2369-2377.
- Fritz, J., Delitto, A., Welch, W. and Erhard, R. (1998):** Lumbar spinal stenosis: A review of current concepts in evaluation, management and outcome measurements. *Archives of Physical Medical Rehabilitation*, 79: 700-708.
- Frymoyer, J.W. (1992):** Lumbar disc disease: Epidemiology. *Instr Course Lect.*, 41: 217-223.

- Frymoyer, J.W. and Selby, D.K. (1985):** Segmental instability: Rationale for treatment. *Spine*, 10: 280-286.
- Garrad, J. and Bennett, A.E. (1971):** A validated interview schedule for use in population surveys of chronic disease and disability. *Br. J. of Preventive and Social Medicine*, 25: 97-100.
- Ghosh, P. (1988):** The Biology of the Intervertebral Disc. *CRC Press Inc.*, 1: 1-38.
- Gilbert, J.R., Taylor, D.W. and Hildebrand, A. (1985):** Clinical trial of common treatments for low-back pain in family practice. *Br Med J.*, 291: 1791-1794.
- Gleave, J.R. and MacFarlane, R. (1990):** Prognosis for recovery of bladder functions following lumbar central disc prolapse. *Br J Neurosurg.*, 4: 205-209.
- Govind, J. (2004):** Lumbar radicular pain. *Australian Family Physician*, 33 (6): 409- 412.
- Grant, G.A., Britz, G.W., Goodkin, R., Jarvik, J.G., Maravilla, K. and Kliot, M. (2002):** The utility of magnetic resonance imaging in evaluating peripheral nerve disorders. *Muscle Nerve*, 25: 314-331.
- Greenberg, M.S. (2006):** Lumbar Disc Herniation. In: *Handbook Of neurosurgery*, 6th ed. NY, Thieme medical publishers, pp. 285-351.
- Groen, G.J., Baljet, B. and Drukker, J. (1990):** Nerves and nerve plexuses of the human vertebral column. *Am J Anat.*, 188: 282-296.
- Guiot, B.H., Khoo, L.T. and Fessler, R.G. (2002):** A minimally invasive technique for decompression of the lumbar spine. *Spine*, 27: 432-438.
- Gunzburg, R., Fraser, R.D., Moore, R. and Vernon-Roberts, B. (1993):** An experimental study comparing percutaneous discectomy with chemonucleolysis. *Spine*, 18: 218-226.
- Gunzburg, R. and Szpalski, M. (2003):** The conservative surgical treatment of lumbar spinal stenosis in the elderly. *European Spine Journal*, 12: 176s–180s.
- Hanley, E.N. and Shaprio, D.L. (1989):** The development of low back pain after excision of a Lumbar disc. *J. Bone and Joint Surgery*, 71: 719-721.

- Harada, Y. and Nakahara, S. (1989):** A pathologic study of lumbar disc herniation in the elderly. *Spine*, 14(9): 1020-1024.
- Hardy, R.W. (1996):** Anatomy of the lumbar spine. In: Youmans JR (ed): *Neurological Surgery*. 4th Ed, Saunders, W.B., Philadelphia, pp 2257-2259.
- Hardy, R.W. and Davis, C.H. (1996):** Extradural spinal cord and nerve root compression from benign lesions of the lumbar spine. In: Youmans JR (ed): *Neurological Surgery*. 4th Ed, Saunders, W.B., Philadelphia, pp 2664-2693.
- Haughton, V. (2004):** Medical imaging of intervertebral disc degeneration. *Spine*, 29(23): 2751-276.
- Heliovara, M. (1989):** Risk factors of low back pain and sciatica. *Ann Med.*, 21: 257-64.
- Hermantin, F.U., Peters, T., Quartararo, L. and Kambin, P. (1999):** A prospective, randomized study comparing the results of open discectomy with those of video-assisted arthroscopic microdiscectomy. *J Bone Joint Surg Am.*, 81: 958-965.
- Hijikata, S. (1975):** Percutaneous nucleotomy. A new concept technique and 12 years' experience. *Clin Orthop.*, 238: 9-23.
- Hitchon, R.W. and Traynelis, V.C. (1993):** Lumbar hemilaminectomy for excision of a herniated disc. In: Rengacary SS and Wilkins RH (eds): *Neurosurgical Operative Atlas*. 4th Ed, AANS Publications Committee, Chicago, Illinois, part 1, pp, 124-129.
- Holmes, A.D. and Rudland, J.R. (1991):** Clinical trials of ultrasound treatment in soft tissue injury: a review and critique. *Physioth Pract.*, 7: 163-175.
- Holmes, A.D., Hukins, D.W. and Freemont, A.J. (1993):** End-plate displacement during compression of lumbar vertebra-disc-vertebra segments and the mechanism of failure. *Spine*, 18: 128-135.
- Holt, E.P. (1968):** The question of lumbar discography. *J Bone Joint Surg Am.*, 50: 720-726.
- Hukins, D.W. (1987):** Properties of spinal materials. In: Jayson MI (ed). *The Lumbar Spine and Back Pain*, 3rd edition. Pitman, Tunbridge Wells, England. Chap. 6.

- Husain, M., Jha, D.K. and Agrawal, S. (2005):** Conical working tube: a special device for endoscopic surgery of herniated lumbar discs. *J Neurosurg Spine*, 2: 265-270.
- Hutton, W.C. (1990):** The forces acting on a lumbar intervertebral joint. *J Manual Med.*, 5: 66-67.
- Hutton, W.C., Yoon, S.T., Elmer, W.A., Li, J., Murakami, H. and Minamide, A. (2002):** Effect of tail suspension (or stimulation) on lumbar intervertebral disc: study of proteoglycan and collagen. *Spine*, 27: 1286-1290.
- Ibrahim, M.A., Haughton, V.M. and Hyde, J.S. (1995):** Effect of disc maturation on diffusion of low-molecular-weight gadolinium complexes: an experimental study in rabbits. *Am J Neuroradiol.*, 16:1307-1311.
- Isaacs, R.E., Podichetty, V. and Fessler, R.G. (2003):** Microendoscopic discectomy for recurrent disc herniations. *Neurosurg Focus*, 15(3): E11.
- Jansen, E.F. and Balls, A.K. (1941):** Chymopapain: a new crystalline proteinase from papaya latex. *J Biol Chem.*, 137: 459-460.
- Jensen, M.P., Karoly, F., Eoghan, F.O., Burns, R.S. (1986):** The subjective experience of acute pain: An assessment of the utility of 10 indices.
- Kambin, P. and Gellman, H. (1983):** Percutaneous lateral discectomy of the lumbar spine: a preliminary report. *Clin Orthop.*, 174:127-132.
- Kambin, P. and Sampson, S. (1986):** Posterolateral percutaneous suctionexcision of herniated lumbar intervertebral discs. Report of interim results. *Clin Orthop.*, 207: 37-43.
- Kambin, P. (1993):** Arthroscopic microdiscectomy of the lumbar spine. *Clin Sports Med.*, 12: 143-150.
- Kambin, P. (1999):** Alternative to open lumbar discectomy: Arthroscopic microdiscectomy. In: Welch WC, Jacobs GB, Jackson RP (eds): *Operative Spine Surgery*. Stamford, CT: Appleton & Lange, pp. 228-237.
- Kawaguchi, Y., Matsui, H. and Tsuji, H. (1996):** Back muscle injury after posterior lumbar spine surgery: A histologic and enzymatic analysis. *Spine*, 21: 941-944.

- Kerttula, L., Jauhiainen, J., Koivula, A., Oikarinen, J. and Tervonen, O. (2001):** Apparent diffusion coefficients and T2 relaxation time measurements to evaluate disc degeneration: a quantitative MR study of young patients with previous vertebral fracture. *Acta Radiol.*, 42: 585-591.
- Khoo, L.T. and Fessler, R.G. (2002):** Microendoscopic decompressive laminotomy for the treatment of lumbar stenosis. *J Neurosurg.*, 51(5 Suppl): 146-154.
- Khoo, L.T, Palmer, S., Laich, D.T., Fessler, R.G. (2002):** Minimally invasive percutaneous posterior lumbar interbody fusion. *Neurosurgery*, 51:166-181.
- Kim, K.S., Yoon, S.T., Li, J., Park, J.S. and Hutton, W.C. (2005):** Disc degeneration in the rabbit: A biochemical and radiological comparison between four disc injury models. *Spine*, 30(1): 33-37.
- Klara, P.M. and Foley, K.T. (1993):** Lumbar hemilaminectomy for excision of a herniated disc. In: Rengacary SS and Wilkins RH (eds): *Neurosurgical Operative Atlas*. 4th Ed, AANS Publications Committee, Chicago, Illinois, part 1, pp. 292-301.
- Klien, R.G. and Eck, B.C. (1990):** Low energy laser treatment and exercise for chronic low-back pain: double blind controlled trial. *Arch Phys Med Rehabil.*, 71: 34-37.
- Koebbe, C.J., Maroon, J.C., Abla, A., El-Kadi, H. and Bost, J. (2002):** Lumbar microdiscectomy: A historical perspective and current technical considerations. *Neurosurg. Focus*, 13: E2.
- Kostuik, J.P. (2000):** Point of view: Comment on Shapiro, S: medical realities of cauda equina syndrome secondary to lumbar disc herniation. *Spine*, 25: 351.
- Kostuik, J.P., Harrington, I., Alexander, D., Rand, W. and Evans, D. (1986):** Cauda equina syndrome and lumbar disc herniation. *J Bone Joint Surg.*, 68: 386-391.
- Kurowski, P. and Kubo, A. (1986):** The relationship of degeneration of the intervertebral disc to mechanical loading conditions on lumbar vertebrae. *Spine*, 11: 726-731.

- Lam, C.D. and Mulholland, R.C. (2000):** Lumbar disc high intensity zone: The value and significance of provocative discography in the determination of the discogenic pain source. *Eur Spine J.*, 9(1): 36-41.
- Lantz, S.A. and Schultz, A.B. (1986):** Lumbar spine orthosis: effect on trunk muscle myoelectric activity. *Spine*, 11: 838-842.
- Liebler, W.A. (1993):** Percutaneous laser disc decompression: Clinical experience with the Nd: YAG and KTP lasers. In: Sherk HH (ed): *Spine: Laser Discectomy*. Philadelphia: Hanley & Belfus, Vol 7, pp. 55-65.
- Lindblom, K. (1948):** Diagnostic puncture of intervertebral disks in sciatica. *Acta Orthop Scand.*, 67: 231-9.
- Long, D.M. (1991):** Fifteen years of TENS for pain control. *Stereotact Funct Neurosurg.*, 56: 2-19.
- Lotz, J.C., Hsieh, A.H., Walsh, A.L., Palmer, E.I. and Chin, J.R. (2002):** Mechanobiology of the intervertebral disc. *Biochem Soc Trans.*, 30(6): 853-858.
- Maroon, J.C., Onik, G. and Sternau, L. (1989):** Percutaneous automated discectomy. A new approach to lumbar surgery. *Clin Orthop.*, 238: 64-70.
- Maroon, J.C. (2002):** Current concepts in minimally invasive discectomy. *J Neurosurg.*, 51 (2s): 137s-145s.
- Maroudas, A. (1980):** Physical chemistry of articular cartilage and the intervertebral disc. IN: Sokoloff L.(ed). *The joints and synovial fluid*. Academic Press, New York , vol 2, pp. 765-789.
- Matsubara, Y., Kato, F. and Mimatsu, K. (1995):** Serial changes on MRI in lumbar disc herniations treated conservatively. *Neuroradiology*, 37: 378-383.
- Mayer, D.J., Pried, D. and Raffi, A. (1977):** Antagonism of acupuncture analgesia in man by the narcotin naloxone. *Brain Res.*, 121: 368-372.
- McAfee, P.C., Lee, G.A., Fedder, I.L. and Cunningham, B.W. (2002):** Anterior BAK instrumentation and fusion: complete versus partial discectomy. *Clin Orthop.*, 394: 55-63.
- McCulloch, M.N. (1989):** Principles of microsurgery for lumbar disease. Raven Press, New York, pp. 19-28.

- McCulloch, J.A. (1996):** Focus issue on lumbar disc herniation: macro-and microdiscectomy. *Spine*, 21: 45s–56s.
- McLaughlin, M., Haid, R.W., Rodts, G.E. and Surbach, B.R. (2000):** Posterior lumbar interbody fusion: Indications, techniques, and results. *Clin Neurosurg.*, 47: 514-527.
- Meiman, D.J., yoganandan, N., Pintar, F. and Hollowell, J. (1996):** Biomechanics of the spine. In: Youmans JR (ed): Neurological surgery. 4th Ed, Saunders, W.B., Philadelphia, pp. 2221-2240.
- Melzack, R., Jeans, M.E. and Straford, J.C. (1980):** Ice massage and transcutaneous electrical stimulation comparison of low-back pain. *Pain*, 9: 209-217.
- Miller, J.A., Schmatz, C. and Schultz, A.B. (1988):** Lumbar disc degeneration: Correlation with age, sex, and spine level in 600 autopsy specimens. *Spine*, 13: 173-178.
- Mixter, W.J. and Barr, J.S. (1934):** Rupture of the intervertebral disc with involvement of the spinal canal. *N Eng J Med.*, 211: 210-215.
- Mixter, W.J. and Ayers, J.B. (1935):** Herniation or rupture of the intervertebral disc into the spinal canal. *N Engl J Med.*, 213: 385-395.
- Modic, M.T., Steinberg, P.M., Ross, J.S. Masaryk, T.S. and Cater, J.R. (1988):** Degenerative disc disease. Assessment of changes in vertebral marrow with MRI. *Radiology*, 166: 193-199.
- Modic, M.T. and Ross, J.S. (1991):** Magnetic resonance imaging in the evaluation of low back pain. *Ortop Clin North Am.*, 22: 283-301.
- Mooney, V. and Robertson, J. (1976):** The facet syndrome. *Clin Orthop.*, 115: 149-156.
- Mosner, E.A., Bryan, J.M., Stull, M.A. and Shippee, R. (1989):** A comparison of actual and apparent lumbar lordosis in black and white adult females. *Spine*, 14: 310-314.
- Mundt, D.J., Kelsey, J.L., Golden, A.N., Panjabi, M.M., Pastides, H., Berg, A.T., Sklar, J. and Hosea, T. (1993):** An epidemiologic study of non occupational lifting as a risk factor for herniated lumbar intervertebral disc. *Spine*, 18: 595-602.

- Muramatsu, K., Hachiya, Y. and Morita, C. (2001):** Postoperative magnetic resonance imaging of lumbar disc herniation: comparison of microendoscopic discectomy and Love's method. *Spine*, 26: 1599-1605.
- Myers, M. (2000):** Normal and degenerated nucleus pulposus dimensions: An MRI analysis. Presented at International Society for the Study of the Lumbar Spine, Adelaide, Australia.
- Nachemson, A., Lewin, T., Maroudas, A. and Freeman, M.A. (1970):** In vitro diffusion of dye through the end-plates and annulus fibrosus of human lumbar intervertebral discs. *Acta Orthop Scand.*, 41: 589-607.
- Nachemson, A. (1976):** The lumbar spine: An orthopedic challenge. *Spine*, 1: 59-71.
- Nakagawa, H., Kamimura, M., Uchiyama, S., Takahara, K., Itsubo, T. and Miyasaka, T. (2003):** Microendoscopic discectomy (MED) for lumbar disc prolapse. *J Clin Neurosci.*, 10: 231-235.
- Nerlich, A.G., E.D., Schleicher, N. and Boos, N. (1997):** Immunohistologic Markers for Age-Related Changes of Human Lumbar Intervertebral discs. *Spine*, 22: 2781-2795.
- Nordby, E.J. and Javid, M.J. (2000):** Continuing experience with chemonucleolysis. *Mt Sinai J Med.*, 67: 311-313.
- Nordby, E.J. and Lucas, G.L. (1973):** A comparative analysis of lumbar disk disease treated by laminectomy or chemonucleolysis. *Clin Orthop.*, 90: 119-129.
- O'Sullivan, P. (2005):** Diagnosis and classification of chronic low back pain disorders: Maladaptive movement and motor control impairments as underlying mechanism. In: Boyling and Jull(eds): *Modern Manual Therapy*. 3rd ed, Amsterdam, Elsevier, pp 353-367.
- Oh, W.S. and Shim, J.C. (2004):** a randomized controlled trial of radiofrequency denervation of the ramus communicans nerve for chronic discogenic low back pain. *Clin J Pain*, 20: 55-60.
- Oliver, J. and Middleditch, A. (1991):** Intervertebral discs. In: Oliver, J and Middleditch, A (eds): *Functional anatomy of the spine*. 1st ed, Butterworth-Heinemann Ltd, Oxford, pp. 59-82.

- Onik, G., Helms, C.A., Ginsberg, L., Hoaglund, F.T. and Morris, J. (1985):** Percutaneous lumbar discectomy using a new aspiration probe: porcine and cadaver model. *Radiology*, 155: 251.
- Osti, O.L., Vernon-Roberts, B. and Fraser, R.D. (1992):** Annular Tears & Disc Degeneration. *J Bone Joint Surg.*, 74-B: 678-682.
- Palmer, S. (2001):** Outpatient minimally invasive lumbar paramedian microdiscectomy. Program and abstracts of the 69th Annual Meeting of the American Association of Neurological Surgeons; Toronto, Ontario, Canada; April 21-26, 2001.
- Palmer, S. (2002):** Use of a Tubular Retractor System in Microscopic Lumbar Discectomy: 1 Year Prospective Results in 135 Patients. *Neurosurg Focus*, 13: E2.
- Palmer, S., Turner, R. and Palmer, R. (2002):** Bilateral decompression of lumbar spinal stenosis involving a unilateral approach with microscope and tubular retractor system. *J Neurosurg.*, 97 (2 Suppl): 213-217.
- Pappas, C.T.E., Harrington, T. and Sonntag, V.K.H. (1992):** Outcome analysis in 654 surgically treated lumbar disc herniations. *Neurosurgery*, 30: 862-866.
- Paris, S. (1983):** Anatomy as related to function and pain. Symposium on Evaluation and Care of Lumbar Spine Problems, pp. 475-489.
- Park, M.C., Harrington, F., Jenis, L.G. and Friebs, G.M. (2006):** Surgical management of segmental spinal instability. In: Schmidek, HH and Roberts, DW (eds): *Operative Neurosurgical Techniques: Indications, Methods and Results*. 5th ed, Saunders, W.B., Philadelphia, vol 4, chap 152, pp. 2114-2145.
- Pauza, K.J., Howell, S., Dreyfuss, P., Pelozo, J.H., Dawson, K. and Bogduk, N. (2004):** A randomized, placebo-controlled trial of Intradiscal electrothermal therapy for the treatment of discogenic low back pain. *Spine*, 4: 27-35.
- Postacchini, F., Cinotti, G. and Gumina, S. (1993):** The knee flexion test: a new lumbosacral root tension test. *J Bone & Joint Surg.*, 75: 834-835.
- Postacchini, F. and Cinotti, G. (1999):** Surgical Treatment of lumbar disc herniation. In: *Lumbar Disc Herniation*. Springer-Verlag / Wein, chapter 16, pp. 419-461.

- Postacchini, F. and Gumina S. (1999):** Clinical features. In: Lumbar Disc Herniation. Springer-Verlag/ Wein, chapter 8, pp. 169-185.
- Postacchini, F. and Rauschnig, W. (1999 a):** Anatomy of the Lumbar region. In: Lumbar Disc Herniation. Springer-Verlag / Wein, chapter 2, pp. 17-57.
- Postacchini, F. and Rauschnig, W. (1999 b):** Pathomorphology. In: Lumbar Disc Herniation. Springer-Verlag / Wein, chapter 3, pp. 96-133.
- Porlo, D.J., Oklund, S.A. and Buteher, M. (1986):** Toward uniformity in evaluating results of lumbar spine operations: A paradigm applied to posterior lumbar interbody fusion. *Spine*, 11: 601-609.
- Rauschnig, W. (1987):** Normal and pathologic anatomy of the lumbar root canals. *Spine*, 12: 1008-1019.
- Rantanen, J., Hurme, M., Falck, B., Alaranta, H., Nykvist, F., Lehto, M., Einola, S. and Kalimo, H. (1993):** The lumbar multifidus muscle five years after surgery for a lumbar intervertebral disc herniation. *Spine*, 18: 568-674.
- Ray, C.D. (1998):** Introduction to disc anatomy and physiology with emphasis on the generation of back pain. Williamsburg, VA; Presented at the second Spine Group Meeting, Alexandria, Egypt, June 1998.
- Razaq, S., Wilkins, R.J. and Urban, J.P. (2003):** The effect of extracellular pH on matrix turnover by cells of the bovine nucleus pulposus. *Eur Spine J.*, 12: 341-349.
- Regan, J.J., Yuan, H. and McAfee, P.C. (1999):** Laparoscopic fusion of the lumbar spine: Minimally invasive spine surgery. A prospective multicenter study evaluating open and laparoscopic lumbar fusion. *Spine*, 24: 402-411.
- Resnick, D.K., Malone, D.G. and Ryken, T.C. (2002):** Guidelines for the use of discography for the diagnosis of painful degenerative lumbar disc disease. *Neurosurgical Focus*, 13: E2.
- Ross, E.R.S., Williamson, J.B. (2000):** Intervertebral disc replacement: Six years experience using the Link Charite prosthesis. *J Bone Joint Surg Br.*, 82 (Suppl): 36.

- Rothman, R.H., Simeone, F.A. and Bernini, P.M. (1982):** Lumbar disc disease. In: Rothman, R.H. and Simeone, F.A. (eds): *The spine*. Saunders W.B., Philadelphia, vol. 1, pp. 508- 645.
- Roughely, P.J. (2004):** Biology of intervertebral disc aging and degeneration. *Spine*, 29: 2691-2699.
- Rydevik, B. and Lind, B. (2002):** Microscopic surgery versus classic approaches. In: *Lumbar Disc Herniation*. Lippincott Williams and Wilkins, Philadelphia, chap 23, pp. 197-200.
- Saal, J.A. and Saal, J.S. (1989):** Nonoperative treatment of herniated lumbar intervertebral disc with radiculopathy: An outcome study. *Spine*, 14: 431-437.
- Saal, J.A., Saal, J.S. and Herzog, R.J. (1990):** The natural history of lumbar intervertebral disc extrusions treated non-operatively. *Spine*, 20: 1821-1827.
- Saal, J.S. (1995):** Role of inflammation in lumbar spine. *Spine*, 20: 1821-1827.
- Saal, J.A., Saal, J.S. and Ashley, J. (1997):** Targeted Intradiscal thermal therapy: preliminary feasibility results. Presented at the Annual Meeting of the International Society for the Study of the Lumbar Spine, Singapore, June 2-6, 1997.
- Saal, J.S. and Saal, J.A. (2000):** Management of chronic discogenic low back pain with a thermal intradiscal catheter: A preliminary study. *Spine*, 25: 382-388.
- Saal, J.A. and Saal, J.S. (2002):** Intradiscal electrothermal treatment for chronic discogenic low back pain: prospective outcome study with a minimum 2-year follow-up. *Spine*, 27: 966-973; discussion 973-974.
- Sadler, T. (2003):** Embryology of spine and spinal cord. In: Sadler, T. and Langman, J. (eds): *Langman's medical embryology*. 9th ed, Lippincott Williams & Wilkins, pp. 534-566.
- Saifuddin, A., Blease, S. and MacSweeney, E. (2003):** Axial loaded MRI of the lumbar spine. *Clin Radiol.*, 58: 661-671.
- Salehi, S., Tawk, R., Ganju, A., LaMarca, F., Liu, J.C. and Ondra, S.L. (2004):** Transforaminal lumbar interbody fusion: Surgical technique and results in 24 patients. *Neurosurgery*, 54: 368-374.

- Sambrook, P.N., MacGregor, A.J. and Spector, T.D. (1999):** Genetic influences in cervical and lumbar disc degeneration: A magnetic resonance study in twins. *Arthritis Rheum.*, 42: 366-372.
- Sasso, R.C., Kenneth, Burkus, J. and LeHuec, J.C. (2003):** Retrograde ejaculation after anterior lumbar interbody fusion: Transperitoneal versus retroperitoneal exposure. *Spine*, 28: 1023-1026.
- Savitz, M.H. (1994):** Same-day microsurgical arthroscopic lateral-approach laser-assisted (SMALL) fluoroscopic discectomy. *J Neurosurg.*, 80: 1039-1045.
- Schellinger, D., Lin, C.S., Hatipoglu, H.G. and Fertikh, D. (2001):** Potential value of vertebral proton MR spectroscopy in determining bone weakness. *Am J Neuroradiol.*, 22: 1620-1637.
- Schwender, J.D., Foley, K.T., Holly, L.T. and Transfeldt, E.E. (2005):** Minimally invasive posterior surgical approaches to the lumbar spine. In: Rothman-Simeone (ed): *The Spine*, 5th edition. ISBN 1416033653, Saunders, pp. 333-341.
- Schulitz, K.P. and Assheuer, J. (1994):** Discitis after procedures on the intervertebral disc. *Spine*, 19(10): 1172-1177.
- Shah, R.V., Lutz, G.E., Lee, J., Doty, S. and Rodeo, S. (2001):** Intradiscal electrothermal therapy: a preliminary histologic study. *Arch Phys Med Rehabil.*, 82(9): 1230-1237.
- Shapiro, S. (2000):** medical realities of cauda equina syndrome secondary to lumbar disc herniation. *Spine*, 25: 348-351.
- Shirazi, A.A., Ahmed A.M. and shrivastava, S.C. (1986):** Mechanical response of lumbar motion segment in axial torque alone and combined with compression. *Spine*, 11: 914-927.
- Simeone, F.A. (1996):** Lumbar disc disease. In: Wilkins RH, Rangachary SS (eds). *Neurosurgery*, McGraw Hill Inc, New York, Part XII, section 387, pp. 3805-3816.
- Singh, K., Ledet, E. and Carl, A. (2005):** Intradiscal therapy: A review of current treatment modalities. *Spine*, 30: 20s- 26s.
- Smith, L. (1964):** Enzyme dissolution of the nucleus pulposus in humans. *JAMA.*, 187:137-140.

- Speed, C. (2004):** Low back pain. *BMJ.*, 328: 1119-1121.
- St.Amour, T.E., Hodges, S.C. and Laakman, R.W. (1994):** MRI of the spine. Raven Press, New York, pp. 123-163.
- Steffee, A. and Sitkowski, D. (1988):** Posterior lumbar interbody fusion and plates. *Clin Orthop.*, 227: 99-102.
- Strayer, A. (2005):** Lumbar spine: common pathology and interventions. *Journal of Neuroscience Nursing*, 37(4): 181-193.
- Tanaka, M., Nakahara S. and Inoue, H. (1993):** A pathologic study of discs in the elderly, separation between the cartilaginous end-plate and the vertebral body. *Spine*, 18: 1456-1462.
- Tang, B.L. (2001):** ADAMTS: A novel family of extracellular matrix proteases. *Int J Biochem Cell Biol.*, 33: 33-44.
- Tarlov, E.C. and Magge, S.N. (2006):** Microsurgery of ruptured lumbar intervertebral disc. In: Schmidek, HH and Roberts, DW (eds): *Operative Neurosurgical Techniques: Indications, Methods and Results*. 5th ed, Saunders, W.B., Philadelphia, vol 4, chap 147, pp. 2055-2072.
- Taylor, J.R. and Twomey, L.T. (1986):** Age change in lumbar Zygoapophyseal joints: Observations on structure and function. *Spine*, 11: 739-745.
- Tesio, L. and Merlo, A. (1993):** Autotraction versus passive traction: An open controlled study in lumbar disc herniation. *Arch PhysMed Rehabil.*, 74: 871-876.
- Thongtrangan, I., Le, H., Park, J. and Kim, D.H. (2004):** Minimally invasive spinal surgery: A historical perspective. *Neurosurg Focus*, 16: E1.
- Transfeldt, F.E., Robertson, D. and Bradford, D.S. (1993):** Ligaments of the lumbosacral spine and their role in possible extra foraminal spinal nerve entrapment and tethering. *J Spinal Disord.*, 6: 507-512.
- Tropiano, P., Huang, R.C., Girardi, F.P. and Marnay, T. (2003):** Lumbar disc replacement: Preliminary results with ProDisc II after a minimum follow-up period of 1 year. *J Spinal Disord Tech.*, 16: 362-8.
- Tullberg, T., Isacson, J. and Weidenhielm, L. (1993):** Does microscopic removal of lumbar disc herniation lead to better results than the standard procedure? Results of a one-year randomized study. *Spine*, 18: 24-27.

- Tureyen, K. (2003):** One level, one-sided lumbar disc surgery with microscopic assistance-One year outcome in 114 patients. *J Neurosurg.*, 99(3Suppl): 247-250.
- Ullrich, P.F. (2006):** Anterior lumbar interbody fusion: Minilaparotomy approach. In: Schmidek, HH and Roberts, DW (eds): *Operative Neurosurgical Techniques: Indications, Methods and Results*. 5th ed, Saunders, W.B., Philadelphia, vol 4, pp. 2078-2098.
- Urban, J. P., Roberts, S. and Ralphs, J.R. (2000):** The Nucleus of the Intervertebral Disc from Development to Degeneration. *American Zoologist*, 40(1): 53-61.
- Urban, J.P., Smith, S. and Fairbank, J.C. (2004):** Nutrition of intervertebral disc. *Spine*, 29: 2700-2709.
- van Kleef, M., et al. (2001):** Efficacy and validity of radiofrequency neurotomy for chronic lumbar zigoapophyseal joint pain. *Spine*, 26: E 163-164.
- Vernon-Roberts, B. (1992):** Age related and degenerative pathology of the intervertebral discs and apophyseal joints. In: Jayson M.I. (ed): *The lumbar spine and back pain*. Churchill Livingstone, London, Vol. 4, pp. 17-41.
- Vernon-Robert, B. (1997):** Pathogenesis of Tears of the Annulus. *Spine*, 22(22): 2641-2646.
- Videman, T., Battie, M.C. and Gill, K. (1995):** Magnetic Resonance Imaging findings and their relationships in the thoracic and lumbar spine. Insights into the etiopathogenesis of spinal degeneration. *Spine*, 20: 928-935.
- Vincent, J.F. (1982):** *Structural Biomaterials*. Vincent JF (ed), 1st edition. Macmillan, London; Chapter 10.
- Wallace, A.L., Wyatt, B.C., McCarthy, I.D. and Hughes, S.P. (1994):** Humoral regulation of blood flow in the vertebral end-plate. *Spine*, 19: 1324-1328.
- Walsh, A.J. and Lotz, J.C. (2004):** Biological response of the intervertebral disc to dynamic loading. *J Biomech.*, 37: 329-337.
- Warnke, V. (1979):** The infrared radiation of the human body as a biological indicator of the low frequency pulsed magnetic field. *Phys. Med.*, 3: 166-174.

- Watkins, M. (1953):** Posterior fusion of the lumbar and lumbosacral spine. *J Bone Joint Surg Am.*, 35: 1014-1018.
- Watura, R., Cobby, M. and Taylor, J. (2004):** Multislice CT in imaging of trauma of the spine, pelvis, and complex foot injuries. *Br J Radiol.*, 77(1s): 546-563.
- Watts, C. (1983):** Use of chymopapain in children. *J Neurosurg.*, 59: 1108.
- Watts, C., Hutchison, G., Stern, J. and Clark, K. (1975):** Comparison of intervertebral disc disease treatment by chymopapain injection and open surgery. *J Neurosurg.*, 42: 397-400.
- Weber, H., Holme, I. and Amlie, E. (1993):** The natural course of acute sciatica with nerve root symptoms in a double blind placebo controlled trial evaluating the effect of piroxicam. *Spine*, 18: 1433-1438.
- Weber, H. (1994):** The natural history of disc herniation and the influence of intervention. *Spine*, 19: 2233-2238.
- Weinstein, P.R. (1982):** Anatomy of the lumbar spine. In: Hardy, RW (ed): Lumbar disc disease. 2nd ed, Raven Press, New York, pp. 5-11.
- Welch, W.C. and Geszten, P.C. (2002):** Alternative strategies for lumbar discectomy: Intradiscal electrothermy and nucleoplasty. *Neurosurg Focus*, 13: E2.
- Wetzel, F.T., La Rocca, S.H. and Lowery, G.L. (1994):** The treatment of lumbar spinal pain syndromes diagnosed by discography: Lumbar arthrodesis. *Spine*, 19:792-800.
- White, A.A., Panjabi, M.M. (1990):** The problem of clinical instability in the human spine: A systematic approach. In: White AA, Panjabi MM (eds): Clinical Biomechanics of the Spine, 2nd ed. Philadelphia: Lippincott Williams & Wilkins, p. 278.
- Williams, R.W. (1978):** Microlumbar discectomy: a conservative surgical approach to the virgin herniated lumbar disc. *Spine*, 3: 175-182.
- Wilson, D.H. and Harbaugh, R. (1981):** Microsurgical and standard removal of the protruded lumbar disc: A comparative study. *Neurosurgery*, 8: 422-427.

- Wiltse, L., Bateman, J.G., Hutchinson, R.H., and Nelson, W.E. (1968):** The paraspinal sacrospinalis-splitting approach to the lumbar spine. *J Bone Joint Surg Am.*, 50: 919.
- Yasargil, M.G. (1977):** Microsurgical operations for herniated lumbar disc. *Adv Neurosurg.*, 4: 81-82.
- Yeung, A.T. (1993):** Consideration for the use of the KTP laser for disc decompression and ablation. In Sherk HH (ed): *Spine: Laser Discectomy*. Philadelphia: Hanley & Belfus, Vol 7, pp. 67-93.
- Yeung, A.T. and Tsou, P.M. (2002):** Posterolateral endoscopic excision for lumbar disc herniation: surgical technique, outcome, and complications in 307 consecutive cases. *Spine*, 27: 722-731.
- Yonezawa, T., Onomura, T., Kosaka, R., Miyaji, Y., Tanaka, S., Watanabe, H., Abe, Y., Imachi, K., Atumi, K. and Chinzei, T. (1990):** The system and procedures of percutaneous intradiscal laser nucleotomy. *Spine*, 15:1175-1185.
- Zigler, J.E. (2003):** Clinical results with ProDisc: European experience and U.S. investigation device exemption study. *Spine*, 28 (Suppl): 163-166.
- Zimmerman, R.D., Weingarten, K., Johnson, C.E., Heier, L.A. and Deck, M.D.F. (1990):** Neuroradiology of the spine. In: Youmans, J.R. (ed), *Neurological Surgery*. W.B. Saunders, Philadelphia, vol. 1, pp. 364-404.