

References:

- **Al-Assi MT, Genta RM, Karttunen TJ, and Graham DY (1996):** Ulcer site and complications: relation to *Helicobacter pylori* infection and NSAID use. *Endoscopy*; 28(2): 229-233.
- **Alm RA, Ling LSL, Moir DT, King BL, Brown ED, Doig PC, Smith DR, and Noonan B (1999):** Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen *Helicobacter pylori*. *Nature*; 397: 176-180.
- **Bardhan KD, Williamson M, Royston C, and Lyon C (2004):** Admission rates for peptic ulcer in the Trent region, UK, 1972-2000. Changing pattern, a changing disease; *Digestive and Liver Disorders*; 36(9): 577-588.
- **Barksdale AR and Schwartz RW (2002):** The Evolving Management of Gastric Outlet Obstruction from Peptic Ulcer Disease. In: "Current Surgery"; 59(4): 404-409. Elsevier Science Inc.
- **Barkun A, Bardou M, and Marshall JK (2003):** Consensus recommendations for managing patients with nonvariceal upper gastrointestinal bleeding. For the Nonvariceal Upper GI Bleeding Consensus Conference Group. *Annals of Internal Medicine*; 139: 843-857.
- **Bass BL and Turner DJ (2004):** Acute gastrointestinal hemorrhage. In: "Sabiston Textbook of Surgery" 17th edition. Edited by Townsend CM, Beauchamp RD, and Evers BM, chapter 44: 1265-1321. Saunders company, Elsevier. Philadelphia, USA.

- **Binmoeller KF, Thonke F, and Soehendra N (1993):** Endoscopic hemoclip treatment for gastrointestinal bleeding. *Endoscopy*; 25: 167-170.
- **Bowden TA, Hooks VH, and Rogers DA. (1990):** Role of highly selective vagotomy and duodenoplasty in the treatment of postbulbar duodenal obstruction. *American Journal of Surgery*; 159: 15-20
- **Castellanos AE and Stein EA (2005):** Gastric Outlet Obstruction. E-medicine. Edited by Pamila JD, www.emedicine.com.: section 1-9,
- **Cerulli MA (2006):** Upper gastrointestinal bleeding. Emedicine. Edited by Jacocks A, www.emedicine.com: section 1-12.
- **Cushieri NJ (2002):** Disorders of the stomach and duodenum. In: "Essential Surgical Practice", 4th edition. Edited by Cuschieri A, Steele RJ, and Moossa AB; chapter 8: 261-318. Arnold, London, UK.
- **Chithriki M, Sadiq S, and Jaibaji M (2004):** Double pylorus. *Applied Radiology Online*; 33(3), www.appliedradiology.com
- **Church NI and Palmer KR (2003):** Ulcers and nonvariceal bleeding. *Endoscopy*; 35: 22-26.
- **Clancy TE and Ashley SW (2006):** Procedures for Benign and Malignant Gastric and Duodenal Disease. In "ACS Surgery: Principles and Practice"; Section 5, Gastrointestinal Tract and Abdomen, chapter 20. www.acssurgery.com : 1-16.
- **Cristina Ripoll, Bañares R, Beceiro I, Menchén P, Catalina MV, Echenagusia A, and Turegano F (2004):** Comparison of

- transcatheter arterial embolization and surgery for treatment of bleeding peptic ulcer after endoscopic treatment failure. *Journal of Vascular and Interventional Radiology*; 15: 447-450.
- **Dempsey DT (2005):** Peptic ulcer disease. In "Scwartz's principles of surgery" 8th edition. Edited by Brunicardi FC, Anderson DK, and Billar TR et al.; Stomach, chapter 25: 933-995. The McGraw-Hill, USA.
 - **Fantry GT (2005):** Peptic Ulcer Disease: Emedicine, edited by Lewis TD, www.emedicine.com: section 1-10.
 - **Gabor S, Woltscheb M, Maiera A, and Smolle-Juttnera FM (2002):** Pneumopericardium due to intrapericardial perforation of a gastric ulcer. *European Journal of Cardio-Thoracic Surgery*; 23 : 131–133.
 - **Gobbo-César CA, Calmon MF, Cury PM, Caetano A, Borim A, and Silva AE (2006):** Genetic alterations in benign lesions: gastritis and ulcer. *World Journal of Gastroenterology*; 12(4): 625-629.
 - **Gupta BS, Talukdar RN, and Neupane HC (2003):** Cases of Perforated Duodenal Ulcer treated in College of Medical Sciences, Bharatpur over a period of one year. *Kathmandu University Medical Journal*; 1(3): 166-169.
 - **Hansson LE, Nyren O, AW Hsing, Bergstrom R, Josefsson S, Chow W, JF Frummen, and Adami H (1996):** The risk of stomach cancer in patients with gastric or duodenal ulcer disease. *The New England Journal of Medicine*; 335(4): 242-249.
 - **Hassan I (2005):** Duodenal Ulcers. E-medicine, edited by Pamila JD www.emedicine.com.: section 1-9,

- **Hachisu T (1988):** Evaluation of endoscopic hemostasis using an improved clipping apparatus. *Surgical Endoscopy*; 2: 13-17.
- **Hawkey CJ and Atherton JC (2005):** Peptic ulcer. In "Clinical hepatology and gastroenterology" 4th edition; Part two (diseases of the Gut and Liver), edited by Weinstein WM, Hawkey CJ, and Bosch J; 35: 207-221. Elsevier.
- **Hawkey CJ and Langman MJ (2003):** Non-steroidal anti-inflammatory drugs: overall risks and management. Complementary roles for COX-2 inhibitors and proton pump inhibitors. *Gut*; 52: 600–608.
- **Hess C (2004):** Complications of peptic ulcer. University Health System of Eastern Carolina, www.uhseast.com. Edited by Metzger G.
- **Higham J, Kang JY, and Majeed A, (2002):** Recent trends in admissions and mortality due to peptic ulcer in England: increasing frequency of hemorrhage among older subjects. *Gut*; 50: 460–464.
- **H'ng MWC and Yim HB (2003):** Spontaneous Choledochoduodenal Fistula Secondary to Long-Standing Ulcer Disease. (Case report) *Singapore Medical Journal*, 44(4): 205-207.
- **Jamshidnejad J, Koehler RE, and Narayan D (1978):** Double Channel Pylorus. *American Journal Roentgenol*; 130: 1047-1050.
- **Jiranek GC and Kozarek RA (1996):** A cost-effective approach to the patient with peptic ulcer bleeding. *Surgery Clinic of North America*; 76: 83-103.

- **Jones MP (2006):** The role of psychosocial factors in peptic ulcer disease: Beyond *Helicobacter pylori* and NSAIDs. *Journal of Psychosomatic Research*; 60 : 407- 412.
- **Kayacetin E and Kayacetin S (2004):** Gastric ulcer penetrating to liver diagnosed by endoscopic biopsy. (Case report), *World Journal of Gastroenterology*; 10(12): 1838-1840.
- **Kelly KA and Teotia SS (2001):** proximal gastric vagotomy. In "Mastery of surgery", 4th edition. Edited by Baker RJ and Fischer JE; 77: 943-948. Philadelphia, Lippincott, Williams and Wikins.
- **Kennedy T (1976):** Duodenoplasty with proximal gastric vagotomy. *Annals of Royal College of Surgery in England*; 58: 144-146.
- **Lai YC, Yang SS, Wu CH, Chen TK (2000):** Endoscopic hemoclip treatment for bleeding peptic ulcer. *World Journal of Gastroenterology*; 6(1): 53-56.
- **Lain L and Paterson WL (1994):** Bleeding peptic ulcer. *The New England Journal Of Medicine*; 331 (11): 717-727.
- **Lind T, Megraud F, Unge P, Bayerdörffer E, O'Morain C, Spiller R, van Zanten SV (1999):** The MACH2 study: role of omeprazole in eradication of *Helicobacter pylori* with 1-week triple therapies. *Gastroenterology*; 116: 248–253.
- **Lobankov VM (2006):** Perforated peptic ulcers in Belarus: past and present. *Lietuvos chirurgija, Lithuanian Surgery*; 4(1), 22–28
- **Mai AL and Mai KT (2001):** Fine-needle aspiration biopsy of Intra-Abdominal Inflammatory Mass Secondary to a Penetrating

- Duodenal Ulcer Mimicking Neoplasm. Diagnostic Cytopathology; 25(5): 301-302.
- **Majumdar D and Atherton J (2006):** Peptic ulcers and their complications. Surgery; 24(3): 110-114.
 - **Malfertheiner P , Fry LC, Monkemuller K (2006):** Can gastric cancer be prevented by *Helicobacter pylori* eradication?. Best Practice & Research Clinical Gastroenterology; 20(4): 709-719.
 - **Mehta MK and Fisher G (2004):** Gastric Cancer. Emedicine, edited by Perry M, www.emedine.com: section 1-8.
 - **Mellinger JD and Gadacz TR (2006):** Laparoscopic plication of perforated ulcers. The SAGES manual; fundamentals of laparoscopy, thoracoscopy, and endoscopy; 2nd edition. Edited by Scott-Conner CEH: 264-266. Springer.
 - **Menakuru SR (2004):** Current management of peptic ulcer perforations. www.pjms.com.pk, Pakistan Journal of Medical Science; 20(2): 157-163.
 - **Mercer DW and Robinson EK (2004):** Peptic ulcer disease. In "Sabeston Textbook of Surgery", Stomach, chapter45, 17th edition. Edited by Townsend CM Beauchamp RD, and Evers BM: 1265-1321. Saunders company, Elsevier. Phyladelphia, USA.
 - **Ng EKW, Lam YH, Sung JJ, Chan ACW, Lee DWH (2000):** Eradication of *Helicobacter Pylori* prevents recurrence of ulcer after simple closure of duodenal ulcer perforation: Randomized control trial. Annuals of surgery; 231: 153-158.
 - **Nivatvongs S (2005):** Is There Any Role of Acid Reducing Gastric Surgery in Peptic Ulcer Perforation? Journal of Medical

- Association of Thailand, e-Journal: <http://www.medassocthai.org/journal> ; 88(4): 373-375.
- **Ogra R, Lane M, Wong P, Fraser A (2002):** Endoscopic injection therapy for non-variceal upper gastrointestinal bleeding at Auckland Hospital. The New Zealand Medical Journal; 115 (1166): 1-6.
 - **Ortega-Carnicer J, Ruiz-Lorenzo F, and Ceres F (2002):** Tension pneumoperitoneum due to gastric perforation. Resuscitation; 54: 215- 216.
 - **Pirmohamed M, James S, and Meakin S, Green C, Scott AK, Walley TJ, Farrar K (2004):** Adverse drug reactions as cause of admission to hospital: prospective analysis of 18820 patients. BMJ; 329: 15–19.
 - **Rege RV and Jones DB (2002):** Current role of surgery in peptic ulcer disease. In "Sleisenger and Fordtran's Gastrointestinal and Liver Disease", 7th edition. Edited by Feldman M; chapter 42: 797–809. Philadelphia: Saunders WB
 - **Rich M and Scheiman JM (2000):** Nonsteroidal anti-inflammatory drug gastropathy at the new millennium: Mechanism and prevention. Semin. arthritis rheum.; 30: 167-179.
 - **Rockey DC (2002):** Gastrointestinal bleeding. Sleisenger and Fordtran's Gastrointestinal and Liver Disease, edited by Feldman M., 7th edition, , chapter 13: 211–248. Philadelphia: Saunders WB.
 - **Schirmer BD and Kouretase PC (2001):** Bleeding duodenal ulcer. Mastery of surgery, 4th edition, edited by Baker RJ and Fischer JE, chapter 79: 957-965.

- **Shah A and Carroll M (2006):** Peptic ulcer disease. Emedicine, edited by Liacouras CA et al., www.emedicine.com; Jan.: section 1-10.
- **Shayne P (2006):** Gastritis and Peptic Ulcer Disease. Emedicine, edited by Bowman JG, www.emedicine.com; Feb.: section 1-11.
- **Shiotani A and Graham DY (2002):** Pathogenesis and therapy of gastric and duodenal ulcer disease. Medical Clinics of North America; 86: 1447–1466.
- **Shiwani MH (2006):** Cholecystoduodenal fistula secondary to penetrating duodenal ulcers: A case of conservative management. JCPSP, 16 (1): 83-84.
- **Shrestha S and Lau D (2006):** Gastric Ulcers. Emedicine, edited by Greenwald D, www.emedicine.com; Mar.: section 1-11.
- **Solomon LK, Vogiatzis I, Craig E, and Campbell FC (2005):** Hepatic Penetration of a Single Large Duodenal Ulcer. Ulster Medical Journal; 74 (2): 134-135.
- **Soreid JA (2003):** Pyloroplasty. Operative techniques in general surgery; 5: 65-72.
- **Soybel DI (2000):** Gastric outlet obstruction, perforation, and other complications of gastro-duodenal ulcer. Therapy of Digestive Disorders, edited by Wolfe M.: 153–168. Philadelphia: Saunders WB.
- **Spechler SJ (2002):** Peptic ulcer disease and its complications. Sleisenger and Fordtran's Gastrointestinal and Liver Disease, edited by Feldman M, 7th edition; 1, chapter 40 : 747-780. Philadelphia: Saunders WB.