

- 1) **Launois,B;and Jamieson,GG; (1993)**
Modern operative techniques. In liver surgery. Eddited by Churchill livingstone. First eddition .
Edinburgh, Madrid, Melbourne,New York and Tokyo
pp.3-5
- 2) **Loinaz, C; Abradelo, M and Gomez, R; et al(1998)**
Liver transplantation and incidental primary liver tumors.
Transplant Proc 30(7): 3301-2.
- 3) **Nichols,FC; vanHeerden,JA andWeiland LH. (1989)**
Benign liver tumors.
Surg Clin North Am 69:297-312 .
- 4) **Tan,KC; Pela,M; Ryder, SD; Rizzi,PM; Karani,J; Portmann,B; Heaton,ND; Howard,ER; and Williams,R; (1995)**
Experience of orthotopic liver transplantation and hepatic resection for hepato renal carcinoma of less than 8 cm in patients with cirrhosis.
Br.J.Surg. 82:253 - 6
- 5) **Gazelle, G; et al. (1993)**
Hepatic Segmental Anatomy and its Relevance to the Management of Patients with Hepatic Malignancies.
Sem Intervent Rad. 10:162-168.
- 6) **Berman, MM; Libbey, NP; and Foster, JH.(1980)**
Hepatocellular carcinoma: polygonal cell type with fibrous stroma—an atypical variant with a favorable prognosis.
Cancer 46: 1448 –1455
- 7) **Kerlin ,P; Davis, GL; and McGill, DB; et al. (1983)**
Hepatic adenoma and focal nodular hyperplasia: clinical, pathologic, and radiologic features.
Gastroenterology 84:994-998 .
- 8) **Nelson ,RC; and Chezmar, JL. (1990)**
Diagnostic approach to hepatic hemangiomas.
Radiology 176:11-15.

9) Solier, J-P; Gozin ,D; and Lefrere, JJ; et al. (1986)

A new method to assay des-gamma-carboxyprothrombin: results obtained in 75 cases of hepatocellular carcinoma.

Gastroenterology 91:1258 –1259.

10)Ferrucci, JT. (1991)

Liver tumor imaging.

Cancer 67:1189 -1192 .

11)Sautereau, O; Vire, O; and Cazes, PY; et al. (1987)

Value of sonographically guided fine needle aspiration biopsy in evaluating the liver with sonographic abnormalities.

Gastroenterology 93: 715 -717.

12)Farmer, DG; Rosove, MH; and Shaked, A; et al. (1994)

Current treatment modalities for hepatocellular carcinoma.

Ann Surg 219:236 .

13)Roman,GJ.(1981):

The liver.In Cunninghams Text-Book of Anatomy Ed. by Roman GJ:12th ed, Chirchil Livingstone:475-80.

London, Paris, New York

14)Goldsmith, NA and Woodburne, RT.(1975)

The surgical anatomy pertaining to liver resections.

Surg Gynecol Obstet 1975;105:310 .

15)Michels, NA. (1966)

Newer anatomy of the liver and its variant blood supply and collateral circulation.

Am J Surg 1966;112:337 .

16)David R. Byrd (2002)

Morphologic and functional anatomy.In scientific principles & practice in surgery , ed. by Lazar J. Greenfield, Biblomed textbook ,2nd ed.

New York, London and Ontario.

pp.882-889

17)Bismuth,H; Houssin,D and Castaing, D.(1982)

Major and minor segmentectomies “réglées” in liver surgery.

World J Surg 1982;6:10.

18)Soyer, P. et al.(1994)

Surgical Segmental Anatomy of the Liver: Demonstration with Spiral CT During Arterial Portography and Multiplanar Reconstruction.
AJR. 163:99-103.

19)Bismuth, H.(1982)

Surgical anatomy and anatomical surgery of the liver.
World J.Surg. 6:3-9.

20)Dodds, WJ; Ericson, SJ and Taylor AJ,et al.(1990)

Caudate lobe of the liver:anatomy,embryology and pathology.
AJR.154:87-93.

21)Donosol, B; Martinez-Noguera, A and Lora, F.(1989)

Papillary process of the caudate lobe of the liver: Sonographic appearance.
Radiology.173:631-3.

22)Sexton, CC and Zeman, RK.(1983)

Correlation of computed tomography, and gross anatomy of the liver.
AJR.141:711.

23)Sugarbarker, PH.(1988).

Toward a standard nomenclature for the surgical anatomy of liver .
North J surg. 100-105.

Coated from Rumack, CM; Wilson, SR and Charboreau, JW.(1988).
Diagnostic Ultrasound .
London: Mosby , Year book.
315-34.

24)Henry Gray (1974)

The lymphatic vesseles of the liver.In Gray's Anatomy
Ed. by T. Pickering Pick :29 th ed, Running press,
Philadelphia, Ontario and New York
pp. 634-635

25)Davis LP, McCarroll K(1994)

Correlative Imaging of the Liver and Hepatobiliary System.
Seminars in Nuclear Medicine, Vol XXIV, No 3 (July),: 208-218

- 26) **Cho, FF; Sheen-chen, SM and Chen, YW et al (1997).**
Single and multiple pyogenic liver abscesses: clinical course, Etiology and results of treatment.
World J Surg 21:384-9.
- 27) **Brawer, MK; Austin, GE and Lewin, KJ. (1980).**
Focal fatty change of the liver, a hitherto poorly recognized entity.
Gastroenterology 78:247-252
- 28) **Scott, WW; Sanders, RC and Siegelman, SS. (1980).**
Irregular fatty infiltration of the liver: diagnostic dilemmas.
AJR 135:67-71
- 29) **El-Hassan, AY; Ibrahim, EM and Al-Mulhim, FA; et al. (1992).**
Fatty infiltration of the liver: analysis of prevalence, radiological and clinical features and influence on patient management.
Br J Radiol 65:774-778
- 30) **Marmolya, GA; Miron, SD and Eckhauser, M; et al. (1992).**
Focal fatty infiltration of the liver appearing as a defect on a liver-spleen scintigram. case report.
Clin Nucl Med 17:300-302
- 31) **Lieber, CS. (1994).**
Alcohol and the liver: 1994 update.
Gastroenterology 106:1085-1105
- 32) **Lieber, CS and Rubin, E. (1968).**
Alcoholic fatty liver in man on a high protein and low fat diet.
Am J Med 44:200-206
- 33) **Rubin, E and Lieber, CS. (1968).**
Alcohol-induced hepatic injury in nonalcoholic volunteers.
N Engl J Med 278:869-876
- 34) **Azain, MJ; Fukuda, N and Chai, FF; et al. (1985).**
Contributions of fatty acid and sterol synthesis to triglyceride and cholesterol secretion by the perfused rat liver in genetic hyperlipid-emia and obesity.
J Biol Chem 260:174-181

35)Wanless,IR and Lentz,JS.(1990).

Fatty liver hepatitis (steatohepatitis) and obesity; an autopsy study with analysis of risk factors.

Hepatology 12:1106-1110

36)Mathieu,D; Kobeiter,H; Cherqui,D; Rahmouni,A and Dhumeaux, D.(1998).

Oral contraceptive intake in women with focal nodular hyperplasia of the liver.

Lancet 352:1679-1680.

37)John B. Hanks and W. Scott Arnold (2002)

Hepatic neoplasm.In scientific principles & practice in surgery , ed. by Lazar J. Greenfield, Biblomed textbook ,2nd ed.

New York, London and Ontario.

pp.956-964

38)Shimamatsu,K and Wanless,IR.(1997)

Role of ischemia in causing apoptosis, atrophy, and nodular hyperplasia in human liver.

Hepatology 26(2):343-350.

39)Scoazec,JY ; Flejou,JF ; D'Errico,A ; Couvelard,A ; Kozyraki,R and Fiorentino M et al.(1995).

Focal nodular hyperplasia of the liver: Composition of the extracellular matrix and expression of cell-cell and cell- matrix adhesion molecules.

Hum Pathol 26:1114-1125.

40)Scott,LD; Katz,AR; Duke,JH; Cowan,DF and Maklad NF.(1984)

Oral contraceptives- pregnancy- and focal nodular hyperplasia of the liver.

J Am Med Assoc; 251:1461-1463.

41)Inas ElAttar (2002)

Division of biostatistics, National cancer institute Egypt

42)Melman,ML; Martin,P and Hoofnagle,JH.(1989)

Conditions associated with hepatocellular carcinoma.

Med Clin North Am. 73 (4): 999-1007.

43)Di Bisceglie,AM; Rustgi,VK; Hoofnagle,JH; Dusheiko,GM and Lotze,MT. NIH Conference.(1988)

Hepatocellular carcinoma.
Ann. Int. Med108(3) :390-401.

44)Darwish,M; Issa,S; Aziz,A and Soliman,A.(1993).

Hepatitis C and B viruses and their association with hepatocellular carcinoma.
The Journal of the Egyptian Public Health Association Vol. LX VIII NO. 1,2.; 1-7.

45)Dunn,MA and Kamel,R.(1981).

Hepatic schistosomiasis.
Hepatology 1: 653-658.

46)Salah,M.(1962).

The bilharzial liver.
Alex. Med J 8:17-20.

47)Edmondson,HA and Steiner,PE.(1954).

Primary carcinoma of the liver. A study of 100 cases among 48,000 necropsies.
Cancer 7:462-503.

48)Mott,KE.(1978).

Possible relationship of Schistosoma infection and liver Carcinoma.
Trans. R. Soc. Trop M Hyg 72: 552-3.

49)Yakashima,T; Okuda,K; Kojiro,M; Sakamoto,K; Kubo,Y and Shimokawa,Y.(1975).

Primary liver cancer coincident with Schistosoma japonicum.
Cancer 36: 1483-9.

50)Zaher,R; Zaki,S; AbdeloMoety,A; Sedrak,M; El-Gohary,A and El-Banawy,S.(1982).

Detection of Hbs antigenemia in patients withschistosomal hepatic fibrosis.
Bull. Alex. Fac. Med. 2: 333-40.

51)Barbotin,M and Gudart,JL.(1972).

Intestinal parasites and epidemiology of Australia Ag in Africa.
Br J Med (ii) 11: 653-9.

52)Mashaal,MN.(1990)

M.D. degree thesis, Alexandria University. Primary Hepatic tumors.

53)Ichikawa;T, Federle;MP, Madariaga;J, Nalesnik;M and Marsh;W (1999)

Fibrolamellar hepatocellular carcinoma: imaging and pathologic findings.

Radiology 1999;213:352-361.

54)Nguyen,BN; Fléjou,JF; Terris,B; Belghiti,J and Degott,C.(1999).

Focal nodular hyperplasia of the liver - A comprehensive pathologic study of 305 lesions and recognition of new histologic forms.

Am J Surg Pathol 23(12):1441-1454.

55)Fischer,HP and Lankes,G.(1991).

Morphologic correlation between liver epithelium and mesenchyme allows insight into histogenesis of focal nodular hyperplasia (FNH).

Virchow's Arch B Cell Pathol 60:373-380.

56)Kinnard ,Alavi A, Lichtenstein GR. (1995)

Nuclear imaging of solid hepatic masses.

Semin Roentgenol 30:375-395

57)Hanks JB, Jones RS.(1985)

The liver. In: Fromm P, ed. Gastrointestinal surgery. New York, Churchill Livingstone,

58)Gamal Nada.(1994).

Secondary tumours of the liver.In Principles of special pathology.

Edited by Gamal Nada ;Al Alameya press ,2nd edition,

Cairo, London,and Paris.

pp.98-99

59)Hanks, JB and Jones, RS. (1986)

Pathology of colorectal metastasis in the liver

Curr Probl Cancer 1986;10:245

60)**Michael,R. Luceynold (2002).**

Hepatic Infection. In scientific principles & practice in surgery , edited by Lazar J. Greenfield, Biblomed textbook ,2nd edition.
New York, London and Torento.

61)**Barnes,PF; DeCock,KM; Reynolds,TN and Ralls,PW.(1987).**

A comparison of amebic and pyogenic abscess of the liver.
Medicine 66:472 .

62)**Grange,JD; Guechot,J; Legendre,C; Giboudeau,J; Darnis,F and Poupon,R.(1987).**

Liver adenoma and focal nodular hyperplasia in a man with high endogenous sex steroids.
GE 93:1409-1413.

63)**Mathieu,D; Zafrani,ES; Anglade,MC and Dhumeaux,D.(1989).**

Association of focal nodular hyperplasia and hepatic hemangioma.
GE 97:154-157.

64)**Arrivé,L; Dahan,H and Tubiana,JM.(1999).**

Hepatic vein obstruction in a case of focal nodular hyperplasia.
Am J Roentgenol 173(3):857-857.

65)**Okuda,K.(1980).**

The liver cancer study group of Japan: primary liver cancers in Japan.
Cancer 45:2663 .

66)**Sutton,D.(1987).**

Normal ultrasound of the liver. In Textbook of radiology and imaging, Vol 2, Ed.by Sutton,D.4th ed. Churchill Livingstone
New York, St Louis, Tornto.
pp. 1773-1809.

67)**Norman,D and Korobkin,M.(1977)**

Ultrasonography of the liver and biliary tree. Computed Tomography, 1st ed. Newton TH 77-79.

68)**Rumack, C.(1991)**

Diagnostic Ultrasound. 1:50.

- 69) **Kawashima,A; Suehiro,S and Murayama,S; et al.(1986).**
Focal fatty infiltration of the liver mimicking a tumor: sonographic and CT features.
J Comput Assist Tomogr 10:329-331
- 70) **Kamin,PD; Bernardino,ME and Green,B.(1979).**
Ultrasound manifestations of Hepatocellular Carcinoma.
Radiology 131: 459-461
- 71) **Yeh,H and Rabinowitz,TG.(1980)**
Ultrasonography and computed tomography of the liver.
Radiological Med Clin. North Am 18(2):321-338.
- 72) **Halvorsen,RA; Korobkin,M and Ram,PC et al.(1982).**
CT appearance of focal fatty infiltration of the liver.
AJR 139:277-281
- 73) **Adkins,MC; Halvorsen,RA and duCret,RP.(1990)**
CT evaluation of atypical hepatic fatty metamorphosis.
J Comput Assist Tomogr 14:1013-1015
- 74) **Yates,CK and Streight,RA (1986).**
Focal fatty infiltration of the liver simulating metastatic disease.
Radiology 159:83-84
- 75) **Caturelli,E; Costarelli,L and Giordano,M et al. (1991).**
Hypoechoic lesions in fatty liver. quantitative study by histomorphometry.
Gastroenterology 100:1678-1682
- 76) **Itai,Y; Nishikawa,J and Tasaka,A.(1979)**
CT in the evaluation of hepatocellular carcinoma.
Radiology 131: 165-170.
- 77) **Runstlinger,F; Feferle,MP; Moss,AA and Marks,W.(1980)**
Computed Tomography in primary hepatocellular carcinoma.
AJR 134: 431-437.
- 78) **Tada,S; Enkndat ;Aoyagi,Y and Harada,J.(1980).**
CT of Abdominal malignancies.
AJR 135: 455

79)William Harvey (October 2002)

Imaging techniques help diagnose previously undetected hepatic tumors. Liver & GI Review

80)Rummeny,E; Weissleder,R; Compton,CC; Bennett,W; Wittenberg,J; Malt,RA and Ferrucci,JT. (1989).

Primery liver tumours diagnosis by MR imaging.
Am J Roentgenol 152:63-72

81)Chang-Ping Lo (2003).

Multiphasic dynamic MRImaging of focal nodular hyperplasia.
Chin J Radiol 28:277-284.

82)Bravo AA, Sheth SG, Chopra S(2001)

Liver biopsy.
N Engl J Med 2001 Feb 15; 344(7): 495-500

83)Reddy KR, Schiff ER(1996)

Complications of Liver Biopsy. In: Taylor MB, ed. Gastrointestinal Emergencies. 2nd ed. Baltimore, Md: Williams & Wilkins;

84)Fabre,A; P.Audet, V.Vilgrain, B.N.Nguyen, D.Valla, J.Belghiti, And D.Degott (2002).

Histologic scoring of liver biopsy in focal nodular hyperplasia with atypical presentation .
Hepatology 35:414-420.

85)Jonathan,L; Meakins and Andrew Seely (2002)

Hepatic abscesses. In Mastery of surgery , edited by Lloyd M. Nyhus, Robert J. Baker and Josef E. Fischer.
Biblomed textbook ,2nd ed.
New York, London and Ontario.

86)Leslie H,Blumgart.(1994)

Liver Resection—Liver and Biliary Tumours. In LH Blumgart [ed.], Surgery of the Liver and Biliary Tract, 2nd ed.Churchill-Livingstone. London, Tornto,St Louis.

87)Balch, CM; and Urist, MM. (1986)

Intraarterial chemotherapy for colorectal liver metastases and hepatomas using a totally implantable drug infusion pump.
Recent Results Cancer Res 100:234-235.

88)H-P, Allgaier (2002)

Non-surgical interventional therapies.Malignant liver tumors:Basic concepts and clinical management.(Falk workshop).Leipzig (Germany) PP.27

89)Bruix, J; Bruix, M; Sala, JM and Llovet,JM.(2001).

Prevention of Hepatocellular Carcinoma. In: V Arroyo, J Bosch, J Bruix, P Ginès, M Navasa, J Rodés, eds. Therapy in Hepatology. Barcelona: Medicina stm Editores, SL.pp. 359-366.

90)Llovet,JM; Bru,C and Bruix,J.(1999).

Prognosis of hepatocellular carcinoma: the BCLC staging classification. Semin Liver Dis 19: 329-338.

91)Llovet,JM; Fuster,J and Bruix,J.(1999).

Intention-to-Treat Analysis of Surgical Treatment for Early Hepatocellular Carcinoma: Resection Versus Transplantation. Hepatology 30: 1434-1440.

92)Mazzaferro,V; Regalia,E; Doci,R; Andreola,S; Pulvirenti,A and Bozzetti,F et al.(1996).

Liver transplantation for the treatment of small hepatocellular carcinomas in patients with cirrhosis.
N Engl J Med334: 693-699.

93)Muto,Y; Moriwaki,H; Ninomiya,M; Adachi,S; Saito,A and Takasaki,KT.(1996).

Prevention of second primary tumors by an acyclic retinoid, polyprenoic acid, in patients with hepatocellular carcinoma. Hepatoma Prevention Study Group
N Engl J Med334: 1561-1567

94)Lau,WY; Leung,TW; Ho,SK; Chan,M; Machin,D and Lau,J et al. (1999).

Adjuvant intraarterial iodine-131-labelled lipiodol for resectable hepatocellular carcinoma: a prospective randomised trial.
Lancet 353: 797-801.

95)Takayama,T ; Sekine,T ; Makuuchi,M ; Yamasaki,S ; Kosuge,T and Yamamoto,J et al.(2000).

Adoptive immunotherapy to lower postsurgical recurrence rates of hepatocellular carcinoma: a randomised trial.
Lancet 356: 802-807.

96)Kokal WA, Duda RB, Azumi N, et al.(1986)

Tumor DNA content in primary and metastatic colorectal carcinoma.
Arch Surg 121:1434.

97)Ekberg H, Tranberg KG, Anderson R, et al.(1987)

Patterns of recurrence in liver resection for colorectal secondaries.
World J Surg 11:541.

98)H,Bismuth; D,Castaing and F,Emond.(1994)

Intraoperative Ultrasound and Liver Surgery. In LH Blumgart [ed.],
Surgery of the Liver and Biliary Tract, 2nd ed. Churchill-Livingstone.
London, Toronto, St Louis.