

References

REFERENCES

- American Society of Bariatric Surgeons ASBS (2003):* Guide lines for gentry privileges in bariatric surgery. *Obes Surg* 13; 238-239.
- Anthone GJ, Lord RVN, De Meester TR, Crookes PF. (2003):* The duodenal switch operation for the treatment of morbid obesity. *Ann Surg* 238: 618.
- Balsinger BM, Poygio JL, Mai J, et al. (2000):* Ten and more years after vertical banded gasteroplasty as a primary operation for morbid obesity. *J Gastro Intest Surg* 4: 598-605.
- Bean Susan, Finley David. (2002):* Surgical management of obesity: consensus guide line, New York State consensus guide lines for the surgical management of obesity.
- Behrns KE, Smith CD, Kelly KA, Sarr MG. (1993):* Reoperative bariatric surgery: lessons learned to improve patient selection and results. *An Surg* 218: 648.
- Belachew M, Legnand MJ, Defechereus TH, et al. (1994):* Laparoscopic adjustable silicone gastric banding in the treatment of morbid obesity: A preliminary report. *Sur Endosc* 8: 1354-1356.
- Ben-Meir A, Miller A, Holbrook G, Schirmer B. (2002):* Feasibility of cholecystectomy at time of roux-en-y gastric by pass. *Surg Endosc* 16: S240.

Biertho L, Steffen R, Rickline T, et al. (2003): Laparoscopic gastric by pass versus laparoscopic adjustable gastric banding. A comparative study of 1, 200 cases. J Am Coll Surg 197: 536-547.

Bray GA. (1995): Complication of obesity. Ann Intern Med 103: 1034.

Brolin RE, Gorman JH, Corman RC, et al. (1998): Prophylactic iron supplementation after roux-en-y gastric by pass study. Arch Surg 133: 740-744.

Broline Robert E. (2004): Bariatric surgery and long term control of morbid obesity. JAMA December 11, Vol, 288, No 22, P 2793-2796.

Bruce David, Courtney M, David Beauchamp, Markevers, Kenneth L. (2004): Morbid obesity. In Sabiston text book of surgery, the biological basis of Moder Surgical practice, 17th edition, United State of America, Tina Rebanec Chapter 16: 358-397.

Capella J.F. Capella R.F. (2002): An assessment of vertical banded gastroplasty. Roux-en-y gastric by pass for the treatment of morbid obesity. Am J Surg; 183 (2): 117-123.

Charles. MD. (2001): Surgical treatment of morbid obesity. Sabiston text book of surgery: the biological basis of modern surgical practice. Courtney M. Townsend, edition-in-chiefe; associated editors, Daniel Beauchamp, Mark Evers, Kennethl. Mattox. Vol (1): Chapter 15. P. 247: 257.

- Corneluis Doherty, John DoCorson, Robin CN Williamson. (2001):* Obesity surgery. In Mosbay, London. Edinburgh. New York, Philadelphia. Syny Toronto 9: 92-98.
- Cottam, Nguyen, Eid, Schauer (2005):* The impact of laparoscopy on bariatric surgery. Surg Endosc. 2005 May; 19 (5): 621-7 Epub 2005 Mar.
- Cowan G.S. (1998):* The Cancun IFSO statement on bariatric surgeon qualifications. International Federation for surgery of obesity. Obes Surg 8: 87.
- Curry TK, Carter PL, Porter CA, Watts DM. (1998):* Resectional gastric by pass in a new alternative in morbid obesity. Am J Surg 175; 367.
- Cushieri, A.; Robert. J. Steel. Abdool Rahim Moosa. (2004):* Obese patient. In: essential surgical practice. Basic surgical training. Ed. By Robert. J. Steel Abdool Rahim Moosa, fourth edition., London. PP. 9: 227-240.
- David Johnston, Henery Sue-Ling, G.R Giles. (2003):* Surgical management of morbid obesity in essential surgical practice 3rd edition, London 69: 1036-1045.
- DeMaria EJ, Surgerman HJ, Kellum JM, et al. (2002):* Results of 281 consecutive total laparoscopic roux-en-y gastric by pass to treat morbid obesity. Ann Surg 235: 640-647.

- Dixon JB, O'Brien PE. (2002):* Change in comorbidities and improvement in quality of life after Lap-BAND placement Am J Surg 184: 518-54S.
- Drenick EJ, Bale GS. (1990):* Excessive mortality and causes of death in morbidly obese men, Surg 12: 385-390.
- Eckhout GV, Willbanks OL Moore JT. (1996):* Vertical ring gastroplasty for morbid obesity. Am J Surg; 152: 713-6.
- Ersek RA. (1989):* Serial suction lipectomy. Surg. Clin. North. Am In plastic surgery 116; 117-118.
- Favetti F, Cadiere GB, Seyato G, et al., (2002):* Laparoscopic banding: selection and technique in 830 patients, Obes Surg 12: 385-390.
- Fielding GA. (2003):* Laparoscopic biliopancretic diversion with or without duodenal switch as revision for failed lap band. Surg Endosc 17; S 187.
- Fieloring GA, Allen JW. (2002):* A step-by-step guide to placement of the lap-band adjustable gastric banding system. Am J Surg 184: 263-305.
- Finer, N., ed., (1997):* Obesity a serious of expert reviews. Br Med Bull 53: No 2.
- Fobi MAL, Lee H, Holnen R, Cabinda D. (1998):* Gastric by pass operation for obesity world J Surg 22: 825.

- Fobi MAL, Lee H, Lgew D Jr, et al. (2001):* Revision of failed gastric by pass to distal roux-en-y gastric by pass: A review of 65 cases. *Obes Surg* 11: 190-185.
- Gagner M, Gentileschi P, De Csepel J, et al., (2002):* Laparoscopic reoperative bariatric surgery: Experienec from 27 Consecutive patient *Obes Surg* 12: 254-260.
- Gahtan V, Goode SE, Kurto HZ, et al., (1998):* Body composition and source of weight after bariatric surgery. *Obes Surg* 7: 184.
- Galambos JT, Wills CE. (1978):* Relationship between 505 paired liver tests and biopsies in 242 Obese patient. *Gastroenterology* 74: 1191.
- Garfinkel L. (1995):* Over weight and cancer. *Ann Intern Med* 103 (2): 1034.
- Goergen M, An Say J. Azagre JS, et al. (1998):* Manson's vertical banded gastroplasty for morbid obesity: results of a randomized postoperative trial of laparoscopic versus open approach. *Sung Endosc* 12: 601.
- Gonzalez R, Lin E, Ven Katesh KR, et al. (2003):* Gastrojejunostomy during laparoscopic gastric by pass: Analysis of 3 technique *Arch Surg* 138: 181-184.
- Grunstein RP, Stenlof K, Hedner J. (1995):* Impact of sleep apnea and sleepiness on metabolic and cardiovascular risk factors in the Swedish obese subject (SOS) Study, *Int Jobes* 19: 410-8.

- Hall, J. C., Watts, MCK., O'Brien, P.E. (1990):* Gastric surgery for morbid obesity. The Adelaide study. *Annals of surgery*, 211, 419-27.
- Halverson JD, Wisel, Wajna MF, Ballinger WF. (1978):* Definitional by pass of morbid obesity. *Am J Med* 64: 461.
- Hanusch-Enserer, Rosen, Prager (2004):* Indication for bariatric surgery. *Acta Med Austriac.* 2004; 31 (4): 125-9.
- Harvey Sugerman, Ric. Demaria (1997):* Gastric surgery for morbid obesity mastery of surgery. Edited by Liloyd Nyhus, Robst. Baker, Zosef, Fischer 3rd edition, Vol I. Chapter 7. P. 987: 991.
- Hess DS, Hess DW. (1998):* Biliopancreatic diversion with duodenal switch. *Obes Surg* 8: 267-282.
- Higa KD, Hot, Boone KB. (2001):* Laparoscopic roux-en-y gastric bypass: technique and 3 year follow-up *J Lapro endosc Adv Surg Tech* 11: 377-382.
- Hocking MP, Bennet RS, Rout WR, Wood Wred ER. (1990):* Pouch outlet obstruction following vertical ring gastroplasty for morbid obesity. *Am J Surg*; 160; 496-500.
- Hovel MF, Koch A, Hofstetter CS, et al. (1998):* Long term weight loss maintenance: assessment of a behavioral and supplemental fasting regimen. *Am J Pubi health*; 78: 663-6.
- Hunstand JP. (1996):* Body contouring in obese patient. *Clin Plast Surg* 33; 117.

- Husemann B, Erjigkeit H. (1991):* Psychological evaluation of extremely obese patient before and after surgical treatment. *World J Surg* 5: 833.
- Jones KB, Dietel M. (2002):* Guidelines for laparoscopic and open surgical treatment of morbid obesity. *Surg Endosc*; May 3.
- Kellum JM, De Maria EJ, Sugarman HZ. (1998):* The surgical treatment of morbid obesity curn probl *Surg* 35: 791.
- Knemen AJ, Linner JH, Nelson Ch. (1954):* Anexperimental evaluation of the nutritional importance of proximal and distal small intestine. *Ann Surg* 140: 439.
- Kral JG. (1995):* Morbid obesity an related heal risk. *Ann Intern Med*; 103: 1043-7.
- Ktein JA. (1993):* Tumescant technique for local anesthesia improves safety in large volume liposuction *PRS*; 99: 1085.
- Kuzmak LI. (1992):* Stoma adjustable silicone gastric bandiry. *Probl Gen Surg*. 9: 298.
- Kyzer S, Chanuzi I. (1998):* Obstructive sleep apnea in the obex. *World J Surg* 22: 998.
- Kyzer, S, K Charuzi I. (1998):* Obstructive sleep apena in the obese. *World J Surg* 22: 998.
- Kyzers, Charuzi. (1998):* Obstructive sleep apnea in the obese world *J Surg* 22: 998-1001.

Laws HL, Piantadosi S. (1991): Superior gastric reduction procedure for morbid obesity. Ann Surg; 193: 334-40.

Lechner GW. (1991): Subtotal gastric exclusion and gastric partitioning a randomized prospective comparison of 100 patient. Surgery; 90; 637-44.

Lew, E.A. and Gar Finkel, L. (1997): Variation in mortality by weight among 750.000 men and women. J Chronic Dis 32: 563-576.

Linner JH, Drew RL. (1996): New modification of roux en y gastric by pass procedure Clin Nutr 5: 33.

Linner JH. (1992): Comparative effectiveness of gastric by pass and gastroplasty. Arch Surg; 117; 695-700.

Lundell, L, Ruth, M. and Olbe, L. (1997): Vertical banded gastroplasty or gastric banding for morbid obesity: effects on gastroesophageal reflux. Eur J Surg 163: 525-531.

Maclean LD, Rohode BM, Forse RA. (1990): Late result of vertical banded gastro-plasty for morbid obesity. Surgery; 107: 201.

Manson. J. E., Willett, W.C., Stampfer, M.J. et al. (1995): Body weight and mortality among women. N Engl Jmed 333: 677-685.

Marceau P, Hould FS, Simard S, et al. (1998): Biliopancreatic diversion with duodenal switch. World J Surg 22: 947-954.

Marx WH, Halverson JD. (1998): Laparoscopic anterior gastroplasty. Surg Endosc 12: 1442.

- Marx WH; Halverson JD. (1998):* Laparoscopic anterior gasteroplasty
Surg Endosc 12: 1442.
- Mason EE, Doherty C, Cullen JJ, et al. (1998):* Vertical gastroplasty:
evolution of vertical banded gastroplasty. World Surg 22; 919.
- Mason EE, Doherty C. (1997):* Vertical banded gastroplasty. How I do it.
Dig Surg; 14: 355-60.
- Mason EE, Ito C. (1969):* Gastric by pass in obesity. Surg Clin North Am
47: 345-351.
- Mason EE, Maher JW, Scott DH, Rodriquez EM, Doherty C: (1992):* Ten
years of vertical banded gasteroplasty for severe obesity. Probl
Gen Surg; 9: 289-9.
- Mason EE. (1992):* Vertical banded gastroplasty for obesity. Arch Surg
117: 701.
- Micheal, Jensen (2004):* Obesity. Cecil text book of medicine edited by
Lee Golddman, Dennis Ausiello. 22nd edition Vol. III Chapter
233. P. 1339: 1346.
- Moove H, Summerbell C.D. Green Wood D.C. et al. (2003):* Improving
management of obesity in primary care; cluster randomized
trial, BMJ; 327: 1085-1089.
- Neligan, Williams (2005):* Non surgical and surgical treatment of obesity.
Anesthesiol Clin North America. 2005 Sep; 23 (3): 501-23.

Nguyen NT, Goldman C, Rosenquest CJ, et al. (2001): Laparoscopic versus open gastric by pass: A randomized study of outcomes. Quality of life and costs. *An Surg* 234: 279-291.

Nguyern Nĩ, Lee ST, Goldman C, et al. (2001): Comparison of pulmonary function and post operative pain after laparoscopic versus open gastric by pass: A randomized trial. *Jam Coll Surg* 192: 469-476.

O'Brien PE, Dixon JB. (2002): Weight loss and early and late complication the international experience. *Am J Surg* 184: 425-455.

Oliak D, Ballantyne GH, Weber P, et al. (2003): Laparoscopic roux-en-y gastric by pass: defining the learning curve. *Surg Endosco* 17: 405-408.

Pasnik, Krupu, Stanowski, Lapisnski, Zareba (2004): Indication and contra-indication for surgical treatment of morbid obesity-the choice of operative Method. *Pol Mer Kuniusz Lek.* 2004: 17 Supp 1: 117-9.

Payne JH. (1983): Metabolic observation in patient with jejuncolic shunts *Am J Surg*; 106; 273.

Podnoz YD, Jiminez JC, Wilson SE. (2003): Complications after laparoscopic gastric by pass: A review of 3464 cases; *Arch Surg* 138: 957-961.

Pories WJ, Caaro JF.. (1997): The control of DM (NIDDM) in the morbidly obese with the green ville gastric by pass. ANN Surg 206: 316.

Pories WJ, Flickinger EG, Mellheim D et al. (1982): The effectiveness of gastric by pas over gastric partition in morbid obesity. Ann Surg 194: 389.

Printer KJ, Miller EV. (1997): Venous thrombo embolism in morbidly obese. Surg Gyncol Stet, 147: 192.

Rarlsson, J.; SJoström, J.; and Sullivan, M. (1998): Swedish Obese Subjects (SOS)- an intervention study of obesity. Two-year follow up of health related quality of life and eating behavior after gastric surgery for severe obesity. Int. J. Obes Relat Metab Disord. 22: 113-126.

Reynault P, Daniel R. (1984): Thigh and buttock deformities after clinical techniques. Clin Plast Surg 11; 405-413.

Sagar PM. (1995): Surgical treatment of morbid obesity. Br J Surg 82: 732.

Schauer PR and Ikramuddin S. (2001): Laparoscopic surgery for morbid obesity. Surg. Clin. Of North Am. Vol. 81. No. 5. October. P. 1145.

Scheen A.J, Desai C. and Lefebvre P.J. (1994): Therapy for obesity. Today and tomorrow. In Baillieres clinical endocrinology and metabolism, caterson ID (ed) 10; 83: 705-727.

- Schirmer B.D. (2002):* Laparoscopic bariatric procedure in: Mastery textbook & endoscopic and laproscopic surgery. Stephen W. Eubanks, Lee L. Swanstrom, Nathaniel J. Soper and Michael Leonand, Ch6, Lippincott Williams and Wilkins, Philadelphia, 220-230.
- Schwartz MZ, Pucker RD.. (1991):* Management of morbid obesity by jejuno-ileal by pass. World J Surg 5: 807.
- Schwartz RW, Strodel WE, Simpson WS, Griffen Wo Jr. (1988):* Gastric by pass revision: Lessons learned from 920 cases. Surgery 104: 806.
- Scoot HW. (1989):* Surgical experience with jejuno-ileal by pass for morbid obesity. Surg Clin North Am 59: 1033.
- Scoot JR, Miller A, Miller M, et al. (2003):* Retro-colic-herniation following laparoscopic roux-en-y gastric by pass: potential prevention Obes Surg 13: 230.
- Scopinaro N, Admi GF, Marmanri GM, et al. (1998):* Bilio-pancrtice diversion. World J Surg 22: 236.
- Scopinaro N, Marinari GM, Camerini G. (2002):* Laparoscopic standard biliopancreatic diversion, technique and prelmilinary results. Obes Surg 12: 362-365.
- Scopinrano N, Gianetta E, Friedman D, Adomi GF. (1997):* Surgical revision of bilio pancreatic diversion. Gastroenteral Clin north Am 16: 529.

Scopinro N, Adami GF, Marinari GM et al. (1998): Biliopancreatic diversion. World J Surg 22: 936-946.

Seidell (2005): Epidemoiology of obesity. Semin Vas Med. 2005 Feb; 5 (1): 3-14.

Seymour I. Schwartz, Harold Ellis, Wendy Cowles Husser. (1990): Morbid obesity. In: Maingot's abdominal operations Vol I, ninth edition, United States of American, Chapter 34, P 772: 790.

Sjostrom LV. (1992): Morbidity of severely obese subjects. Am J Clin Nutr; 55: 508S-15S.

Society of American Gastrointestinal Endoscopic Surgeon (2003): Guidelines of the clinical application of laparoscopic bariatric surgery. Surg Endo 17: 2037s-2040

Sorlie P. Gordon T, Kannel W.B. (1990): Body build and the heart. The Framingham Study. JAMA 243: 1828.

Sugarman HJ, Starkey JV, Birkenhauer RA. (1997): A ransomized prospective trial of gastric by pass versus vertical banded gastroplasty for morbid obesity and their effects on sweets versus non sweets eater. Ann Surg 205: 613.

Sugerman HJ, Brolin RE, Fobi MAL. (1995): Prophylactic ursodeoxycholic acid prevents gall stone formation following gastric by pass induced rapid weight loss: A multi center placbo controlled, randomized, duobe-blinded. Prospective trials. Am J Surg 169: 91-97.

Sugerman HJ, Sugerman EL, Wolfe L, et al. (2001): Risks and benefits of gastric by pass in morbidly obese patients with sever venous stasis disease. Ann Surg 23; 41-46.

Suter, Giustiv (2005): Surgical options for obesity: results and complication. Rev Med Suisse. 2005 Mar 23; 1 (12): 832-6.

Teimourian B. (1989): Complication associated with suction lipectomy clinics in plasty Surg 16; 385-392.

Vance PL, de Lange EE, Shaffer HA Jr, Schirmer B. (2002): Gastric outlet obstruction following surgery for morbid obesity effect of fluoroscopically guided balloon dilation. Radiology 227: 70-72.

Watson DI, Game PA. (1997): Hand assisted laparoscopic vertical banded gastroplasty Surg Endo Sc 11: 1218.

Watson DJ, Game PA. (1997): Hand assisted laparoscopic vertical banded gastroplasty surg Endosc 11: 1218.

Weigle D.S. (2003): Pharmacological therapy of obesity: Past, Present and future. J Clin Endocrinol Metab 88: 2462-2466.

Wood, P.D. Stefanick, M.L., Williams, P.T. and Haskell, W.L. (1991): The effect on plasma lipoproteins of a prevalent weight reducing diet, with or without excersize, in overweight men and women, New England Journal of Medicine, 325, 461-6.