

REFERENCES

- Adams, J.T.; De Weese, J.A.; Mahoney, E.B. and Rob, C.G. (1968):**
Intermittent subclavian vein obstruction without thrombosis.
Surgery; 63: 147-151.
Quoted from Pearson et al. (1995).
- Adson, A.W. (1951):** Cervical ribs: Symptoms and differential diagnosis
for section of the scalenus anticus muscle. J. Int. Coll. Surg.,
16: 546-549.
Quoted from Pearson et al. (1995).
- Arsona, M.; Ozdo1, C.; Kaymak, B.; Ozcakar, L. and Oguz, A.K.**
(2004): A novel finding in thoracic outlet syndrome:
tachycardia. Joint Bone Spine. 71 (5): 430-2.
- Atkins, H.J.B (1949):** Peraxillary approach to the stellate and upper
thoracic sympathetic ganglia. Lancet, 2: 1152-54.
Quoted from Pearson et al. (1995).
- Atkins, H.J.B (1954):** Sympathectomy by the axillary approach. Lancet,
1: 538-43.
Quoted from Pearson et al. (1995).
- Axelrodt, D.A.; Proctor, M.C.; Geisser, M.E.; Roth, R.S. and**
Greenfield, L.J.; (2001): Outcomes after surgery for
thoracic outlet syndrome J Vasc Surg; 33:1220-5.

- Aziz, K.; Straenley, C.J. and Whela, T.J. (1986): Effort related axilla subclavian vein thrombosis. *Am J Surg* 152: 57-64.
- Balci, A.E.; Balci, T.A.; Cakir, O. and Eren, M.N.; (2003): Surgical treatment of thoracic outlet syndrome: effect and result of surgery. *Ann Thorac Surg*; 75: 1091-6.
- Bonney, G. (1965): The scalenus medius band. *J Bone Joint Surg B*; 47: 268-72.
- Borg, K.; Persson, H.E. and Lindblom, U. (1988): Thoracic outlet syndrome: Diagnostic value of sensibility testing, vibratory thresholds and somatosensory evoked potentials at rest and during perturbation with abduction and external rotation of the arm. In Dubner R, Gebhart GF, Bond MR (eds): *Proceeding of the Fifth World Congress on Pain*. P 144.
- Caldwell, J.W.; Crane, C.R. and Krusen, E.M. (1971): Nerve conduction studies in the diagnosis of the thoracic outlet syndrome. *South Med. J*, 64:210-15.
- Cheng, S.W.K. and Stoney, R.J. (1994): Supraclavicular reoperation for neurogenic thoracic outlet syndrome. *J Vasc Surg*, 19: 565-72.
- Cikrit, D.F.; Dalsing, M.C.; Bryant, B.J., et al (1990): An experience with upper-extremity vascular trauma. *Am J Surg.*, 160: 229-234.

- Clagett, O.T. (1962):** Presidential address: research and prosearch. J Thorac Cardiovasc Sur, 44: 153-66.
Quoted from Sabiston and Spencer (1995).
- Cooley, D.A., and Wukasch, D. C. (1979):** Techniques in vascular surgery. Philadelphia, W.B. Saunders, 211-212.
Quoted from Sabiston and Spencer (1995).
- Crotti, F.M.; Carai, A.; Carai, M.; Sgaramella, E. and Sias, W. (2005):** Posttraumatic thoracic outlet syndrome. J Acta Neurochir; 95: 13-5.
- Danzi, G.B.; Sesana, M.; Bellosta, R.; Capuano, C.; Baglini, R. and Sarcina, A. (2005):** Endovascular treatment of a symptomatic aneurysm of the left subclavian artery. Ital heart J, 6 (1): 77-9.
- Daskalakis, E. and Bouhoutsos, J. (1980):** Subclavian and axillary vein compression of musculoskeletal origin. Br J Surg, 67: 573-577.
- De Weese, J.A.; Adams, J.T. and Gaiser, D.I. (1970):** subclavian venous thrombectomy. Circulation, 16(2): 158-70.
Quoted from Pearson et al. (1995).
- Donaghy, M., Matkovic, Z. and Morris, P.; (1999):** Surgery for suspected neurogenic thoracic outlet syndromes: a follow up study. J Neurol Neurosurg Pyschiatry; 67: 602-6.

- Duthie, R.B. and Bentley, G. (1983):** Cervical rib and Sclaenus syndrome. In: *Orthopaedic Surgery*, edited by Duthie RB and Bentley G. Eight edition. London Butler & Tanner Ltd, 747-748.
- Gage, M. and Parnell, H. (1947):** Scalenus anticus syndrome. *Am J Surg*, 73: 252-7.
Quoted from Reilly and Stoney (1993).
- Gilliatt, R.W.; Le Quesne P.M.; Logue V, et al (1970):** Wasting of the hand associated with a cervical rib or band. *J Neurol Neurosurg Psychiatry*; 33: 615-26.
- Gilory, J. and Meyer, J.S. (1963):** Compression of the subclavian artery as a cause of ischaemic brachial neuropathy. *Brain*, 86:733-7.
- Gossat, D. and Kleinmann, P.H. (1992):** thoracoscopic sympathectomy. In: *surgical thoracoscopy*. Edited by: Gossat, D.; Kleinmann, P.H. and Levis J.F. Springer-Verlag, Paris, p 93-99.
- Green, R.M.; McNamara, J. and Ouriel, K.; (1991):** Long-term follow up after thoracic outlet decompression : an analysis of factors determining outcome. *J Vasc Surg*, 14: 739-46.
- Harris, P.L. (1992):** Supraclavicular approach for thoracic outlet syndrome. In: *Surgical management of vascular disease*. Edited by Bell PRF, Jamieson CW and Ruckley CV. WB Saunders Company London, 963-975.
- Jamieson, C.W. (1992):** Cervical approach for management of sympathetic compression. In: *Surgical management of*

vascular disease. Edited by Bell PRF, Jamieson CW and Ruckley CV. London WB Saunders Company Ltd, 274-277.

Kenny, R.A.; Traynor, G.B.; Withington, D. and Keegan, D.J.; (1993): Thoracic outlet syndrome: a useful exercise treatment option. *Am J Surg*;165:282-284.

Krusen, E.M. (1968): Cervical pain syndromes. *Arch Phys Med Rehabil* 49: 376-9.

Quoted from Pearson et al. (1995).

Lai, D.T.; Walsh, J.; Harris, J.P.; and May, J.; (1995): Predicting outcomes in thoracic outlet syndrome. *Med J Aust*; 162:345-7.

Lang, E.K. (1962): Roentgenographic diagnosis of the neurovascular compression syndromes. *Audiology*, 79: 58-61.

Quoted from Pearson et al. (1995).

Lindenauer, S.M. (1992): Indication for sympathectomy. In: *Surgical management of vascular disease*. Edited by Bell PRF, Jamieson CW and Ruckley CV. London WB Saunders Company Ltd, 249-255.

Lindgren, K.A.; and Oksala, I.; (1995): Long-term outcome of surgery for thoracic outlet syndrome. *Am J Surg*; 169: 358-60

Litwin M. S.; (1962): Postsympathectomy neuralgia. *Arch. Surg*, 84:591-4.

Quoted from Sabiston and Spencer et al. (1995).

- Machleder, H.I.; Moll, F. and Verity, M.A. (1986):** The anterior scalene muscle in thoracic outlet compression syndrome, Histochemical and morphometric studies. Arch. Surg., 121: 1141-1144.
- Machleder, H.I.; Mol, F.; Nuwer, M. and Jordan, S. (1987):** Somatosensory evoked potentials in the assessment of thoracic outlet syndrome. J Vasc Surg, 6: 177-81.
- Mackinnon, S.; Patterson, G.A. and Urschel, H.C. (1995):** Thoracic outlet syndrome. In: Thoracic surgery, edited by: Pearson FC, Copper JD, Deslauriers J, Ginsberg RJ, Hiebert CA, Patterson GA, Urschel HC. 2nd ed. PA: Churchill Livingstone. Philadelphia. p.1211-1233.
- Maxey, T.S.; Reece, T.B; Ellman, P.I.; Tribble, C.G.; Harthun, N.; Kron, I.L. and Kern, J.A. (2003):** Safety and efficacy of the supraclavicular approach to thoracic outlet decompression. Ann Thorac Surg; 76: 396-400.
- Mingoli, A.; Feldhaus, R.J.; Farina, C.; Cavallari, N.; Sapienza, P.; Di Marzo, L. and Cavallaro, A.; (1995):** Long-term outcome after transaxillary approach for thoracic outlet syndrome. Surgery; 118: 840-4.
- Morris, P.J. (1994):** Thoracic outlet obstruction. In: Oxford Textbook of Surgery. Vol. 1, 1st edition. Edited by: Morris, P.J. and Malt, R.A. London, Oxford University Press, 414-419.

Murphy, T. (1910): Brachial neuritis caused by pressure of first rib. Aust Med J 15: 582-5.

Quoted from Reilly and Stoney (1993).

Novack, C.B.; Dale Collins, E. and Mackinnon, S.A.; (1995): Outcome following conservative management of thoracic outlet syndrome. Hand Surg.; 20: 542-548.

Oates, S.D.; Daley, R.A.; (1996): Thoracic outlet syndrome. Hand Clin; 12:705-718.

Paget, J. (1875): Clinical lectures and essays. London, Longmans Green.
Quoted from Sabiston and Spencer (1995).

Palumbo, L., T.; (1955): Upper dorsal sympathectomy without Horner's syndrome. Arch. Surg., 71: 743-7.
Quoted from Sabiston and Spencer (1995).

Palumbo, L.T.; (1956): Anterior transthoracic approach for upper extremity thoracic sympathectomy. Arch. Surg., 72: 659-64.
Quoted from Sabiston and Spencer (1995).

Pearson, F.C.; Copper, J.D.; Deslauriers, J.; Ginsberg, R.J.; Hiebert, C.A.; Patterson, G.A., and Urschel, H.C. (1995): Thoracic outlet syndrome. In: Thoracic surgery, 2nd ed. Edited by Pearson FC, Copper JD, Deslauriers J, Ginsberg RJ, Hiebert CA, Patterson GA, Urschel HC. Philadelphia, PA: Churchill Livingstone. p.1213-1223.

Porter, J.M. and Rivers, S.P. (1982): Thoracic outlet syndrome conservative approach. *Vas Diag*, 3:35-42.

Preskott, S.M. and Tikoff, G. (1979): Deep venous thrombosis of the upper aextremity. *Circulation*, 59: 350-7.

Quoted from Pearson et al. (1995).

Qverfordt, P.G.; Ehrenfeld, W.K. and Stoney, R.J. (1984): Supraclavicular radical scalenectomy and transaxillary first rib resection for the thoracic outlet syndrome – a combined approach. *Am J. Surg.* 143: 111-5.

Reilly, L.M. and Stoney, R.J. (1988): Supraclavicular approach for thoracic outlet decompression. *J Vasc Surg*, 8: 329-34.

Reilly, L.M. and Stoney, R.J. (1988): Supraclavicular approach for thoracic outlet decompression. In: *Surgical management of vascular disease*. Edited by Bell PRF, Jamieson CW and Ruckley CV. London WB Saunders Company Ltd, 977-983.

Rob, C.G. and Standover, A. (1958): Arterial occlusion complicating thoracic outlet compression syndrome. *Br Med J*, 2: 709-14.
Quoted from Pearson et al. (1995).

Roos, D.B. (1982): The place for scalenotomy and first rib resection in TOS. *Surgery*, 92: 1077-1085.

Roos, D.B. and Owens, J.C. (1966): Thoracic outlet syndrome. *Arch Surgery*, 93: 71-74.

Quoted from Pearson et al. (1995).

- Roos, D.B. (1966):** Transaxillary approach for first rib resection to relieve thoracic outlet syndrome. *Ann Surg*, 163: 354-7.
Quoted from Yavuzer et al. (2004).
- Roos, D.B. (1992):** Operations for Thoracic outlet syndrome: Transaxillary approach. In: *Surgical management of vascular disease*. Edited by Bell PRF, Jamieson CW and Ruckley CV. WB Saunders Company Ltd, London. 955-962.
- Rosati, L.M.; and Lord, J.W. (1961):** Neurovascular compression syndromes o the shoulder girdle. *Modern Surgical Monographs*. New York, Grune & Stratton.
Quoted from Pearson et al. (1995).
- Rosenberg, J.C. (1966):** Arteriography demonstrations of compression syndromes of the thoracic outlet. *South Med J*, 59: 400.
Quoted from Sabiston and Spencer et al. (1995).
- Sabiston, D.C. and Spenser, F.C. (1995):** Thoracic outlet syndrome. In: *Surgery of the chest*. 6th edition, edited by David C. Sabiston and Frank C. Spenser. Vol 1. WB Sanunders Company, Sydney. 616-619.
- Sanders, R.J. (1991):** A common sequela of neck injuries. In: *Thoracic outlet syndrome*, edited by Richard J. Sander and Craig E. Haug. JB Lippincott, Philadelphia, 543-49.

- Sanders, R.J. (1996):** Results of the surgical treatment for thoracic outlet syndrome. *J Thorac Cardiovasc Surg.*, 8 (2): 221-8.
- Sanders, R.J. and Hammond, S.L. (2005):** Subclavian vein obstruction without thrombosis. *J Vasc Surg.*, 41(2): 285-90.
- Sanders, R.J. and Pearce, W. II. (1989):** The treatment of thoracic outlet syndrome: A comparison of different operations. *J. Vasc. Surg.*, 10: 626-634.
- Sanders, R.J.; Monsour, J.W.; Gerber, W.F.; Adams, W.R. and Thompson, N. (1979):** Scaleneotomy versus first rib resection for treatment of the thoracic outlet syndrome. *Surgery*, 85: 109-14.
Quoted from Reilly and Stoney (1993).
- Sanders RJ and Hammond SL.; (2002):** Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome. *J Vasc Surg*; 36: 51-6.
- Shields, T.W.; LoCicero III, J. and Ponn, R.B. (2003):** thoracic outlet syndrome. In: general thoracic surgery, 5th edition, edited by Thomas W. Shields, Joseph LoCicero III and Ronald B. Ponn. Lippincott Williams and Wilkins. Philadelphia, (1): 571-578.
- Smithwick, R.H.; (1936):** Modified dorsal sympathectomy for vascular spasm (Raynaud's disease) of the upper extremity . *Ann. Surg.*, 104:339.
Quoted from Sabiston and Spenser (1995).

- Solero, C.L.; Fonari, M.; Giombini-Lasio, G.; Oliveri, G.; Cimino C. and Phuchino, F. (1989):** Spinal meningiomas: review of 174 operated cases. *Neurosurgery*, 26: 529-542.
- Swank, W.L., and Simeone, F.A. (1944):** The scalenous anticus syndrome. *Arch Neurol Psychiatr.*, 51: 432-7.
Quoted from Sabiston and Spenser (1995).
- Telford, E.D. and Stopford, J.S.B. (1937):** The vascular complications of the cervical rib. *Br J Surg*, 18: 559-64.
Quoted from Pearson et al. (1995).
- Toso C, Robert T, Pugin F and Spilippoulos A.; (1999):** Thoracic outlet syndrome influence of personal history and surgical technique on long-term results, *Eur J Cardiothorac Surg*; 16:44-7.
- Urschel, H.C. and Razzuk, M.A. (1973):** Thoracic outlet syndrome. *Surg Annu* 5:229-34.
- Urschel, H.C.; Paulson, D.L. and McNamara, J.J. (1968):** Thoracic outlet syndrome. *Ann Thorac Surg*, 6:1-5.
- Urschel, H.C.; Razzuk, M.A.; Wood, R.E. and Paulson, D.L. (1971):** Objective diagnosis of ulnar nerve conduction velocity and current therapy of the thoracic outlet syndrome. *Am Thorac Sur* 12: 608-620.
- Urschel, H.C. Jr. and Razzuk, M.A. (1972):** Current management of thoracic outlet syndrome. *N Engl J Med* 186:21.

- Urschel H.C., Jr.; Razzuk, M.A.; Albers, J.E. and Paulson, D.L. (1976):** Reoperation for recurrent thoracic outlet syndrome. *Ann Thorac Surg.*, 21: 19-24.
- Urschel, H.C. and Razzuk, M.A. (1986):** The failed operation for thoracic outlet syndrome: The difficulty of diagnosis and management. *Ann. Thorac. Surg.*, 42: 523-528.
- Urschel, H.C. and Razzuk, M.A. (1991):** Improved management of the Paget Schroetter syndrome secondary to thoracic outlet compression. *Ann. Thorac Surg*; 52: 1217-1221.
- Urschel, H. C. (1993):** Video –assisted sympathectomy in thoracic outlet syndrome. *Chest Surg. Clin N. Am.*, 3: 299.
- Urschel, H.C. (1993):** Dorsal sympathectomy and management of thoracic outlet syndrome: operation with VATS. *Ann Thorac Surg*; 56: 717-720.
- Urschel, H.C. and Razzuk, M.A. (1995):** Thoracic outlet syndrome. In: *Surgery of the chest*. 6th edition, edited by David C. Sabiston and Frank C. Spencer. Vol 1. WB Sanunders Company, Sydney. 616-619.
- Urschel, H.C. and Razzuk, M.A. (1997):** Upper plexus thoracic outlet syndrome: optimal therapy. *Ann Thorac Surg.*, 63 (4): 935-9.
- Urschel, H.C. and Razzuk, M.A. (1998):** Neuovascular compression in the thoracic outlet. *Ann. Surg.*, 223: 609-617.

- Urschel, H.C. and Razzuk, M.A. (2000):** Paget-Schroetter syndrome: What is the best management?. *Ann Thorac Surg*; 69: 1663-69.
- Urschel, H.C. (2002):** Transaxillary approach with dorsal sympathectomy for thoracic outlet syndrome. In: *Thoracic surgery*, edited by: Pearson FC, Copper JD, Deslauriers J, Ginsberg RJ, Hiebert CA, Patterson GA, Urschel HC. 2nd ed. PA: Churchill Livingstone. Philadelphia, p.1457-8.
- Urschel, H.C. and Patel, A.N. (2003):** Paget-Schroetter syndrome therapy: failure of intravenous stents. *Ann Thorac Surg*; 75: 1693-6.
- Urschel, H.C. (2003):** Thoracic outlet syndrome. In: *general thoracic surgery*, 5th edition, edited by Shields TW, LoCicero III J and Ponn RB. Lippincott Williams and Wilkins. Philadelphia, (1): 571-578.
- Von Schroetter, L. (1884):** Erkrankungen der Gefossl. In Nathnogl, A.K. (ed): *Handbuch der Pathologie and Therapie*. Wein, Holder.
Quoted from Sabiston and Spencer (1995).
- Walshe, F.M.R; Tackson, H. and Wyburn-Mason, R. (1944):** Brain, 67: 141-145.
Quoted from Duthie and Bently (1983).

- Wells, F. and Milstein, B. (1990):** Thoracic outlet syndrome. In: Thoracic surgical techniques. Edited by Wells F. and Milstein B. 1st edition. Baillière Tindall Limited; London. 54-56.
- Wilbourn, A.J. (1988):** Thoracic outlet syndrome surgery causing severe brachial plexopathy. *Muscle Nerve* 11: 66-74.
- Wood, V.E. and Ellison D.W. (1994):** Results of upper plexus thoracic outlet syndrome operation. *Ann Thorac Surg*; 58: 458-61.
- Yavuzer, S.; Cansel Atinkaya and Osman Tokat.; (2004):** Clinical predictors of surgical outcome in patients with thoracic outlet syndrome operated on via transaxillary approach, *European Journal of Cardio-thoracic Surgery* 25: 173-178.
- Yiannikas, C. and Walsh, J.C. (1983):** Somatosensory evoked responses in the diagnosis of thoracic outlet syndrome. *J Neurol Neurosurg Psychiatry*, 46: 234-37.