

REFERENCES

- Aaronson IA (1994):** *Micropenis: Medical and surgical implications. J Urol* 1994;152:4.
- Aboseif SR and Lue TF (1988):** *Hemodynamics of penile erection. Urol. Clin. North Am., 15:1, 1988.*
- Adams MC, Chalian VS and Rink RC (1999) :** *Congenital dorsal penile curvature: A potential problem of the long phallus. J Urol* 1999;161:1304.
- Andersen B and Mitchell M (2001) :** *Recent advances in hypospadias: Current surgical technique and research in incidence and etiology. Current Urology Reports* 2001,2;122-126.
- Anson BJ and McVay CB (1971):** *External genitals. In : Surgical Anatomy (Ed. By McVay CB) Ch. 22. p. 860. W.B. Saunders Company / Philadelphia, London, Toronto, Igaku Shoin LTD/Tokyo,1971*
- April EW (1992):** *Male urogenital region. In: International medical series for independent study; Anatomy, 2nd Edn. E.W.April(ed). Baltimore: William andWilkins Co., P.295.*
- Atala A and Retik AB (1998):** *Hypospadias. In Libertino JA [ed]: Reconstructive Urologic Surgery, 3rd ed. St. Louis, Mosby-Year Book, 1998, P 467.*
- Barcat J (1973) :** *Current concepts of treatment. In: Plastic and reconstructive surgery of the genital area , 2nd Edn. C.E.Horton(ed). Boston: Little Brown and Co., P.249.*

- Barroso UJ, Jednak R and Spencer Barthold J (2000):** *Further experience with the double onlay preputial flap for hypospadias repair. J Urol 2000;164:998–1001.*
- Barthold JS, Teer TL and Redman JF (1996) :** *Modified Barcat balanic groove technique for hypospadias repair: Experience with 295 cases. J Urol 1996;155:1735–1737.*
- Baskin LS (2000):***Hypospadias and urethral development. J.Urol.,163:951,2000.*
- Baskin LB, Duckett JW and Ueoka K (1994):** *Changing concepts of hypospadias curvature leads to more onlay island flap procedures. J Urol 1994;191.*
- Baskin LS, Erol A, Li YW and Liu W (2000):** *Anatomy of the neurovascular bundle: is safe mobilization possible?. J Urol 2000;164:977-80.*
- Bauer SB, Bull MJ and Retik AB (1979) :** *Hypospadias: A familial study. J Urol 1979;121:474–477.*
- Bauer SB and Peters CA (2001) :** *Tubularized incised plate urethroplasty: expanded use in primary and repeat surgery for hypospadias. J Urol 2001;165:581.*
- Bauer SB, Retik AB and Colodny AH (1981) :** *Genetic aspects of hypospadias. Urol Clin North Am 1981;8:559–564.*
- Borer JB, Bauer SB and Peters CA (2001) :***Tubularized incised plate urethroplasty: expanded use in primary and repeat surgery for hypospadias. J. Urol., 165:582,2001.*

- Belman AB (1985) :** *Hypospadias in boy. In: Clinical Pediatric Urology, 2nd Edn.* P.P.Kelais, L.R.King and A. B. Belman (eds). Philadelphia:W.B.Saunders Co.,P.751.
- Bergeson PS, Hopkin RJ and Bailey RB Jr (1993):** *The inconspicuous penis. Pediatrics* 1993;92:794.
- Berkhoff WBC, Scholtmeyer RJ, Tibboel D, Molenaar JC (1989) :** *Urogenital tract abnormalities associated with esophageal atresia and tracheoesophageal fistula. J Urol* 1989;141:362.
- Bianca S, Li Volti G, Nicoletti CM, Ettore G,Lupo L and Volti S (2003) :** *Elevated incidence of hypospadias in two Sicilian towns where exposure to industrial and agricultural pollutants is high. Reprod Toxicol* 2003Sep-Oct;17(5):539-45.
- Bianchi A (1995):** *Surgical management of the neonate. In: Essential Surgical Practice, 3rd Edn. A .Cuschieri, G.R.Gilles and A.R.Moosa (eds). Oxford: Butterworth Heinemann LTD., P.976.*
- Biosca PC, Osorio MJA and Farina AD Marcillo CE and Ezzedine EM (2004) :** *Treatment of proximal hypospadias: the onlay technique. Cir Pediatr.* 2004 Jan;17(1):25-7.
- Boddy SA and Samuel M (2000):** *A natural glanular meatus after Mathieu and a V incision sutured: MAVIS. B J U* 2000;86:394.
- Bradbury S (1977):** *Male reproductive organ. In: Hewer's Textbook of Histology, 9th Edn. Bradbury S (ed.). London: The White Friars Press Ltd., P.354, 1977.*

- Brook JD (2002):** *Abnormalities of the genitalia in boys and their surgical manage.* Walsh PC, Retic AB, Vaughan ED et al., (eds): *Campbell's Urology 8th Edn.*, W.B. Saunders Co., Philadelphia, Chap.66, 2002.
- Browne D (1936) :** *An operation for hypospadias.* *Lancet* 1936;1:141.
- Burnett AL (1995) :** *Nitric oxide control of lower genitourinary tract functions: A review.* *Urology* 1995;45:1071–1083.
- Burstein S, Grumbach MM, Kaplan SL (1979):** *Early determination of androgen-responsiveness is important in the management of micropallus.* *Lancet* 1979; 2 : 193.
- Caldamone AA, Chen S-C and Elder JS (1999) :** *Congenital anterior urethrocutaneous fistula.* *J Urol* 1999; 162 : 1430.
- Caldamone AA and Diamond DA (1999):** *Contemporary hypospadiology.* *Contemp Urol* 1999;11:61–77.
- Canning DA (2005):** *Marzouk skin tag two-stage urethroplasty for the repair of complex cases of hypospadias.* *International Journal of Urology*, 2005, Feb.; 173 (2) : 598.
- Castilla AA, Orioli IM and Lugarinho R (1982) :** *Monthly and seasonal variations in the frequency of congenital anomalies.* *Int. J. Epidemiol.*, (1990) 1982,19;399.
- Cendron J and Melin Y(1981) :** *Congenital curvature of the penis without hypospadias.* *Urol. Clin. North Am.* 1981;8:389–395.

- Cheikhelard A, Luton D and Philippe-Chomette P (2000) :** *How accurate is the prenatal diagnosis of abnormal genitalia? J Urol* 2000;164:984.
- Chhibber AK, Perkins FM and Rabinowitz R (1997):** *Penile block timing for postoperative analgesia of hypospadias repair in children. J. Urol* 1997; 158:1156–1159.
- Chung CS and Myrianthopoulos NC (1986):** *Racial and prenatal factors in major congenital malformations. Am. J. Hum. Genet.,* 1986,20;44.
- Churchill BM, van Savage JG and Khoury AE (1996):** *The dartos flap as an adjunct in preventing urethrocutaneous fistulas in repeat hypospadias surgery. J Urol* 1996;156:2047–2049.
- Cilento BG and Atala A (2002) :** *Proximal hypospadias. Urol Clin N Am, May* 2002, Vol 29; No. 2;311-328.
- Clup OS (1951) :** *Early correction of congenital chordee and hypospadias. J Urol* 1951;65:264.
- Conti G (1952):** *L,erection du penis humain et ses bases morphologico-vasculaires. Acta. Anat.,* 14:217 ,1952.
- Coran AG (1980):** *A simplified technique for performing perineal urethrostomy. Surg. Gynecol. Obestet.,* 1980;150:735.
- Cromie WJ and Bellinger MF (1981):** *Hypospadias dressing and diversion. Urol Clinic N Am,* 1981;65:264.
- Danish RK, Lee PA and Mazur T (1980) :** *Micropenis: II. Hypogonadotropic hypogonadism. Johns Hopkins Med J* 1980;146:177.

- Davenport M (1996) :** *ABCOF General Surgery in Children: Problems with the penis and prepuce; BMJ 1996(3 Feb): 312:299-301*
- Decter RM (1999):** *Chordee correction by corporal rotation: The split and roll technique. J Urol 1999;162:1152–1154; discussion, 1155.*
- Demirbilek S and Atayurt HF(1997):** *One-stage hypospadias repair with stent or suprapubic diversion: Which is better? J Pediatr Surg 1997;32:1711–1712.*
- Devine CJ Jr and Angermeier KW(1994):** *Anatomy of the penis and male perineum. AUA Update Series 1994;13:10–23.*
- Devine CJ Jr, Blackley SK and Horton CE (1991):** *The surgical treatment of chordee without hypospadias in men. J Urol 1991;146:325–329.*
- Devine CJ and Horton CE (1973):** *Chordee without hypospadias. J. Urol. 1973;110:264.*
- Devine CJ Jr and Horton CE (1975) :** *Use of dermal graft to correct chordee. J Urol 1975;113:56–58.*
- Dewan PA, Erdenetstseg G and Chiang D (2004) :** *Ulaanbaatar procedure for tubularization of the glans in sever hypospadias. J Urol 2004 Mar;171(3):1263-5.*
- DiSandro M and Palmer JM (1996):** *Stricture incidence related to suture material in hypospadias surgery. J Pediatr Surg 1996;31:881–884.*
- Donnahoo KK, Cain MP and Pope JC (1998) :** *Etiology, management and surgical complications of congenital chordee without hypospadias. J Urol 1998;160:1120–1122.*

- Droupy S, Hessel A and Benoît G (1999) :** *Assessment of the functional role of accessory pudendal arteries in erection by transrectal color Doppler ultrasound. J Urol* 1999;162:1987–1991.
- Duckett JW (1981):** *MAGPI (meata advancement and glanuloplasty): a procedure for subcoronal hypospadias. Urol Clin N Am* 1981;8:513-9.
- Duckett JW(1981b):** *MAGPI: a procedure for subcoronal hypospadias. Urol Clin North Am* 1981b;8:513.
- Duckett JW (1986):** *Hypospadias. In: Walsh pc, Gittes RF, Perlmutter AD, et al (eds): Campbell,s Urology 5th ed. W.B. Saunders Co., Philadelphia, P.1969-1999 ,1986.*
- Duckett JW (1996):** *Hypospadias. In: Gllenwater JY, Grayhack JT, Howards SS, and Duckett JW(Eds): Adult and Pediatric Urology, 3rd ed, St. louis,Mosby Year Book, 1996,vol.3, chapt.55, p.2549-2589.*
- Duckett JW, Devine CJ Jr and Mitchell ME (1996) :** *Controversies in hypospadias surgery. Dial Pediatr Urol* 1996;19:8.
- Duckett JW and Keating MA (1989) :** *Technical challenge of the megameatus intact prepuce hypospadias (MIP) variant: the pyramid procedure. J Urol* 1989,141;1407.
- Duckett JW, Passerini G, Asposa H and Mollard P (1997) :** *Hypospadias repair. In: Pediatric Urology, 3rd Edn. B.O'Donnell and S.A.Koff (eds) Oxford: Butterworth-Heinemann,P.551.*
- Duckett JW and Snyder HM (1991):** *The MAGPI hypospadias repair in 1111 patients. Ann Surg., 1991;213:620.*

- Duckett JW and Snyder HM (1992):** *Meatal advancement and glanuloplasty hypospadias repair after 1000 cases: Avoidance of meatal stenosis and regression. J Urol 1992;147:665.*
- Elbakry A (1999) :** *Tubularized incised plate urethroplasty : IS regular dilatation necessary for success?. Br J Urol Int 1994; 151:464.*
- Elbakry A, Shamaa M and Al-Atrash G (1998) :** *An axially vascularized meatal-based flap for the repair of hypospadias . Br J Urol 1998;82:698–703.*
- Elder JS (1992):** *Influence of glans morphology on choice of island-flap technique in children with proximal hypospadias. J Urol 1992; part 2: Abstract # 417.*
- Elder JS (2002):** *Abnormalities of the genitalia in boys and their surgical manage. Walsh PC, Retic AB, Vaughan ED et al., (eds): Campbell's Urology 8th Edn., W.B. Saunders Co., Philadelphia, Chap.66, 2002.*
- Elder JS(2002):** *Penile torsion. In Frank JD, Snyder HM III (eds): Operative Paediatric Urology, 2nd ed. London, Churchill Livingstone, 2002.*
- Elder and Duckett (1990) :** *Complications of hypospadias repair. In: complications of Urologic Surgery, 2nd Edn. R.B.Smith, and R.M.C. Ehrlich (eds). Pliladelphia: W.B.Saunders co., p.549.*
- Elicevik M, Tireli G and Sander S (2004) :** *Tubularized incised plate urethroplasty: 5 years' experience. Eur Urol. 2004, Nov;46(5):655-9; discussion 659.*

- El-Sherbiny MT (2003):** *Tubularized incised plate repair of distal hypospadias in toilet-trained children: should a stent be left?. BJU International 2003;92:1003-5.*
- Erol A, Baskin LS and Li YW (2000):** *Anatomical study of the urethral plate: Why preservation of the urethral plate is important in hypospadias repair. BJU.,85:728,2000.*
- Faerber GJ, Park JM and Bloom DA (1995):** *Long-term outcome with the MAGPI hypospadias repair. J Urol 1995;153:1655.*
- Fichtner J, Filipas D and Fisch M, Hohenfellner R and Thuroff JW (2004) :** *Long-term followup of buccal mucosa onlay graft for hypospadias repair: analysis of complications. J Urol.2004Nov;172(5Pt1):1970-2;discussion1972.*
- Fichtner J, Filipas D and Mottrie AM (1995) :** *Analysis of meatal location in 500 men: Wide variation questions need for meatal advancement in all pediatric anterior hypospadias cases. J Urol 1995;154:833–834.*
- Fisch H, Golden RJ and Libersen GL (2001) :** *Maternal age as a risk factor for hypospadias. J Urol 2001;165:934.*
- Fitzpatrick TJ (1976):** *Hemihypertrophy of the human corpus cavernosum. J Urol 1976;115:560.*
- Fredell L, Lichtenstein P and Pedersen NL (1998):** *Hypospadias is related to birth weight in discordant monozygotic twins. J Urol 1998;160:2197–2199.*
- Gibbons AD and Gonzalez ET Jr (1983):** *The subcoronal meatus. J Urol 1993;130:739.*

- Gillenwater JGJ, Howards SS and Duckett JW (1996) :** *Hypospadias DB. In: Adult and pediatric urology. St Louis: Mosby; 1996. P. 2549-89.*
- Gittes GK and Murphy JP (1998):** *Glans approximation procedure for the wide, deep meatus. Urology 1998;52:499-500.*
- Gonzalez R, Smith C and Denes ED (1996) :** *Double onlay preputial flap for proximal hypospadias repair. J Urol 1996;156:832-5.*
- Grossman IAI, Caldamone A and Khourin R (1989):** *Cutaneous blood supply of the penis. Plast. Reconstr. Surg.,83-213, 1989.*
- Guo Y, Ma G and Ge Z (2004) :** *Comparison of the Mathieu and the Snodgrass urethroplasty in distal hypospadias repair. Zhonghua Nan Ke Xue. 2004 Dec;10(12): 916-8.*
- Hadidi AT (1996):** *Y-V Glanuloplasty a new modification in the surgery of hypospadias. Kasr Aini Med J 1996 Dec;vol 2,No. 2.*
- Hakim S, Merguerian PA and Rabinowitz R (1996):** *Outcome analysis of the modified Mathieu hypospadias repair: Comparison of stented and unstented repairs. J Urol 1996;156:836–838.*
- Hendren WH and Keating MA (1988):** *Use of dermal graft and free urethral graft in penile reconstruction. J Urol 1988;140:1265–1269.*
- Hensle T, Tennenbaum S and Reiley E (2001):** *Hypospadias repair in the adult population: Adventures and misadventures. J Urol 2001;165:77–79.*

Hinnman F Jr (1991) : *The blood supply to preputial island flaps. J Urol* 1991;145:1232–1235.

Hinnman FJr (1993): *Penis and male urethra, In Hinnman,F.Jr: Urosurgical anatomy, Philadelphia, Saunders,W.B.,1993, p. 418-470.*

Hoekstra WJ, Scholtmeijer RJ and Molenaar JC (1983): *Urogenital tract abnormalities associated with congenital anorectal anomalies. J Urol* 1983;130:962.

Hollowell JG Jr, Witherington R, Ballagas AJ, Burt JN (1977) : *Embryologic considerations of diphallos and associated anomalies. J Urol* 1977;117:728.

Horton CE, Devine CJ and Graham JK (1980) : *Fistulas of the penile urethra. Plast. Reonstr. Surg., 1980, 66; 407.*

Horton CE, Gilbert DA and Winslow BH (1988): *Hypospadias. In: Mustarde JC, Jackson IT (eds). Plastic Surgery in infancy and childhood 3rd ed., Churchill Livingstone, P. 493-509,Ch.31, 1988.*

Horton CE, Sadove RC and Devine CJ (1990): *Reconstruction of male genital defects: Congenital. In: Plastic Surgery, 1st Edn. J.G.McCarthy, J.W.May AND j.w.Litter(eds). Philadilphia:W.B.Sounders Co., P.4153,1990.*

Hurwitz RS (1986): *Chordee without hypospadias. Dial Pediatr Urol* 1986;9:1–8.

Johnstone JMS and Hargreave TB (1995) : *Male urethra and genital organs. In: Farquharson's Textbook of Operative Surgery, 8th Edn. R.F.Rintoul (ed) Edinburgh: Churchill Livingstone, p.655.*

- Jordan GH (1999a):** *Penile reconstruction, phallic construction, and urethral reconstruction. Urol Clin North Am* 1999a;26:1–13,vii.
- Jordan GH (1999b):** *Techniques of tissue handling and transfer. J Urol.* 1999b;162:1213–1217.
- Juskiewenski S, Vaysse P and Moscovici J (1982):** *A study of the arterial blood supply to the penis. Anat. Clin.,* 4-101, 1982.
- Kaplan GW and Lamm DL (1975) :** *Embryogenesis of chordee. J Urol* 1975;114:769–772.
- Kass EJ and Chung AK (2000) :** *Glanuloplasty and in situ tubularization of the urethral plate: Long-term followup. J Urol* 2000;164:991–993.
- Kass EJ, Kogan SJ and Manley C (1996) :** *Timing of elective surgery on the genitalia of male children with particular reference to the risks, benefits, and psychological effects of surgery and anesthesia. Pediatrics* 1996;97:590–594.
- Kelalis P, Bunge R and Barkin M (1975):** *The timing of elective surgery on the genitalia of male children with particular reference to undescended testes and hypospadias. Pediatrics* 1975;56:479–483.
- Kumar MV and Harris DL (1999) :** *Balanitis xerotica obliterans complicating hypospadias repair. Br J Plast Surg* 1999;52:69–71.
- Kurzrock EA, Baskin LS and Cunha GR (1999):** *Ontogeny of the male urethra: Theory of endodermal differentiation. Differentiation* 1999;64:115–122.

- Larsen WJ (1997):** *Human Embryology*. New York, Churchill Livingstone, 1997.
- Last RJ (1984):** *The urogenital triangle in the male*. In *Anatomy, REGIONAL and Applied*. edited by Last RJ, 7TH ed. ELBS, Churchill Livingstones, Sec 5, P. 350, 1984.
- Lovinger RD, Kaplan SL, Grumbach MM (1975) :** *Congenital hypopituitarism associated with neonatal hypoglycemia and microphallus: Four cases secondary to hypothalamic hormone deficiencies*. *J Pediatr* 1975;87:1171.
- Malloy TR and Wein AJ (1986):** *Surgery of penis*. In Walsh PC, Gittes RF, Perlmutter AD, Stamey TA (eds): *Campbell's Urology* 5th ed. W.B. Saunders Co., Philadelphia, Vol. 3, Ch. 81, P. 2888-2890, 1986.
- Manley CB and Epstein ES (1981) :** *Early hypospadias repair*. *J Urol* 1981;125:698–700.
- Manzoni G, Bracka A, Palminten E and Marrocco G (2004) :** *Hypospadias surgery: when, what and whom?*. *BJU International* 2004 Nov;94:1188.
- Maruyama K, Takahashi A and Kobayashi T (1999):** *Diphallia and the VATER association*. *J Urol* 1999;162:2144.
- Marzouk E (2004):** *Marzouk skin tag two-stage urethroplasty for the repair of complex cases of hypospadias*. *International Journal of Urology* 2004;11: 26–32.
- Mathieu P (1932) :** *Traitement en un temps de l'hypospadias balanique ou juxtabalanique*. *Journal de Chirurgie* 1932;39:481–486.

McCormack M, Homsy Y and Laberge Y(1993): "No stent, no diversion": Mathieu hypospadias repair. *Can J Surg* 1993;36:152–154.

Mc Gregor AL, Decker GAG, Duplssis DJ and Myburgh JA (1986):*The groin and scrotum. In synopsis of Surgical Anatomy. Ch. 10, P. 118, Jhon Wright and Sons LTD, Techno House, Redciffe Way, Bristol, BSI 6NX, 1986.*

McLorie GA, Joyner BD and Bagli DJ (1999): A prospective randomized clinical trial to evaluate methods of postoperative care in hypospadias. *Pediatrics* 1999;104(suppl):813A.

Mc Minn RMH. (1995):*Early embryology. In:Last,s Anatomy Regional and Applied, 9th Edn. R.M.H. McMinn(ed). Edinburgh: Churchill Livingstone, P.43.*

Meyer-Junghanel L, Petersen C and Mildemberger H (1995) : *Experience with repair of 120 hypospadias using Mathieu's procedure. Eur J Pediatr Surg* 1995;5: 355-7

Mills C, McGovern J and Mininberg D (1981) : *An analysis of different techniques for distal hypospadias repair: The price of perfection . J Urol* 1981;125:751.

Minevich E, Pecha BR, Wachsman J and Sheldon CA : *Mathieu hypospadias repair: Experience in 202 patients. J Urol* 1999; 162:2141-2[discussion 2142-3]

Mingin G and Baskin LS (2002): *Management of chordee in children and young adults. Urol Clin N Am, 2002, Vol 29;277-284.*

- Netter FH (1972):** *Hypospadias and epispadias. clinical symposia; published solely in the medical profession by CIBA pharmaceutical Company, Summit, NJ. Division of CIBA-GEIGY Corporation. Vol. 24, Number3, 1972.*
- Newman HF and Reiss H (1982):** *Method for exposure of cavernosus artery. Urology, XIX, 16, 1982.*
- Noonan JD, Horton CE and Devine CJ (1986) :** *Hypospadias. In: Rob and Smiths Operative Surgery; Plastic Surgery, 4th Edn. T.L.Barclay and D.A. Kernahan (eds). London: Butterworths Co., P.733.*
- Oswald J, Korner I and Riccabona M (2000) :** *Comparison of the perimeatal based flap (Mathieu) and the Tubularized incised plate urethroplasty (Snodgrass) in primary distal hypospadias. Br J Urol Int 2000; 85:725-7.*
- Paulozzi LJ, Erickson JD and Jackson RJ (1997):** *Hypospadias trends in two US surveillance systems. Pediatrics 1997;100:831–834.*
- Perovic SV, Djordjevic ML and Djakovic NG (1998) :** *A new approach to the treatment of penile curvature. J Urol 1998;160:1123–1127.*
- Persad R, Sharma S and McTavish J (1995) :** *Clinical presentation and pathophysiology of meatal stenosis following circumcision. Br J Urol 1995;75:91.*
- Powell CR, McAeer I, Alagiri M and Kaplan GW (2000) :** *Comparison of flaps versus grafts in proximal hypospadias surgery. J Urol 2000; 163(4):1286.*

- Price RD, Lambe GF and Jones RP (2003) :** *Two-stage hypospadias repair: audit in a district general hospital. Br J Plast Surg* 2003Dec;56(8):752-8.
- Quartey JKM (1983):** *One-stage penile / preputial cutaneous island-flap urethroplasty for urethral strecture: a preliminary report. J.Urol.,* 129 : 284, 1983.
- Ragan DC, Casale AJ and Rink RC (1999) :** *Genitourinary anomalies in the CHARGE association. J Urol* 1999;161:622.
- Redman JF (1987) :** *The blanic groove technique of Barcat. J UROL* 1987;137:83.
- Reefhuis J and Honein MA (2004) :** *Maternal age and non-chromosomal birth defects, Atlanta--1968-2000: teenager or thirty-something, who is at risk?. Birth Defects Res A Clin Mol Teratol.* 2004 Sep;70(9): 572-9.
- Rees MJW, Sinclair SW, Hiles RW and Smith PJB (1981):** *A 10 years protective study of hypospadias repair at French Hospital. Br J Urol* 1981;53:637.
- Retik AB (1996):** *Proximal hypospadias. In Marshall FF [ed]: Textbook of Operative Urology. Philadelphia, WB Saunders, 1996.*
- Retik AB and Atala A (2002) :** *Complications of hypospadias repair. Urol Clin N Am, May 2002, Vol 29; No. 2;329-339.*
- Retik AB and Borer JG (1998):** *Primary and reoperative hypospadias repair with the Snodgrass technique. World J Urol* 1998;16:186.

- Retik AB and Borer JG (2002) :** *hypospadias*. Walsh PC, Retik AB, Vaughan ED et al., (eds): *Campbell's Urology 8th Edn.*, W.B. Saunders Co., Philadelphia, Chap.65, 2002.
- Retik AB, Mandell J and Bauer SB (1994):** *Meatal based hypospadias repair with the use of a dorsal subcutaneous flap to prevent urethrocutaneous fistula*. *J Urol* 1994;152:1229–1231.
- Ritchey ML, Sinha A and Argueso L (1994) :** *Congenital fistula of the penile urethra*. *J Urol* 1994;151:1061.
- Rivard DJ(1982):** *Anatomy, physiology and neurophysiology of male sexual function*. In: Bennet AH (ed). *Management of male impotence*. Baltimore, Williams and Wilkins Co., P. 1, 1982.
- Roberts CJ and Lloyd S (1973) :** *Observations on the epidemiology of simple hypospadias*. *Br Med J* 1973;1:768–770.
- Rushton HG and Belman AB (1998) :** *The split prepuce in situ onlay hypospadias repair*. *J Urol* 1998;160:1134-7.
- Schultz JR, Klykylo WM and Wacksman J (1983) :** *Timing of elective hypospadias repair in children*. *Pediatrics* 1983;71:342–351.
- Shapiro E (1999) :** *The sonographic appearance of normal and abnormal fetal genitalia*. *J Urol* 1999;162:530.
- Shapiro SR (1989):** *Hypospadias repair: Optical magnification versus Zeiss reconstruction microscope*. *Urology* 1989;33:43–46.

- Shenoy MU and Rance CH (1999)** : *Surgical correction of congenital megaprepuce. Pediatr Surg Int* 1999; 15:593.
- Shukla AR, Patel RP and Canning DA (2004)** : *Hypospadias. Urol Clin N Am*, 2004, 31;455-460.
- Silver RI (2004)**: *Endocrine abnormalities in boys with hypospadias. Adv Exp Med Biol.* 2004;545:45-72.
- Somoza I, Liras J, Abuin AS , Mendez R, Tellado MG, Rios J, Pais E and Vela D (2004)** : *New Modern Maggi: meatal advancement and glanuloplasty clinical course. Cir Pediatr.* 2004 Apr;17(2):76-9.
- Sorber M, Feitz WF and de Vries JD (1997)** : *Short- and mid-term outcome of different types of one-stage hypospadias corrections. Eur Urol* 1997;32:475–479.
- Soylet Y, Emir H and Besik C, Yesildag E and Danismend N (2004)** : *Modified Barcat technique in distal hypospadias repair. Eur J Pediatr Surg.* 2004 Jun;14(3):185-7.
- Smith ED (1990)** : *Hypospadias in pediatric urology. W.B. Saunders, Co.,1990 (abstract).*
- Snodgrass WT (1994)** : *Tubularized incised plate urethroplasty for distal hypospadias. J Urol* 1994; 151:464.
- Snodgrass wt (1999)** : *Does the Tubularized incised plate hypospadias repair create neourethral strictures? .J Urol* 1999; 162:1159.

- Snodgrass WT (2002):** *Tubularized incised plate (TIP) hypospadias repair. UROLOGIC CLINICS OF NORTH AMERICA, May 2002, Vol 29; No. 2; 285:290.*
- Snodgrass WT, Koyle M and Manzoni G (1996) :** *Tubularized incised plate repair : results of multicenter experience. J Urol 1996; 156:839.*
- Snodgrass W, Patterson K and Chadwick JP (2000):** *Histology of the urethral plate: Implication for hypospadias repair. J. Urol., 164:988,2000.*
- Snow BW, Cartwright PC and Unger K (1995) :** *Tunica vaginalis blanket wrap to prevent urethrocutaneous fistula: An 8-year experience. J Urol 1995;153:472–473.*
- Snyder HM (1991):** *Does glans configuration indicate the type of chordee present in hypospadias. Society For Pediatric Urology Newsletter 1991;5/24:38.*
- Standoli L (1988) :** *Vascularized urethroplasty flaps: The use of vascularized flaps of preputial and penopreputial skin for urethral reconstruction in hypospadias. Clin Plast Surg 1988;15:355–370.*
- Steckler RE and Zaontz MR(1997):** *Stent-free Thiersch-Duplay hypospadias repair with the Snodgrass modification. J Urol 1997;158:1178–1180.*
- Stephens FD, Smith ED and Hutson JM (1996):** *Embryogenesis of hypospadias. In Stephens FD (ed): Congenital Anomalies of the Urinary and Genital Tracts. Oxford, UK: Isis Medical Media Ltd, 1996, pp 80–90.*

- Stewart TS, Bartkowski DP and Perlmutter AD (1995) :** *Tunica vaginalis patch graft for treatment of severe chordee. J Urol* 1995;153(suppl.):340A.
- Summerton DJ, McNally J, Denny AJ and Malone PSJ (2000) :** *Congenital megaprepuce: An emerging condition—How to recognize and treat it. BJU Int* 2000;86:519.
- Svensson H, Reychman H, Troeng T and Aberg M (1997) :** *Staged reconstruction of hypospadias with chordee: Outcome and costs. Scand. J. Plast. Reconstr. Hand surg.*1997;31:51.
- Taneli C, Genc A, Gunsar C, Sencan A, Arslan OA, Daglar Z and Mir E (2004) :** *Modification of meatal advancement and glanuloplasty for correction of distal hypospadias. Scand J Urol Nephrol.* 2004; 38(2):122-4.
- Tonvichien L and Niramis R (2003) :** *Turbularized, incised plate urethroplasty in hypospadias repair. J Med Assoc Thai.* 2003 Aug; 86 Suppl 3:S522-30.
- Uchio EM, Yang CC, Kromm BG and Bradley WE (1999):** *Cortical evoked responses from the perineal nerve. J Urol* 1999;162:1983–1986.
- Ulman I, Erikci V and Avanoglu A (1997) :** *The effect of suturing technique and material on complication rate following hypospadias repair. Eur J Pediatr Surg* 1997;7:156–157.
- Upadhyay J, Shekarriz B and Khoury AE (2002) :** *Midshaft hypospadias. Urol Clin N Am, May 2002, Vol 29; No. 2; 299-310.*

- Van derMeulen (1964):** *Hypospadias Monography*. Leiden, The Netherlands, A.G. Stenfer, Kroese, N.V.,1964.
- Van Savage JG, Palanca LG and Slaughenhaupt BL(2000):** *A prospective randomized trial of dressings versus no dressings for hypospadias repair. J Urol 2000; 164:981–983.*
- Wacksman J (1987) :** *Repair of hypospadias using new mouth-controlled microscope. Urology 1987;29:276–278.*
- Wagner G (1981):** in Wagner G, Green R (eds). *Impotence New Yourk, Plenum Press, P.7-27. Quoted from Malloy and Wein, 1981.*
- Waterman RE (1982):** *Human embryo and fetus. In Hafez ESE, Kenemans P [eds]: Atlas of Human Reproduction. Hinghan, MA, Kluwer Boston, 1982.)*
- Welch KJ (1979) :** *Hypospadias. In Kavitch, M.M., Welch, K.J., Benson, CD., et al (eds): Pediatric Surgery, ed 3. Chicago, Year Book Medical Pubishers, 1979, P. 1353-1376.*
- Wiener JS, Kolon TF and Gonzalez ET (1997):** *Androgen gene mutation in hypospadias : A genetic and functional analysis, Brit. J. Urol., 80 : 1202.*
- Williams PL, Warwick R, Dyson M and Bannister LH (1989):** *Gray,s anatomy 37th ed. International Student edition, Churchill Livingstone, 1989, P.1432-1433.*
- Winslow BH and Devine CJ Jr (1996) :** *Principles in repair of hypospadias. Semin Pediatr Surg 1996;5:41–48.*

Yerkes EB, Adams MC and Miller DA (2000) : *Y-to-I wrap: Use of the distal spongiosum for hypospadias repair. J Urol 2000;163:1536–1538; discussion, 1538–1539.*

Zaontz MR (1990) : *Nuances of hypospadias. Probl Urol 1990;4:705–721.*

Zaontz MR and Dean GE (2002) : *Glanular hypospadias repair. Urol Clin N Am, May 2002, Vol 29; No. 2; 291:298.*

Zhuo S, Zhuang Q and Zeng H (2004) : *Tubularized incised plate urethroplasty for hypospadias (a report of 35 cases). Zhonghua Nan Ke Xue. 2004 Sep;10(9):686-7.*