

REFERENCES

- 1- Akman, P.C. (1962): A study of 500 incisional hernias. J. Int. College. Surg. 37: 125-42.
- 2- Alexander, H.C. et al (1966): The causes of abdominal wound disruption. Surg. Gyn. Obst. June 1966; 1223-29.
- 3- Austin et al (1951): Fascia lata repair of massive ventral hernias. Am. J. Surg. 82 : 466-473.
- 4- Bentley P.G. et al, (1978): Wound closure with Dexon (Polyglycolic acid) mass suture. Ann. R. Coll. Surg. 60: 125-127.
- 5- Bright (1974): Abdominal incision and closure. Am. J. Surg. 127 : 617.
- 6- Brash, J.C. (1948): Cunningham's manual of practical anatomy. IIth edition, Oxford Univ. Press. London, 1948.
- 7- Browse et al (1979): Repair of long large mid-line incisional hernias using reflected flaps of anterior rectus reinforced with Marlex mesh. Am. J. Surg. 138: 738-739.
- 8- Burton, C.C. (1959): Fascia lata, cutis and tantalum grafts in repair of massive abdominal incisional hernia. Surg. Gyn. Obst. 109: 621-628.
- 9- Cameron A.E.P., Gray R.G.E., Talbott and Wyatt (1980): Abdominal wound closure. A trial of prolene and Dexon. Brit. J. Surg. 67: 487-488.
- 10- Carlucci, G.A. (1942): Incisional hernias following gall bladder operation. Am. J. Surg. 58: 99.

- 11- Cattell, R.B. (1951): Surgical practice of the Lahey Clinic.
- 12- Cave, H.W. (1933): Incidence and prevention of incisional hernia. J.A.M.A., 19.
- 13- Cerise and Coworkers (1975): The use of Mersilene mesh in repair of abdominal wall herniae. A clinical and experimental study. Ann. Surg. 181/5: 728-734.
- 14- Christopher, F. (1945): A Textbook of Surgery, Saunders, 1202.
- 15- Craig P.H. et al (1975): A biologic comparison of polyglactin 910 and polyglycolic acid synthetic absorbable sutures. Surg. Gyn. Obst. 141: 1-10.
- 16- Crile and King (1951): Tantalum gauze in the repair of large infected post-operative ventral hernia. Surg. 29: 914.
- 17- Cumberland V.H. (1952): A preliminary report on the use of prefabricated nylon weave in the repair of ventral hernia. Med. J. Aust. 1: 143.
- 18- Dietel et al (1979): A secure method of repair of large ventral hernias with Marlex mesh to eliminate tension. Am. J. Surg. 137: 726-727.
- 19- Donaldson, D.R. et al (1982): The lateral paramedian incision- experience with 850- cases. Br. J. Surg. 69:630-632.
- 20- Dudley, H.A.F. (1970): Layered and mass closure of the abdominal wall. A theoretical and experimental analysis. Br. J. Surg. 57-664-667.
- 21- Duthie H/L. (1980): Pneumoperitoneum in incisional hernial repair. Hernia, 2nd ed. (1980). J.B. Lippincott Company.

- 22- Ellis H. (1971): The cause and prevention of post-operative intraperitoneal adhesions. Surg. Gyn. Obst., 133:793-508.
- 23- Ellis H, Heddle R. (1977): Does the peritoneum need to be closed at laparotomy? Br. J. Surg., 64: 733-736.
- 24- Elman (1943) : Protein metabolism and the practice of medicine. Med. Cl. Nor. Am. 27: 303.
- 25- Frank, L.M. and Edward L.H. : The disruption of abdominal wounds with protrusion of viscera. Ann. Surg. No. 99: 5-13.
- 26- Frank, L.M., Edward and James, R.J. (1963): Experiences with wire closure of abdominal incisions in 293 selected patients. Surg. Gyn. Ob. 117: 235.
- 27- Chaliongui, P. and Dowakhli, Z.(1914): Health and healing in ancient Egypt, Dar Almaaref.
- 28- Goligher J.C. et al (1975): A controlled clinical trial of three methods of closure of laparotomy wounds. Br. J. Surg., 62:823-829.
- 29- Gomez, J., Wylie, J.H., Ponka, J.L. (1972): Epidermoid carcinoma in a cutis graft after repair of an incisional hernia. Rev. Surg. 29: 381.
- 30- Grace, R.H. and Cox (1976): Incidence of incisional hernia after dehiscence of the abdominal wound. Am. J. Surg. 131/2: 210-212.
- 31- Grant, J.C. (1962): An atlas of Anatomy, The Williams and Wikkins Co., Baltimore.
- 32- Gray, H. (1967): Anatomy descriptive and applied 34th ed. Longmans, Green and Co. Ltd. by D.U. Davies.

- 33- Greenburg A.G. et al (1979): Wound dehiscence
Arch. Surg., 114: 134-146.
- 34- Guillou P.J. et al (1980): Vertical abdominal
incisions - a choice ? Br. J. Surg.
67: 395-399.
- 35- Halasz N.A. (1968): Dehiscence of laparotomy
wounds. Am. J. Surg., 116: 210-214.
- 36- Harkins, H.N. (1943): A new type of relaxing
incision. The dermatome flap method.
Am. J. Surg., 59: 79.
- 37- Hartzell J.B. and Winfield J.M. (1939):
Disruption of abdominal wounds. Surg.
Gyn. Obst., Interat. Abst. Surg.,
68; 585.
- 38- Herbert, Donald, D.K. and Karl, A.M. (1950)/:
Factors in the aetiology and management
of post-operative hernia. Am. J. Surg.
80: 531.
- 39- Herrman, J.B. (1971): Tensile strength and Knot
security of surgical suture material.
Am. J. Surg., 37: 209.
- 40- Higgins G.A. et al (1969): A clinical and lapa-
ratory study of abdominal wound closure
and dehiscence. Arch. Surg. 98: 421-
427.
- 41- Hunt Thomas K. (1980): Wound healing and wound
infection. Appleton Century Crofts.
- 42- Irvine T.W. (1965): Scientific bases of Surgery.
J & A. Churchill Ltd. Printed by
Hazell Watson & Viney.
- 43- Jenkins, T.P.N. (1976): A mechanical approach
to burst abdomen. Brit. J. Surg.,
63/11: 873-876.
- 44- John Pollet (1927): Appendicectomy wound hernia-
tion. J. Surg. Ed. Vol. No.4.

- 45- Jones T.E. et al (1941): The use of alloy steel wire in the closure of abdominal wounds. Surg. Gyn. Obst., 72: 1056: 9.
- 46- Joseph L. and Ponka (1980): Hernia of the abdominal wall. W.B. Saunder's company-phild. Lond? Toronto 1980. Page 373.
- 47- Keill R.H. (1973): Abdominal wound dehiscence. Arch. Surg., 106 : 573: 577.
- 48- King E.S.G. (1935): Incisional hernia. Br. J. Surg. 23: 35-44.
- 49- Koontz, A.R. (1948): Ann. Surg. 127: 1079.
(1951): Surg. Gyn. Obst., 893: 112.
(1951): J. Int. Coll. Surg. 15:748.
(1962): Surg. Gyn. Obst. 114: 117.
(1963): Hernia. New York. Appleton Century Crofts.
- 50- Kozoll D.D. & Trace H.D. (1950):
Am. J. Surg.
- 51- Last J.R. (1972): Anatomy Regional and Applied, 5th edition. Chruchill Livingstone.
- 52- Lythgoe, J.P. (1960): Incidence of incisional hernia after caesarian section.
Post. Grad. Med. J. 36: 388.
- 53- MacNealy, R.W. and Lichtenstein, M.E. (1932):
Post-operative herniation. Am. J. Surg. 18: 90.
- 54- Mackenzie, K. (1924): Br. J. Surg. 12:45-48.
- 55- Maingot, R. (1961): Abdominal operation Lewis and Co. 6th ed. Vol II page 1542.
- 56- Maire, G.B. (1945): Cyst formation after skin graft repair of hernia.
Am. J. Surg. 69: 352.
- 57- Maire, G.B. (1948): The surgery of abdominal hernia, London. Arnold 299.

- 58- Mann, L.S., Spinazolla, and coworker (1962):
Disruption of abdominal wound. J.A.M.A.
180: 1021.
- 59- Mayer, A.D. et al (1981): Compression suture of
the abdominal wall-A controlled trial
in 302 major laparotomies.
Br. J. Surg. 68: 632-34.
- 60- McCarthy G.D. et al (1981): Intraperitoneal
polypropylene mesh support of incisional
herniorrhaphy. Am. J. Surg. 142:707-711.
- 61- McVay, C.B. (1967): Christopher's Text book of
Surgery. 7th ed. Phill. Saund.
- 62- McVay, C.B. (1968): Christopher's textbook of
Surgery. 9th ed. W.B. Phill. Saund.
1968.
- 63- Moreno, J.G. (1947); Chronic eventration and
large hernia preoperative treatment by
progressive pneumoperitoneum.
Surg. 22: 945.
- 64- Moreno, J.G. (1964): Hernia ed. by Nyhus, L.M.
and Herkins, N.N. Page 688. Philad.,
Lippincott.
- 65- Mouwate and Bonnar (1971): Abdominal wound
dehiscence after caesarean section.
Br. M.J. 2: 256.
- 66- Nora Paul F. (1980): Operative Surgery, prin-
ciple and techniques, 2nd ed. Lea &
Febiger.
- 67- Nurse, C.J. and Jenkins, D.H.R. (1980): The use
of flexible in the repair of experi-
mental large abdominal incisional
incisional hernia. Brit. J. Surg.
67/2: 135-137.
- 68- Nuttal, C.W. (1937): Rectus transplantation for
midline incisional hernia. Br. J.Surg.
25: 344-349.

- 69- Nyhus (1964): Hernia edited by Lloyd M. Nyhus and Robert second ed. J. B. Lippincott, Philad., Torontp.
- 70- Obney, N.: An analysis of 192 consecutive incisional hernias.
Can. Med. Assoc. J. 77: 463.
- 71- Peacock, E.E. (1975): Subcutaneous extraperitoneal repair of ventral herniae.
A biological basis for fascial Transplantation Ann. Surg. 181/5 : 722-734.
- 72- Peacock E.E. et al (1983): Preperitoneal abdominal wound repair: Incidence of dehiscence.
Am. J. Surg. 145: 213-214.
- 73- Pickford J.R. et al (1983): Two methods of skin closure in abdominal operations: a controlled clinical trial.
Br. J. Surg. 70: 226-228.
- 74- Ravitch M (1971): Surgical clinics of North America, Vol. 51, 6, Dec. 1971.
- 75- Ross Russel (1980): Inflammation, Cell proliferation and connective tissue formations
Hunt. Appleton Century Croft.
- 76- Saunders, M.D. and David Diclementi (1977)
Oct. Principle of abdominal wound closure.
Arch. Surg. Oct. 1977.
- 77- Savlov E.D. et al (1954): Healing of disrupted and resutured wound.
Surgery 36: 362.
- 78- Silver A.I. (1980): Physiology of wound healing.
Hunt, Wound Healing and Wound infection. Appleton-Century Crofts.
- 79- Spencer, F.R. and Sharp E.H. (1963):
Experiences with wire closure of abdominal incisions in 293 selected patients. Surg. Gyn. Obst. 117:235-38.

- 80- Standeven (1955): Post operative wound separation. Lancet. 1: 533.
- 81- Stanton, E. and Mac, D. (1916): Post operative ventral hernia. New York. J. Med. 16: 511-515.
- 82- Stillman et al (1980): Skin wound closure Arch. Surg. 115: 674-675.
- 83- Strahan, A.W.B. (1951): Br. J. Surg. 38:276.
- 84- Tagart R.E.B. (1967): The suturing of abdominal incisions- A comparison of monofilament Nylon and Catgut. Br. J. Surg. 54:952-957.
- 85- Throckmorton, T.D. (1948): Tantalum gauze in the repair of herniae complicated by tissue deficiency. Surg. 23: 32-38.
- 86- Turner, G. (1945): Modern operative Surgery. 3rd ed. Vol. 2: 1088-1093.
- 87- Tweedi, F.J. and Long, R.C. (1954): Abdominal wound disruption. Surg. Gyn. Obst. 99: 41-50.
- 88- Usher, F.C. (1958): Arch. Surg. 76: 58.
(1960): Arch. Surg. 81: 847.
(1962): Arch. Surg. 84: 325.
(1963): Surg. Gyn. Obst. 117: 239.
(1970): Surg. Gyn. Obst. 131: 525.
- 89- Usher, F.C. and Wallance, S.A. (1958): Arch. Surg. 76: 997.
- 90- Usher, F.C. and Gannon J.P. (1959): Arch. Surg. 78: 131.
- 91- Viliganto & Vantinen (1962): Ann. Chirg. & Gyn.
- 92- Vowles, K.D. (1979): Surgical problems in the aged. ch. 7. Billings and Sons Ltd.

- 93- Walter & M.S. Israel (1974): General pathology.
4th edition. Churchill Livingstone.
- 94- Wangenstein, O.H. (1934): Repair of recurrent
and difficult hernial and other large
defects of abdominal wall employing the
iliotibial tract of fascia lata as
pedicle flap. Surg. Gyn. Obst.
59: 766-779.
- 95- Zimmerman, L.M. and Anson, B.D. (1953):
Anatomy and surgery of hernia, Baoltime, Baltimore,
Williams and Wilkins.
- 96- Zimmerman, L.M. and Anson, B.D. (1967);
Anatomy and surgery of hernia, 2nd ed.,
Baltimore, Williams and Wilkins.

- - - - -