

REFERENCES

- [1] Walters, J.K. and Wint, A. "Industrial Effluent Treatment" Applied Science Pub. Ltd., England; 147; (1981).
- [2] Mathias, J.L., Vaidya, A.R. and Halley, J.R.; "Amide Derivatives of Poly (3,4-dimethyl pyrrolidine): Synthesis, Characterization, and Complexation Studies". J. Appl. Polym. Sci., Vol. 33;no 4, 1157-1171, (1987).
- [3] Vaidya, M.V. and Bulusu, R.K., "Use of CA-14 Synthetic Organic Polyelectrolyte for Operational Improvement of Coagulation of Turbidity in Water Treatment", Indian J. Environ. Health; Vol. 23 no. 1, 1-15, (1981).
- [4] Treweek, P.G. and Morgan, J.J., "Determination of flocculant effectiveness in aggregating suspended particulate matter", J. Water Pollut. Control. Fed. Vol. 51, no. 7, 1859-1877, (1979).
- [5] Gudasheva, M.V. and Verkhovina, V.L., "Use of polyelectrolytes in treating oil-contaminated industrial wastewater", Chem. Technol. Fuels Oils, Vol. 11, no. 9; 706-709; (1975).
- [6] Pilipenko, A.T., Tarasevich, I.Y., Solomentseva, M.I., Znamenskaya, V.M., Zulfigarov, S.O., Baran, A.A. and Aleshkina, P.T., "Use of complex reagents to treat ore enrichment plant wastewaters containing sprucewood tannins", Sov. J. Water Chem. Technol. Vol. 6, no. 4, 65-70; (1984).
- [7] Tripathi; N.P., Chaudhuri, M. and Bokil, D.S. "Nirmali seed: a naturally occurring coagulant" Indian J. Environ. Health; Vol. 18, no. 4, 272-281, (1976).
- [8] Huerman, W. and Hemmerich H.P. Patent BRD 29/8023, 1979; Chem. Abstr al, 1565 13 w (1979).
- [9] Renault, J. and Berlot, J., Bull. Soc. Fr. Vol. 1, (1971) 211. Cited in Reference [12]

- [10] Suga, K, S. Watanabe, P. Tsu. Pai and T. Fujita, Chem. Ind., Vol.3 (1969), 78 Cited Reference [12].
- [11] Limanov, V.E. and Sobol, A.F, Patent SU 383711, (1973), Chem Abstr. Vol. 79, 91779 F (1973)
- [12] Studnicki, M., "Reaction of polychloroalkanes with aromatic amines in acidic solutions: synthesis of new alkylarylamines", Ind. Eng. Chem. Process Des. Dev., Vol. 22, no 3, 482, (1983)
- [13] Studnicki, M., "Preparation of 2-amino-2,3-dihydrobenzimidazole and its derivatives", J.Chem. Eng. Data, Vol. 29, no.1, 97, (1984).
- [14] Studnicki, M., "Reakcja polichloroalkanów z aminami aromatycznymi w obecności SnCl_2 jako katalizatora", Chem. Stoc., Vol 2, 267, (1984) (Hung).
- [15] Studnicki, M., "Some alkylarylamines and their complexes with copper fluoride and ammonium sulphamate", Hung.J. Ind. Chem. Vol. 12, no3, 287, (1984).
- [16] Studnicki, M. "Otrzymywanie chloroalkyloaryloamin i 2-amino-2,3-dihydrobenzimidazolu", Przem. Chem. Vol. 64, no 4, 190, (1985). (Hung).
- [17] Studnicki, M. "Wpływ struktury pochodnych alkyloaryloamin na ich zdolność do ochrony przed korozją powierzchni stali podczas trawienia stali w kwasach" Hung. J. Ind. chem. Vol. 13, no 2, 149, (1985).
- [18] Eckenfelder, W.W.Jr. "Principles of Water Quality Management" CBI Pub. Inc. Boston USA, p 461, (1980).
- [19] Stumm, W. and O'Melia, C.R. "Stoichiometry of Coagulation". J. American Water Works Association, 60, 514, (1968).
- [20] Udaya, G.B. and Gupta, S.K., "Synthesis and application of anionic polyelectrolytes in water and wastewater treatment"; Water Air Soil Pollut., Vol. 35, no. 3, 251-260, (1987).

- [21] Edzwald, K.J., Becker, C.W. and Tambini, J.S., "Organics, polymers, and performance in direct filtration", J. Environ. Eng. Vol. 113, no. 1, 167-185, (1987).
- [22] Robinson, N.C., "Cationic polyelectrolytes reduces organic matter in turbid surface waters", J. Am. Water Works Assoc., Vol. 71, 226-227, (1979).
- [23] Anderson, J.N., Blesing, V.N., Bolto, A.B. and Jackson, B.M., "Role of polyelectrolytes in a magnetic process for water clarification", React. Polym. Ion. Exch. Sorbents, Vol. 7, no. 1, 47-55, (1987).
- [24] Prasad, Y.D., "Polyacrylamide as a coagulant aid in water treatment", Chem. Age India, Vol. 34, no. 7, 387-391, (1983).
- [25] Edzwald, K.J., Haff, D.J. and Boak, W.J., "Polymer coagulation of humic acid waters", ASCE J. Environ. Eng. Div., Div., Vol. 103, no. 6, 989-1000, (1977).
- [26] Edzwald, K.J., "Removal of humic substances from water supplies by coagulation", Extended Abstr. EM DASH ASCE Natl. Environ. Eng. Conf., Vanderbilt Univ., Nashville. Tenn, Jul 13-15, (1977), Sponsored by ASCE, Environ. Eng. Div.
- [27] Narkis, N. and Rebhum, M., "Stoichiometric relationship between humic and fulvic acids and flocculants", JAWWA, Vol. 69, no. 6, 325-528, (1977).
- [28] Fomchenkov, M.V.; Azkermachev, K.A.; Chugunov, A.V. and Babaeva; "Effect of polyelectrolytes on the electro-surface properties of microorganisms", Colloid J. USSR, Vol. 45, no. 2, 229-235, (1983).

- [29] Malek, B., George, B.D. and Filip, S.D., "Virus removal by coagulation and flocculation", J. Am. Water Works Assoc. Vol. 73, no. 3, 164-168, (1981).
- [30] Singh, R.C., "Health considerations in the use of polyelectrolytes in water treatment"; J. Indian Water Works Assoc. Vol. 17; no. 2; 163-170, (1985).
- [31] Klute, R. and Neis, U., "Coagulation of algae and subsequent removal by filtration or flotation", Water Supply, Vo. 1, (1983).
- [32] Bolto, A.B., "Some new water purification processes based on polymers", Prog. Polym. Sci. (Oxford); Vol. 9, no. 1, 89-114, (1983).
- [33] Hendrix; H.L., "Softening water with polymers reduces costs and sludge", Water Sewage Works, Vol. 23, no. 2, 66-67; (1976).
- [34] Singh, R.C., "Some important practical consideration in the use of polyelectrolytes in the treatment of water and wastewater", Indian J. Environ. Health; Vol. 27, no. 1, 15-30, (1985).
- [35] O'Melia, C.R. "The Role of Polyelectrolytes in Filtration Process" EPA-670/2-74-032, Washington, D.C., (1974).
- [36] Adin, A. and Rebhum, M., "Model to predict concentration headloss profiles in granular bed filtration", J. Water Works Assoc., Vol. 69, no. 8; 444, (1977).
- [37] Stump, L.V. and Novak, T.J., "Polyelectrolytes selection for direct filtration", J. Am. Water Works Assoc., Vol. 71, no. 6, 338-342, (1979).
- [38] Bratby, R.J., "Optimizing direct filtration in Brasilia", J. Am. Water Works Assoc., Vol. 78, no. 7, 106-115, (1989).

- [39] McNaughton, J., "Cost reduction while maintaining performance during in-depth filtration for potable water treatment"; Filter. Sep., Vol. 15, no. 3; 253-254, 256, 259-261, (1978).
- [40] Reuter, M.J. and Hartan, G.H., "Structure and reaction kinetics of polyelectrolytes and their use in solid-liquid processes"; Aufbereit Tech. Vol.27,no.11:598-606; (1986).
- [41] Tanaka; S.T. and Pirbazar, M., "Effects of cationic polyelectrolytes on the removal of suspended particulates during direct filltration" J. Am. Water Works Assoc., Vol. 78, no. 12; 57-65, (1986).
- [42] Hubel, E.R. and Edzwald, K.J., "Removing trihalomethane precursors by coagulation", J. Am. Water Works Assoc. Vol. 79, no. 7, 98-106, (1987).
- [43] Amy, L.G. and Chadik, A.P., "Cationic polyelectrolytes as a primary coagulants for removing trihalomethane precursors", J. Am. Water Works Assoc., Vol. 75, no. 10, 527-531, (1983).
- [44] Richard, Y. and Conan, M., "Ozone disinfection and wastewater treatment, importance of interface action", Ozone Sci. Eng.; Vol. 2, no. 2; 139-158, (1980).
- [45] King, H.P. and Blankenship, C.D., "Managing organic polymer water treatment sludge", Nath. Conf. On Environ. Eng. Proc. of the ASCE Spec. Conf., San Francisco, Calif., Jul, 9-11, (1979), Publ. by ASCE, New York, NY, 136-141, (1979).
- [46] Green, B.N., "New approach to an old problem", Water Serv., Vol. 89, no. 1069, 107, (1985).
- [47] Carden, W.W., "Improve plant water quality", Hydrocarbon Process, Vol. 62, no.10 75-77, (1983).
- [48] Foshee, C.W., Swan, J.M. and Klimpel, R.P. "Improvement in coal preparation-water clarification through polymer flocculation"; Min. Eng. (Littleton Colon), Vol. 34; no. 3, 293-297, (1982).

- [49] Tacchi, L.K. and Churchill, J.R.; "Polyelectrolyte usage in industrial wastewater treatment", Ind. Wter Eng. Vol. 14, no.7; 12-15, 18-19, (1977).
- [50] Wing, R.; Doane, W. and Rayford, W.. "Treatment process for some rinse waters from electrolysis plating of copper", Plat. Surf. Finish, Vol. 64, no. 6, 57-62; (1977).
- [51] Daniels, L.S.; "Chemical treatment and dissolved air flotation of oxidation pond effluent", AIChE Symp Ser, Vol. 73, no. 16, 166, Water, 358-363, (1977).
- [52] Hayes, R.E. and Munroe, G.V.; "Kraft effluent color removal by dispersed air flotation", Can Pulp and Pap. Assoc. Tech. Sect. Proc. for Year 1974, concluding with 61 st Annu Meet, Montreal, Que, Jan, 27-31, (1975), T 398-T 401, (1975).
- [53] Upton, J. and Hale, E.P.; "Dissolved air flotation", Water Serv, Vol. 82, no. 990, 515-516, (1978).
- [54] Roofthoof, R. "Treatment of radioactive waste water in nuclear power plant", VGB Kraftwerkstech, Vol. 60; no. 2, 124-126, (1980).
- [55] Cole, I.A. and Singer, C.P., "Conditioning of anaerobically digested sludge", J. Environ. Eng., Vol. 111, no. 4, 501-510, (1985).
- [56] Atkinson, J.W. "Practical experience in the use of polyelectrolytes", Water Treat. Exam., Vol. 20, 165, (1971).
- [57] Shivas, A.S., "Treatment of tannery effluents with flocculants" J. Am. Leather Chem. Assoc., Vol. 72, no.2, 70-72; (1978).
- [58] Benedek, A.; Bancsi, J.J. and Rupke, J.W.G.; "Use of polyelectrolytes for overloaded clarifiers"; J. water pollut. Control. Fed Vol. 47, no. 10, 2447-2460, (1975).
- [59] Bitcover, E.H., Cooper, J.E., Happich, W.F. and Filachione, E.M., "Removal of suspended solids from lime-sulfide unhairing effluents", J. Am. Leather Chem. Assoc., Vol. 72, no. 5, 172-183, (1977).

- [60] Wong, A., Prahacs, S., Tenn, T. and Dorica, J., "Detoxification and decolorization of kraft pulp mill effluents using activated carbon", AIChE Symp Ser Vol. 73, no. 1, Water, 9-17; (1977).
- [61] Reiter, M., Udo, W. and Andreas, G., "Cylinder stirred tank: A new high performance flocculation reactor for water treatment", Ger. Chem. Eng. Vol. 8, no. 5; 307-313, (1985).
- [62] Lev-er, J., Friedland, A.C., Kon, D. and Gluckstern, P., "Transition from pH control to the use of additives for scale prevention at the Eilat water desalination plant", Int. Symp. on Fresh Water from the sea, 6 th, 205 th Event of the Eur Fed of Chem. Eng. Las Palmas, Grand Canary, Spain Sept. 17-22; (1978), Publ. by Eur Fed of Chem. Eng., Frankfurt AM; Ger., Vol. 2, 221-230, (1978).
- [63] Senator, S.J., "Vapor compression distillation", Proc. Int. Symp. Fresh Water Sea, 7 th VI, 229 th Event of the Eur Fed of Chem. Eng. Amsterdam, Neth.; Sept. 23-26, 351-358, (1980).
- [64] G. Socrates, "Infrared Characteristic Group Frequencies", Wiley-Interscience, New York, pp. 53. (1980)
- [65] E. Pretsch, T. Clerc, J. Seibl and W. Simon "Tables of Spectral Data for Structure Determination of Organic Compounds", Springer-Verlag, Heidelberg pp. H75, H260. (1983).