




VII- REFERENCES

- Afanas Eva, O.G.** (1980) On the functional morphology of the male genitalia of flies (Diptera). 1. *Tipula czizeki* de Jong (Tipulidae) and *Eristalis nemorum* L. (Syrphidae).
Entomologicheskoe-Obozrenie: 59 (2): 262-268.
- Alexander C.P.** (1913b) The Neotropical Tipulidae in the Hungarian national museum (Diptera).
Ent. N. 24 (13): 404-410.
- _____ (1914) On a collection of crane flies from British Guiana (Tipulidae, Diptera).
Trans. Ann. Ent. Soc., 50: 223-255.
- _____ (1915) Description of new species of crane flies from central America.
Proc. U.S. Nat. Mus., 48: 442-444.
- _____ (1916) New or little known crane flies from Colombia Ecuador and Peru (Tipulidae, Diptera).
Trans. Amer. Ent. Soc., 52: 1-32.
- _____ (1919) Records and descriptions of neotropical crane flies (Diptera-Tipulidae).
J. N. Y. Ent. Soc., 27: 132-145.
- _____ (1920 b) Tipulidae collected by the American musium Congo expedition.
Bull. Amer. Mus. Nat. Hist. 43:9 -20.
- Alexander, C. P.** (1922) Diptera of the super family Tipuloidea found in the district of Colombia.
Proc. Nat. Mus., 58: 385-435.

Alexander C. P. (1928a) Studies on the crane flies of Mexico (Order, Diptera; Superfamily, Tipulidae). IV.
Ann. Ent. Soc. Amer., 21: 101-119.

_____ (1930) Records and descriptions of the Neotropical crane flies (Tipulidae, Diptera), VIII.
J. N. Y. Ent. Soc., 38: 109-120.

_____ (1948) (Diptera, Tipulidae)
Trans. R. Ent. Soc. Lond. 99. Part 11: 361-391.

_____ (1954) New or little known crane flies from Mauritius (Tipulidae-Diptera) Part I.
Bull. Maurit. Inst. 3 : 219-226.

_____ (1973) New or little-known species of exotic Tipulidae (Diptera, Tipulidae). XIX.
J. Ent., (B) 42 (I): 1-10.

Angeu, C.R. (1988) Leather jackets as pests of a grasslands.
Zool., 73 (4): 385-431.

Arcy, D-Burt, S. (1988) A new emergence trap for grassland insect.
Eco. Ent. 13 (3): 355-357.

Beffa, G.D. (1961) Gli insetti dannosi all'agricoltura
Editore Ultrico Hoepli Milano: 985 – 987.

Bezzi, M. and P. Stein (1907) Katalog der Palearktscken Diptera.
Budapest band, III: 276-348.

Blackshow, Rp. (1985) A preliminary comparison of some management options for reducing grass losses caused by Leather-Jackets in North Ireland.
Ann., App. Biol., 107 (2): 279-285.

Blackshow, Rp. (1987) The use of water traps for crane fly monitoring: an assessment of operator efficiency.

Ann. App. Biol., 110 (2): 239-245.

_____ (1988) Effects of cultivation and previous cropping on Leather-jackets population in spring barely.
(Bibliographic Citation): Research and Development in Agriculture 5 (1): 35-37.

Blecker, V. P. (1857) Description of dipterous insects of India.
Naturindic Tijdschrift. Nederlandsch Indie Deel, 14: 388-391.

Borrer, D. J., D. M. Delong and C. A. Triplehorn (1976) An introduction to the study of insects.
Horlt, Rinehart, Winston, N. Y.: 536-607.

Brunetti, E. (1912a) Nematocera (excluding Chironomidae and Culicidae)
Fauna Brit. India (Diptera), [1]: 1-58.

Butterfield, J.E.L. and Coulson, J.C. (1988) the rate of development in the over wintering eggs of *Tipula pagna* Miegen.
J. Insect Physiol. 34(1): 53-57.

Cameron, A. E. (1918) Life history of leaf-eating crane fly. *Cylindrotoma splendens* Doane.
Ann. Ent. Soc. Amer., 11: 67-89.

Colyer, C.N (1951) Pictured-wing Flies, In : Flies of the British Isles.
(In Collaboration with Hammond C.O.).
Fredrick warne & Co. Ltd.
London & New York, 383PP.

- Crisp G.** (1953) The community of insects in a patch of Woodland Mud.
Trans. R. Ent. Soc. Lond. 105. (13): 266-311.
- Comstock, J.H.** (1962) An introduction to entomology,
Comstock, Ithaca, N.Y. :1064 PP.
- Dennis, S. Hill** (1987) Agricultural insect pests of temperate region and their control.
Cambridge Univ. Press. (Tipulidae): 342-343.
- Dufour C.** (1982) *Tipula (Pterelachisus) Sauteri* sp. N. from Valais in Hunguenins collection (Diptera, Tipulidae).
Mitteilungen Der Schweizerischen Entomologischen Gesellschaft Bulletin De La Societe Entomologique Suisse., 55: 313-315.
- Edwards F. W.** (1931) Some suggestion on the classification of the genus *Tipula* (Diptera, Tipulidae)
Ann. Mag. Nat. Hist., 8: 73-79.
- Efflatoun, H.C.** (1922) Monograph of Egyptian Diptera (Part III family Tipulidae).
Bull. Soc. Ent. Egypte'7 (1): 81-86.
- Emden, F. I. Van** (1956) Contributions a' letude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953) CVIII. Diptera.
Ann. Mus. R. Congo belge Se'r. 51:506-531
- El-Zoheiry, S. and Mohamed N.** (1949) List of Egyptian insect in the collection of the Entomological section.
Min. Agri. Egypt., Ent. Section: p.79.

Fabricius, J. C. (1775) Systema Entomologiae, Sistens Insectorvm Classes, Ordines, Genera, Species, Adiectis Synonymis, Locis, Descriptionibvs, Observationibvs.: 832 PP. Flensoburgi et Lipsiae.

_____ **(1787) Mantissa Insectorvm Sistens Species Nvper Detectas,Adiectis,Synonymis, observationibvs,Descriptionibvs, Emendationibvs. 2: 382 PP. Hafniae.**

_____ **(1805) Systema Antilatorum Secundum Ordines, Genera Species Adiectis Synonymis, Locis, Observationibvs, Descriptionibvs 372+30 PP. Brunsvigae.**

French, N. (1984) Leather jackets. Leaflet, Minis. Agri. Fisheries and Food, UK. (179): 7.

Frommer, S. I. (1963) Gross morphological studies of the reproductive system in representative North American crane flies (Diptera, Tipulidae) Univ. Kan. Soc. Bull., 54 (12): 536-572.

Gelhaus,J.K.(1986) Larvae of the crane fly genus *Tipula* in north America (Diptera,Tipulidae) Univ. Kans. Scie. Bull. 53 (3): 121-182.

Goss, RL; Antonelli, -A; Brauen, -SE. (1986) Control of European crane fly in Washington. U.S.A. Jor. Sports-turf-Res. Inst., (62): 133-140.

- Grimaldi, D.** (1992) Observations on the bizarre Jelly mass habit of larval *Geranomyia* (Diptera : Tipulidae-Limoniinae).
J. N. Y. Ent. Soc. 100 (4): 634-637.
- Harper.-PP** (1985) The crane fly of Al Laurentian Woodland, with special reference to the aquatic species (Diptera: Tipulidae).
Rev. de Ent. Du Quebec. 30 (1/2): 3-22.
- Heijerman, T.** (1988) The snow-crane flies *Niphadobata belgica* (Becker, 1912) in the Netherlands (Diptera: Tipulidae).
Ent. Berit. (Amst.), 47, (8): 113-118.
- Horn, D.J.** (1978) Biology of insect
The Ohio state university, Saunders
company.
Philadelphia.London.Toronto:127-128
- Hutson, A.M.** (1977) Catalogue of the Diptera of the afrotropica region. Editor (Crosskey, R.W.).
Brit. Mus. Nat. Hist.: 1-887 pp.
- Illiger, K.** (1803) Gattungen der Zweiflugler.
Magazin Fur Insecktenkunde: 1-306.
- Imms, A. D.** (1948) A general text book of entomology.
9th, ed. Dutton, N. Y. : 886 PP.
- Jones, F.G.W. and Margaret, G.** (1984) Pest of field crops.
Camp. Univ. Press.(3rd edition)149-151
- Jong, H. De** (1987). Keys for the identification of Tipuloidae (Insecta, Diptera) Recorded for the Canary Islands.

**Ins. Taxonomische Zool. (Zool. Museum)
Plantage Middenlaan 63 (1-4): 73-92.**

**Kell, G.V. (1988) A new emergence trap for grassland insects.
Ecol. Ent. 13 (3): 355-357.**

**Lackschewitz Von P. (1930) Die oleracea-Gruppe des Genus
Tipula (Diptera, Nematoc. Polyn) Konowia.
Ztschr. F. syst, Insektenkde., Bd. IX, Heft 4.**

**_____ (1940) 16. Limoniid in Lindner. E., Die fliegen
D. Pal. Reg. 2 : 64pp.**

**Larsen T.B. (1990) The Butterflies of Egypt.
A Pollo Books, Svend borg, Denmark: 8-17.**

**Lasalle, M.W. (1987) Seasonal abundance of aquatic Diptera in
two oligohaline tidal marshes in Mississippi.
Estuaries 10 (4): 303-315.**

**Linnaeus, C. (1758) Systema naturae per regna triniturae,
secundum clssas, ordines, genera, species,
cum caracteribus, differentiis, synonymis.
Locis. Ed. 10 (I): 842 pp.**

**Little, V.A. (1972) General and applied entomology.
Mohan, Primlan, Oxford & IBH. Publishing
Co.: 492pp.**

**Loi G. (1987) Interspecific cross between *Tipula orientalis* Lack.
and *Tipula oleracae* L. (Diptera, Tipulidae)
under controlled conditions. and its possible
identity with *Tipula hungarica* Lack.
Frustula Entomological, 7-8: 527-534.**

**Macquart, J. (1834 a) Histoire naturelle de insectes.
Diptera I, 578 pp. Rorat, Paris.**

Macquart, J. (1838a) *Dipteres Exotiques ou Nouveaux ou peu Connus* [I(I)].

Mem. Soc. Sci. Agric. Lille. 1838 (2): 9-225.

Mannheims, B.,(1951)15 Tipulidae. In Lindner, E. Die fliegen
D. Pal. Reg. 3 : 176 pp.

McAlpine, J. F. (1981) Morphology and terminology-adult.
In J. F. Mc Alpine et al., editor, manual
of Nearctic Diptera 1: 9-63.

Mc pherson (1987) Life history and laboratory rearing of *Nepa apiculata* (Heteroptera: Nepidae), with descriptions of immature stages.
Ann. Ent. Soc. Amer. 80 (5): 680-685.

Meats A. (1972) The effect of soil flooding on the survival and development of the eggs of *Tipula oleracea* L. and *T. paludosa* Meigen. (Diptera, Tipulidae).
J. Ent. (A) 46 (2): 99-102.

Meigen, J.W. (1800) Nouvelle classification des mouches a deux Ailes, (Diptera), d apres un plant tout nouveau. pp. 123-160. Perronneau, Paris.
In the Bulletin of Zoological. Nomenclature Vol. I by Francis Hemming (1943-1951).

_____ (1800) Nouvelle classification des mouches a deux Ailes, (Diptera), d'apres un palnt tout nouveau 40 pp.
In Zoologisch-botanischen Gesellschaft in Wein LVIII by Jahrgang (1908).

- Meigen, J.W.** (1804) Klassifikation und Beschreibung der europäischen Zweiflugligen Insekten. (Diptera. Linn.).
I. Erste Abtheilung, XXVIII+1-152; Zweite Abtheilung, VI+153-314. Richard, Braunschweig.
- _____ (1818) Systematische Beschreibung der bekannten europäischen zweiflugligen insekten. I, XXXVI + 332 pp. Forstmann, Achen.
- _____ (1838) Systematische Beschreibung der bekannten europäischen zweiflugligen insekten. 7(supplementary volume) Xii +434pp.
- Mik J.&Reitter, E.&Wachtly,F.** (1887) E. Pokorny: Neue Tipuliden ausden Wiener Entomologische. 2 Eitung. VI. Heft 2: 61-62.
- Morris,R.F.**(1986) Notes on unusual habitat for over wintering European crane fly larvae (Diptera,Tipulidae) in New -Foundland.
Can.Ent. 118(11):1205-1206.
- Oldroyd, H** (1964) The natural history of flies.
Harvard Univ. press.(3rd printing):29-40
- Osten-Sacken, C.R.** (1862) Descriptions of nine New North American *Limnobiae*.
Proc. Acad. Nat. Sci. Philad.: 287-292.
- _____ (1865) Description of some new genera and species of North American *Limnobia*.
Proc. Ent. Soc. Philad. 4: 224-242.
- _____ (1869) Monographs of north American Diptera
part IV

**Smithsonian Miscellaneous collections, 8
(1,publication 219): 1-345.**

**Parry, WH. (1986) The occurrence of Carabidae in open-air
nurseries and polyhouses.
(Bibliographic Citation): Bu-Oepp. 16 (4):
597-602.**

**Pearce, E. K. (1915) Typical flies
Kambridg Univ. press 12 tipulid figures**

**Peterson, A. (1960) Larvae of insects, an introduction to Nearctic
species.
Tipulidae 2: 256p. fig. D7, D8.**

**Provost, A. (1985) [Tipulids and Terricolous Noctuids]
Noctueles Terricoles et Tipules.
Phytoma No. 367, 15-16 [Fr,3 Col. Fig.]
Service de la protection des vegetaux Angers,
France.**

**Richards, O.W. and R.G. Davies (1977) Imms general
Textbook of entomology.
Halsted Press book John Wiley & Sons,
New York: 951-1045.**

**Rondani, C. (1856) Dipterologiae Italicae Prodromus. I. Genera
Italica Ordinis Dipterorum Ordinatum.
Disposita et Distincta et in Familias et
Stripes Aggregata.: 226 pp. Paramae.**

**Sabrosky, C. W. (1965) Family Tipulidae in stone, A.C.W.
Sabrosky, w.w. wirth, R.H. Fo. Te, J.R.
soulson.**

**Acatalog of the Diptera of America North
of Mexico: U.S.D Agr. Hand book: 16-90.**

Shrimpton, - G. (1984) Malting barely.

Booklet, Ministry, of, asgricuture, -Fisheries-
and Food, UK, (2399): 16 pp.

_____ (1985) Four insects pests of Conifer Nurseries in British
Colombia.

General, Technical-Report, Intermountain-
Research-Station, USDA-Forest-Service. No.
INT-185: 119-121.

Skaife, S.H. (1979) African Insect Life

**Country life book and hamlyn publishing
group Ltd. London, New York, Sydney,
Toronto: 279 pp.**

Snodgrass, R.E. (1935) Principles of insect morphology.

Mc.Graw-Hill Book Co., New York and
London: 647pp.

**Steyskal, G.C. and El-Baily (1967) A list of Egyptian Diptera
with a bibliography and key to Families.**

Tech. Bull. Min. Agr.: P. 54.

**Taylor, R. (1842) Descriptions of a few rare or undescribed
species of British Diptera, principally from
the collection of**

J.C. Dale, Esq., M.A., F.L.S., & C.

Ann. Mag. Nat. hist. 8: 430-433.

**Theowald, B. (1985) taxonomy, phylogeny and biogeography of
the subgenus *Tipula* (Tipula) Linnaeus,
(1758). Insect, Diptera, Tipulidae.**

**Tijdschrift Voor Entomologie 127 (3): 33-
78.**

Vlug, H.J. (1986) Sampling of leather jackets.

(Bibliographic Citation): Mededelingen Van de Faculteit Landbouwetenschappen, -Rijksuniversiteit-Gent. 51 (3a): 939-942.

Walker, F. (1848) List of the specimens of dipterous insects in the
Coll. Brit. Mus. 2: 1-229.

Williston, S.W. (1908) Manual of the families and genera of 34d
ed., James T. Hathaway, Conn., 405 pp.

Wulp, F.M. Van der (1880) Eenige Diptera Van Nederlandsch,
Indie.
Tijdschr. Ent. 23: 155-176.