

REFERENCES

- Acuna-Arguelles, M.E., Gutierrez-Rojas, M., Viniegra G.G. and Favela T., E. (1994):** Effect of water activity on exopectinase production by *Aspergillus niger* CH₄ on solid state fermentation. *Biotechnol. Letters*, 16: 23-28.
- Acuna-Arguelles, M.E., Gutierrez-R., M., Viniegra, G.G. & Favela-Torres, E. (1995):** Production and properties of three pectinolytic activities produced by *Aspergillus niger* in submerged and solid state fermentation. *Applied and Microbiol. Biotechnol.*, 43:808-814.
- Agate, A.D. and Bhat, J.V. (1963):** A method for preferential isolation of actinomycetes from soil. *Antonie van Leeuwenhoek J. Microbiol and Serol.*, 29: 297-304.
- Agrios, G.N. (1988):** How pathogens attack plants. Ch.3 *In: Plant pathology* 3rd ed., (P. 63-86). Academic Press, Inc., San Diego, C.A.
- Alana, A., Alkorta, I., Dominguez, J.B., Liama, M.J., and Serra, J.L., (1990):** Pectin lyase activity in a *Penicillium italicum* strain. *Appl. Environ. Microbiol.* 56 (12): 3755-3759.
- Ali, A.A.; and Roushdy, I.M. (1998):** Fermentation of milk permeate by proteolytic bacteria for protease production, *Appl. Biochem. Biotechnol.* 74 (2): 85-9.
- Alkorta, I., Garbisu, C., Llama, M.J. and Serra, J.L., (1998),** Industrial applications of pectic enzymes: A review *Proc. Biochem.* 33(1): 21-28.

- Al-Obaidi, Z.S., Aziz, G.M. and Al-Bakir, A.Y. (1987):** Screening of fungal strains for polygalacturonase production. J. Agric. Waer Resour. Res. 6: 125-182.
- Ammar, M.S. (1972):** Studies on heat resistant bacteria, M.Sc. Thesis, Botany Dept., Fac. of Sci, Ain Shams Univ. Cairo Egypt.
- Ammar, M.S., El-Louboudy, S.S. and Abul-Raouf, U.M. (1991a):** Distribution, total viable and identification of the most potent proteolytic bacterial strains isolated from Aswan City. Az. J. Microbiol. Vol. II. January.
- Ammar, M.S.; El-Gamal, M.S.; El-Louboudy, S.S.; and Ibrahim, A.M. (1991b):** Constitutive bacterial protease (s) produced under natural solid state fermentation in the open Air Az. J. Microbiol. 13: 176-195.
- Ammar, M.S. and El-Deeb, Asmaa, A. (1994):** Preliminary microbiological investigations of lady "x" ensure the suitability of the Getty Conservation institute (GCI) prototype case (PC) for storage and display of the Egyptian royal Mumies. Submitted for publication, GCI, the J. Paul Getty Trust Century city, California, U.S.A
- Ammar, M.S.; Louboudy, S.S., Azab, M.S., El-Deeb, A.A. and Afifi, M.M. (1994):** Pectolytic Activities and Identification of the Fungal Flora of Tut-Ankhmen Tomb (TAT) allowed to grow under solid state fermentation (SSF) conditions. Al Azhar. Bull. Sci. Received 20/5/1994. Accepted 4/12/1994.

- Ammar, M.S. and El-Deeb, Asmaa, A. (1995):** In site: Validity of the newly suggested D-IP formula application of microbial growth inside Tut ankhamen Tomb (TAT) for at least three years of treatment. Egypt. J. Microbiol. (1995): Accepted for publication, May 1-1995.
- Ammar, M.S., El-Said, T.L., Shash, S.M.; and Abd El-Monem, M.O. (1998a):** Thermoalkalophilic bacteria from different Egyptian Soils, Egypt J. Microbiol. (52/97), 4.
- Ammar, M.S.; El-Esawey, M.; Yassin, M. and Sherif, Y.M. (1998b):** Hydrolytic enzymes of fungi isolated from certain Egyptian Antiquities objects while utilizing the industrial wastes of Sugar and Integrated Industries Company (SIIC) Egypt J., Biotechnol., Vol. 3. Jan. 1998: PP. 60-90.
- Ammar, M.S.; Shash, S.M.; El-Said, T.I.; and Abd El-Monem, M.O. (1999):** Environmental and nutritional parameters controlling the biosynthesis of thermostable alkaline protease (TAP) from *Bacillus stearothermophilus*, S-WN1616 isolated from Wadi El-Natroun Lakes in Egypt (3rd Intern. Sci. Confr. Fac of Sci. Al-Azhar Univ., Cairo, Egypt 22-25 March.
- Angelova, M., Genova, L.K., Slokoska, L.S., Pashova, S.B., (1995):** Effect of glucose on the superoxide dismutase production in fungal strain *Humicola lutea*. Can. J. Microbiol. 41, 978-983.
- Antier, P., Minjares, A., Roussos, S., Raimbault, M. & Viniegra-Gonzalez, G. (1993):** Pectinase-hyperproducing mutants of

- Aspergillus niger* C28B25 for solid-state fermentation of coffee pulp. *Enzyme and Microbiol Technology*, 15: 54-260.
- Babu, K.; and Satyanarayana, T. (1995):** Amylase production by thermophilic *Bacillus coagulans* in solid state fermentation, *Process. Biochem.* 30: 305-309.
- Bai, Z.H., Zhang, H.X. Qi, H.Y., Peng, X.W. and Li, B.J. (2004):** Pectinase production by *Aspergillus niger* using wastewater in solid state fermentation for eliciting plant disease resistance. *Bioresource Technol.*, 95: 49-52.
- Baker, R.A. and Wicker, L. (1996):** Current and potential applications of enzyme infusion in the food industry. *Trends Food Sci. Technol.*, 7: 279-284.
- Baracat-Pereira M.C., Vanetti M.C.D., Arauzo E.F.D., Silva D.O. (1993):** Partial characterization of *Aspergillus fumigatus* polygalacturonases for the degumming of natural fiber. *J. Indian Microbial*, 11: 139-142.
- Baracat Pereira M, Coelho J, Silva D.O. (1994):** Selection of pectinolytic fungi for degumming natural fibers. *Lett Appl. Microb*, 18: 127-129.
- Barrit, M.M. (1936):** The intensification of the voges-proskauer reaction by the addition of alpha-naphthol. *J. Path. Bact.* 429441.
- Barrow, G.I.; and Feltham, R.K. (Eds.) (1993):** Cowan & Steel's Manual for the Identification of Medical Bacteria 2nd ed. Cambridge Univ. Press London.

- Bateman, D.F. (1976):** Plant cell wall hydrolysis by pathogens. *In:* Biochemical aspects of plant parasite relationships. (J. Friend, and D.R. Threfall, (eds.), pp. 79-103, Academic Press, London.
- Bayoumi, R.A. (1997):** Environmental studies on microflora of certain Egyptian antiquities objects, M.Sc. Thesis, Bot. and Microbiol. Dept., Fac. of Sci., Al-Azhar Univ.
- Beckhorn, E.J. (1960):** Production of industrial enzymes. Wallerstein Lab.: Commun. 32: 201-212.
- Beg QK, Bhushan B, Kapoor M, and Hoondal GS, (2000a)** Enhanced production of a thermostable xylanase from *Streptomyces* sp. QG-11-3 and its application in biobleaching of eucalyptus kraft pulp *Enzyme Microb Technol* 2000, 27: 459-66.
- Beg QK, Bhushan B, Kapoor M, Hoondal GS, (2000b):** Production and characterization of thermostable xylanase and pectinase from *Streptomyces* sp. QG-11-3 *J Ind Microbiol Biotechnol* 2000, 24: 396-402.
- Berger, R.G. (1995):** *Aroma biotechnol.*, Berlin, Springer-Verlag.
- Bergey's Manual of Systematic Bacteriology (1986):** Vol. 3, Eds. (Sneath, P.H., Mair, N.S., Sharpe, E.M.) Williams and Wilkins, London, Los Angeles, Sydney.
- Bergey's Manual of Systematic Bacteriology (1994):** 9th Edition, John. G. Holt and Stanely T. Williams (Eds.), Williams and Wilkins, Baltimore, Philadelphia, Hong Kong, London, Munich, Sydney, Tokyo.

- Boccas, F., Roussos, S., Gutierrez, M., Serrano, L., and Viniegra, G.G. (1994):** Production of pectinase from coffee pulp in solid state fermentation system, selection of wild fungal isolate of high potency by a simple three-step screening technique. *J. of Food Science Technol.*, 31: 22-26.
- Bohdziewicz, J. and Bodzek, M. (1994):** Ultrafiltration preparation of pectinolytic enzymes from citric acid fermentation broth. *Proc. Biochem.* 29: 99-107.
- Borin, M.D.F., Said, S. and Fonseca, M.J.V., (1996):** Purification and biochemical characterization of an extracellular endopolygalacturonase from *Penicillium frequens*, *J. Agric. Food Chem.* 44: 1616-1620.
- Bruhlmann F, Kim KS, Zimmerman W, and Fiechter A., (1994):** Pectinolytic enzymes from actinomycetes for the degumming of ramie bast fibers. *Appl Environ Microbiol* 1994, 60: 2107-2112.
- Cao, J., Zheng, L., Chen, S., (1992):** Screening of pectinase producer from alkalophilic bacteria and study on its potential application in degumming of ramie. *Enz. Microbiol. Technol.* 14: 1013-1016.
- Castilho, L.R., Alves, T.L.M. and Medronho, R.A. (1999a):** Recovery of pectinolytic enzymes produced by solid state culture of *Aspergillus niger*, *Process Biochem.*, 34:181-186.
- Castilho, L.R., Medronho, R. A., and Alves, T.L.M. (1999b):** Production and extraction of pectinases obtained by solid state fermentation of agroindustrial residues with *Aspergillus niger*. *Bioresource Technol.*, 71: 45-50.

- Castilho, L.R.; Medronho, R.A. and Alves, T.L.M. (2000):** Production and extraction of pectinases obtained by solid state fermentation of agroindustrial residues with *Aspergillus niger* Bioresource Technol., 71: 45-50.
- Cavalitto, S.F., Areas, J.A., and Hours, R.A. (1996):** Pectinase production profile of *Aspergillus foetidus* in solid state cultures at different acidities. Biotechnol. Lett. 18: 251-256.
- Chang, T.S., Siddiq, M., Sinha, N.K., and Cash, J.N. (1994):** Plum juice quality affected by enzyme treatment and fining, J. of Food Sci., 59, 1065-1069.
- Channe, P.S., and Shewal, J.G. (1995):** Pectinase production by *Sclerotium rolfsii*: Effect of culture conditions, Folia Microbiol. 40, 111-117.
- Charley, V.L.S. (1969):** Advances in food processing using pectic and other enzymes. Chem. Ind. 20: 635-641.
- Chesson, A. and Codner, R. C. (1978):** The maceration of vegetable tissue by a strain of *Bacillus subtilis* J. Appl. Bacteriol., 44: 347-364.
- Chesson, A. (1980):** Maceration in relation to the postharvest handling and processing of plant material. J. Appl. Bacteriol. 48, I.
- Chisti, Y. (1998):** Strategies in downstream processing. IN: Bioseparation and bioprocessing, a handbook, Vol.2 Subramanian G. (editor), pp.3-30. New York: Wiley-VCH.
- Christensen, W.B. (1946):** Urea decomposition as means of differentiating proteus and paracolon cultures from each other and from *Salmonella* and *Shigella*, J. Bact. 52, 461.

- Clark, W.M. and Lubs, H.A. (1915):** J. Infect Dis.17, 160.
- Clark, P.H. (1953):** Hydrogen sulphide production by bacteria. J. Gen. Microbiol. 8, 397.
- Coelho, M.A.Z., Medronho, R.A., Leite, S.G.F. and Couri, S. (1995):** partial purification of a polygalacturonase produced by solid state cultures of *Aspergillus niger* 3TSB8. Revista de Microbiologia J. of the Brazilian Society for Microbiol., 26: 318-322.
- Collee, J.G.; Marmion, B.P.; Fraser, A.G.; and Simmons, A. (1996):** Medical Microbiology (Mackie and Mac Carteny). Froteen Edition. Chruchill Livingstone.
- Collins, C.H. Lyne, P.M. and Grange, J.M. (1995):** Microbiological Methods, Seventh Edition Butter worth Heinemann Ltd, Oxfores, pp. 69-393.
- Collmer, A. Whalen, C.H., Beer, S.V. and Bateman, D.F., (1982):** An exo-poly- α -D-galacturonosidase implicated in the regulation of extracellular pectae lyase production in *Erwinia chrysanthemi*, J. Bacteriol., 149, 626-634.
- Collmer, A., and Keen, N.T. (1986):** The role of pectic enzymes in plant pathogenesis. Annu. Rev. Phytopathol., 24, 383-409.
- Couto, S.R. and Sanroman, M.A. (2005):** Application of solid-state fermentation to food industry. A review, J. of Food Engin., 76: 291-302.
- Cowan, S.T. (1938):** The classification of staphylococci by precipitation and biological reactions, J. Path. Bact. 46, 31.

- Cowan, S.T. (1974):** Cowan and Steel's Manual for the Identification of Medical Bacteria 2nd ed. Cambridge, Univ. Press, London.
- Cowan, S.T. (1974):** Manual for the identification of medical bacteria. Second edition combridge Univ. Press. Cambridge, London, New York.
- Cowan, C.H. and Lyne, P.M. (1985):** Microbiological Methods, Fifth Edition. Butter Worth and Co. (Publsiars) Ltd.
- Dave, B.A., and Vaughn, R.H., (1971):** Purification and properties of a polygalacturonic acid trans-eliminase produced by *Bacillus pumilus*. J. Bacteriol., 108: 166-174.
- De Vos, L., and Pilnik, W., (1973):** Pectolytic enzymes in apple juice extraction. Proc. Biochem. 8(8): 18-19.
- Debing, J., Peizun, L., Stagnitti, F., Xianzhe, X. and Li, L. (2005):** Pectinase production by solid fermentation from *Aspergillus niger* by a new prescription experiment. Ectotoxicology and Environ. safety 64: 244-250.
- Dixon, M. and E.C. Webb (1964):** Enzymes, 2nd Edit. Academic Press Inc. New York.
- Dos Santos, M.M., Souza da Rosa, A., Dal'Boit, S., Mitchell, D.A. and Krieger, N. (2004):** Thermal denaturation: is solid-state fermentation really a good technology for the production of enzymes? Bioresource Technol., 93: 261-268.
- El-Hawary, F.I., and Mostafa, Y.S. (2001):** Factors affecting cellulase production by *Trichoderma koningii*. Acata Aliment. 30 (1): 3-13.

- El-Nakeeb, M.A.; and Lechevalier, H.A. (1963):** Selective isolation of aerobic actinomycetes. *Appl. Microbiol.* 11: 75-77.
- El-Nakhal, N.H. (1993):** Taxnomical and physiological studies on certain bacteria contaminating surgical wounds, Ph.D. Thesis Botany & microbiology Dept. Fac Science, Al-Azhar Univ. Cairo Egypt.
- Elwan, S.H.; El-Naggar, M.R.; and Ammar, M.S. (1977):** Characteristics of lipase in the growth filtrate dialysate of *Bacillus sterothermophilus* grown at 55 °C using a tributyrincup plate assay. *Bulletin of the Fac. Riyadh Univ., (Saudi Arabia)* 8: 105-119.
- Endo, A., (1964):** Studies on pectinolytic enzymes of molds. Part VII. Turbidometry of apple juice clarification and its application to determination of enzyme activity. *Agric. Biol. Chem.* 28: 234-238.
- Facklam, R.R., and J.A. Washington III. (1991):** *Streptococcus* and related catalase-negative Gram-positive cocci. P. 238-257. In A. Balows. W.J. Hausler, Jr., K.L. Herrmann, H.D. Isenberg, and H.J. Shadomy (ed.), *Manual of clinical microbiology*, 5th ed. American Society for Microbiol. Washington, D.C.
- Favela-Torres, E., Aguilar, C., Contreras-Esquivel, J.C., and Viniegra-Gonzalez, G. (2005):** Pectinases, In: Pandey, A., Webb, C. Soccol., C.R., Larroche, C. (Eds.), *Enzyme Technol.* Asiatech Publishers Inc. New Delhi, pp. 273-296.

- Ferron, G., Bonnaramé, P. & Durand, A. (1996):** Prospects of the microbial production of food flavours. *Trends Food Science Technol.*, 7, 285-293.
- Fogart, W.M. (1973):** Bacteria, enzymes, and wood permeability. *Proc Biochem* 1973; 8: 30-4.
- Fogarty, M.V.; and Kelly, C.T., (1983):** Pectic enzymes, In: Fogarty, M.W., (Ed): *microbial Enzymes and Biotechnol.*, Applied Science Publishers, London, pp.131-182.
- Fraizer, W.C. (1926):** A method for the detection of changes in gelatin due to bacteria. *J. Infect Dis.* 39, 302.
- Fujiwara, N. and Yamamoto, K. (1987):** Decomposition of gelatin layer on X-ray films by the alkaline protease from *Bacillus* sp. *Hakkokogaku*, 65: 531-534.
- Fulton, M. Halkias, D. and Yarashus, D.A. (1960):** Voges-Proskauer test using α -naphthol purified by steam distillation. *Appl. Microbiol.* 8, 361.
- Garzon, C.G. and Hours, R.A. (1991):** Citrus waste: an alternative substrate for pectinase production in solid-state culture. *Bioresource Technol.*, 39: 93-95.
- Garzon, C.G. and Hours, R.A. (1992):** Citrus waste: Alternative substrate for pectinase production in solid-state culture. *Bioresource technology* 39: 93-95.
- Gibson, A.M., Baranyi J. Pitt. J.I., Eyles, M.J. and Roberts, T.A. (1994):** Predicting fungal growth; the effect of water activity on *Aspergillus flavus* and related species. *Int. J. Food Microbiol.* 23: 419-431.

- Godfrey, T., and West, S., (1996):** Introduction to industrial enzymology. In: Godfrey, T., West S. (Eds.), Industrial Enzymol., second ed Stockholm Press, New York, pp.1-17.
- Gomaa, M.A.; Abou-Zied, M.M.; Moustafa, M.M.; and El-Habashy, A.G. (1987):** Factors affecting protease enzyme production by some *Aspergillus* and *Bacillus* strains. Ann. Meet A.M. Soc. Microbiol. 87: 272-294.
- Gomori, G. (1955):** Preparation of buffers for use in enzyme active studies. In methods in enzymology. Vol. I. Eds. (Clowick, S.P. and Kaplan, N.O.): Academic Press Inc. Pub. New York.
- Goodman, R.N. Kiraly, Z. and Wood, K.R. (1986):** Cell wall composition and metabolism. Ch.4 In: The Biochem. and Physiol. of plant Disease, (p.105-149), Univ. of Missouri Press, Columbia.
- Gordon, J. and Mclon, J.W. (1928):** The Practical application of the direct oxidase reaction in Bacteriol. Path Bact. J. 31: pp.185.
- Grassin, C., and Fauquembergue, P., (1996a):** Fruit juices. In: Godfrey, T., West, S. (Eds), Industrial Enzymol., second ed. Stockholm Pres, New York, pp. 345-373.
- Grassin, C., Fauquembergue, P., (1996b):** Fruit Juices. In: Godfre, T., West, S. (Eds), Industrial Enzymol. Mac Millan Press, London, pp. 226-264.
- Gummadi, S.N. and Panda, T. (2002):** Purification and biochemical properties of microbial pectinases: a review Process Biochem. 38: 987-996.

- Hankin, L., Zucker, M. and Sonds, D.C. (1971):** Improved solid medium for the detection and enumeration of pectolytic bacteria. *Appl. Microbiol.* 22: 205-209.
- Harry, W.S., Jr. Paul, J.V., and John, J.L. (1991):** Microbes in action 4th ed. WH Freeman Co. New York, pp.: 87-209.
- Hatada, Y., Higaki, N., Saito, K., Ogawa, A., Sawada, K., Ozawa, T., Hakamada, Y., Kobayashi, T., and Ito, S., (1999):** Cloning and Sequencing of a high alkaline pectate lyase gene from an alkaliphilic *Bacillus* isolate. *Biosci. Biotechnol. Biochem.*, 63, 998-1005.
- Hatanaka, C. and Ozawa, J. (1969):** Isolation of a new exoalgacturonase producing digalacturonic acid from pectic acid. *Agric. Biol. Chem.*, 33, 116-118.
- Henriksson C, Akin DE, Slomczynski D, and Eriksson K-El (1999):** Production of highly efficient enzymes for flax retting by *Rhizomucor pusillus*. *J. Biotechnol* 1999, 68: 115-123.
- Hensyl, W. R. (Ed) (1994):** Bergy's Manual of Determinative Bacteriology 9th edition, Williams & Wilkins, Baltimore.
- Hershonhorn, J., Manulis, S. and Barash, I. (1990):** Polygalacturonase associated with infection of Valencia orange by *Penicillium italicum*, *Phytopathology*, 80: 1374-1376.
- Hesseltine, C.W., (1972):** Solid state fermentations. *Biotechnol. and Bioeng.* 14: 517-532.

- Horikoshi, K. (1972):** Production of alkaline enzymes by alkalophilic microorganisms Part III. Alkaline pectinase of *Bacillus* No., p-4-N. *Ariz. Biol. Chem.*, 36, 285-293.
- Horikoshi K, (1990): Enzymes of alklophiles. In: Forgarty WM, Kelly CT (1990):** editors. *Microbial Enzymes and Biotechnol.*, 2nd edn. London, New York, Elsevier Applied Science, 275-294.
- Horikoshi, K. (1990):** Enzymes: Fogarty, W.M., Kelly, C.T. (Eds): *Microbial Enzymes and Biotechnol.*, Second Ed. Elsevier Appl. Sci., London, pp. 275-294.
- Horikoshi, K., (1999):** Some applications of their products for biotechnol. *Microbiol. Mol. Biol. Rev.*, 63, 735-750.
- Hours, R.A., Voget, C.E. & Ertola, R.J. (1988a):** Some factors affecting pectinase production from apple pomace in solid-state cultures. *Biological Wastes*, 24, 147-157.
- Hours, R.A., Voet, C.E. & Ertola, R.J. (1988b):** Apple pomace as raw material for pectinases production in solid state culture, *Biological Wastes*, 23, 221-228.
- Huang, Q., and Allen, C. (1997):** An exo-poly- α -D-galacturonosidase, Peh B, is required for wild-type virulence of *Ralstonia solanacearum*. *J. Bacteriol.*, virulence of *Ralstonia solanacearum* *J. Bacteriol.*, 179, 7369-7378.
- Hugh, R. & Leifson, E. (1953):** The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gram Negative bacteria. *J. bact.* 66, 24.

- Humphrey, A. (1998):** Shake flask to fermenter, what have we learnt? *Biotechnol. Prog.* 14, 3-7.
- Hutadilok, T.; Painupong, A.; and Suntainalert, P. (1999):** Purification and characterization of an extracellular protease from alkliphilic and thermophilic *Bacillus* sp. P.S719 *J. Biosci. and Bioeng.* 87(5): 581-587.
- Ishii, S., and Vokotsuka, T. (1971):** Maceration of plant tissues by pectin trans-eliminase. *J. Agric. Food Chem.* 20, 787-791.
- Ishii, S. and Vokotsuka (1976):** Enzymatic maceration of plant tissues by endo-pectin lyase and endo-polygalacturonase from *Aspergillus japonicus*, *Phytopath.* 66: 281-289.
- Ismail, A.S. (1996):** Utilization of orange peels for the production of multi-enzyme complexes by some fungal strains. *Process Biochem.*, 1, 645-650.
- Ito, S., Kobayashi, T., Ara, K., Ozaki, K., Kawai, S. and Hatada, Y., (1998):** Alkaline detergent enzymes from alkaliphiles: enzymatic properties, genetics, and structures, *Extremophiles*, 2, 185-190.
- Janssens, L., de Pooter, H.L., Vnadamme, E.J. & Schamp, N.M. (1992):** Production of flavours by microorgnaisms. *Process Biochem.*, 27, 195-215.
- Jenson, B., and Olsen, J., (1999):** Miscellaneous enzymes. In: Johri, B.N., Satyanarayana, T., Olsen, J. (Eds.): *Thermophilic Moulds in Biotechnol.* Nluwer, Academic Publishers, Netherlands, pp. 245-263.

- Johson, L.; Curi, E.; Bond, J.; and Fribourg, M. (1959):** Methods for studying soil-microflora plant disease relationships. Burgess, Minnegpolis.
- Joslyn, N.A., Mist, S and Lambart, E. (1952):** Clarification of apple juice by Fungal PG preparations. Food Technol. 6: 133-139.
- Kapoor, M., Beg, Q.K., Bhushan, B., Dadhich, K.S. and Hoondal, G.S. (2000):** Production and partial purification and characterization of a thermo-alkali stable polygalacturonase from *Bacillus* sp. MG-cp-2. Process Biochem. 36: 467-473.
- Kapoor, M., Beg, Q.K., Bhushan, B., Singh, K., Dadhich, K.S. and Hoondal, G.S. (2001):** Application of an alkaline and thermostable polygalacturonase from *Bacillus* sp. MG-cp-2 in degumming of ramie (*Bochmeria nivea*) and sunn hemp (*Crotalaria juncea*) bast fibers, Process Biochem. 36: 803-807.
- Karbassi, A., and Vaughn, R.H. (1980):** Purification and properties of poygalacturonic acid trans-eliminase from *Bacillus stearothermophilus*. Can. J. microbial. 26; 377-384.
- Kashyap, D.R., Vohra, P.K., Chopra, S. and Tewari, R. (2000):** Applications of pectinases in the commercial sector, a review Bioresou. Technol., 77: 215-227.
- Kashyap, D.R., Voha, P.K., Chopra, S. and Tewari, R. (2001):** Applications of pectinases in the commercial sector: A review Bioresou. Technol. 77: 216-285.

- Kashyap, D.R., Soni, S. K. and Tewari, R. (2002):** Enhanced production of pectinase by *Bacillus* sp. DT7 using solid state fermentation. *Bioresou. Technol.* 88: 51-254.
- Kaur, G., Kumar, S. and Satyanarayana, T. (2003a):** Production characterization and a thermophilic mould *Sporotrichum thermophile* Apinis. *Bioresou. Technol.* 94: 239-243.
- Kaur, G., Kumar, S. and Satyanarayana, T. (2003b):** Production, characterization and application of a thermostable ptygalacturonase of a thermophilic mould *Sporotrichum thermophile* Apinis. *Bioresou. Technol.* 94: 239-243.
- Keay, L. (1972):** Production and isolation of microbial protease. *Biotechnol. Bioeng. Symp.* 3: 63-92.
- Kilara, A. (1982):** Enzymes and their uses in the processed apple industry: A review. *Proc. Biochem.* 23, 35-41.
- King, E.O., Ward, M. K. and Raney, D.E. (1954):** Two simple media for the demonstration of pyocyanin and fluorescein. *J. Lab. Clin. Med.* 44, 301.
- Kobayashi, T., Koike, K., Yoshimatsu T., Higaki N, Suzumatsu A, Ozawa T, Hatada Y, Ito S. (1999a):** Purification and properties of a low-molecular-weight, high-alkaline pectate lyase from an alkaliphilic strain of *Bacillus*. *Biosci Biotech Biochem* 1999, 63: 65-72.
- Kobayashi, T., Hatada, Y., Higaki, N., Lusterio, D.D., Ozawa, T., Koike, K., Kawai, S., and Ito, S., (1999b):** Enzymatic properties and deduced amino acid sequence of a high-alkaline pectate lyase from an alkaliphilic *Bacillus* isolate. *Biochim. Biophys. Acta*, 1427, 145-154.

- Kobayashi, T., Higaki, N., Yajima, N., Suzumatsu, A., Hagihara, H., Kawai, S. and Ito, S. (2000):** Purification and properties of a Galacturonic Acid-Releasing Exopolygalacturonase from a strain of *Bacillus*. *Biosci. Biotechnol. Biochem.*, 65(4), 842-847.
- Konno, H., Yamasaki, Y., and Katoh, K., (1989):** Extracellular exo-polygalacturonase secreted from carrot cell culture. Its purification and involvement in pectic polymer degradation. *Physiol. Plant.*, 76, 514-520.
- Konno, H., and Tsumuki, H., (1991):** An exo-polygalacturonase from rice shoots. *Phytochem.*, 30, 2115-2118.
- Kovacs, N. (1928):** Eine vereinfachte Methode Zum Nachweis der Indolbildung Durch Bakterien. *Z. Immun Forsch Exp Ther.* 55, 311.
- Kumar, S.S. and Palanivelu, P., (1999):** Purification and characterization of an extracellular polygalacturonase from the thermophilic fungus, *Thermomyces lanuginosus*, *World J. Microbiol. Biotechnol.*, 15, 643-646.
- Laemmli, U.K. (1970):** Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature (Lond.)* 227: 680-685.
- Lang, C. and Dornenburg, H. (2000):** Perspectives in the biological function and the technological application of polygalacturonases. *Appl. Microbiol. Biotechnol.*, 53: 366-375.

- Layman, P. (1990):** Promising new markets emerging for commercial enzymes. Chemical and Engineering News 68, 17-18.
- Lee, D.; Kok, Y.; Kim, K.; Kim, B.; Choi, H.; Kim D.; Suhartono, M.T. and Pyun, Y. (1999):** Isolation and characterization of a thermophilic lipase from *Bacillus thermoleovorans* ID-1 FEMS. Microbiol. Lett. 179, 393-400.
- Lowe, D.A. (2002):** Production of enzymes In: Basic biotechnology, Ralledge, C. and Kristiansen, B. (eds.) 2nd edition, Cambridge pp.391-408.
- Lowry, O.H.; Rosebrough, N.G.; Farr, A.L. and Randall, R.J. (1951):** Protein measurement with the folin phenol reagent J. Bio. Chem., 193, 265-275.
- MacConkey, A.T. (1908):** Bile Salt Media and their advantages in some bacteriological examinations, J. Hyg. Camb. 8, 322.
- Maceira, F.I.G., Pietro, A.D. and Rocero, M.I. G. (1997):** Purification and characterization of a novel exopolygalacturonase from *Fusarium oxysporum* f sp. Lycopersici. FEMS MICROBIOL. Lett., 154: 37-43,.
- Magro, P., Varvaro, L., Chilosì, G., Avanzo, C., and Balestra, G.M., (1994):** Pectinolytic enzymes produced by *Pseudomonas syringae* pv Glycinea, FEMS Microbiol. Lett, 117: 1-6.
- Mahmoud, A.I. (2004):** Biotechnological recycling of infectious hospital wastes for the sake of safe environment. M.Sc. Thesis. Bot. & Microbiol Dept., Fac of Sci. Al-Azhar.

- Maldonado, M.C., Navarro, A. and Callieri, D.A.S. (1986):** Production of pectinases by *Aspergillus* sp. using differently pretreated lemon peel as the carbon source, *Biotechnol. Letters*, 8: 501-504.
- Marcus, L., Barash, I., Sneh, B., Koltin, Y. and Finker, A., (1986):** Purification and characterization of pectolytic enzymes produced by virulent and hypo virulent isolates of *Rhizoctonia solani* KUHN. *Physiol. Mol. Plant Pathol.* 29: 325-336.
- Martins, E.S., Silva, D., Silva, R.D. and Gomes, E. (2001):** Solid state production of thermostable pectinases from thermophilic *Thermoascus aurantiacus*. *Process Biochemistry* 37: 949-954.
- Martins, E.S., Silva, D., Da Silva, R. and Gomes, E. (2002):** Solid state production of thermostable pectinases from thermophilic *Thermoascus aurantiacus*. *Process Biochem.*, 37, 949-954.
- Massucco, A.E. (1980):** Production of alkaline protease from *Bacillus subtilis* NRRL 3441. *Rev. Arent. Microbiol.* 12(2): 52-58.
- Miyazaki, Y. (1991):** Purification and characterization of an endo-pectate lyase from *Bacillus macerans*. *Agric. Biol. Chem.* 55: 25-30.
- Moller, V. (1954):** Diagnostic use of the Braun KCN test within the Enterobacteriaceae. *Acta Path. Microbiol. Second.* 34, 115.

- Nagel, C.W., and Vaughn, R.H. (1961):** The characteristic of a polygalacturonase produced by *Bacillus polymyxa*. *Acrc. Biochem. Biophys.* 93: 344-352.
- Nagel, F.J.I., Tramper, J., Bakker, M.S.N. and Rinzema A. (2001a):** Temperature control in a continuously mixed bioreactor for solid-state fermentation. *Biotechnol. Bioeng.* 72: 219-230.
- Nagel, F.J.I., Tramper, J., Bakker, M.S.N., Rinzema, A. (2001b):** Model for on-line estimation of moisture content during solid-state fermentation. *Biotechnol. Bioeng.* 72: 231-243.
- Nasser, W., Chalet, F., and Robert-Baudouy, J. (1990):** Purification and characterization of extracellular pectate lyase from *Bacillus subtilis*. *Biochem.*, 72, 689-695.
- Nasumo, S. and Starr., M.P. (1967):** Polygalacturonic acid trans-eliminase of *Xanthomonas compestris*. *Biochem., J.* 104: 178-184.
- Navarro del Canaizo A.A., Hours, R.A., Miranda, M.V. and Cascone, O. (1994):** Fractionation of fungal pectic enzymes by immobilized metal ion affinity chromatography. *J. Food Sci. Agri.* 64, 527-531.
- Nelson, N. (1944):** A photometric adaptation of the somogyi Method for the Determination of Glucose, *J. Biol. Chem.* 153, 375.
- Nozaki, K., Miyairi, K., Hozumi, S., Fukui, Y. and Okuno, T., (1997):** Novel exopolygalacturonases produced by *Alternaria mali*, *Biosci. Biotechnol., Biochem.*, 61, 75-80.

- Omar, A.M. (2000):** Microbiological utilization of *Eichornia crassipes* under solid state fermentation M.Sc. thesis, Bot & Microbiol. Dept., Fac of Sci., Al-Azhar Univ., Cairo, Egypt.
- Pandey, A. (1994):** Solid state fermentation: An Overview, New Delhi, Wiley Easter Limited, p.3-10.
- Pandey, A. (Editor) (1996):** Solid state fermentation, Special Issue of J. of Sci. and Industrial Res., Published by NISCON, New Delhi, 55, 311-348.
- Pandey, A.; Benjamin, S.; Soccol, C.; and Nigam P. (1999a):** Solid-state fermentation for the production of industrial enzymes. Curr. Sic. 29: 119-131.
- Pandey, A.; Selvakumar, P.; Soccol, C.; Nigam, P.; Krieger, N.; and Soccol, V. (1999b):** The realm of lipases in biotechnol. Biotech. Appl. Biochem. 77: 149-162.
- Pandey A, Soccol CR. Nigam P. and Soccol VT (2000a):** Biotechnological potential of agro-industrial residues I: Sugar cane bagasse3 Biores Technol, 74: 69-80.
- Pandey, A., Soccol, C.R. and Mitchell, D. (2000b):** New Developments in solid state fermentation I. Bioprocesses and products. Process Biochem. 35, 1153-1169.
- Pandey, A.; Szakaes, G.; Soccol, C.; Rodriguez-Leon, J.; and Soccol, V. (2001):** Production, purification and properties of microbial phytases, Bioresou. Technol. 77, 203-214.
- Park, Y.S.; Kang, S.W.; Lee, J.S.; Hong, S.I. and Kim, S.W. (2002):** Xylanase production in solid state fermentation by

- Aspergillus niger* mutant using statistical experimental design. Appl. Microbiol. Biotechnol. 58, 761-766.
- Parker, M.T. (ed.) (1984):** Principles of Bacteriology, Virology and Immunity. Toply and Wilson's. Seventh edition. Volume . Systematic Bacteriol.
- Puchart, V.; Katapodis, P.; Biely, P.; Kremnicky, L.; Christakopoulos, P.; Vrsanska, M.; Kekos, D.; Macris, B.J. and Bhat, M.K. (1999):** Production of Xylanases, Mannanases, and Pectinases by the thermophilic fungus *Thermomyces lanuginosus*, Enzyme and Microbial Technol. 24: 355-361.
- Raimbault, M. (1998):** General and microbiological aspects of solid substrate fermentation EJB Electronic, J. of Biotechnol., J. Available from [http:// www. Ejb. Org](http://www.Ejb.Org).
- Ramesh, M.V.; and Lonsane, R.K. (1987):** Solid state fermentation for production of α -amylase by *Bacillus megaterium* 16M Biotechnol. Lett. 9: 323-328.
- Rao, J.L.U.M., and Satyanarayana, T. (2003):** Statistical optimization of a high maltose forming, hyperthermostable and Ca^{2+} -independent α -amylase production by an extreme thermophile *Geobacillus thermoleovorans* using response surface methodol. J. Appl Microbiol. 95: 712-718.
- Reid, J.L., and Collmer, A. (1986):** Comparison of pectic enzymes produced by *Erwinia chrysanthemi* *Erwinia carotovora* subsp. *Carotovora*, and *Erwinia carotovora* subsp. *Atroseptica*. Appl. Environ. Microbiol., 52: 305-310.

- Reid, I. and Ricard, M. (2000):** Pectinase in paper making solving retention problems in mechanical pulps bleached with hydrogen peroxide. *Enzyme Microbiol. Technol.*, 26: 115-123.
- Rijssel, M.W., Gerwig, J.G.J. and Hausen, T.A., (1993):** Isolation and characterization of an extracellular glycosylated protein complex from *Clostridium thermosaccharolyticum* with pectin methylesterase and polygalacturonate hydrolase activity, *Appl. Environ. Microbiol.* 59(3): 828-836.
- Rambouts, F.M. and Pilnik, W., (1980):** Pectic enzymes. Microbial enzymes and bioconversions. In. "Economic Microbiol.", eds. Rose, A.H., Vol.5, Academic Press, New York, pp. 227-282.
- Rambouts, F.M. and Pilnik, W., (1986):** Pectinases and other cell-wall degrading enzymes of industrial importance, *Symbiosis*, 2: 79-89.
- Roushdy, M.M. (2001):** Application of modern fermentation biotechnology in the field of thermostable protease production. M.Sc. Thesis, Bot. and Microbiol. Dept. Fac. of Sci., Al-Azhar Univ., Cairo, Egypt.
- Said, S., Fonseca, M.J.V. and Siessere, V. (1991):** Pectinase production by *Penicillium frequentans*. *World. J. Microbiol. Biotechnol.* 7: 607-608.
- Sakai, T., Sakamoto T, Haellert J and Vandamme E. (1993a):** Pectin, Pectinase and protopectinase: production, properties and applications. *Adv. Appl. Microbiol.* 25: 213-294.

- Sakai, T., Sakamoto, T. and Vandamme, E.J. (1993b):** Pectinase and protopectinase; production, properties and applications. Adv. Appl. Microbiol. 39: 213-294.
- Sani, A.; Awe, F. and Akinyanju, J. (1992):** Amylase synthesis in *Aspergillus flavus* and *Aspergillus niger* grown on Cassava peel. J. Ind. Microbiol. 10: 55-59.
- Sathyanarayana, N.; Gummadi, T. and Panda (2002):** Purification and biochemical properties of microbial pectinases, A review, Process Biochem., 38: 987-996.
- Sato, K. and Sudo, S. (1999):** Small-Scale solid state fermentations. In: Manual of Industrial Microbiology and Biotechnology. Second Edition. (Demain, A.L. and Davies, J.E.) (Editors in chief), (Atlas, R.M.; Cohen, G.; Hershberger, C.L.; Hu, W.; Sherman, D.H.; Willson, R.C.; and David Wu, J.H.) (Editors). ASM Press. Washington, D.C.
- Schaeffer, A.B. & Fulton, M. (1993):** A simplified method of staining endospores. Science, N.Y. 77, 194.
- Schallmey, M.; Singh, A.; and Ward, W.P. (2004):** Developments in the use of *Bacillus* species for industrial production. Can. J. microbial. 50, 1-17.
- Schols, H. Geraeds. C., Searic-Van-Leeuwen M., Komelink, F. and Voragen, A., (1990):** Rhamnogalacturonase: A novel enzyme that degrades the hairy region of pectins. Carbohydr. Res. 206, 105.
- Schwan, R.F., Cooper, R.M. and Wheals, A.E. (1997):** Endopolygalacturonase secretion by *Kluyveromyces marxianus* and other cocoa pulp-degrading yeasts. Enzyme and Microbiol Technol., 21, 234-244.

- Semenova, M.V., Grishutin, S.G., Gusakov, A.V., Okunev, O.N., and Sinitsyn, A.P. (2003):** Isolation and properties of pectinases from the fungus *Aspergillus japonicus*. Biochem. (Moscow) 68 (5), 559-569 (Transl. from Biokhimiya 68 (5), 686-697).
- Sharaf, E.F.; and Ammar, M.S. (2000):** Purification and characterization of constitutive thermostable three isoproteases produced by *Humicola grisea* Var *Thermodeae* at 55 °C. Egypt J. Biotechnol. 8, 124-189.
- Sharma, R.; Chisti, Y. and Banerjee, U.C. (2001):** Production purification, characterization, and applications of lipases, Biotechnol. Advances 19, 627-662.
- Sharma, D.C. and Satyanarayana, T. (2004):** Production and application of pectinolytic enzymes of *Sporotrichum hermophile* and *Bacillus pumilus*. In: Reddy, M.S., Khanna, S. (Eds), Biotechnological Approach for Sustainable Development. Allied Publishers Pvt. Ltd., India, pp. 164-169.
- Sharma, D.C. and Satyanarayana, T. (2005):** A marked enhancement in the production of a highly alkaline and thermostable pectinase by *Bacillus pumilus* decr1 in submerged fermentation by using statistical methods. Bioresou. Technol. 97: 727-733.
- Shriling, E.M.; and Gottlieb, D. (1966):** Methods for characterization of *Streptomyces* species. Int. J. Syst. Bact. 16: 313-340.

- Shushan, H.; Betty, H.; Sydney, M.F.; and Rial D.R. (1981):** Rapid method that aid in distinguishing Gram-Positive from Gram-negative anaerobic bacteria J. of Clinical Microbiol., 13, 3, 444-448.
- Silva, D., Tokuioshi, K., Martins, E.D.S., Silva, R.D. and Gomes, E. (2005):** Production of pectinase by solid-state fermentation with *Penicillium viridicatum* RFC3. Process Biochem.
- Simmons, J.S. (1926):** A culture medium for differentiating organisms of typhoid-colon aerogenes groups and for isolation of certain fungi. J. Infect. Dis. 39, 209.
- Singh, H. and Soni, S. (2001):** Production of starch-gel digesting amyloglucosidase by *Asperigllus oryzae* HS-3 in solid state fermentation. Process Biochem. 37: 453-459.
- Singh, S.A., Plattner, H. & Diekmann, H. (1999):** Exopolygalacturonae lyase from a thermophilic *Bacillus* sp. Enzyme and Microbial Technol., 24: 420-425.
- Sittidilokratna, C., Suthirawut, S., Chitradon, L., Punsuron, V.m Vautgabinsatm P. and Siriacha, P. (2006):** Screening of pectinase producing bacteria and their efficiency in biopulping of paper mulberry bark. Science Asia, 33: 131-135.
- Soares, M.M.C.N., Silva, R.D. and Gomes E. (1999):** Screening of bacterial strains for pectinolytic activity: characterization of the polygalacturonase produced by *Bacillus* sp. Revista de Microbiologia 30: 299-303.

- Sodhi, H.; Sharma, K.; Gupta, J.; and Soni, S. (2005):** Production of a thermostable α -amylase from *Bacillus* sp. PS-7 by solid state fermentation and its synergistic use in the hydrolysis of malt starch for alcohol production. *Process Biochem.*, 40: 525-534.
- Soliman, A.M. (2003):** Microbial thermostable proteases from environmental wastes produced under solid state fermentation conditions. M.Sc. Thesis Bot. & Microbiol. Dept., Fac. of Sci., Al-Azhar Univ., Cairo, Egypt.
- Stamford, T.L.; Stamford, N.P.; Coelho, L.C.; and Araujo, J.M. (2001):** Production and characterization of a thermostable α -amylase from *Nocardiopsis* sp. endophyte of yam bean. *Bioresour. Technol.* 76, 137-141.
- Stratilova, E.; Dzurova, M.; Markovic O., and Jornvall, H. (1996):** An essential tyrosine residue of *Aspergillus* polygalacturonase. *FEBS Lett.*, 382: 164-166.
- Takami, H.; Akiha, T.; and Horikoshi, K. (1989):** Production of extremely thermostable alkaline protease from *Bacillus* sp No. AH-101 *J. Appl. Microbiol. Biotechnol.* 30, 120-124.
- Takabe, I., Otsuki, Y. and Aoki, S., (1968):** Isolation of tobacco mesophyll cells in intact and active state. *Plant cell Physiol.* 9, 115.
- Takami, H., Akiha, T., and Horikoshi, K. (1989):** Production of extremely thermostable alkaline protease from *Bacillus* sp. No. AH-101. *J. Appl. Microbiol. Biotechnol.* 30: 120-124.

- Takeuchi, S.; Kinoshita; T.; Kaidoh, T. and Hashizume, N. (1999):** Purification and characterization of protease produced by *Staphylococcus aureus* isolated from a diseased chicken, *Vet. Microbiol.*, 67(3): 195-202.
- Taragano, V., Sanchez, V.E., and Pilsof, A.M.R., (1997):** Combined effect of water activity depression and glucose addition on pectinases and protease production by *Aspergillus niger*. *Biotechnol. Lett.* 19(3), 233-236.
- Tsao, P.; Lebde, C. and Keitt, C. (1960):** An enrichment method for isoaltio actinomycetes that produce diffusible antifungal antibiotics *Phytopath.*, 50: 88-99.
- Tseng, Min-Jen; Yap, Mee-Nagan; Ratanakhanokehai, K.; Kyu, K., L.; and Chen Shui-Tein (2001):** Purification and characterization of two cellulase free Xylanases from an alkaliphilic *Bacillus firmus*, *Enzyme and Microbial Technol.*, 30: 59-595.
- Vaskivoyuk, V.T. (1981):** Selecting a medium for the growth of *Bacillus subtilis* a procedure of proteolytic enzymes *J. Microbiol. Zh* 43(3): 280-282.
- Vincent, J.M. (1970):** A Manual For The Practical Study of The Root Nodule Bacteria. International Biological Programme 7 Marylebone Road, London, NW1, Blackwell Scientific Publications, Oxford & Edinburgh, P.75.
- Viniegra-Gonzalez, G. (1997):** Solid state fermentation: definition, characteristics, limitations and monitoring, p.5-22. In S. Roussos, B.K. Lonsane, M.Raimbault, and G. Viniegra-

- Gonzalez (ed.) *Advances in solid state fermentation*. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Voragen, A.G.J., and Pilnik, W. (1989):** Pectin degrading enzymes in fruit and vegetable processing. In: "Biocatalysis in Agricultural Biotechnology" (J.R. Whitaker and P.E. Sonnet, eds.), pp. 93-115. American Chemical Society, Washington, D.C.
- Wang, G.I.J. and Fung, D.Y.C. (1986):** Feasibility of using catalase activity as an index of microbial loads on chicken surfaces. *Food Sci. J.* 51: (6), pp. 1442-1444.
- Ward, O.P. and Young, M.M. (1989):** Enzymatic degradation of cell wall and related plant polysaccharides. *Crit. Rev. Biotechnol.* 8: 237-274.
- Whitaker, J.R. (1990):** Microbial pectolytic enzymes. In: *Microbial Enzymes and Biotechnology*" (2nd Ed.) M.W. Fogarty and C.T. Kelly, (eds), p.136, Elsevier Appl. Sci. Publishers. London.
- Whittenbury, R. (1964):** Hydrogen peroxide formation and catalase activity in the lactic acid bacteria. *J. Gen. Microbiol.* 35: 13.
- Williams, S.T.; and Davies, F.L. (1965):** Use of antibiotics for selective isolation and enumeration of actinomycetes in soil. *J. Gen. Microbiol.*, 40: 481-490.
- Yamasaki, M., Yasui, T., and Arima, K., (1964):** Pectic enzymes in the clarification of apple juice. Part I. Study on the clarification reaction in a simplified model. *Agric. Biol. Chem.* 28: 779-787.

- Zheng, Z. and Shetty, K. (1999):** Solid state production of polygalacturonase by *Lentinus edodes* using fruit processing wastes. Process Biochem. 35: 825-830.
- Zheng, Z. and Shetty, K. (2000):** Solid state production of polygalacturonase by *Lentinus edodes* using fruit processing wastes. Process Biochem., 35: 825-830.