

## References

- Abdallah , A.M. ; El Addindani and N, Fahmi , 1963 – Stratigraphy of Upper Paleozoic rocks , western side of Gulf of Suez : Geol . Surv. Egypt , paper no . 25 , 18 p.
- Abdallah , A., Darwish , M ., El Aref , M . and Helba , A . A . 1992 – Lithostratigraphy of the Pre – Cenomanian clastics of north Wadi Qena , Eastern Desert , Egypt : Cairo , Geology of the Arab World , Cairo University , p . 255 – 282 .
- Al-Laboun, A.A., 1982- Stratigraphy and hydrocarbon potential of the Paleozoic succession in both Tabuk and Widyan basins. In: Future Petroleum provinces of the World (Ed. H.T.Halbouty) A.A. P.G. Mem. V.40, P.373-397.
- Allen , J . R . L . , 1980 – Sand Waves ; A model of origin and internal structure . Sedim . Geol . , 26 : 281 – 328 .
- Askalaney , M . M . and Abu Zeid , K . A . ( 1994 – 1995 ) – Contribution to the Geology of the area around Wadi Gabgaba , south Eastern Desert , Egypt . Annals Geol . Surv . Egypt , V . XX , p. 539 – 549.
- Attia , M . I . , 1955 – Topography , geology and iron ore deposits of the district east of Aswan . Geol . Surv . Egypt , 262 p .
- Awad , G . H . and M . G . Ghobrial , 1965 – Zonal stratigraphy of the Kharga Oasis , Egypt . Geol . Surv . , paper 34 , 77 p .
- Awad , M .H . and El Kelani , A . 1997- New Paleozoic – Mesozoic finding in the Double Peak area , south Western Desert , Egypt . J . Geol . , 37-12 , p. 109- 124 .
- Ball , J . , 1916 – The geography and geology of west Central Sinai , Egypt Surv. Dept . , 219 p .
- Barthel, K.W. and Bottcher, 1978- Abu Balles Formation: a significant lithostratigraphic unit of the former "Nubian Series" Mitt. Bayer. Statts. Palaontol. Hist. Geol., V. 18, P.153-166.
- Bauerman , H . , 1869 – Note on geological reconnaissance made in Arabia Petraea in spring of 1868 . Quart . J . Geol . Soc . London , V . 25,p.17-38 .
- Bellini , E . and D . Massa , 1980 –A stratigraphic contribution to the Paleozoic of the southern basins of Libya .In : M . J . Salem and M. T. Busserwil ( eds ) ,The geology of Libya . London , Academic press , 1 : 3- 56 .
- Beuf , S . , B . Bija , Duval , J . Steraux and G . Kulbicki , 1966 – Ampleur des glaciations " Siluriennes " au Sahara : Leur influence et leur consequences sur la Sedimentation . Inst . Franc . Petrol . Rev . , 21 :363-381.

- Browne , S . E . and J . D . Fairhead , 1983 – Gravity study of the central African rift system a model of continental disruption . Tectonophysics , V . 94 , p . 187 – 203 .
- Browne , S . E . and J . D . Fairhead and I . I . Mohamed , 1985 – Gravity study of the white Nile rift , Sudan and its regional tectonic setting. Tectonophysics , V . 113 , p . 123 – 137 .
- Butzer , K . W . , 1965 – Desert landforms at the Kurkur Oasis , Egypt . Ann . Am . Geographer , 55 ( 4 ) , 578-591 .
- Butzer , K . W . and C . L . Hansen , 1968 – Desert and river in Nubia : geomorphology and prehistory environments at the Aswan reservoir . Univ . of Wisconsin press .Madison , Milwaukee and London , 562 p .
- Collinson, J. D., 1996- Alluvial sediments . In : H . G . Reading Sedimentary environments . Blackwell Sci . Ltd . Oxford , 37 -82 .
- Desio, A. 1940 – Vestigia proplematiche della Libia ., Ann . Museo Libico Storia Naturale , V. 2 , P . 47 - 92 , 13 Milano .
- Dott, R. H. and Bourgeois, 1982 – Hummocky stratification: Significance of its variable bedding sequences . Bull . Geol . Soc . Am . , 93 : p. 613 – 680.
- El Dowidar, H. M. 1982 – Utilization of space image and aerial photographs in the delineation of some geomorphic and structural aspects in the south Western Desert , Egypt . Unpublished M . Sc . Thesis, Faculty of Science , Ain Shams University .
- El Fiki, A. A. M. 1988 – Sedimentologic and radiometric studies on some Paleozoic sediments in west Central Sinai , Egypt . M . Sc. Thesis , Suez Canal Univ . 204 p ., Ismaeliya .
- El Kelani , A . and Said , M . ( 1986 – 1989 ) – Lithostratigraphy of south Eastern Sinai , Annals , Geol . Surv ., Egypt , V .16 , p . 215 – 221.
- El Naggar , Z . R . , 1970 – On a proposed lithostratigraphic subdivision for the Late Cretaceous – Early Paleogene succession in the Nile Valley, Egypt , U . A . R . : Kuwait Seventh Arab Petrol . Cong . , paper no. 64 ( B – 3 ) , 50 p .
- El Shahat , A . and Kora , M . 1986 – Petrology of Early Paleozoic rocks of Umm Bogma area , Sinai , Bull . Fac . Sci , Mansoura Univ . v. 13 , p .151 – 184 .
- Fabre, J., 1988- Les series paleozoique d'Afrique: Une approche. J. African Sc., V.7, P.1-40.
- Frakes , L . A . and Crowell , J . C . , 1970 – Late Glaciation ; part 1, South America , Bull . Geol . Am . , 80 , 1007 – 1072 .
- Gallaway , W . A . and Hobday , D . K . 1996 – Terrigenous clastic depositional systems . Springer – Verlag , Berlin , 489 p .
- Geological Survey of Egypt , 1981 – Geological Map of Egypt scale 1 : 2000000 .

- Hadly , D . F . and Elliot , T . 1993 – The sequences , stratigraphic significance of erosive – based shore face sequences in the Cretaceous Mesaverde Group of north Western Colorado . In : Sequences Stratigraphy and Facies Associations ( Eds . H . W . Posamentier , C . P . Summerhayes , B . W . Hag and G . P . Allen); Spec . Publ . Int . Assoc . Sediment ., 18 : 521 – 535 .
- Hadley D . G . and Schmidt , D . I . 1975 – Non – glacial origin for conglomerate beds in the Wajid Sandstone of Saudi Arabia : Intern. Union Geol . Sci ., Common . Strating ., Subcomm . Gondwana Startigr . Paleontol ., Gondwana Symp ., Proc . paper no. 3 : Gondwana Geology , p . 357 – 371 .
- Hassan A. A ., 1967 – A new Carboniferous occurrence in Abu Dubra , Sinai , Egypt . Six Arab Petrol . Congr . Baghdad . p . 1 – 8 .
- Helal, A. H . 1964 – On the Occurrence and stratigraphic position of Permo - Carboniferous tillites in Saudi Arabia : Geol . Runch ., V. 54 , p. 193 – 207 .
- Hendriks , F ., 1986 – The offshore to backshore environments the Abu Ballas Formation of the SE Dakhla Basin (Western Desert , Egypt). Geol . Reach ., V . 75, pp . 445 – 460 .
- Houten, V.F.B. and Bhattacharya, D.P., 1979- Late Cretaceous Nubia Formation at Aswan, Southeastern Desert, Egypt, Ann Geol. Survey of Egypt V.IX, P.408-431.
- Hughes Clarke , M . W ., 1988 – Stratigraphy and rock unit nomenclature in the oil producing area of interior , Oman . J . Petrol . Geol ., 11 : 5 – 60.
- Hume , W . F . 1907 – A preliminary report on the geology of the Eastern Desert of Egypt between latitudes 22° and 25° N . Survey . Dept ., Cairo , 72 p .
- Hume , W . F . 1908 – The south Western Desert of Egypt . Cairo Scientific J., p . 279 – 286 and p . 314 – 325 .
- Husseini , M . I ., 1991 – Tectonic and depositional model of the Arabian and adjoining plates during the Silurian – Devonian . Bull . A . A . P . G ., V . 57 , no . 1, p . 108 – 120 .
- Issawi , B ., 1971 a – On the Nubia Sandstone . Bull . A . A . P . G ., V . 55, p. 891 – 893 .
- Issawi , B ., 1971 b – Geology of Darb El Arbain , Western Desert . Annals Geol . Surv . Egypt , V . 1 , p . 53 – 92 .
- Issawi, B., 1972 – Review of Upper Cretaceous – Lower Tertiary stratigraphy in central and southern Egypt . Bull . A . A . P . G ., V. 56, p . 1448 – 1463 .
- Issawi , B ., 1973 – Nubia Sandstone : type section . Bull . A . A . P . G ., V. 57, p . 741 – 745 .

- Issawi , B ., 1978 – Geology of Nubia west area , Western Desert , Egypt  
Annals Geol . Surv . Egypt , V . 8 p . 237 – 253 .
- Issawi , B ., 1981 – Geology of the South Western Desert of Egypt.  
Annals. Geol. Surv. Egypt, V. 11 , p. 57 – 66 .
- Issawi , B ., 1996 – Tectono – sedimentary synthesis of the Paleozoic  
basins in Egypt . Thirteen Petrol . Conf ., Egypt . Gen . Petrol .  
Cor. Cairo. V . 1 , p . 1 – 24 .
- Issawi , B ., 2000 – Northern Gondwana Early Paleozoic Glaciation , 5 th  
In. Con . on the geology of the Arab World, Cairo Univ., p . 1243-  
1250 .
- Issawi , B ., M . El Hinnawi , M . Francis and A . Mazher , 1999 – The  
Phanerozoic geology : A geodynamic approach . Geol . Surv .  
Egypt , paper 76 , 462 p .
- Issawi, B . and Osman , R . A . 1996 – The sandstones enigma of south  
Egypt. Third Int . Conf . Geology of the Arab World , Cairo  
University, 1996, p . 359 – 380 .
- Issawi , B . and Osman , R . A . 1993 – Tectono – Sedimentary synthesis  
of the Paleozoic – Cretaceous clastics , southwest Aswan , Egypt :  
Cairo , J . Sedimentology , V . 1 , p . 11 – 21 .
- Issawi, B. and U . Jux , 1982 – Contribution to the stratigraphy of the  
Paleozoic rocks in Egypt . Geol . Surv . Egypt , paper 64 , 24 p .
- Jo, H. R. Rhee, C. W. and Chhough , S . K ., 1997 – Distinctive  
characteristic of a stream flow – dominated alluvial fan deposits :  
Sanghori area , Kuongsag Basin ( Early Cretaceous ) , Southern  
Korea . Sed . Geol ., 110 : p.51 – 79 .
- Jux , U., 1957 – Zwei neue seesterne aus kreide von Abu Roaach(  
Forbesiaster gaensis und Recurvaster lorali ) und das fazielle Bild  
des Agyptischen santons : palaont . 2 ., V . 31 , 3 / 4 , p. 186 –  
197 , Stuttgart .
- Jux , U , and B . Issawi , 1983 - Cratonic sedimentation in Egypt during  
the Paleozoic . Annals Geol . Surv . Egypt . V . 13 , p . 223 – 245 .
- Keely , M . L ., 1989 – The Paleozoic history of the Western Desert of  
Egypt. Basin Research , V . 2 , p . 35 – 48 .
- Keely , M . L ., 1994 – Phanerozoic evolution of the basins of Northern  
Egypt and adjacent areas . Geol . Rundschau , V . 83 , p . 728 –  
742 .
- Klitzsch , E ., and Lejal Nicol, 1984 – Northwestern Sudan and bordering  
areas : geological development since Cambrian time . Berliner  
geowiss . Abh . ( A ), V . 50 , p . 23 – 45 . Berlin .
- Klitzsch , E ., 1990 – Paleozoic . In the Geology of Egypt ( eds ) : Said , R.  
p. 393 – 406 . Balkema , Rotterdam .
- Klitzsch , E ., Harms , J ., Lejal – Nicol A ., and List , F . K . 1979 –  
Major subdivisions and depositional environments of Nubia strata

- southwestern Egypt : Amer . Assoc . Petrol . Geol . Bull . , V . 63 , p . 967 – 974 .
- Klitzsch , E . and P . Wycisk , 1987 – Geology of the sedimentary basins of northern Sudan and bordering areas : Berliner Geowissen . Abh . , Reihe A – Band 75 . 1 , p . 97 – 136 .
- Kora , M . 1991 – Lithostratigraphy of the Early Paleozoic succession in Ras Naqab area , East – Central Sinai ; Egypt . Newsletters Stratigraphy 24 , p . 45 – 57 .
- Kora , M . 1995 – Carboniferous macrofauna from Sinai , Egypt : biostratigraphy and paleogeography . J . African Earth Sc . , V . 20 , no . 1 , p . 37 – 51 .
- Knetsch , G . 1954 – Allgemein – geologische Beobachtungen aus Agypten (1950 – 1953 ) . Abh . , Neues Jb . Geol . Palaontol . 99 , p . 287 – 297 .
- Kostandi , A . B . 1959 – Facies map for the study of the Paleozoic and Mesozoic Sedimentary region . 1 st Arab Petroleum Congress Cairo 2 , p . 54 – 62 .
- Lababidi , M . M . and A . N . Hamdan , 1985 – Preliminary lithostratigraphic correlation study in OAPEC member countries : Organi . Arab Petrol . Expo . countries Energy Resource Dept .
- Lejal – Nicol , A . , 1987 – Flores nouvelles du Palaeozoique et du Mesozoique d' Egypte et du Soudan Septentrional . Berl . Geowiss . Abh . 75 ( A ) , p . 151 – 248 .
- Lejal – Nicol , A . , 1990 – Fossil flora – In : The Geology of Egypt , Said , R . ( eds , ) p . 615 – 625 , 2 tabs . , 4 pls . , ( Balkema ) Rotterdam .
- Mahmoud , N . M . , D . Vaslet and M . I . Hussein , 1992 – The Lower Silurian Qalibah Formation of Saudi Arabia . Bull . A . A . P . G . , V . 63 , no . 10 , p . 1491 – 1506 .
- Mansour , H . H . , and Khallaf , A . F . 1979 – Application of textural characteristics for depositional environment interpretation of the Upper Cretaceous – Paleocene east of Idfu – Sibaiya , Nile Valley , An . Geol . Surv . Egypt , V . 9 , pp . 498 – 522 .
- Marshall , J . D . 2000 – Sedimentology of a Devonian Fault Bounded braid plain and lacustrine fill in the lower part of the Skrinkle Sandstones, Dyfed , Wales . Sedimentology , 47 : p . 325 – 342 .
- Mc Gillivray , G . and Hussein , 1992 – The Paleozoic petroleum geology of Central Arabia . Bull . A . A . P . G . , V . 76 , no . 10 , p . 1473 – 1490 .
- Menchikoff , N . , 1926- Observations geologiques faits au cours de L'expedition de S.A.S. Le prince Kemal el-Din Hussein dans le desert de Libya . C.R.A. Cad. Sc. (Paris), Tome 183, P. 1047-1049.
- Miall , A . D . , 1996 – The geology of fluvial deposits , Springer – Verlag , Berlin , 582 p .

- Nio , S . D . and Yan G . C . , 1991 – Diagenostic attributes of clastic Tidal Sedimentology ( Eds . D . G . Smith , G . E . Reinson , B . A . Zautlin and R . A . Rahmani ) Mem . Con . Soc . Petrol . Geol . , 16: p.3 – 28 .
- Omar , G . I . and M . S . Steckler , 1995 – Fission track evidence on the initial rifting of the Red Sea : two pulses , no propagation . Science, V . 270, p . 1341 – 1344 .
- Omara , S . , 1972 – An Early Cambrian outcrop in south Western Sinai , Egypt . N . Jb . Geol . Palaeont . , Mh ( 1972 ) , 5 , p . 306 – 314 .
- Osman , R . A . , S . M . Ahmed , and T . M . Khater 2002 – The Stratigraphy and Facies Associations of Wadi Gabgaba , Eastern Desert , Egypt: Cairo , 6 th Geology of the Arab world , Cairo University.
- Philoobos , E . R . 1969 – Geology of the phosphorites of the Nile Valley . Ph . D . Thesis , Fac . Sci . , Assiut Univ . , 448 p .
- Philoobos , E . R . , Youssef , M . and Mansour , A . M . 1990 – Facies and heavy minerals content of the sandstone of the Nubia Group , Qena – Idfu region , Eastern Desert , Egypt . Egyptian Min . , V . 2 , pp . 103 – 126 .
- Powell, J.A. 1989- Stratigraphy and sedimentation of the phanerozoic rocks in central and southern Jordan, Part A. Ram and Khreim Groups. Geological mapping division, Bull. 11. A. Geology directorate, Natural Resources Authority, Amman.
- Powell , J . H . , B . K . Moh'd and A . Masri , 1994 – Late Ordovician – Early Silurian glaciofluvial deposits preserved in paleovalleys in South Jordan . Sedi . Geol . , V . 89 , p . 303 – 314 .
- Reading , M . G . , 1978 – Sedimentary environments and facies : El Sevier, New York , 544 p .
- Reineck , H . E . and Singh , I . B . , 1980 – Depositional sedimentary structures . Springer – Verlag , Berlin , 551 p .
- Rossetti , D . E . , Goes , A . M . , Truckenbrodt , W . and Anaisse , J . , 2000 – Tsunami – induced large scale scour and pill structures in late Alibian to Cenomanian deposites of the Grajau Basin , northern Brazil . Sedimentology , 47 : 309 – 323 .
- Russegger , J . R . 1837 – Kreide und Sandstein . Einfluss von Granit auf letzteren . N . Jb . Mineralogie , p . 665 – 669 .
- Said , R . , 1962 – The geology of Egypt . El Sevier , 377 p .
- Said , R . , 1971 – Explanatory notes to accompany the geological map of Egypt . Egypt Geol . Surv . , paper 56 , 123 p .
- Said , M . M . and Seleim , M . M . ( 1994 – 1995 ) – Contribution to the Geology of Adindan – Wadi Shaturma Area , south Eastern Desert , Egypt . Annals Geol . Surv . Egypt , V . XX , p . 479 – 490 .

- Said , R . and B . Issawi , 1964 – Preliminary results of a geological expedition to Lower and to Kurkur and Dungal Oases , Egypt . Museum of New Mexico , Santa Fe . New Mexico , 28 p .
- Sandford , K . S . , 1935 – Geological observation on the south western frontiers of the Anglo – Egyptian Sudan and the adjoining part of southern Libya . Quart . J . Geol . Soc . London , V . 80 , p . 323 – 381 .
- Schull , T . J . , 1988 – Rift basins of interior Sudan : Petroleum exploration and discovery . A . A . P . G . Bull . , V . 72 , p . 1128 – 1142 .
- Shawa , M . and B . Issawi , 1978 – Depositional environments of the Nubia Sandstone – Upper Egypt . Annals Geol . Surv . Egypt , V . 8 , p . 255-274 .
- Shukri , N . M . and Said , R . 1946 – Contribution to the geology of the Nubian Sandstone , II . Mineral analysis . Bull . Inst . Egypt , V . 27 , p . 229 – 264 .
- Soliman , S . A . and Abu El Fetouh , M . 1969 – Petrology of the Carboniferous sandstone in west Central Sinai , J . Geol . U . A . R . , V . 13 , p . 61 – 143 .
- Stocklin , J . , 1972 – Iran : Lexique Stratigraphique International , V . 3 . Asie , 283 p .
- Van Houten , F . B . , D . P . Bhattacharyya and S . E . J . Mansour , 1984 – Cretaceous Nubia Formation and correlative deposits , eastern Egypt : Major regressive – transgressive complex . Geol . Soc . America Bull . , V . 95 , p . 397 – 405 .
- Vaslet , D . , 1990 – Upper Ordovician glacial deposits in Saudi . Episodes , 3 ( 3 ) : 147 – 161 .
- Walfort , R . , 1981 – Lower Paleozoic rocks of the Middle East . In : C . H . Holland ( ed . ) , Lower Paleozoic of the Middle East , eastern and southern Africa and Antarctica . New York , Jhon Willy : p.6 – 130 .
- Walker , R . G . , 1984 – Shelf and shallow Marine Sands . In : Facies Models ( Ed . R . G . Walker ) . Geosci . Con . Repr . 9 , p.141 – 170 .
- Ward , W . C . , and Mc Donald , K . C . , 1979 – Nubia Formation of the central Eastern Desert , Egypt : Major subdivision and depositional setting : Amer . Assoc . Petrol . Geol . Bull . , V . 63 , p . 975 – 983 .
- Weissbrod , T . 1969 – The Paleozoic of Israel and adjacent countries , part 11 : The Paleozoic outcrop in south Western Sinai and their correlation with those of Southern Israel . Bull . Geol . Surv . Israel , p . 32 – 48 .
- Williams , M . A . J . , and F . M . Williams , 1980 – Evolution of the Nile Basin . In : The Sahara and the Nile ( Eds . M . A . J . Williams and H . Faure ) , p . 207 – 224 , Balkema , Rotterdam .

- Whitemen , A . J . , 1970 – Nubian group origin and status . Am . Assoc .  
Petroleum Geologists Bull . , V . 54 ( 3 ) , pp . 572 – 575 .
- Youssef , M . I . , 1960 – Upper Cretaceous rocks in Quseir area . Bull .  
Inst. Desert Egypt , V . 7 ( 1957 ) , no . 2 , p . 35 – 53 .
- Zaghloul , Z . M . , A . El Shahat and A . Ibrahim , 1983 – On the discovery  
of Paleozoic trace fossils , Bifungites , in the Nubia Sandstone  
facies of Aswan . Egypt . Jour . Geol . , 27 ( 1-2 ) , p.65 –73