

References

- / **Abdel Kariem, A. M., Soliman, M. M., El Kazzaz, Y. A. and Abdel Gawad, G. M., 2001.** Geological and geochemical characteristics of the mafic-ultramafic rocks of Gabal Garf area, South Eastern Desert, Egypt. *Annals Geol. Surv. Egypt.*, v. VXXIV (2001), pp. 193-218.
- / **Aly, S. M., Ghoneim, M. F. and Beniamin, N., 1995.** Geology and origin of the Gerf serpentinites, Egypt. *Egyptian Mineralogist.*, v. 7, pp. 95-108.
- ^ **Bailey, E. H., Blake, M. C. and Jones, D. L., 1970.** On-land Mesozoic oceanic crust in California coast ranges, U.S. Geol. Surv. Prof. Paper 700C, pp 70-81.
- / **Ball, J., 1912.** Geography and Geology of Southeastern Desert of Egypt. *Geol. Surv., Egypt.*, 394 p.
- / **Barker, F., 1979.** Trondhjemites: definition, environment and hypotheses of origin. In Barker, F. (ed), *Trondhjemites, Dacites and Related Rocks.* Elsevier, Amsterdam., pp. 1-12.
- / **Bass, M. N., Mobelry, Y., Rhodes, J. M., Shin, C. S. and Church. S. E., 1973.** Volcanic rocks cored in the central Pacific, Leg. 17, D. S. D. P. *Trans. Am. Geophys. Union.*, v. 54, pp. 991-995.
- / **Carmichael, I. S. E., Turner, F. J. And Verhoogen, J., 1974.** *Igneous Petrology.* Mc Graw-Hill, New York.
- / **Chappell, B. W. and White, A. J. R., 1974.** Two contrasting granitic types. *Pacific Geology.*, v. 8, pp. 173-174. X
- / **Coleman, R. G., 1977.** *Ophiolites, Ancient Oceanic Lithosphere?* Springer-Verlag, Berlin, Heidelberg. 229p.
- / **Coleman, R. G., 1971.** Plate tectonic emplacement of upper mantle peridotites along continental edge. *J. Geophys. Res.*, v. 76, pp. 1212-1222.
- / **CONCO., 1987.** Geological map of scale (1:500,000). (NF36ME) (BERNICE). Geological Survey of Egypt.

- / **Condie, K. C., 1989.** Plate tectonic and Crustal Evolution. Pergamon Press Inc., New York, 476 p.
- / **Condie, K. C. and Hunter, D. R., 1976.** Trace element geochemistry of Archean granitic rocks from Bar Bevon region, South Africa. Earth Planet. Sci. Lett., v. 29, pp. 389-400.
- / **Cox, K. G., Bell, J. D. And Pankhurst, R. J., 1979.** The interpretation of igneous rocks. George Allen and Unwin, London, pp. 468.
- / **EGSMA, 2002.** Geologic map of Marsa Sha'ab Quadrangle, Egypt, Scale 1:250.000.
- / **El Amawy, M. A., Wetait, M. A., El Alfy, Z. S. and Shweels A. S., 2000.** Geology, geochemistry and structural evolution of Wadi Beida area, South Eastern Desert, Egypt. Egypt. J. Geol., v. 44/1, pp. 65-84.
- / **El Amawy, M. A., Hamimi, Z. and Dardir, W., 2002.** structural analysis of Gabal El Gerf and Environs, South Eastern Desert, Egypt: An evidence of frontal and oblique thrusting. 2nd Int. Conf. Of the geology of Africa. Assiut, Egypt, v. II, pp. 99-116.
- / **El Gaby, S., 1975.** Petrochemistry and geochemistry of some granites from Egypt. N. Jb. Miner. Abh., v. 124, pp. 147-189.
- / **El Kaliuobi, B. A., 1997.** Petrology, geochemistry and tectonic environment of Wadi Kreiga granitoid batholith, South Eastern Desert, Egypt. M. E. C. Ain Shams Univ., Earth Sci. Ser., v. 11, pp. 187-206.
- / **El Ramly, M. F., 1972.** Geological map for the basement rocks in the Eastern and Southwestern Desert of Egypt. Ann. Geol. Surv., Egypt, v. 2, pp. 1-18.
- / **El Ramly, M. F., Greiling, R. O., Rashwan, A. A. and R/asma, A. H., 1993.** Explanatory note to accompany the geological and structural maps of Wadi Hafafit area, Eastern Desert of Egypt. Geol. Surv. Egypt, paper No. 68, 53p.

- / El Ramly, M. F., Soliman, F. A., ~~Rasmy~~, A. H. and Abu El Farh, M. H., 1998. Petrographic and geochemical characteristics of island arc volcanic rocks in the area between Wadi Garf and Wadi Um Khariga, Central Eastern Desert of Egypt. *Ann. Geol. Surv. Egypt*, v. XXI, pp. 1-22.
- / Engel, A. E. J., Dixon, T. H. and Stern, R. J., 1980. Late Precambrian evolution of Afro-Nubian crust from ocean arc to craton. *Geol. Soc. America. Bull.*, v. 91, pp. 699-706.
- / Ewart, A., Brian, W. B. and Gill, J., 1973. Mineralogy and geochemistry of the younger volcanic island of Tonga, Sw Pacific. *J. Petrol.*, v. 14, pp. 429-465.
- / Fitches, W. R., Graham, R. H., Hussein, I. M., Ries, A. C., Shackleton, R. M. And Price, R. C., 1983. The Late Proterozoic Ophiolite of Sol Hamed, NE Sudan, *Precambr. Res.*, v. 19, pp. 385-411, Amsterdam
- / Gass, I. G., 1981. Pan-African (Upper Proterozoic) plate tectonics of the Arabian Nubian Shield. In: Kröner, A. (ed.), *Precambrian plate tectonics*. El Sevier, Amsterdam, Oxford, New York, pp. 387-405.
- / Gass, I. G., 1982. Upper Proterozoic (Pan-African) Calc-alkaline magmatism in Northeastern Africa and Arabia. In : Thrope, R. S. (ed.), *Andesites and related rocks*. Wiley and Sons, New York, pp. 591-609.
- / Greenwood, W. R., Anderson, R. E., Fleck, R. J. and Roberts, R. J., 1980. Precambrian geologic history and plate tectonic evolution of the Arabian Shield. *Saudi Arabian Dir. Gen. Mineral Resour.*, Bull. 24.
- / Greiling, R. O., Abdeen, M. M., Dardir, A. A., El Akhal, H., El Ramly, M. F., Kamal El Din, G. M., Osman, A. F., Rashwan, A. A., Rice, A. H. And Sadek M. F., 1994. A structural synthesis of the Proterozoic Arabian-Nubian Shield in Egypt. *Geologische Rundschau*, v. 83, pp. 484-501.
- / Hatch, F. H., Wells, A. K., and Wells, M. K., 1972. *Petrology of Igneous Rocks*. George Allen and Unwin, London.

- / **Hume, W. F., 1935.** Geology of Egypt, v.II: The fundamental Pre Cambrian rocks of Egypt and Sudan, their distribution, age and character. Part 1: The metamorphic rock. pp.1 – 300, +124 pp., Survey of Egypt (Government Press). Cairo.

- / **Hunter, D. R., Barker, F. and Millard, H. T., 1978.** The geochemical nature of the Archean ancient gneiss complex and granodiorite suite, Swaziland : A preliminary study. Precambrian Res., v. 7, pp. 105-127.

- / **Hunting Geology and Geophysics Ltd., 1967.** Assessment of the mineral potential of the Aswan region, U.A.R. Photogeological Surv., UN. Dept. Prog. U.A.R. Regional planning of Aswan, Egypt.

- / **Hussein, A. A., Ali, Monir M. and El Ramly, M. F., 1982.** A proposed new classification of the granites of Egypt. *J. Volc. Geoth. Res.*, v. 14, pp 187-198.

- / **Hussein, I. M., Kröner, A. and Durr, St., 1984.** The Wadi Onib mafic-ultramafic complex of the northern Red Sea Hills, Sudan: a dismembered Pan Africa ophiolite (abstract), 27th Int. Geol. Congr., Moscow, v. 4, 326p.

- / **Hutchison, C. S., 1974.** Laboratory Handbook of Petrographic Techniques. Wiley Inter-Science Publication.

- Irvine, T. N. and Baragar, W. R. A., 1971.** A guide to the chemical classification of the common volcanic rocks. *Can. J. Earth Sci.*, v. 8, pp. 523-548.

- / **Kleeman, G. J. and Twist, D., 1989.** The compositionally-zone sheet-like granite pluton of the Bushveld Complex: Evidence bearing on the nature of A-type magmatism. *J. Petrol.*, v. 6, pp. 853-864.

- / **Kröner, A., 1985.** Ophiolites and the evolution of tectonic boundaries in the Late Proterozoic Arabian-Nubian Shield of northeast Africa and Arabia. Precamb. Res., v. 27, pp. 277-300.

- / **Kröner, A., Greiling, R. O., Reischmann, T., Hussein, I. M., Stern, R. J., Durr, S., Kruger, J. and Zimmer, M., 1987.** Pan African crustal evolution in the Nubian segment of Northern Africa. *Am. Geophy. Union. Geody. Series*, v.17, pp. 235-257.

- 3
- / Kröner, A., Reischmann, T., Wust, H. J. and Rashwan, A. A., 1987. Is there any pre-Pan-African (>950Ma) basement in the Eastern Desert of Egypt? In: The Pan-African Belt of Northeast Africa and adjacent Areas, S. El Gaby and R. O. Greiling (Eds.). Friedr. Vieweg and Sohn, Braunschweig/Wiesbaden.
- / Kröner, A., Todt, W., Hussein, I. M., Mansour, M. and Rashwan, A. A., 1992. Dating of Late Proterozoic ophiolites in Egypt and Sudan using single grain zircon evaporation technique. Precamb. Res., v. 59, pp. 15-32.
- Larsen, D. S., 1938. Some new variation diagrams for groups of igneous rocks. *J. Geol.*, v. 40, pp. 505-510.
- / Le Maitre, R. W., 1976. The chemical variability of some common igneous rocks. *J. Petrol.*, v. 17, part 4, pp. 589-637.
- / Loney, R. A., Himmelberg, G. R. and Coleman, R. G., 1971. Structure and Petrology of the Lpine-type peridotite at Burro Mountain, California, U.S.A. *J. Petrol.*, v. 12, pp 245-309.
- / Mac Donald, G. A., 1968. Composition and origin of Hawaiian lavas. *Mem. Geol. Soc. Am.*, v. 116, pp. 477-522.
- / Maniar, P. D. And Piccoli, P. M., 1989. Tectonic discrimination of granitoids, *Geol. Soc. Am. Bull.*, v. 101, pp. 635-643.
- Meschede, M., 1986. A method of discrimination between different types pf mid oceanic ridge basalts and continental tholeiites with Nb-Zr-Y diagram. *Chem. Geol.*, v. 56, pp. 207-218.
- Middlemost, E. A. K., 1980. A contribution to the nomenclature and classification of volcanic rocks. *Geol. Mag.* part 1, pp. 51-57.
- Miyashiro, A., 1974. Volcanic rock series in island arcs and active continental margins. *Am. J. Sci.*, v. 274, pp. 321-355.
- / Miyashiro, A., 1975. Classification, characteristics and origin of ophiolites. *J. Geol.*, v. 83, pp. 249-281.

- / **Miyashiro, A., 1978.** Nature of alkalic volcanic rock series. *Contrib. Mineral. Petrol.*, v. 66, pp. 91-104.
- / **Miyashiro, A. And Shido, F., 1975.** Tholeiitic and calc alkalic series in relation to the behaviors of titanium, vanadium, chromium and nickel. *Am. J. Sci.*, v. 275, pp. 265-277.
- / **Mullen, E. D., 1983.** $MnO-TiO_2-P_2O_5$ a minor element discriminate for basaltic rocks of oceanic environments and its implications for petrogenesis. *Earth Planet. Sci. Lett.*, v. 62, pp. 25-34.
- / **Nasr, B. B., Beneiamin, N., Sadek, M. F., Abd-Elmigid, E. and Smith, M., 1996.** The geological and tectonic study of the Gerf ultrabasic complex, South Eastern Desert, Egypt. *Proc. Geol. Surv., Egypt. Cenn. Confr.*, pp. 635-643.
- / **Nasr, B. B., Beneiamin, N., 2001.** Ophiolites in Gerf-Madara-Hasium area, south Eastern Desert, Egypt. *Annals Geol. Surv., Egypt.*, v. VXXIV (2001), pp. 63-78.
- / **Oki, Y., Aramaki, S., Nakamura, K., and Hakamata, K., 1978.** Volcanoes of Hakone, Izu and Oshima. *Bull. Hot Spring Res. Inst. Kanagawa Prefectures*, v. 9, part 5, pp. 1-88.
- / **Oweiss, Kh. A. and Said, M. M., 1998.** Regional geological and geochemical exploration at Gabal Gerf area, South Eastern Desert, Egypt, *Ann. Geol. Surv., Egypt*, v. XXI, pp.231-237.
- / **Pearce, J. A., 1975.** Basalt geochemistry used to investigate post tectonic environments on Cyprus. *Tectonophysics*, v. 25, pp.41-67.
- Pearce, J. A., and Cann, J. R., 1973.** Tectonic setting of basic volcanic rocks determined using trace element analyses. *Earth. Planet. Sci. Lett.*, v.19, pp. 290-300.
- Pearce, J. A., and Gale, G. E., 1977.** Identification of ore deposition environment from trace element geochemistry of associated igneous host rocks. In: *Volcanic Processes in Ore Genesis*. Inst. Min. and Metallurgy. Geol. Soc. London, Spec Publ., pp. 33-47.

- / **Pearce, J. A., Harris, N. B. W. and Tindle, A. G., 1984.** Trace elements discrimination diagrams for the tectonic interpretation of the granitic rocks. *J. Petrol.*, v. 25, pp. 956-983.
- / **Peccerillo, A. And Taylor, S. R., 1976.** Geochemistry of Eocene calc alkaline volcanic rocks from Kastamonu area, Northern Turkey. *Contrib. Mineral. Petrol.*, v. 58, pp. 63-81.
- / **Petro, W. L., Vogel, T. A. And Wilband, J. T., 1979.** Major elements chemistry of plutonic rock suites from compressional and extensional plate boundaries. *Chem. Geol.*, v. 26, pp. 217-235.
- / **Ragab, A. I. And El-Gharbawi, R. I., 1989.** Wadi El Hudi migmatites, East of Aswan. Egypt : A geologic study and some geotectonic implications for the Eastern Desert of Egypt. *El Sevier Sci. Publ. B. V.*, Amsterdam. *Precambrian Res.*, v. 44, pp 67-79.
- / **Rittmann, A., 1957.** On the serial character of igneous rocks. *Egypt. J. Geol.*, v. 1, pp. 23-48.
- / **Roobol, M. J., Ramsay, C. R., Jackson, N. J. and Darbyshire, D. P. F., 1983.** Late Proterozoic lavas of the Central Arabian Shield evolution of an ancient volcanic arc system. *J. Geol. Soc. London.*, v. 140, pp.185-202
- / **Shaddad, M. Z., 1982.** The Gabal Gerf igneous complex. *Ann. Geol. Surv., Egypt*, v. 12, pp. 15-18.
- Shand, S. J., 1927.** *The Eruptive Rocks.* New York, D. Van Nostrand Company, 360 p.
- / **Stern, R. J., 1979.** Late Precambrian ensiamatic volcanism in the Central Eastern Desert of Egypt. Ph.D. thesis, Univ. of Calif. At San Diego.
- / **Stern, R. J., 1981.** Petrogenesis and tectonic setting of Late Precambrian ensiamtic volcanic rocks. Central Eastern Desert of Egypt. *Precambrian Res.*, v. 16, pp. 195-230.
- / **Stern, R. J. and Hedge, C. E., 1985.** Geochronological and isotopic constraints on Late Precambrian crustal evolution in the Eastern Desert of Egypt. *Am. J. Sci.*, v. 285, pp. 97-127.

- / **Stern, R. J., Kröner, A., Manton, W. L., Reischmann, T., Mansour, M. and Hussein, I. M., 1989.** Geochronology of the Late Precambrian Hamizana Shear Zone Red Sea Hills, Sudan and Egypt. *J. Geol. Soc. London*, v. 146, pp. 1017-1029.
- / **Stern, R. J., Nielsen, K. C., Best, E., Sultan, M., Arvidson, E. E. and Kröner, A., 1990.** Orientation of the Late-Precambrian sutures in the Arabian-Nubian Shield. *Geol.*, v. 18, pp. 1103-1106.
- / **Stoeser, D. P. and Camp, V. E., 1985.** Pan-African microplate accretion of the Arabian Shield. *Geol. Soc. Am. Bull.*, v. 96, pp. 817-826.
- / **Streckeisen, A., 1976.** Classification of the common igneous rocks by means of their chemical composition. A provisional attempt. *N. Jb. Min. Mh. Jg. H.*, v. 1, pp. 1-15.
- / **Thornton, C. P. And Tuttle, O. F., 1960.** Chemistry of igneous rocks. Part I: Differentiation index. *Am. J. Sci.*, v. 228, pp. 664-684.
- / **Wilson, M., 1989.** Igneous Petrogenesis. A global tectonic approach. Unwin Hyman, London. 466 p.
- / **Zimmer, M., Jochum, K. P., Kröner, A. and Rashwan A. A., 1987.** Geology and geochemistry of the Pan-African Gaba Gerf ophiolite. Egypt and Sudan. 4th Colloq. Of Africa Geol. (Abstract).
- / **Zimmer, M., Kröner, A., Jochum, K, P., Reischmann, T. and Todt, W., 1995.** The Gabal Gerf Complex : A Precambrian N-MORP ophiolite in the Nubian Shield, NE Africa. *Chem. Geol.*, v. 123, pp. 29-51.