

Contents

	Page
Chapter 1:	
Introduction	1
1.1. Generalities	1
1.2. Scope of the present study	3
1.3. Delineation of the studied area	4
1.3.1. Qena region	4
- Hammad section	4
- Abu Had section	6
- G. Qreiya sections	6
- Hamama section	6
1.3.2. El-Nezzi region	6
1.3.3. El-Mahamid region	8
Chapter 2:	
Previous work	9
2.1. Generalities	9
2.2. Stratigraphical and Paleontological works on Late Cretaceous-Early Tertiary of some important localities in the world	9
2.3. Stratigraphical and Paleontological works on the Late Cretaceous-Early Tertiary of some important localities in Egypt	11
2.4. Stratigraphical and Paleontological works on the Late Cretaceous-Early Tertiary of the study area (Eastern Desert and Nile Valley)	16
Chapter 3:	
Lithostratigraphy	28
3.1. Generalities	28
3.2. Studied rock units	39
3.2.1. Rakhiyat/Duwi Fromation	39
- 3.2.1.1. In Qena region	39
3.2.1.2. In El-Nezzi and El-Mahamid regions	39
3.2.2. Dakhla Formation	43
- 3.2.2.1. Dakhla Formation in Qena region	44
3.2.2.2. Dakhla Formation in El-Mahamid region	46
3.2.2.3 Dakhla Formation in El-Nezzi region	49
3.2.3. Tarawan Formation	52
3.2.4. Esna Formation	55
3.2.5. Thebes Formation	59

	Page
Chapter 4:	
Biostratigraphy	62
4.1. Generalities	62
4.2. Maastrichtian Planktonic foraminiferal biozones	62
4.2.1. <i>Globotruncana aegyptiaca</i> Zone M1	64
4.2.2. <i>Rugoglobigerina hexacamerata</i> Zone M2	65
4.2.3. <i>Racemiguembelina fruticosa</i> Zone M3	67
4.2.4. <i>Kassabiana falsocalcarata</i> Zone M4	69
4.3. Paleogene Planktonic foraminiferal biozones	72
4.3.1. Paleocene Planktonic foraminiferal biozones	73
4.3.1.1 <i>Parvularugoglobigerina eugubina</i> Zone P α ,0	73
4.3.1.2 <i>Parasubbotina pseudobulloides</i> Zone P1a,b	74
4.3.1.3 <i>Praemurica trinidadensis</i> Zone P1c	76
4.3.1.4. " <i>Praemurica</i> " <i>uncinata</i> Zone P2	77
4.3.1.5. <i>Morozovella angulata</i> Zone P3a	78
4.3.1.6. " <i>Acarinina</i> " <i>pusilla</i> Zone P3b	79
4.3.1.7. <i>Globanomalina pseudomenardii</i> Zone P4	81
4.3.1.8. <i>Morozovella velascoensis</i> Zone P5	83
4.3.2. Eocene planktonic foraminiferal biozones	85
4.3.2.1. <i>Morozovella edgari</i> Zone P6a	85
4.3.2.2. <i>Morozovella subbotinae</i> Zone P6b	86
4.3.2.3. <i>Morozovella formosa</i> Zone P7	88
4.4. Calcareous Nannoplankton zonation	90
4.4.1. Generalities	90
4.4.2. Calcareous nannoplankton biozones	90
4.4.2.1. <i>Reinhardtites levis</i> Zone	91
4.4.2.2. <i>Arkhangelskiella cymbiforgis</i> Zone	91
4.4.2.3. <i>Micula prinsii</i> Zone	92
4.4.2.4. <i>Markalius inversus</i> Zone	93
4.4.3. Comparison of the Calcareous nannoplankton with the Planktonic Foraminifera	94
4.4.4. High resolution biostratigraphic biozones	96
Chapter 5:	
Chronostratigraphy	98
5.1. Generalities	98
5.2. Maastrichtian	98
5.2.1. Early Maastrichtian	98
5.2.2. Late Maastrichtian	99
5.2.3. Cretaceous/Tertiary boundary	99
5.3. Paleocene	102
5.3.1. Early Paleocene (Danian)	102
5.3.2. Late Paleocene	103
Selandian	103
Thanetian	103
5.3.3. Paleocene/Eocene boundary	104
5.4. Early Eocene (Ypresian)	106

	Page
Chapter 6:	
Systematic Paleontology	107
6.1. Generalities	107
6.2. Systematic Paleontology of Upper Cretaceous Planktonic Foraminifera	119
6.3. Systematic Paleontology of Paleogene Planktonic Foraminifera	187
Chapter 7:	
Paleoecology and Depositional Environments	271
7.1. Generalities	271
7.2. Paleoecological Parameters	271
7.2.1. Total foraminiferal number	271
7.2.2. Heterohelical/Globotruncanid ratio	276
7.2.3. The Paleoecology of the Genus Kassabiana	277
7.2.4. Keeled and non-keeled Morozovella forms	278
7.2.5. Test size distribution	278
7.2.6. Species diversity	279
7.2.7. Planktonic/Benthonic ratio	281
7.2.8. The Paleobathymetric curves	286
7.3. Sedimentological and Paleoecological history	289
7.4. Recapitulation	295
Chapter 8:	
Summary and Conclusion	296
References	302
Fossils index & plates	
Arabic Summary	

