

REFERENCES

REFERENCES

- Abdallah, A.M. ; 1966 : Stratigraphy and structures of a portion in the North Western Desert of Egypt, U.A.R., Geological Survey, paper No. 45.
- Abdine, A.S.; 1974 : Oil and Gas Discoveries in the Northern Western Desert of Egypt; 4th Exploration Seminar, E.G.P.C., Cairo, Egypt, P. 1-27.
- and Delbis, S.; 1972 : Lower Cretaceous-Aptian Sediments in the northern Western Desert, Egypt, 8th Arab Petrol. Congress, Algiers, No. 74 (B-3), P. 17.
- Abd el All, M., H.; 1988 : Coordinative study of geophysical methods for revealing subsurface geological features of probable economic interest within the Western portion of Sinai peninsula PH.D. Thesis geology department, Faculty of Science, Ain Shams University, P. 232 .
- Abdel Aal, A. and Moustafa, A.R.; 1983 : Structural Framework of the Abu Gharadig Basin, Western Desert, Egypt; 9th E.G.P.C. Exploration and production Conference.
- Abd El-Fattah, A., and Omer, A.M., 1975: Introduction to statistical methods. Cairo progress publ. Co., Cairo, P.385 .
- , El-Desooky, M., and El-Rahman, M., 1984: Analysis of seismic stratigraphy and facies in the eastern part of Qattara Depression, North Western Desert, Egypt, Abstracts, P.25.

Abd El- Dayem, M., M., and H., M., Aly, 1972: Two Dimensional filtering of gravity field in the Western Desert of Egypt. "The 8th Arab Petroleum Congress, Algiers.

Abd El Rahman, M.M.A. 1979: Gravity investigations in northern Schleswig - Holstein with emphasis on the determination of salt body parameters. Dissertation fur Erlangung des Doktorgrades der Mathematischen-Naturewissenschaftlichen Fakultat der Christian Albrechts Universitat zu Kiel, West Germany.

-----; 1983 : "Two-dimensional geologic structures in relation to relation figures of their gravity anomalies" E.G.S.Proc 2nd Ann.M., March, P.203-217.

-----& Meissner, R., 1983: Calculation of the fault parameters using gravity gradients Proc. 2nd Ann. Meeting ,P. 218-239.

-----; 1984: Improved technique for rapid interpretation of gravity anomalies caused by geologic contacts. E.G.S.Proc.3rd. Ann M., March, P.1-15.

-----; El-Desooki, A., and El-Hefnawy, M., 1984: Seismic studies and subsurface geologic structural relation in East Qattara Depression, Egypt :3rd Annu.Conf., Egypt. Geophys. Soc. Egypt, Abstracts, P. 23-24.

Abu El-Ata, A.S.A.; 1981: A study on the tectonics and oil potentialities of some cretaceous Jurassic basins, Western Desert, Egypt, Using geophysical and subsurface geological data, PH. D. thesis, faculty of Science, Ain shams University, P. 568 .

- ;1984: Comparative study between the structural origins of Abu Roash and Khatatba uplifts,W.D., Egypt, as deduced from geophysical data :3rt Annu. Conf.,Egypt Geophys. Soc.,Abstracts,P.17.
- ; 1985 : Mapping the Structural Elements Dissecting the Cretaceous Rock Units of the Qattara Depression area, Western Desert, Egypt, Using Three-Dimensional Gravity Modelling; E.G.S.Proc.of 4th Ann. Meet. Cairo, P. 103-123.
- and Abd El-Nabi, S.H.; 1985 : Two Dimensional Gravity Modelling of Simple and Complex Mass Distribution in Relation to the Inferred Tectonic Model of the Qattara Depression Area, Western Desert, Egypt; Ann. of Egypt. Geol. Survey.
- ; 1986 : Three-Dimensional Gravity Modelling of the Deep - seated Basement Paleozoic-Jurassic in Qattara Depression area, Western Desert; Submitted to the Fac.Sci.Bull.,Aswan Univ.,Vol.8,P.237-258
- ; 1987 :The Role of Structural Activations and the Stratigraphic Manifestations in the Origin of the Qattara Depression, Western Desert, Egypt, Using Gravity Modelling; E.G.S.Proc. of 5th Ann. Meet. , Cairo, P. 90-110.
- ; 1988 : The Relation Between the Local Tectonics of Egypt and the plate Tectonics of the Surrounding Regions Using Geophysical and Geological Data;E.G.S.Proc.of 6th Ann.Meet., Cairo.P92-112.

- ; 1988: The Relation Between the Local Tectonics of Egypt and the plate Tectonics of the Surrounding Regions Using Geophysical and Geological Data; E.G.S. Proc. of 6th Ann. Meet., Cairo.
- Agocs, W.B.; 1951: Least square residual anomaly determination, Geophys., Vol. 16, P. 686-696.
- Ahmed, F.M., Fahim, M., Deebes. H., & Gouda, A.;1980: Maps of the Absolute Geomagnetic Field Component of the Eastern Desert of Egypt Reduced to Epoch 1977. Helwan Institute of Astronomy and Geophysics Bull.No. 218.
- Amin, M.S.; 1959: Summary report of the results of oil exploration in the Western Desert of Egypt (U.A.R.) petr. General Authority (mimeographed).
- ;1961: Subsurface features and oil prospects of the Western Desert, Egypt, U.A.R., 3rd Arab Petroleum Cong., Alexandria, V. 2,P.8.
- Atchuta rao, D., Ram Babu, H.V, & San ker Narayan, P.V.;1981: Relationship of magnetic anomalies due to subsurface features and the interpretation of sloping contacts: Geophysics, vol. 45, P. 32-36.
- Awad, G.M.; 1977: Geophysical investigation and Petroleum geology in the area East of the Qattara Depression Egypt: Ph.D. Thesis, Fac. Sci., Cairo Univ.,Giza.
- , Riad, S., and Refai, E.; 1983:Gravity trend analysis for the northern plateau of Bahariya Oasis : 2nd. Ann.Meeting,Egypt.Geophys.Soc.,Egypt,P.292-309.

-----; 1984 : Habitat of Oil in Abu Gharadig and Fayum Basins, Western Desert, Egypt; AAPG.

-----; 1985: A geophysical study on the Abu Gharadig Basin, Egypt; Geophysics, Vol. 50, No. 1 (January 1985), P.5-15.

Ball, J.; 1927: Problems of the libian Desert, Geograph. J., Vol. 70, P. (21-38), (105 - 128), (209 - 224).

Bancroft, A.M.; 1960: Gravity anomalies over burried step :four. Geophys. Resear. 65, 1630. I

Baranov, V.; 1954 : Sur une methode analytique de calcule l' anomalie regionale, geophysical prospecting V.2, PP.203 -226

Bayoumi, A.I. and El-Gamili, M.M.; 1969: Attempt for the estimation of the Basement depths in the North Western Desert of Egypt. Sci. and Techn. Bull., Assiut Univ. Vol. 12, part II

-----and Sabri, A.M.; 1970: The subsurface geologic conditions in relation to regional gravity anomalies, Qatrani-Wadi El-Natrun area, North Western Desert, Egypt, U.A.R. Bull. Fac. Sci., Ain Shams Univ., No. 15, P. 107-127

Bayoumi, A.I., Abd Allah, A., and Abd El-Rahman, F.; 1977: A contribution to the tectonic activities in the area West of the Nile Delta and Northern Egypt: VI colloquium of the geology of the Aegean region, Bull. Athens, P. 813-826.

----- and Abdel Rahman, F.; 1977: Structural interpretation of Bouguer anomalies in area West of the Nile Delta, Egypt. (Cairo University in press).

Beadnell, H.J.L.; 1905: The relation of Eocene and Cretaceous systems in Esna Aswan reach of the Nile valley; Quart. Journ. London, Vol. 61, P. 667-678.

Beckman, J. P.; 1965 : Two -Dimensional Harmonic Analysis as a Tool for Magnetic Interpretation; Geophysics, Vol. 30, No. 5, P. 829-857.

-----; 1967: Stratigraphy and regional Geology of the Northern Western Desert, the Geological Society of Egypt. Cairo.

Bhattacharya, B.K.; 1964 : Magnetic Anomalies Due to Prism-shaped Bodies With Arbitrary Polarization; Geophysics, Vol. 29, No. 4, P. 517-531.

Bhattacharya, B.K.; 1966: Continuous spectra of the Total Magnetic field anomaly due to a rectangular prismatic body, Geophysics, Vol. 31, P. 97 - 121

-----; 1971: An Automatic Method of Compilation and Mapping of High-Resolution Aeromagnetic Data; Geophysics, Vol. 37, No. 5, P. 695-761..

Bhimasankram, V.L.S., Nagendra, R., and Sashagiri Rao, V.S.; 1977: Interpretation of Gravity Anomalies due to Finite Inclined Dikes using Fourier Transformation, Geophysics, Vol. 42, No. 1, PP. 51-57.

Bott, M.H., and Smith, R.A.; 1958: The Estimation of limiting depth of gravitating bodies. Geoph. Prosp. Vol. 6.

- 1965: A geophysical study of the Granit problem Q.J.
Geol. Soc. London 112, 45 - 67.
- Bracewell, R.; 1965: The Fourier-transform and its applications
MacGraw-Hill Book Company, New York.P.381.
- Bullard, E.O., and Copper, R.I.; 1948: Determination of the
masses necessary to produce a given gravitational
field, proc. Roy, Soc. Asv. (London) ser, A 194,
PP. 332 - 347.
- Cassano, E., and Rocca, F.; 1975: Interpretation of Magnetic
anomalies using spectral Estimation Techniques.
Geoph. Prosp. Vol. 23, P. 663 - 681.
- Constantinescu, L., and Botezatu, R.; 1961: Contributii la
interpretarea fizica a anomalilor cimpurilor
potentiale. Problem de Geofizica, R.P.R.I., I.
- Darwish, Y.A.M.; 1979: Geological interpretation of gravity
anomalies on the Qattara Depression area Western
Desert, Egypt PH.D.Thesis, Asuit Univ.Geol.Depart.
Asuit, P.177.
- Deibis, S.; 1976: Oil potential of the Upper Cretaceous sediments
in North Western Desert, Egypt :Fift Exploration
Seminar of Egyption General Petroleum Corporation,
Cairo,P.20 .
- Demerdash, A., Roberti, K.J. and Stacher, L.; 1984 : Late
Cretaceous Tectonics and Starved basin Coditions,
Abu Gharadig Basin, Western Desert, Egypt;
7th. E.G.P.C. Exploration Seminar,P.22.

Dennis, S.W.; 1984 : The tectonic framework of petroleum occurrence in the Western Desert of Egypt, EGPC 7th Exploration Seminar, Cairo.

Diasty, M.E.;1969: The Aeromagnetic Map of the Delta Area and the Interpretation of the Geophysical Data, M.Sc. Thesis, Fac.Sc. Alexandria Univ.

Dobrin, M. B.; 1976: Introduction to Geophysical Prospecting ; McGraw-Hill Book Company, New York,P.630.

Durantny, S., and Krs, M.;1963: Contribution to the Quantitative Interpretation of Anomalies of Low Frequency Electromagnetic Fields. Sbornik, Geologickgchved Uzita, Geofyzika, Fada. UG. SV.2.

Eby Brian, J., and Nicar, B. C.;1936: " Magnetic Investigations in Southeast Albam, Bull, Geol-Survey of Albam 43,University of Albam.

El-Awady, M.,M.; 1976: A rapid graphical method for the interpretation of gravity anomaly caused by some geological structures. Silver Ann. E.A.A.G. meeting, Hague, Holland.

-----;1977 : A new method for direct interpretation of gravity anomalies caused by some geologic structures. E.A.E.G. 39 th Metting, Zegrab, Yugoslavia.

-----;1980: A simple diagram for gravity interpretation by gradients for latteral varing formation. 13th International water supply Congress, Paris,Franc.

- ; B. Mabrouk. H. El-Badrawy; 1981 : Gravity gradients and the interpretation of two-dimensional grabens and horsts bound by inclined faults, 43rd E.A.E.G. meeting, Venice, Italy.
- El-Gamili, M.M.; 1968 : Regional geophysical investigation, Northern Western Desert, Egypt, PH.D. thesis, Fac. of Sci., Assiut Univ., Assiut, Egypt, 276 P.
- El-Gezerry, M. N. , Farid, M. and Taher, M. ; 1975 : Subsurface geological maps of northern Egypt; unpublished maps, General Petroleum Company, Cairo.
- ; Mohsen, S. M. and Farid, M.I.; 1974: Sedimentary Basins of Egypt and their Petroleum Prospects; 8th Arab Petroleum Congress, Algiers, May 28th - June. 3rd, III, Part 2, No. 83, P.1-13.
- El-Malky, M.G.; 1974: Geophysical study on the area south west of wadi El-Natron Northern Western Desert of Egypt , M. Sc. Thesis, Ain Shams Univ. Geol. Dept.
- El-Meliegy, M.A.; 1978: Study and interpretation of geophysical data of the central northern Western Desert areas, M.Sc. Thesis, Cairo University.
- El-Shazly , E.M.; 1964: The classification of the Precambrian and other rocks of magnetic affiliation in Egypt, Intern. Geol. Congr., India.
- ; 1966: Structural development of Egypt, UAR : Geol. Soc. Egypt, Abstracts, P. 31 - 38

- , Abd El-Hady, M.A., El-Ghawaby, M.A. Khawasik, S.M. and El-Shazly, M.M.; 1976 : Geological interpretation of landsat images for the Qattara Depression area, Egypt: Remote sensing Research Project, Acad. Sci. Res. & Technol., Cairo, Egypt. P.24 .
- , 1977: Geology of the Egyption Region, In: NARIN, A.E.M., STEHLI, F.G. & KANES W. H. (eds) the Ocean basins and margins, 4 A, the Eastern Mediterranean, P. 379 - 344
- , Abd El-Hady, M.A., El-Ghawaby, M.A., salman, A.B., El-Kassar, I.A., Khawasike, S.M., El-Amin, H., El-Rakaiby, M.M.; 1980 : The structural Lineaments Map of Egypt (scale 1 : 1000,000) based on landsat-1 imagery interpretation and field investigations (Remote sensing center, Cairo, OKL. State. Univ., Stillwatter, OKL., U.S.A.
- Eloui, M. and Abdine, S.; 1972 : Rock-Unit Correlation Chart of the Northern Western Desert, Egypt; WEPCO.
- El-Sirafe, A. M.; 1978: Study and interpretation of geophysical data of the area West of the Nile Valley between Cairo and El-Minya and extending Westward to bahariya Oasis, Western Desert; M.Sc. Thesis, Cairo University.
- Evjin, H.M.; 1936: The place of the vertical Gradient in gravitational interpretation. Geophys. Vol. I, No. I, P. 127-136.
- Faltas, F.; 1959 : The western Desert through the Ages; Egypt first Arab Petroleum Cong. PP. 46 - 53.

- Fisher, J.W.; 1941: Limiting Values of gravity and magnetic anomalies due to subterranean structures bounded by single differential surface : Geophysics, V.6, No. 1, P. 1-33.
- Gay, S.P., Jr.; 1972: "Areomagnetic lineaments: Their Geological Significance and their significance to Geology." Salt Lake City: American Stereo Map Company, P. 94.
- Geldart, L.P., Gill, D.E. and Sharma, B.; 1966: Gravity Anomalies of two-Dimensional Faults. Geophys., Vol. 31, No. 2, P. 372-397.
- Ghorab, M.; 1960: Geologic observations on the surface and subsurface petroleum indications in the United Arab Republic : 1st Arab Cong., Beirut, V.2, P. 25 - 38.
- Grant, F.S.; 1952 : Three dimensional interpretation of Gravitational Field Geophys. Vol. 17.
- ; 1954: A theory for the regional correction of potential fields, Geophysics, Vol. 19 P. 23 - 41.
- and West G.F.; 1965: Interpretation theory in applied geophysics. Mc.Graw-Hill co., New York, P. 320
- Green, R.; 1976: Accurate determination of the dip angle of a geological contact using the gravity method : Geophys. Prosp., 24, 265 - 272
- ; 1975: Accurate determination of the dip angle of a geologic contact using gravity method, Geophysical prosp , Vol. 22, p. 256-272.

- & Stanly, J. M.; 1976: Application of Hilbert transform method to the interpretation of surface vehicle magnetic data, Geophysical Prosp., Vol. 23, P. 18-27.
- Griffin, W.R.; 1949: Residual gravity in theory and practice. Geophys., Vol. 14, No. 1, P. 39-56.
- Gudmundsson, G.; 1966: Interpretation of one-dimensional magnetic anomalies by use of the Fourier transform, Geophys. J. R. astr. Soc., Vol. 12, P. 87 - 97.
- Halsey, J.H.; 1975: Interpretation of Earth Linears : unpublished lecture delivered from Egyptian Geologists in Cairo, GPC.
- and Gardner, W.C.; 1975: Tectonic analysis of Egypt Using Earth Satellite data : lecture given to Egyptian geologists in Cairo.
- Hammer, S., and Anzoleaga, R.; 1975: Exploration for stratigraphic trap with gravity gradients, Geophysics, Vol. 40, P. 256 - 268.
- Heiland, C. A.; 1940: "Geophysical Exploration", Printice Hall. New York.
- ; 1943: A rapid method for measuring the profile components of horizontal and vertical gradients, Geophysics, Vol. 8, P. 119-133.
- Helaly, A., M., S., A.; 1990: Investigation of Geophysical anomalies and their relation to surface and subsurface geology in the western central part of the north western desert of Egypt, M.Sc. Thesis Ain Shams Univ. Fac. of Sc. P. 201.

- Henderson, R. G. and Zietz, L.; 1949: The computation of second vertical derivative of geomagnetic fields. Geophysics, Vol. 14, P. 517 - 534.
- ; 1960: A comprehensive system of automatic computation for magnetic and gravity interpretation Geophysics, Vol. 25, No. 3, P. 576 - 585.
- Hjelt, S. E.; 1973: "Experiences with automatic Magnetic Interpretation Using the Thick Plat Model" Geophysical Prospecting, Vol. 21, P. 243-265.
- ; 1975: "On the Possibilities of Determinating Dip in Magnetic Interpretation with Infinitely Deep Model" Geophysical Prospecting, Vol. 23, P. 323-334.
- ; 1976 : A new compact formulation of the two-dimensional magnetic interpretation problem, Geoexploration, 14 P. 1-20.
- Hughes, D. S.; 1942: The analytical basis of gravity interpretation :Geophys., Vol. 7.
- Humne, W. F.; 1925: The surface features of Egypt, their determining causes and relation to geological structure, Geology of Egypt, Vol. I, Egypt Survey Dept. Cairo, P. 408.
- Ibrahim, A. H.; 1981: Geological Interpretation of geophysical data of Qattara Depression area, Western Desert, Egypt: M.Sc. Thesis. Fac. Sci, Assiut Univ., Assiut, Cairo P. 129.
- ; 1986: Gravitational and Evolutionary studies on the Abu Gharadig sedimentary basin and the surrounding Areas, North Western Desert, Egypt, Ph.D. Thesis, Fac. of Sci., Assiut Univ. Assiut, Egypt, P. 183.

- Jakosky, J. J.; 1940 : Exploration Geophysics; 1st ed., Times-Mirror Press, Los Angeles.
- Jung, K.; 1948. Direkte Methoden zur Bestimmung plattenformiger Störungskörper aus ihren erdmagnetischen Anomalien , Geofisica pure applicata, Bd.11, S.42-67.
- ; 1953: Some remarks on the interpretation of gravitational and magnetic anomalies. Geophysics Pros., Vol.1, No.1, P.29-35.
- ; 1961: Schwerekraftverfahren in der angewandten geophysik, Akademische Verlagsgesellschaft, Leipzig.
- Khalil, N. A., and S. El-Mofty; 1972: Some Geophysical anomalies in the Western Desert, Egypt, their geological Significance and oil prospects: 8th Arab Petrol. Cong., Algiers, Paper No. 42(B-2), P.9.
- Kearey, P. and Brooks, M.; 1984 : An Introduction to Geophysical Exploration; Blackwell Scientific Publications, London.
- Kostandi, A. B.; 1959 : Facies Maps for the Study of the Paleozoic and Mesozoic Sedimentary basins of the Egyptian Region; First Arab Pet. Congr. Cairo Vol.2, P.54-62.
- ; 1963: Eocene facies map and tectonic interpretation in the Western Desert, U.A.R. Inst. Francais Petrole . Rev. V. 18(10), P. 17 - 29.
- Koulomizine, Th., Lamontage, Y. and Nadeau, A.; 1970: New methods for the direct interpretation of magnetic anomalies caused by inclined dykes of infinite length, Geophysics, Vol. 35, No.5, P.812-830.

- Lee, Y.W.; 1960: Statistical theory of Communication. Willey and
Some, New York.
- Linsser, H.; 1967 : Investigation of Tectonics by Gravity Detailing;
Geophysical Prospecting, Vol.15, P.480-515.
- ; 1968 : Transformation of Magnetometric Data into
Tectonic Maps by Digital Template Analysis, Geo-
physical Prospecting ; V.16 , P.17-207.
- MacCarthy, G. R.; 1936: Magnetic anomalies and Geologic Structures.
For Geology, Vol. 44, P.396-406.
- MacCarthy, P.H. and Hood, P.J.; 1970: The dipping Dyke case: A computer
curve matching method of magnetic interpretation ;
Geophys., V.35, No. 5, P.831-848.
- Marzouk, I.; 1970 : Rock Stratigraphy and Oil Potentialities of the
Oligocene and Miocene in the Western Desert, U.A.R.;
7th Arab Petroleum Congress, No.54, Kuwait, P.1-28.
- Meshref, W.M., and El-sheikh, M.M., 1973: Magnetic tectonic trend
analysis in Northern Egypt : Egypt. J. Geol. V. 17
(2) , P. 179 - 184.
- 1982: Regional structural setting of Northern Egypt
: 6th E.G.P.C. Exploration seminar, Cairo, Egypt.
, V.1, PP. 17 - 34.
- and El-Sirafee, A.M.; 1988 : Geophysical Interpretat-
tion of the Regional Structural Setting of Abu-
Gharadig Basin, northern Western Desert; E.G.S.,
Cairo, (under publication).

- ; Abdel Baki, S.H.; Abdel Hady, H.M. and Soliman, S.A. ; 1980 : Magnetic Trend Analysis in the Northern Part of the Arabian-Nubia Shield and its Tectonic Implications; Ann. of the Geological Survey of Egypt, Vol.X , P. 939-953.
- ; Sadek, H.S.; Abdel El-Baki, S.H.; El-Sirafee, A.H.; El-Kattan, E.M.I.; El-Meliegy, M.A.M. And El-Sheikh, M.M.; 1980 : Structural Geophysical Interpretation of Basement Rocks of the North Western Desert of Egypt; Ann. Of the Geological Survery of Egypt, Vol. X, P. 923-937.
- Mohsen, S. and Farid, M.; 1972 : Rock-Stratigraphy of the Paleozoic of Siwa Basin, Northern Western Desert; Egypt, G.P.C.
- ; Naggar, A. and Taher, M.; 1973: Geologic Setting of the Western Desert During the Cretaceous Time; Internal Report of G.P.C.
- Mesko, C. A.;1965: Some notes concerning the Frequency Analysis for Gravity interpretation : Geophys. Prosp.,Vol. XXXI, No. 3,P.606-617.
- Moody, J.D.;1973: Petroleum Exploration aspects of Wrench Fault Tectonics.Am. Assoc. petr. Geol. Bull., Vol. 57 No. 3., P. 449 - 477.
- Nabighian, M.;1974: Additional comments on the analytical of two-dimensional magnetic bodies with polygonal cross-section, Geophysics,Vol.39,P.85-92.

- Norton, P.; 1967 : Rock-Stratigraphy Nomenclature of the Western Desert, Egypt; Unpublished Report, E.R., 557 P.
- Neidel, N.S.;1966: Spectral studies of marine geophysical data, Geophys., Vol. 31, P. 122 - 134.
- Nettleton, L.;1954: Regional residuals and structures Geophys., Vol. 19, P.1-22.
- ;1976: Gravity and Magnetism; Mc Graw Hill Book Company, New York,P.464.
- Nielsen, J.O., and Pederson,L.B.;1978: Interpretation of potential field from Inclined Dikes in Wave Number Domain, Pure and Applied Geophysics, Vol.47, P.761-771.
- Othman, A.A.;1975: Geophysical study of Bahariya Oasis area, Western Desert, Egypt : M. Sc. thesis, Fac. Sci., El-Azhar Univ., Cairo.
- Paul, M.K.;1967: A Method of Computing Residual Anomalies from Bouguer Gravity map by applying relaxation technique: Geophys., Vol. 32.
- Pedersen, L.B.;1977: Integration of Potential Field Data. A Generalized Inverse Approach." Geophysical Prospecting , Vol. 25, P.199-230.
- Peters,L.J.;1949:The Direct Approach to Magnetic Interpretation and its Practical Applications.Geophys.,V.14,P.290-320.
- Poorna,C.; 1985: A gradient analysis based on simplified inversion strategy for the magnetic anomaly of an inclined and infinite thick dyke. Geophysics,Vol. 50, No.7, P.1179-1182.

Powell, D.W. ; 1965: A Rapid Method of Determining Dip or Magnetization Inclination from Magnetic Anomalies Due to Dyke-Like Bodies;Geophys.Prosp.,V.XIII, P. 197-202.

-----;1966: Fitting Observed profiles to a Magnetized Dyke for Fault-Step Model.Geophys. Pros., Vol. 15, No. 2, P. 208-220.

Ram Babu, H. V., Subrahmanyam, A. S., & Atchuta Rao, D.;1982: A comparative study of the relation figures of magnetic anomalies due to two-dimensional dike and vertical step models,Geophysics,Vol.47,P.926-931

Rao, K.G.C., and Avasthi, D.N.;1973: Analysis of the fourier spectrum of the gravity effect due to two-dimensional trigonal prism, Geophys. Prospect., Vol. 21, P. 526 - 542.

Refai, E., Riad, S., and Tealab, A.;1973: The main tectonic trends of West Cairo Area, Egypt. Bull, No.2.

Regan , R.D, and Hinze, W.J.;1977: The effect of finite data length in the Spectral analysis of ideal gravity anomalies,Geophysics,Vol.41,P.44-45

Riad, S.;1969: Using gravity survey for studying deep structures of the North African Platform within the North-Eastern part of U.A.R. Ph.D. thesis, Moscow.

-----;1975: Shear zones in Northern Egypt interpreted from Gravity data, 16, IUGG, General Assembly, Inter. Disciplinary Symposium No.5,P. 12 .

- ;1977 : Shear zones in North Egypt, interpreted from gravity data. Geophys., Vol. 42, No. 6.
- ; Alia El-Housseini and Y. Darwish;1978: Analysis of Gravity anomalies in the Qattara Depression area, Western Desert Egypt, and their Tectonic Significances. Bull. Fac. Sci., Assiut Univ., V.7, No.1 P.335-348
- , El-Etr, H.A., and Mohamed, M.A.;1978: Gravity Tectonic trend analysis of Siwa- Al.Jajboub Oasis area, Proceedings of the second symposium on the Geology of Libya, Trepoli, Septem.16-21.V.111,P.979-989.
- , Refai, E., and Shafel. S.; 1978: Gravity tectonic trend analysis in tushka area, southeastern corner of the Western Desert, Egypt. Bull faculty of Science, Assiut Universty, Vol.7, No. 1, PP. 319
- ;1979: Determination of the parameters of inclined faults using gravity data : paper presented at the 4st. EAEG.meeting, Hamburg, April, 1979.
- , Refai, E., and Ghalib, M.; 1982: Bouguer anomalies and crustal structure in the Eastern Mediterranean, Tectonophysics, Vol. 71, PP. 253 - 266.
- , El-Etr., H.A. , and Mokhles, A.;1981: Basement Tectonics of northern Egypt as interpreted from Gravity data: International Basement Tectonics Association, Pub. No. 4, P. 209-220.
- , El-Etr, H.A., and Abdel Mokhles; 1983: Basement tectonics of Northern Egypt as interpreted from gravity data. Proceedings of the 4th Inter.

Conferr. on Basement Tectonics, Vol. 4, in print.

-----, and Tealeb, A.; 1985: Regional Gravity Anomalies in North-Eastern Africa and their structural significance (Under publication).

Romberg, F.E.; 1958: "Key Variables of Gravity", Geophys., V.23. P.684-700.

Sabri, M.A.; 1969 : Geophysical Considerations to the Subsurface Geology in some Localities in the Northern Western Desert of Egypt; Ph.D. Thesis, Ain Shams University.

Sayed Abdel Aziz, M.; 1977: Geophysical study on the area between Cairo and Beni Mazar in relation to ground water and oil possibilities : Ph.D. Thesis, Fac Sci., Ain Shams., P. 198.

Said, R.; 1960: New light on the origin of the Qattara depression. Bull. Soc. Geograph. Egypt, Vol 33, PP. 37 - 44.

-----; 1961: New light on the Origin of the Qattara Depression : Bull. Soc. Geograph. Egypt, V. 33, P. 37 - 44.

-----; 1962: The Geology of Egypt., El-slvier publ., Co., Amestrdam, New York.

----- and Issawi, B.; 1965: Geology of the northern plateau Bahariya Oasis, Egypt: Geological survey of Egypt, paper No. 29, P. 170 - 186.

-----; 1974: The Geological evaluation of the River Nile In international conf. Northeast African and Levantine Pleistocene prehistory southern Methodist Univ., Dellas, Texas.

- Salem, M.R.; 1976: Evolution of Eocene-Miocene sedimentation patterns in parts of northern Egypt. AAPG Bulletin, vol. 60, No. 1.
- Saxov, S., and K. Nygaard; 1953: Residual anomalies and depth estimation. Geophysics., Vol. 18. P. 913-928.
- Sazhina, N., and Grunshinsky, N.; 1966: Gravity prospecting. Mir publisher, U.S.S.R. (Translated from Russian in 1971).
- Sengupta, S., and Das, S. 1977: Interpretation of Gravitational effect of two Dimensional Dike by Fourier Transform Geopxploration, Vol., 15, P. 251-261.
- Sharaf, M.M .; 1984 : Interpretation of Bouguer anomalies of El-Faiyum area in terms of subsurface geologic structures: Ph.D. Thesis, Fac. Sci., Assiut Univ., Sohag, PP. 161.
- , El-Awady and H. Zahra; 1989: Analysis of Gravity anomalies in El-Bahriya Area, Western Desert, Egypt and their Tectonic significance. E.G.S. Proc. of the 7th Ann. Meet, P. 43-51.
- ; 1990: The subsurface Geological Structures In Relation to the Gravity Anomalies, Bahariya Area, Northern Western Desert, Egypt. Mansoura Scientific Bull. Vol. 17(2).
- ; 1990: Gravity and Landsat Lineaments In Northern Egypt and their Significance , Delta Journal of Science. Vol. 14.

- El-Badrawy ;1990 : Gravity and Magnetic
Evaluation of the Dyke Parameters in the Northern
Western Desert; Egypt. Monifia Science Bull.
- ; 1990: Gravity Interpretation
and parameter Evaluation of the Faults in the
Northern Westewrn Desert, Egypt. E.G.S. Pros.of
the 8th Ann. Meet.
- Sharma, B., and Geldart, L.P.; 1968 :Analysis of gravity anomalies
of two-dimensional faults using Fourier transforms,
Geophys. Prospect., Vol. 16, No 1, P. 77 - 93.
- and Vays, M.P.; 1970: Gravity anomalies of a fault
cutting a series of Beds.Geophys.Vol.35(4),P.708.
- Shata, A.A., 1953: A New light on the structural development of
the Western Desert of Egypt. Bull. Inst. Desert,
Egypt, Vol. 3(1), P. 101 - 106.
- Shata, A.A.; 1955: An introductory Note on the Geology of Northern
portion of the Western Desert. Bull Inst. Desert,
Egypt, Vol. 4, P. 96 - 106.
- Shukri, N.M.;1954: Remarks on the geological structure of Egypt :
Bull. Soc. Geograph. Egypt, V.27, P. 65-82.
- Sigaev, N.A.; 1959: The main tectonic Features of Egypt, an
explanatory note to the tectonic map of Egypt publ-
ished in 1967, Geol. Surv.,Cairo,paper No.39,PP.26
- Simpson, S.M., (Jr); 1954: Least square polynomial fitting to
gravity data and density plotting by digital
computers, Geophys., Vol. 19, PP. 255 - 269.

- Skeels, D.C.; 1947: Ambiguity in gravity interpretations, Geophys. Vol. 12, P. 43-56.
- Skeels, D.C., and Watson, R.J.; 1949: Derivation of magnetic and gravitational quantities by surface integrations, Geophys., Vol. 14, P. 133 - 150.
- Skeels, D.C.; 1963: An approximate solution of the problem of maximum depth in gravity interpretation, Geophys. Vol. 28, No. 5, P. 724.
- Smith, R.A.; 1959: Some depth formula for local magnetic and gravity anomalies. Geophysical prospecting, Vol. 7, P. 55- 63.
- Soliman, S.M., and El-Badry, O.; 1970: Nature of Cretaceous sediments in Western Desert, Egypt. Am. Assoc. Petroleum Geologists Bull., V.54(12), P.2349-2370
- Solovyev, O.A.; 1962: Use of the frequency method for the determination of some parameters of magnetic bodies 12, V Akad Naukss Geopfizika, P. 122 - 152.
- Spector, A.; 1968: Spectral analysis of aeromagnetic data, Ph.D., thesis, University toronto, Canada.
- Spector, A., and Grant, F.S.; 1970: Statistical models for interpreting aeromagnetic data, Geophysics, Vol. 35, P. 293 - 302.
- Stanly, J.M. & Green, R.; 1976: Gravity gradients and the interpretation of the truncated plate, Geophysics, Vol.41, P. 1370 - 1376.
- Stanly, J.M.; 1977: Application of gradients for gravity and magnetic interpretation: Bull. Austral. SEG, Vol.8, P.51-55

Steinkraus, B.G.; 1965: Zur Frage der Auswertung von Schwereanomalien Insbesondere der Massenbestimmung Mit Direkter Verfahren". dissertation sur Erlangung der Doktorwürde der Höheren Philosophischen.

Sultan, N. and Abdel Halim, M.; 1988: Tectonic Framework Northern Western Desert, Egypt and its Effect on Hydrocarbon Accumulations; 9th E.G.P.C. Exploration Conference, CONOCO.

Tadros, S., and Babaev, A.G.; 1968: Geology of U.A.R., report about oil and gas prospect of U.A.R. General Petroleum Company, Vol.1, Book 2.

Tealeb, A.; 1979: Major tectonic patterns in North Egypt in View of statistical analysis of the Bouguer anomaly: Helwan Institute of Astronomy and Geophysics paper presented at the 6th. annual meeting of the EGS at Vienna, Sept. 1979.

-----; 1979: Trend analysis of the Bouguer Anomalies of North Egypt, Bull. Helwan. Inst. of Astro. and Geophys. No. 188.

-----; 1979: Predominant Tectonic Trend in North Egypt. Bull. Helwan. Inst. Of Astro. and Geophys. No. 189.

-----; Abd El-Hady, Y.E.; 1979: Thickness of the Earth's crust in the east Mediterranean estimated from the spectrums of its Bouguer Anomaly. Bull. Helwan. Inst of Astro. and Geophys. No. 177.

Telford, W.M., Geldart, L.P., Sheriff, R.E. and Keys, D.A.; 1976: Applied Geophysics : Cambridge University Press, London, P. 860.

Thyssen-Bornemisza, S., and Stackler, W.P.; 1956: Observation of the vertical gradient to gravity in the field, Geophysics, Vol. 21, P. 771 - 779.

Treitel, S., Clement, W.G., and Kaul, K.; 1971: The spectral determination of depth to buried magnetic basement rocks, Geophys. J. R. astr. Soc., Vol. 24, P. 415 - 428

Trejo, C.A.; 1953: A Note on the Downward Continuation of Gravity Geophys. Vol. 19, PP. 71 - 75.

Troshkov, G.A. and Shalaev S.A; 1961 : "Application of the Fourier Transform to the Solution of the Reverse Problem of Gravity and Magnetic Survey .Prehl., Geofiz., No. 30, P. 162-178.

Werner, S.; 1953: Interpretation of magnetic anomalies at sheet like bodies, Sveriges Geologiska Undersokning Stockholm ,Arsbok 43 ,P. 130.

Yallouze, M. and Knetsch, G.; 1954: Linear structure in and around the Nile Basin; Bull, Soc., Geographic, Egypt 27: 153-207.

Youssef, M.I; 1968: Structural pattern of Egypt and its interpretation. The American Association of Petroleum Geologists. Bul. V. 52. No. 4.

----- and El-Khashab, H.; 1982: Surface and subsurface structural study of Wadi-El Rayan area, Southwest Faiyoum: 1st annu. Meeting, Egyr Geophys. Soc., Egypt, P. 12.

- Zahra, H.S.;1990: Interpretation of Geophysical data in terms of subsurface geological structures in Bahariya Area, North of Western Desert, Egypt.Ph.D. Thesis, Banha Univ. Fac. Of Sc.P.203.
- Zante, F.B.;1984 : Style of Faulting in the Abu Gharadig Basin, Western Desert, Egypt; 7th E.G.P.C. Exploration Seminar.
- Zittle, K.A. von; 1883: Beitrage Zur Geologie und Palaeontologie der Libyschen Wuste Und Der Angrenzenden Gebiete von Aegypten. (Contribution to the Geology and Paleontology of the Libyan Desert and Adjoining Regions of Egypt), Paleontographica, Stuttgarad, Vol. 30.