

REFERENCES

- (1) Abdel-Wahab, M.F and Abdel-Moneim, H.Abdo (1968): Preparation and purification of I^{131} labelled insulin from pancreas of domestic animals. *Endocrinology* , 53 (1): 128-133.
- (2) Adlercreutz, H.; Harkonen, M.; Kuoppasalmi, K.; Kosunen, K., Naveri, H. and Reunanen, S. (1979): Physical activity and hormones. *Adv. cardiol.*, 18 : 144 - 157.
- (3) Ahlborg, B.; Bergström, J.; Ekelund, L.G and Hultman, E. (1967): Muscle glycogen and muscle electrolytes during prolonged physical exercise. *Acta physiol. scand.*, 70 : 129 - 142.
- (4) Ahlborg, G.; Felig, P.; Hagenfeldt, L.H., Hendler, R. and Wahren, J. (1974): Substrate turnover during prolonged exercise in man. *J. clin. Invest.*, 53 : 1080 - 1090.
- (5) Altszuler, N.; Gottlieb, B.; and Hampshier, J. (1976): Interaction of somatostatin, glucagon and insulin on hepatic output in the normal dog. *Diabetes*, 25 : 116 - 121.
- (6) Andersen, P.; Jansen, J.K.S. and Luning, Y. (1973): Slow and fast muscle fibres in the atlantic hogfish (*Myxine glutinosa*). *physiol. scand.*, 57 : 167 - 177.
- (7) Andres, R.; Cader, G. and Zierler, K.L. (1956): The quantitatively minor role of carbohydrate metabolism in oxidative metabolism by skeletal muscle in intact man in the basal state. Measurements of oxygen and glucose uptake and carbon dioxide and lactate production in the forearm. *J. clin. Invest.*, 35 : 671 - 682.
- (8) Ash, J.S. (1969): Spring weights of trans - Saharan migrants in Morocco. *Ibis*, 111 : 1 - 10.

- (9) Ashford, R.W. (1971): Blood parasite and migratory fat at lakeChad. Ibis, 113 : 100 - 101.
- (10) Astrand, P.O. and Rodahl, K. (1977): Textbook of work physiology. Mc Crow - Hill, Newyork.
- (11) Badawy, Y.H. (1970): Changes in catecholamine content of the adrenal medulla. M.D., Thesis, Cairo University.
- (12) Baldwin, S.P. and Kendeigh, S.C. (1938): Variations in the weights of birds. Auk 55 : 416 - 467.
- (13) Ball, E.G. and Iungan, R.L. (1961): On the action of hormones which accelerate the rate of oxygen consumption and fatty acid release in rat adipose tissue in vitro. Proc. Nat. Acad. Sci., Wash., 47 : 932 - 941.
- (14) Bartholomew, G.A. (1972): The water economy of seed - eating birds that survive without drinking. Proc. Int. Ornithol. Congr., 15 th, 1970. pp. 237 - 254.
- (15) Bartleson, F.D. and Jensen, O.F. (1955): Astudy of purple Finch winter weights. Wils. Bull., 67 : 55 - 59.
- (16) Bates, G.L. and Philby, H. (1936): Birds of Jidda and central Arabia collected in 1934 and early in 1935, chiefly by Mr.Philby. Ibis, 13 : 531 - 556.
- (17) Beatty, C.H.; Peterson, R.D. and Bocek, R.M. (1963): Metabolism of red and white muscle of fiber groups. Amer.J.physiol., 204 : 939.
- (18) Beckett, E.B. (1962): Some applications of histochemistry to the study of skeletal muscle - Rev. canad. Biol., 21 : 391.
- (19) Beebe, W. (1947): Avian migration at Rancho Grande in north-entral Venezuela. Zoologica, 33 : 153 - 168.
- (20) Bernis, F. (1966): " Migracion en Aves " Soc. Espanola de

ornitol., madrid.

- (21) Berthold, P. (1971): Physiologie des Vogelzugs. In " Grundriss der Vogelzugskunde " (E. Schüz, ed.) pp. 257 - 299. Parey, Berlin.
- (22) Berthold, P. and Berthold, H. (1971): Über jahreszeitliche Änderungen der kleingefieder quantitat in Beziehung zum winterquartier bei Sylvia atricapilla und S.borin. Vogelwarte, 26 : 160 - 164.
- (23) Besson, J. (1969): Migration de bergeronnettes printaniers Motocilla flava à très haute altitude. Oiseaux, 30 : 23-27.
- (24) Best, F. (1906): Über Karmin farbung des glykogens und der kerne. Z-wiss Mikerosk, 23: 319-321.
- (25) Bing, B.J. (1956): The metabolism of the heart. Harvey lectures, 1954 - 1955, p p. 27 - 70. Academic press, New york.
- (26) Blanchaer, M.C. (1964): Respiration of mitochondria of red and white skeletal muscle. Amer. j. physiol., 206 : 1015. 1019
- (27) Blanchard, Barbara, S. (1941): The white - Crowned & Sparrows (Zonotrichia leucophrys) of pacific sea board: Environment and annual cycle. Univ. of Cal. publ. in Zoology, 46, 1 : 1 - 178.
- (28) Blyumental, T.I. (1968): Dependence of the flight velocity of some passerines on fat formation and the reserves of energy (in the light of the data for ringing recoveries). Commun. Baltic comm. Study bird migration, 5 : 146 - 154.
- (29) Blyumental, T.I. and Dolnik, V.R. (1970): Body weight, wing length, fat depots and flight in birds. Zool.zh., 49 : 1069 - 1072.

- (30) Bone, Q. (1966): On the function of the two types of myotomal muscle fibre in elasmobranch fish. J. marin. Biol. Assoc. U.K., 46 : 321 - 332.
- (31) Booth, D.T. (1989): Metabolism in Mallee Fowl (*Leipoa ocellata*). Comp. Biochem. physiol., 92A, No2: 207-209.
- (32) Bottger, I.; schlein, E.M.; Faloona, G.R.; Knochel, J.P. and unger, R.H. (1972): The effect of exercise on glucagon secretion. J. clin. Endocrinol. Metab., 35 : 117 - 125.
- (33) Bower, E.B. and Helms, C.W. (1968): Seasonal variation in fatty acids of the siate - colored Junco (Junco hyemalis). Physiol. zool., 41 : 157 - 168.
- (34) Brackenbury, J.H., Avery, P. and Gleeson, M. (1981): Respiratory rate and respired gases. J. exp. Biol., 93 : 317 - 325.
- (35) Brackenbury, J.H. and El-Sayed, M.S. (1984): Changes in plasma glucose and lipid concentrations during treadmill exercise in domestic fowl. Comp. Biochem. physiol., 79 A : 447 - 450.
- (36) Brehm, C.L. (1828): Der Zugder Vögel. Isis, 21 : 912 - 922.
- (37) Brobeck, J.R. (1955): Neural regulation of food intake. Ann. N. Y. Acad. sci., 63 : 44 - 55.
- (38) Butterfield, W.A. (1952): Astatistical note on bird weights from Lista (Norway) and Fair Isle. Bull. Fair Isle Bird Obs., 1 (6) : 30 - 31.
- (39) Cahill, G. F. Jr.; Ashmore, J.; Zottu, s. and Hastings, A. B. (1957): Studies on carbohydrate metabolism in rat liver slices. g. Ionic and hormonal effects on phosphorylase and glycogen. J. Biol. Chem., 244 : 237 - 250.

- (40) Cahill, G. F. Jr.; leboeuf, B. and Renold, A.E. (1959): Studies on rat adipose tissue in vitro. III. synthesis of glycogen and glyceride - glycerol. J. Biol. chem., 234 : 2540 - 2543.
- (41) Caldwell, L.D.; Odum, E.P. and Marshall, S.G. (1963): Comparison of fat levels in migrating birds killed at a central Michigan and a Florida Gulf coast television tower. Wilson Bull., 75 : 428 - 434.
- (42) Carlson, L.A.; Ekelund, L. - G. and Froberg, s.o. (1971): concentration of triglycerides, phospholipids and glycogen in skeletal muscle and of free fatty acid and B - hydroxy butyric acid in blood in mass in response to exercise. Eur. J. Clin. Invest., 4 : 248 - 254.
- (43) Castro, G; Stoyan, N. and Myers, J.P. (1989): Assimilation efficiency in birds; A function of Taxon of food type?. Comp. Biochem. physiol., 92 A No3 : 271-278.
- (44) Chepinoga, O. (1939): Biokhem. Zhur., 14 : 5. According to " Hearn, G. R. and wainio, w.w. (1956) in Am. J. physiol., 85 : 348 - 350.
- (45) Chepinoga, O. (1940): Biokhem. Zhur., 15 : 45. According to " Hearn, G. R. and wainio, w.w. (1956).". in Am. J. physiol., 85 : 348 - 350.
- (46) Cherian, K. M.; Vallyathan, N.V. and George, J.C. (1965): succinic dehydrogenase in pigeons pectoralis during disuse atrophy. J. Histochem. Cytochem., 13 (1) : 265-269.
- (47) Cherrington, A.D.; Chiasson, J. L.; Liljenauist, J. E.; Jennings, A.S.; Keller, K. and lacy, w.w. (1976): The role of glucagon in maintaining basal glucose production. J. clin. Invest., 58 : 1407 - 1418.
- (48) Chi, M.M.-Y-; Hintz, C.S.; Coyle, E.F.; Mortin III, W.H.; Ivy, J.L.; Nemeth, P.M.; Holloszy, J.O. and Lowry, O.H.

- (1983): Effects of detraining on enzymes of energy metabolism in individual human muscle fibers. *Am.J. physiol.*, 244: C276-C287.
- (49) Close, R.I. (1972) : Dynamic properties of mammalian skeletal muscles. *Physiol. Rev.*, 52 : 129 - 197.
- (50) Connell, C.E. (1959): Seasonal lipid levels in three population groups of an old - field ecosystem. Ph. D. thesis, University of Georgia. According to " Odum, E.P., connell, C.E., and Stoddard, H.L. (1961) in *Auk*, 78 : 515 - 527.
- (51) Connell, C.E.; Odum, E.P and kale, H. (1960): Fate - free weights of birds. *Auk*, 77 : 1 - 9.
- (52) Connor, A.R.; Elling, C.H.; Black, E.C.; Collins, G.B.; Gauley, J.R. and Trevorsmith, E. (1964): Changes in glycogen and lactate levels in migrating salmonid fishes ascending experimental endless fishways. *J. Fisher. B. Com.*, 21 : 255 - 263.
- (53) Connerty, H.V; Briggs, A.R. and Eaton, E.H.Jr. (1961): Simplified determination of lipid componants of blood serum. *Clin. chem.*, 7 (37): 580-586.
- (54) Cooke Maythacher. (1937): Flight speed of birds. *Us. Dept. Agric. Circ.* 428 : 1 - 14.
- (55) Costill, D.L.; Gollnick, P.D.; Jansson, E.D.; Saltin, B. and Stein, E. M. (1973): Glycogen adaption pattern in human muscle fibers during distance running. *Acta physiol. scand.*, 89 : 374 - 383.
- (56) Czaja - Topinska, J. (1969): Migration dynamics and changes in fat deposition in the Great Tit, Parus major L. *Acta. Ornithol., Warsz.*, 11 : 357 - 378.
- (57) Davies, A.S. and Gunn, H.M. (1972): Histochemical fibre types in the mammalian diaphragm. *J. Anat.*, 112: 41-60.

- (58) Davis, M.A. (1984): The flight and migration ecology of the Red Milkweed Beetle (Tetraopes Tetraophthalmus). Ecology, 65(1): 230-234.
- (59) Davis, K.; Packer, L. and Brooks, G.A. (1981): Biochemical adaptations of mitochondria, muscle and whole animal respirations to endurance exercise. Archs Biochem. Biophys., 209 : 539 - 554.
- (60) Davis, P. (1962): Robin recaptures on Fair Isle. Brit. Birds, 55 : 225 - 229.
- (61) Dawson, W.R. and Bennett, A.F. (1973): Roles of metabolic level and temperature regulation in the adjustment of western plumed pigeons (Lophophaps ferruginea) to desert conditions. Comp. Biochem. physiol., 44A : 249-266.
- (62) Dolnik, V.R. (1963): Bioenergeticheskie, adaptatsiik migratsii U vorobinykh, Tezisy Dokl, pyutsi pribaltiiskoi ornithol, konf., Tartu, 1963 pp. 61 - 63.
- (63) Dolnik, V.R. (1968): The role of fat depot in metabolism regulation in birds behaviour during migration. Zool. Zh., 47 : 1205 - 1216.
- (64) Dolnik, V.R. (1969): Bioenergetics of the flying bird. Zh. Obshch. Biol., 30 : 273 - 291.
- (65) Dolnik, V.R. (1970 a): Fat metabolism and bird migration. Collog. Int. cent. Nat. Rech. Sci., 172 : 351 - 364.
- (66) Dolnik, V.R. (1970 b): Physiology of migratory state : A comparison of migratory and sedentary races. Abstr. Int. Ornithol. Congr., 15 th, 1970 PP. 14 - 15.
- (67) Dolnik, V.R. and Blyumental, T.I. (1964): The bioenergetics of bird migration. Successes Mod. Biol., 58 : 280 - 301.

premigratory and migratory periods in the Chaffinch (Fringilla Coelebs coelebs) and some other temperat - zone birds. Condor, 69 : 435-468.

- (69) Dolnik, V.R.; Dobrynina, I.N. and Blyumental, T.I. (1965): Seasonal variation in the metabolism of carbohydrates and fats and their influence on the migration behaviour of the Chaffinch. Commun. Baltic comm. Study Bird migration, 3: 171-182.
- (70) Dolnik, V.R., KesKpaik, J. and Gavrilov, V.P. (1969): Bioenergetics of autumnal pre - migratory period of the Chaffinch. Commun. Baltic comm. Study Bird Migration, 6 : 125 - 146.
- (71) Dorka, V. (1966): Das jahres - and tageszeitliche zugmuster von kurz - und langstreckenziehern nach beobachtungen auf den alpenpässen Cau / Bretolet. Ornithol. Beab., 63 : 156 - 223.
- (72) Dorst, S.J. (1962): The migration of birds. " Houghton Mifflin, Boston.
- (73) Doumas, B.T. (1975): Standard for total serum protein Assays a collaborative study. Clin. Chem., 21 : 1159 - 1166.
- (74) Drabkin, D.L. (1950): Cytochrome metabolism and liver regeneration influence of thyroid gland and thyroxine. J. Biol. chem., 182 : 335 - 349.
- (75) Drury, W.H. and Keith, J.A. (1962): Radar studies of songbird migration in eastern New England. Ibis, 104 : 449 - 489.
- (76) Dubowitz, V. and Pearse, A.G.E. (1960): A comparative histochemical study of oxidative enzyme and phosphorylase activity in skeletal muscle. Histochemie., 2 : 105 - 113.

- (77) Dubowitz, V. and Pearse, A.G.E. (1961): Enzymatic activity of normal and dystrophic human muscle; A histochemical study. J. Path. Bact., 81 : 365 - 372.
- (78) Eisenberg, S. and levy, R.I. (1975): Lipoprotein metabolism. Adu. Lipid Res., 13 : 1 - 89.
- (79) Eliassen, E. and Hjelmvedt, I. (1958): The loss of water in wind - drifted migratory birds. Univ. Bergen Arbok, Naturu. rekke., 11: 392-399.
- (80) El-Keshawy, H.H; Ewis, M.SS. and Bareedy, M, H. (1983): Histochemical patterns of the muscle fibre types of M. biceps brachii, M. pectoralis superficialis and M. gastrocnemius in Columbia livia pigeons. Acc. in the Ann. Conf. of Histology, Egypt.
- (81) EL-Keshawy, H.H; Omar, A.; Abbas, A.; Balah, A.M. and Bareedy, M.H. (1985): comparative morphological and Histochemical study on Mm. pectoales, biceps brachii, triceps humeralis, gastro cnemius and fidularis longus in chickens, ducks, pigeons and sparrows. Zag. Vet. J., 12(2) : 319-417.
- (82) El-Mougy, S.A.; Bareedy, M.H; wafoa, M.; Mona, A. and Selim, S. (1987): Histochemical characterization of pectoral muscle of two species of migratory birds. in the 8th European Anatomical congress, Antwerp, Lept. 6-12.
- (83) Elsammanoudy, F.; Ghannudi, S.A.; Gillaly, G. and El-Mougy, S.A. (1979): Studies on the succinic dehydrogenase activity in muscles of some marine and fresh water fishes. Libyan J. Scien., 9 B : 11 - 19.
- (84) Engel, W.K. (1962): The essentiality of histo - and cyto chemical studies of skeletal muscle in the investigation of neuro muscular disease. Neurology, 12 : 778 - 791.
- (85) Epple, A. (1961): Über Beziehungen Zwischen Feinbau und

Jahresperiodik des Inselorgans Von Vögeln. Z.Zellforsch.,
27 : 731 - 758.

- (86) Essen, B. (1977): Intramuscular substrate utilization during prolonged exercise. Ann. N Y Acad. Sci., 301 : 30 - 44.
- (87) Evans, P.R. (1968): Physiological problems in migration. Ibis, 110 : 413 - 414.
- (88) Evans, P.R. (1969 a): Winter fat deposition and overnight survival Yellow Buntings (Emberiza Citrinella of L.). J. Anim. Ecol., 38 : 415 - 423.
- (89) Evans, P.R. (1969 b): Ecological aspects of migration and pre - migratory fat deposition in the Lesser Redpoll Carduelis flammea cabaret. Condor, 71 : 316 - 330.
- (90) Evans, P.R. (1970) Timing mechanisms and the physiology of bird migration. Sci. progr. (London), 58 : 263 - 275.
- (91) Ewing, W. and Wiener, R. (1928): Über die Wirkung maximaler Körperlicher Anstrengungen. Z. ges. exp. Med., 61 : 562 - 589.
- (92) Farner, D.S. (1950): The annual stimulus for migration. Condor, 52 : 104 - 122.
- (93) Farner, D.S. (1955): The annual stimulus for migration : Experimental and physiologic aspects. In " Recent studies of Avian Biology ". (A. Wolfson, ed.), pp. 198 - 237. Univ - of Illinois press, Urbana.
- (94) Farner, D.S. (1960): Metabolic adaptations in migration. Proc. XII Intern. Ornith. Cong., Helsinki, 1958, pp. 197 - 208.
- (95) Farner, D.S. (1970): Predictive functions in the control of annual cycles. Environ. Res., 3 : 119 - 131.

- (96) Farner, D.S. and King, J.R. (1975): Avian biology. ed by Donald S. Farner and James R. King, (1975). Academic press Newyork San Francisco london. Vol. V. pp 77 - 110.
- (97) Farner, D.S.; King, J.R. and Stelson, M.H. (1969): The control of fat metabolism in migratory birds. In " progress in Endocrinology " (C. Gual, ed.), Int. Congr. Ser. No. 184, pp. 152 - 157. Excerpta Med. Found., Amstrdam.
- (98) Farner, D.S.; Oksche, A.; Kamemoto, F.I.; King, J.R. and Cheney, H.E. (1961): A comparison of the effect of long daily photoperiods on the pattern of energy storage in migratory and non - migratory finches. Comp. Biochem. physiol., 2 : 125 - 142.
- (99) Farner, R.B. (1966): Lean dry weight and water balance in Slate - coloured Juncos. Auk, 83 : 616 - 622.
- (100) Fisher, H. I. and Bartlett, L.M. (1957): Diurnal cycles in Liver weights in birds. Condor, 59 : 364 - 372.
- (101) Fiske, C.H. and Subbarow, Y. (1929): Phosphocreatine. J. Biol. Chem., 81 : 629 - 679.
- (102) Folch, J.; Lees, M. and Sloame stanley, G.H. (1957): A simple method for the isolation and purification of total lipides from animal tissues. J. Biol. Chem., 266: 497-509.
- (103) Fritz, I.B. (1961): Factors influencing the rates of long - chain fatty acid oxidation and synthesis in mammalian systems. physiol. Rev., 41 : 52 - 129.
- (104) Fry, C.H. (1971): Migration, moult and weights of birds in northern Guinea savanna in Nigeria and Ghana. Ostrich Suppl., 8 : 239 - 263.
- (105) Fry, C.H.; Ash, J.S. and Ferguson - less, I.J. (1970): Spring - weights of some Palaearctic migrants at Lake Chad. Ibis, 112 : 58 - 82.

- (106) Galbo, H.; Christensen, N.J. and Holst, J. J. (1977): Glucose - induced decrease in glucagon and epinephrine responses to exercise in man. J. Appl. physiol., 42 : 525 : 530.
- (107) Galbo, H.; Holst, J. J. and Christensen, N.J. (1975): Glucagon and plasma catecholamine responses to graded and prolonged exercise in man. J. appl. physiol., 38 : 70 - 75.
- (108) Galbo, H.; Holst, J. J.; Christensen, N. J. and Hilsted, J. (1976): Glucagon and plasma catecholamines during beta - receptor blockade in exercising man. J. Appl. physiol., 40 : 855 - 863.
- (109) George, J.C. and Berger, A.J. (1966): " Avian Myology " Academic press, Newyork.
- (110) George, J.C. and Chandra - Bose, D.A. (1967): Diurnal changes in glycogen and fat levels in the pectoral is of the migratory starling Sturnus roseus. Pavo, 5: 1 - 8.
- (111) George, J.C. and Jyoti, D. (1957): Studies on the structure and physiology of the flight muscles of birds - II. The relative reduction of fat and glycogen in pectoralis major muscle during sustained activity. J. Anim. Morphol. physiol., 4 : 119 - 123.
- (112) George, J.C. and Jyoti, D. (1958): Studies on the structure and physiology of the flight muscles of bats. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. physiol., 5 : 57 - 60.
- (113) George, J.C. and Naik, R.M. (1957 a): Studies on the structure and physiology of the flight muscles of birds. I. The variations in the structure of the pectoralis major muscle of a few representative types and their significance in the respective modes of flight. J. Anim.

- Morphol. physiol., 4 : 23-32.
- (114) George, J.C. and Naik, R.M. (1957 b): Studies on the structure and physiology of the flight of the bat (Hipposideros speoris), their relative distribution, nature of the fuel store and mitochondrial content. J. Anim. Morphol. physiol., 4 : 96 - 101.
 - (115) George, J.C. and Naik, D.V. (1964): Cyclic changes in the thyroide of the migratory starling, Sturnus roseus (Linnaeus). Pavo., 2 : 37 - 47.
 - (116) George, J.C. and Nene, R.V. (1965): The effect of exercise on the glycogen content of the red and white fibres of the Pigeon pectoralis muscle. J. Anim. Morphol. Physiol., 12 : 246 - 248.
 - (117) George, J.C. and Scaria, K.S. (1958): Histochemistry of muscle lipase. J. Anim. Morphol. physiol., 5 : 60 - 67
 - (118) George, J.C. and Talesara, C.L. (1961): The succinic dehydrogenase levels of the pectoral muscles of a few representative types of birds and bat in relation to the fibre diameter, muscle weight and body weight. Comp. Biochem. Physiol., 3 : 237 - 273.
 - (119) George, J.C. and Talesara, C.L. (1962): Histochemical demonstration of certain DPN - Linked dehydrogenases and of aldolase in the red and white fibres of pigeon breast muscle. Quart. J. Micr. Sci., 103 : 41 - 46.
 - (120) George, J.C. and Thomas Iype, P. (1964): Fatty acid oxidation by breast muscle homogenates of a migratory and non - migratory starling. Pavo, 2 : 84 - 87.
 - (121) Gerthoffer, W.T. and Murphy, R.A. (1983): Myosin phosphorylation and regulation of cross-bridge cycle in trached smoth muscle. Am. J. physiol., 244: C182-C187.
 - (122) Gifford, C.E. and Odum, E.P. (1965): Bioenergetics of

lipid deposition in the Bobolink, a transequatorial migrant. Condor, 67 : 383 - 403.

- (123) Gollnick, P.D.; Armstrong, R.B.; Saubert, IV, C.W.; Sembrowich, W.L.; Shepherd, R.E. and Saltin, B. (1973): Glycogen depletion patterns in human skeletal muscle fibers during prolonged work. Pfluegers Arch., 344: 1-12.
- (124) Goodridg, A.G. (1964): The effect of insulin, glycagon and prolactin on lipid synthesis and related metabolic activity in migratory and non - migratory finches. Comp. Biochem. Physiol., 13 : 1 - 26.
- (125) Gordon, R.S. (1957): Unesterified fatty acid in human blood plasma - II. The transport function of unestrified fatty acid. J. Clin. Invest., 36 : 810 - 815.
- (126) Gordon, R.S. and Cherkes, A. (1956): Unesterified fatty acid in human blood plasma. J. Clin. Invest., 35 :206-212.
- (127) Graber, R.R. and Graber, J.W. (1962): Weight characteristics of birds killed in nocturnal migration. Wilson Bull., 74 : 74 - 88.
- (128) Grande, F. (1969): Effect of catecholamines on plasma free fatty acids and blood sugar in birds. Proc. Soc. Exp. Biol. Med., 131 : 740 - 744.
- (129) Griswold, B.L.; Humallar, F.L. and McIntyre, A.R. (1951): Inorganic phosphates and phosphate esters in tissue extracts Analyt. Chen., 23 : 192 - 194.
- (130) Groebbels, F. (1928 a): Zur physiologie .des Vogelzuges. Verh. Ornithol. Ges. Bayern, 18 : 44 - 74.
- (131) Groebbels, F. (1928 b): Fortgesetztto untersuchungen über den stoffwechsel der Vögel und das stoffwechsel problem in Allgemeinen. Pflügers Archiv, 218 : 98 - 114.
- (132) Groebbels, F. (1930): Bausteine zu einer physiologie und

histophysiologie des zugvogels. I Mitteilung : physiologische untersuchungen an helgoländer zugvögeln. Zschr. Vergl. Physiol., 12 : 682 - 782.

- (133) Groebbels, F.; Kirchner, H. and Moebert, F. (1938): Ornithologische Hilfstabellen. Berlin.
- (134) Gruber, M. and Ruys, C.A.J. (1951): Preliminary investigations of the influence of activity upon the thiamine phosphate content of pigeon tissues. Acta physiol. Pharm. Neerl., 2 : 106 - 111.
- (135) Gustafsson, R.; Tata, J.R.; Lindberg, D. and Ernster, L. (1965): The relationship between the structure and activity of Rat skeletal muscle mitochondria after thyroidectomy and thyroid hormone treatment. J. Cell Biol., 26 : 555 - 578.
- (136) Hagen, J.H. (1961): Effect of glucagon on the metabolism of adipose tissue. J. Biol. Chem., 236 : 1023 - 1027.
- (137) Hagenfeldt, L. (1975): Turnover of individual free fatty acids in man. Federation Proc., 34 : 2236 - 2240.
- (138) Hansen, R.G. and Rutter, W.J. (1952): Fatty acid metabolism of rat diaphragm. J. Biol. Chem., 195: 121-126.
- (139) Harrison, J. (1969): The altitude of a migrating Shoveler. Bull. Brit. Ornithol. Club, 89 : 72-75.
- (140) Hart, J.S. and Berger, M. (1972): Energetics, water economy and temperature regulation during flight. Proc. Int. Ornithol. Congr., 15 th, 1970 pp. 189 - 199.
- (141) Hart, J.S. and Roy, O.Z. (1966): Telemetry of physiological data from birds in flight. Fed. Proc., 25: 212-214.
- (142) Harvey, S.; Klandorf, H.; Foltzer, C.; Strasser, M.T. and Phillips, J.G. (1982): Endocrine responses of ducks (Anas platyrhynchos) to treadmill exercise. Gen. Comp.

Endocrin., 48 : 415 - 420.

- (143) Havel, R.J.; Carlson, L.A.; Ekelund, L - G. and Holmgren, A. (1964): Turnover rate and oxidation of different free fatty acids in man during exercise. J. Appl. Physiol., 19 : 613 - 618.
- (144) Hazelwood, R.L. (1976): Carbohydrate metabolism. In Avian physiology (Edited by sturkie P.D.) Academic press, London.
- (145) Hazelwood, R.L. and Lorenz, F.W. (1959): Effects of fasting and insulin on carbohydrate metabolism of the domestic fowl. Am. J. Physiol., 197 : 47 - 51.
- (146) Hearn, G.R. and Wainio, W.W. (1956): Succinic dehydrogenase activity of the heart and skeletal muscle of exercised rats. Am. J. physiol., 85 : 348 - 350.
- (147) Helms, C.W. (1959): Song and Tree Sparrow weight and fat before and after a night of migration. Wilson Bull., 71 : 244 - 253.
- (148) Helms, C.W. and Drury. W.H. (1960): Winter and migratory fat field studies of some North American Buntings. Bird Banding, 31 : 1 - 40.
- (149) Helms, C.W. and Smythe, R.B. (1969): Variation in major body components of the Tree Sparrow (Spizella arborea) sampled within the winter rang. Wilson, Bull., 81: 280-292.
- (150) Henneman, E. (1975): The motor unit poll: a fixed hierarchy. In recent advances in myology (ed. W. G. bradley, D. Gardner - Medwin and J. N. walton), pp. 69-73. Amsterdam : Excerpta Medica.
- (151) Henriksson, J. (1977): Training induced adaptations of skeletal muscle and metabolism during submaximal exercise. J. Physiol. Lond., 270 : 661 - 675.
- (152) Henry, K. M.; Magee, H. E. and Reid, E. (1934): Some effect of Fasting on the composition of blood and respira-

- tory exchange in Fowls. *J. Exper. Biol.*, 11 : 58 -72.
- (153) Henry, K. M.; Mc Donald, A. J. and Magee, H.E. (1933): Observation on the function of the Alimentary canal in Fowls. *J. Exper. Biol.*, 10 : 153-171.
- (154) Henshaw, H. W. (1910): Migration of the pacific plover to and from the Hawaiian Islands. *AUK*, 27 : 245 - 262.
- (155) Heppner, F. (1970): The metabolic significance of differential absorption of radiant energy by black and white birds. *Condor*, 72 : 50 - 59.
- (156) Hermansen, L.; Hultman, E. and Saltin, B. (1967): Muscle glycogen during prolonged severe exercise. *Acta - physiol. Scand.*, 71 : 129 - 139.
- (157) Hermansen, L. and Vaage, O. (1977): Lactate disappearance and glycogen synthesis in human muscle after maximal exercise. *Am. J. Physiol.*, 233 : 422 - 429.
- (158) Hetenyi, G. JR.; Perez, G. and Vranic, M. (1983): Turnover and precursor - product relationships of non lipid metabolites. *Physiol. Rev.*, 63 : 606 - 667.
- (159) Hicks, D. L. (1967): Adipose tissue composition and cell size in fall migration thrushes (*Turdidae*). *Condor*, 69 : 387 - 399.
- (160) Hoch, F.L. and Lipman, F. (1964): The uncoupling respiration and phosphorylation by thyroid hormones. *Proc. Nat. Acad. Sci. U.S.A.*, 40 : 909 - 921.
- (161) Hoffman, P.D. and Bockhout, T.A. (1985): Metabolizable energy of seeds consumed by ducks in Lake Erie marshes. *Trans. N. Am. wildl. Not. Res. conf.* 50: 557-565.
- (162) Holloszy, J. O. (1967): Biochemical adaptations in muscle. *J. Biol. Chem.*, 242 : 2278 - 2282.
- (163) Holloszy, J.O. (1973): Biochemical adaptations to

exercise : aerobic metabolism. Exercise sports Sci. Rev.,
1 : 46 - 73.

- (164) Holloszy, J.O. (1975): Adaptations of skeletal muscle to endurance exercise. Med. Sci. Sports, 7 : 155 - 164.
- (165) Holloszy, J.O. and Coyle, E.F. (1984): Adaptations of skeletal muscle to endurance exercise and their metabolic consequences. J. Appl. Physiol., 56 : 831 - 838.
- (166) Holthuijzen, A.M.A. and Adkinson, C.S. (1984): Passage rate, energetics and utilization efficiency of the Cedar Waxwing. Wilson Bull., 96: 680-684.
- (167) Honeywell, H.E. and Riddle, O. (1923): The action of insulin (insulin) on the blood sugar of pigeons. Proc. Soc. Exper. Biol. Med., 20 : 248 : 252.
- (168) Houssay, B.A. (1959): Comparative physiology of the endocrine pancreas. Comparative Endocrinology. Ed. Gorbman, A. John Wiley and Sons, Inc., New York. pp.639-667.
- (169) Hultman, E. and Bergström, J. (1967): Breakdown and resynthesis of phosphoryl creatine and triphosphate in man. Scand. J. Clin. Lab. Invest., 40 : 1037 - 1043.
- (170) Hurley, B.F.; Nemeth, P.M.; Martin III, W.H.; Hagberg, J.M.; Dalsky, G.P. and Holloszy, J.O. (1986): Muscle triglyceride utilization during exercise: effect of training. J. Appl. Physiol., 60 : 562 - 567.
- (171) Hyatt, J.H. and Mylne, C.K. (1952): Ornithological observations at Lista 1951. Stavanger Mus. Opusc. Ser. Zool. (Sterna), 7. Stavanger.
- (172) Irving, L. (1960): Nutritional condition of water pipits of arctic nesting grounds. Condor, 62 : 469 - 472.
- (173) Issekutz, B. and Borkow, I. (1972): Effect of catecholamines and methyl prednisolone on carbohydrate

- metabolism in dogs. *Metab. Olism*, 21 : 48 - 59.
- (174) Issekutz, B. and Borkow, I. (1973): Effect of glucagon and glucose load on glucose kinetics, plasma FFA and insulin in dogs treated with methyl prednisolone. *Metabolism*, 22 : 39 - 49.
- (175) Issekutz, B.; Issekutz, A.C. and Nash, O. (1970): Mobilization of energy sources in exercising doges. *J. Appl. Physiol.*, 29 : 619 - 697.
- (176) Issekutz, B.; Miller, H. I. and Rodahl, K. (1966): Lipid and carbohydrate metabolism during exercise. *Fedn Proc.*, 25 : 1415 - 1420.
- (177) Issekutz, B.; Paul, P.; and Miller, H. I. (1967): Metabolism in normal and pancreatectomized dogs during steady state exersize. *Am. J. physiol.*, 213 : 857 - 862.
- (178) Issekutz, B. and Vranic, M. (1980): Role of glucagon in regulation of glucose production in exercising dogs. *Am. J. Physiol.*, 238 : E 13 - E 20.
- (179) Itzhaki, S. and Wertherimer, E. (1957): Changes in the carbohydrate metabolism of cardiac and striated muscle in hypothermic rats. *Circulation Res.*, 5 : 451 - 457.
- (180) Jenkins, D. (1953): Migration in late September and early October, 1951. *Brit. Birds*, 46 : 77 - 98, 121 - 131.
- (181) Johann, J. and Lentini, E.A. (1971): Simulataneous determination of glycogen and lipids from heart muscle. *Anal. Bioch.*, 43, 183-187.
- (182) John, T.M. and George, J.C. (1965): Seasonal variations in the glycogen and fat contents of the liver and pectoralis muscle of migratory Wagtails. *Pavo*, 4 : 58-64.
- (183) John, T.M. and George, J.C. (1973): Effect of prolonged exersice on levels of plasma glucose, free fatty acids and

corticosterone and muscle free fatty acids in the pigeon.
Arch. Int. Physiol. Biochem., 81 : 421 - 425.

- (184) Johnston, D.W. (1964): Ecological aspects of lipid deposition in some postbreeding arctic birds. Ecology, 45:848-852.
- (185) Johnston, D.W. (1968): Body characteristics of Palm Warblers following and over water flight. AUK, 85 : 13-18.
- (186) Johnston, D.W. and McFarlane, R.W. (1967): Migration and bioenergetics of flight in the Pacific Golden plover. Condor, 69 : 156 - 168.
- (187) Johnston, I.A.; Fearson, N. and Goldspink, G. (1972): Myofibrillar ATPase activities of red and white myotomal muscles of marine fish. Experienta., 28 : 713 - 723.
- (188) Johnston, I.A. and Goldspink, G. (1973): A study of glycogen and lactate in the myotomal muscles and liver of the Coal fish (Gadus virens) during sustained swimming J. Marin. Biol. Assoc. U.K., 53: 17 - 23.
- (189) Jouard, H. (1933): Die Vogelfauna westsibiriens. J.F. Orn., 92 : 1 - 105.
- (190) Karasov, W.H. (1983): Energy assimilation, nitrogen requirement and diet in free - living antelope ground squirrels (Ammospe rmophilus leucurus). Physiol. Zool., 55: 378-392.
- (191) Karasov, W.H.; Dhan, D.P.; Diamond, J.M. and Carpenter, F.L.(1986): Food passage and intestinal nutrients absorption in humming birds. Auk, 103: 453-363.
- (192) Karlsson, J.; Diamant, B. and Saltin, B. (1970): Muscle metabolites during submaximal and Maximal exercise in man.Scand. J. Clin. Lab. Invest., 72 : 84 - 99.
- (193) Kawamori, R. and Vranic, M. (1977): Mechanism of exercise induced hypoglycemia in dopancreatized dogs maintained on long acting insulin. J. Clin. Invest., 59 : 331 - 337.

- (194) Kayser, C. (1925): Die Vögel in der Umgegend von Sagan.
Verh. Orn. Ges. Bayern, X V I : 225 - 245.
- (195) Kendeigh, S.C. (1944): Effect of air temperature on the rate of energy metabolism in the English Sparrow. J. Exp. Zool., 9b : 1 - 16.
- (196) Kendeigh, S.C. (1945): Resistance to hunger in birds. J. Wildl. Management, 9 : 217 - 266.
- (197) Kendeigh, S.C.; Dolnik, V.R. and Gavrilov, V.N. (1977): Avian Energetics. In Granivorous Birds in Ecosystems (Edited by Pinowski J. and Kendeighs. C.) pp,127-204, Cambridge university, Cambridge.
- (198) Kersten, M. and Piersma, T. (1987): High levels of energy expenditure in shore birds: Metabolic adaptations to an energetically expensive way of life. Ardea, 75:175-187.
- (199) Keys, A. and Brozen, J. (1953): Body fat in adult man. Physiol. Reviews, 33 : 245 - 325.
- (200) King, J.R. (1957): Premigratory adiposity in the White - Crowned sparrow (Zonotrichia leucophrys gambelii). Doctoral thesis, state college of Washington.
- (201) King, J.R. (1961 a): On the regulation of vernal premigratory fattening in the White - Crowned Sparrow. Physiol. Zool., 34 : 145 - 157.
- (202) King, J.R. (1961 b): The bioenergetics of vernal premigratory fat deposition in the White - Crowned Sparrow. Condor, 63 : 128 - 142.
- (203) King, J.R. (1970): Photoregulation of food intake and fat metabolism in relation to avian sexual cycles. Collog. Int. Cent. Nat. Rech. Sci., 172: 365-385.
- (204) King, J.R. (1972): Adaptive periodic fat storage by birds.

- Proc. Int. Ornithol. Congr., 15 th, 1970. pp. 200 - 217.
- (205) King, J.R.; Barker, S. and Farner, D.S. (1963): A comparison of energy reserves during the autumnal and vernal migratory periods in the White - Crowned Sparrow. Zonotrichia Leucophrys gambelii. Ecology, 44 : 513 - 521.
- (206) King, J.R. and Farner., D.S. (1959): Premigratory changes in body weight and fat in wild and captive White - Crowned Sparrows. Condor, 61 : 315 - 324.
- (207) King, J.R. and Farner, D.S. (1961): Energy metabolism. Thermoregulation and body temperature. In Biology and comparative physiology of birds edited by A.J. Marshall. Vol II (Academic press, New york), pp. 215 - 288.
- (208) King, J.R. and Farner, D.S. (1963): The relationship of fat deposition to " Zugunruhe " and migration. Condor, 65 : 200 - 223.
- (209) King, J.R. and Farner, D.S. (1965): Studies fat deposition in migratory birds. Ann. N. Y. Acad. Sci, 131 : 422-440.
- (210) King, J.R.; Farner, D.S. and Morton, M.L. (1965) The lipid reserves of White Crowned Sparrows on the breeding ground in central Alaska. Auk, 82 : 236 - 252.
- (211) King, J.R. and Wales, E.E. (1965): Photoperiodic regulation of testicular metamorphosis and fat deposition in three taxa of Rosy Finches. Physiol. Zool., 38 : 49-68.
- (212) Koivisto, V.; Härkönen, M.; Karonen, S.L.; Groop, P.H.; Elovainia, R.; Ferrannini, E.; Sacca, L. and Defronzo, R.A. (1985): Glycogen depletion during prolonged exercise : influence of glucose, fructose, or placebo. J. Appl. physio., 58 (3) : 731 - 737.
- (213) Koivisto, V.; Hendler, R.; Nadel, E. and Felig, P. (1982): Influence of physical training on the ful - hormone response to prolonged low intensity exercise. Metabolism,

- (214) Kooyman, G.L.; Davis, R.W.; Croxall, J.P. and Costa, D.P. (1982): Diving depths and energy requirements of King Penguins. Science, 217: 726-727.
- (215) Krogh, A. and Weis - Fogh, T. (1951): The respiratory exchange of the desert locust (Schistocerca gregaria) before, during and after flight. J. Exp. Biol., 28 : 344 - 357.
- (216) Kryvi, H. and Totland, G.K. (1977): Histochemical studies with microphotometric determinations of the lateral muscles in the sharks Etmopterus Spinax and Galeus melastomus. J. Mar. Biol. Assoc. U.K., 57 : 261 - 274.
- (217) Kuroda, N.H. (1964): Analysis of variations by sex, age, and season of body weight, fat and some body parts in the Dusky Thrush, wintering in Japan : Preliminary study. Misc. Rep. Yamashina Inst. Ornithol, 4 : 90 - 140.
- (218) Lack, D. (1959): Migration over the sea. Ibis, 101 : 374 - 399.
- (219) Lack, D. (1960): Autumn " drift - migration " on the English east coast. Brit. Birds, 53 : 325 - 352; 379-397.
- (220) Lampman, R.M.; Foss, M.L.; Block, W.D. and Flora, J.D. (1976): Metabolic adaptation with physical training : C¹⁴ acetate incorporation into tissue lipids. Metabolism, 25 : 1601 - 1609.
- (221) Langdon, R.G. (1960): Hormonal regulation of fatty acid metabolism. In lipide metabolism. (Edit by. bloch, K.), pp. 238 - 290. John wiley, New York.
- (222) Lasiewski, R.C. (1962): From field and study. Condor, 64 : 324 - 329.
- (223) Lawrie, R.A. (1953): The activity of cytochrome system in muscle and its relation to myoglobin. Biochem. J., 55 :

- (224) LeFebvre, E.A. (1964): The use of D_2O^{18} for measuring energy metabolism in Columba livia at rest and in flight. Auk, 81 : 403 - 416.
- (225) Leibowitz, S.F. (1970): Hypothalamic β - adrenergic " satiety " system antagonizes and α - adrenergic " hunger " system in the rat. Nature (London), 226 : 963 - 964.
- (226) Lickley, H.L.A.; Ross, G.G. and Vranic, M. (1979): Effects of selective insulin or glucagon deficiency on glucose turnover. Am. J. Physiol., 236 : E 255 - E 262.
- (227) Lillie, R.D. and Ashburn, L.L. (1943): Archs. Path., 36:432 In "Histochemical techniques" Edited by Bancroft. J.D, pp 152. Butter worth & Co (Publishers) Ltd, Britain.
- (228) Lincoln, F.C. (1950): Migration of birds. Fish and Wildlife service Circ. 16 : 1 - 102.
- (229) Lofts, B. and Marshall, A.J. (1961): Zugunruhe activity in castrated bramblings Fringilla montifringilla Ibis, 103 a : 189 - 194.
- (230) Löhr, G.W. and Waller, H.D. (1974): Glucose-b- phosphatase dehydrogenase. Page 636 F F. in H.U. Bergmeyer, red. Methods of enzymatic analysis, 2 nd English ed (Transl. from 3 rd German ed), verlage chemie Weinheim and academic press, inc., New York and London. 4 Vols.
- (231) Lundsgaard, E. (1932): Betydningen of faenomenet maelkesyrefrie muskelkon traktioner for apfattelsen of muskelkontraktionens kemi. Damske Haspaltidende, 75 : 84 - 95.
- (232) Lustick, S. (1971): Plumage color and energetics. Condor, 73 : 121 - 122.
- (233) Lynen, F. (1961): Biosynthesis of saturated fatty acids. Fed. Proc., 20 : 941 - 951.

- (234) Maley, G.F. (1957): Comparison of Some Enzyme systems in normal and thyrotoxic Rat liver. Amer. J. Physiol., 188 : 3539-3544.
- (235) Margaria, R. and Foa, P. (1939): Der einfluss von muskellarbeit auf den strickstoffwechsel, die Kreatinund säureavs cheidung. Arbeitsphysiologie, 10 : 553 - 560.
- (236) Margreth, A. and Novello, F. (1964): Observations on the chemical determination and distribution of ribonucleic acid in several striated muscles. Exp. Cell Res., 35:38-42.
- (237) Marshall, A.J. (1952): The condition of the interstitial and spermatogenic tissue of migratory birds on arriving in England in April and May. Proc. Zool. Soc. London, 122 : 287 - 295.
- (238) Marshall, A.J. (1961): Breeding seasons and migration. In Biology and comparative physiology of birds. (Edited by Marshall. A. J.), vol. II. pp. 307 - 339. Academic press, New York.
- (239) Mascher, J. W. (1966): Weight variations in resting Dunlins. (Calidris a.alpina) Birds - Banding, 37 : 1-34.
- (240) Masman, D. and Klaassen, M. (1987): Energy expenditure during free flight in trained and free-living eurasian kestrels (*Falco tinnunculus*). Auk, 104: 603-616.
- (241) Masoro, E.J. (1962): Biochemical mechanisms related to the homeostatic regulation of lipogenesis in animals. J. lipid Res., 3 : 149 - 164.
- (242) Masoro, E.J.; Rowell, L.B. and Mc Donald, R.M. (1964): Skeletal muscle lipids. I. Analytical method and composition of monkey gastrocnemius and soleus. Biochim. Biophys. Acta, 84 : 493 - 499.
- (243) Mayer, J. (1953 a): Cenetic, tuaumatic and environmental

- factors in the etiology of obesity. *Physiol. Rev.*, 33 : 472 - 508.
- (244) Mayer, J. (1953 b): Decreased activity and energy balance in the hereditary obesity diabetes syndrome of mice. *Science*, 117 : 504 - 505.
- (245) Mayer, J. (1955): Regulation of energy intake and body weight : The glucostatic theory and the lipostatic hypothesis. *Ann. N. Y. Acad. Sci.*, 63 : 15 - 43.
- (246) McGreal, R.D. and Farner, D.S. (1956): Premigratory fat deposition in the Gambel White - Crowned Sparrow : Some morphologic and chemical observations. *Northwest Sci.*, 30 : 12 - 23.
- (247) Mc Keown, B.A.; John, T.M. and George, J.C. (1974): Effect of exercise on plasma growth hormone, free fatty acids and glucose in the Pigeon. *Arch int. physiol. Biochim.*, 82 : 55 - 62.
- (248) Mc Neil, R. (1969): La determination du contenu lipidique et la capacite de vol chez quelques especes d'oiseaux de rivage (charadriidae et Scolopacidae). *Can. J. Zool.*, 47 : 525 - 536.
- (249) Mc Neil, R. (1970): Hivernage et estivage d'oiseaux aquatiques nord - Americains dans le nord - est du Venezuela (mue, accumulation de graisse, capacite de vol et routes de migration). *Oiseau Rev. Fr. Ornithol.*, 40 : 185 - 302.
- (250) Mc Neil, R. and Carrera de Itriago, M. (1968): Fat deposition in the Scissor - tailed Flycatcher (Muscivora t.tyrannus) and the smallbilled Elaenia (Elaenia parvirostris) during the austral migratory period in norther Venezuela. *Can. J. Zool.*, 46 : 123 - 128.
- (251) Meier, A.H. and Davis, K.B. (1967): Diurnal variations of

the fattening response to prolactin in the White - Throated Sparrow., Zonotrichia albicollis. Gen. Comp. Endocrinol., 8 : 110 - 114.

- (252) Meier, A.H. and Farner, D.S. (1964): A possible endocrine basis for premigratory fattening in the White - Crowned Sparrow, Zonotrichia leucophrys gambelii (Nuttall). Gen. Comp. Endocrinol., 4 : 584 - 595.
- (253) Meier, A.H.; Farner, D.S. and king, J.R. (1965): A possible endocrine basis for migratory behaviour in the White - Crowned Sparrow, Zonotrichia leucophrys gambelii. Animal Behav., 13 : 453 - 465.
- (254) Mellgren, S.I. and Mathisen, J.A. (1966): Oxidative enzymes, glycogen and lipid in striated muscle. A histochemical study in the atlantic hagfish (Myxine glutinosa L.). Zeit. Zellfor. Mikros. Anat., 71 : 169-178.
- (255) Menon, G.K.K. (1961): Influence of hormones on lipid metabolism. Indian J. Physiol. Pharmacol., 5 : 159 - 173.
- (256) Merkel, F.W. (1937): Zur physiologie des vogelzug triebes - Zool. Anz., 117 : 297 - 308.
- (257) Merkel, F.W. (1938): Zur physiologie der zugunruhe bei vögeln. Ber. Ver. Schles. Ornith., 23 : 1 - 72.
- (258) Merkel, F.W. (1958): Untersuchungen über tages - und jahresperiodische Änderungen in Energie haushalt gekäfigter Zugvögel. Z. Vergl. Physiol., 41 : 154 - 178.
- (259) Miller, R.A. (1942): Effects on anterior pituitary preparations and insulin on islet cells of pigeon pancreas. Endocrinol., 31 : 535 - 544.
- (260) Miller, R.A. and Riddle, O. (1941): Cellular Response to insulin in suprarenals. of pigeons. Proc. Soc. Exper. Biol. Med, 47 : 449-453.

- (261) Mole, P.A.; Oscai, L.B. and Holloszy, J.O. (1971): Adaptation of muscle to exercise. Increase in levels of palmityl COA synthetase, carnitine palmityl transferase, and palmityl COA dehydrogenase and in the capacity to oxidize fatty acids. J. Clin. Invest., 50 : 2323 - 2330.
- (262) Moreau, R.E. (1961): Problems of Mediterranean. Saharan migration. Ibis, 103 a : 373 - 427; 580 - 623.
- (263) Moreau, R.E. (1966): " The bird Faunas of Africa and its Islands ". Academic press, New York.
- (264) Moreau, R.E. (1969 a): The recurrence in winter quarters (Ortstreue) of trans - Saharan migrants. Bird Study, 16 : 108 - 110.
- (265) Moreau, R.E. (1969 b): Comparative weights of trans - Saharan migrants at intermediate points. Ibis, III:621-624.
- (266) Moreau, R.E. and Dolp, R.M. (1970): Fat, water, weights and wing - lengths of autumn migrants in transit on the northwest coast of Egypt. Ibis, 112 : 209 - 228.
- (267) Morton, M.L. (1967): Diurnal feeding patterns in White - Crowned Sparrow, Zonotrichia leucophrys gambelii. Condor, 69 : 491 - 512.
- (268) Morris, D.L. (1948) : Quantitative determination of carbohydrates with Dreywood's Anthron reagent. Science, 107:245.
- (269) Morton, M.L. and Mewaldt, L.R. (1962): Some effects of Castration on a migratory Sparrow (Zonotrichia atricapilla). Physiol. Zool., 35 : 237 - 247.
- (270) Mourice Burton and Robert Burton. (1980 a): The new Parousse Encyclopedia of animal life. Vol. 6. pp. 654 - 655.

- (271) Mourice Burton and Robert Burton. (1980 b): The new larousse Encyclopedia of animal life. Vol. 18. pp. 1840 - 1841.
- (272) Mourice Burton and Robert Burton. (1980 c): The new larousse Encyclopedia of animal life. Vol. 23. pp. 2617 - 2618.
- (273) Nachmias, V.T. and Padykula, H.A. (1958): Histochemical study of normal and denervated red and white muscle of the rate. J. Biophys. Biochem. Cyto., 4 : 47 - 49.
- (274) Nag, A.C. (1972): Ultrastructure and adenosine triphosphatase activity of red and white muscle fibres of the caudal region of a fish, Salmo gairdneri. J. Cell Biol., 55 : 42 - 51.
- (275) Naik, D.V. (1963): Seasonal variation in the metabolites of the liver of the Rosy Pastor, Sturnus roseus (Linnaeus) Pavo., 1 : 44 - 47.
- (276) Nakamura, T. (1969): Physiological and ecological studies on bird migration with special refrence to body lipids. Tori, 19 : 87 - 108.
- (277) Nakamura, T. and Ishizawa, J. (1965): Studies on the migration of Locustella fasciolata. II. Duration of migration, flock formation and physiology. Misc. Rep. Yamashina Inst. Ornithol, 4 : 217 - 220.
- (278) Naumann, J.A. (1822): " Naturgeschichte der Vögel deutschlands " Fleischer, Leipzig. According to " Farner , D.S. and King, J.R. (1975): in Avain biology. Vol. pp 77-110.
- (279) Nelson, T. (1964): A New Dictionary of birds. (Edited by Lonsborough, A. T.) pp. 299 - 307. The British Ornithologists' union.
- (280) Newton, I. (1969): Winter fattening in the Bullfinch.

Physiol. Zool., 42 : 96 - 107.

- (281) Nice, Margrate, M. (1937): Studies in the life history of the Song Sparrow. Trans. Linn. Soc. New York IV: 1 - 247.
- (282) Nice, Margrate, M. (1946): Weights of resident and winter visitant Song sparrows. Condor, 48 : 41 - 42.
- (283) Nisbet, I.C.T. (1957): Passerine migration in south Scandinavia in the autumn of 1954. Ibis, 99 : 228 - 268.
- (284) Nisbet, I.C.T. (1963): Weight - loss during migration. part II. Review of other estimates. Bird - Banding, 34 : 139 - 159.
- (285) Nisbet, I.C.T. (1967): Aerodynamic theories of flight versus physiological theories. Bird-Banding, 38: 306-308.
- (286) Nisbet, I.C.T. (1968): Weights of birds in Malaya. Ibis, 110 : 352 - 354.
- (287) Nisbet, I.C.T.; Drury, W.H. and Baird, J. (1963): Weight - loss during migration. Part I. Deposition and consumption of fat by the Black poll Warbler. "Dendroica Striata". Bird - Banding, 34 : 107 - 138.
- (288) Nomoto, S.; Rautenberg, W. and Iriki, M. (1983): Temperature regulation during exercise in the Japanese quail (C. coturnix japonica). J. Comp. physiol, 149B: 519-525.
- (289) Odum, E.P. (1949): Weight variation in wintering White - throated Sparrows in relation to temperature and migration. Wils. Bull., 61 : 3 - 14.
- (290) Odum, E.P. (1959): The fat deposition picture in the White - throated Sparrow in comparison with that in long - range migrants. Bird - Banding, 29 : 105 - 108.
- (291) Odum, E.P. (1960 a) : Lipid deposition in nocturnal migrant birds. Proc. XIII Int. Orn. Congr. Helsinki, 1958: 563-576.

- (292) Odum, E.P. (1960 b): Premigratory hyperphagia in birds. Amer. J. Clin. Nutr., 8 : 621 - 627.
- (293) Odum, E.P. and Connell, C.E. (1956): Lipid levels in migrating birds. Science, 123 : 892 - 894.
- (294) Odum, E.P.; Connell, C.E. and Stoddart, H.L. (1961): Flight energy and estimated flight ranges of some migrating birds. Auk, 78 : 515 - 527.
- (295) Odum, E.P. and Major, J.C. (1956): The effect of diet on photoperiod - induced lipid deposition in the White - throated Sparrow. Condor, 58 : 222 - 228.
- (296) Odum, E.P. and Perkinson, J.D. (1951): Relation of lipid metabolism to migration in birds : seasonal variation in body lipids of the migratory White - throated Sparrow. Physiol. Zool., 24 : 216 - 230.
- (297) Odum, E.P.; Rogers, D.T. and Hicks, D.L. (1964): Homeostasis of the non fat components of migrating birds. Science, 143 : 1037 - 1039.
- (298) Ogata, T. and Mori, M. (1964): Histochemical study of oxidative enzymes in vertebrate muscles. J. Histochem. Cytochem., 12 : 171 - 179.
- (299) Orth, R.D.; Odell, W.D. and Williams, R.H. (1960): Some hormonal effects on the metabolism of acetate - $1 - C^{14}$ by rat adipose tissue. Amer. J. Clin. Nutr., 8 : 621 - 627.
- (300) Oscai, L.B. (1983): Type L hormone - sensitive lipase hydrolyzes endogenous triacylglycerols in muscle in exercised rats. Med. Sci. Sports. Exercise, 15 : 336 - 339.
- (301) Oscai, L.B.; Caruso, R.A., and Wergeles, A.C. (1982): Lipoprotein lipase hydrolyzes endogenous triacylglycerols in muscle of exercised rats. J. Appl. Physiol., 52 : 1059 - 1063.

- (302) Padykula, H.A. and Gautheir, G.F. (1963): Cytochemical studies of adenosine triphosphatases in skeletal muscle fibers. *J. Cell. Biol.*, 18 : 87 - 91.
- (303) Palmen, J.A. (1876): " über die zugstrassen der Vögel " Engelmann, Leipzig. According to " Farner, D.S. and King, J.R. (1975): Avian biology. Vol. V.
- (304) Palmgren, P. (1944): Studien über die tagesrhythmik gekäfigter zugvögel. *Zschr. f. Tierpsychologie*, 4 : 44-86.
- (305) Paludan, K. (1938): Zur Ornithologie des Zagros - gebietes. *W. Iran. J. f. Orn.*, 86 : 562-563.
- (306) Parker, G.H., and George, J.C. (1972) *Proc. 4 th Int. Congr. Histochem. Cytochem.*, Kyoto, PP. 249 - 250. According to McKeown, B.A., John, T.M. and George, J.C. (1974): *Archi. Int. physiol. Biochi.*, 82: 55-62
- (307) Parker, G.H. and George, J.C. (1974): Effect of exercise, on the respiratory metabolism of ($I-C^{14}$) palmitate-labelled pigeons. *Int. J. Biochem.*, 5 : 167 - 172.
- (308) Paul. P. (1970): FFA metabolism of normal dogs during steady - state exercise at different work loads. *J. Appl. Physiol.*, 28 : 127 - 132.
- (309) Paul, P. and Holmes, W.L. (1975): Free fatty acid and glucose metabolism during increased energy expenditure and after training. *Med. Sci. Sports*, 7 : 176 - 184.
- (310) Paul, P. and Issekutz, B. (1967): Role of extramuscular energy sources in the metabolism of the exercising dog. *J. Appl. physiol.*, 22 : 615 - 622.
- (311) Paul, P. and Sperling, E. (1957): Cyclophorase system XXIII correlation of cyclophorase activity and mitochondrial density in striated muscle. *Pro. Soc. Exp. Biol. Med.*, 79 : 352-354.

- (312) Pearse, (1972): In hisochemical techniques, 2nd Edition.
J.D. Bancroft (1975).
- (313) Pearson, D.J. (1961): Condor, 63 : 506 - 507. According to
Lasiewski, R.C. (1962): Condor, 64: 324-329.
- (314) Pearson, D.J.; Phillips, J.H. and Backhurst, G.C. (1970):
Weights of some palaeartic waders wintering in Kenya.
Ibis, 112 : 199 - 208.
- (315) Pearson, O.P. (1950): The metabolism of Humming birds.
Condor, 52 : 145 - 152.
- (316) Pearson, O.P. (1964): Metabolism and heat loss during
flight in pigeons. Condor, 66 : 182 - 185.
- (317) Pels III, A.E; White, T.P. and Block, W.D. (1985): Effects
of exercise training on plasma lipids and lipoproteins in
rats. J. Appl. physio., 58(2) : 612 - 618.
- (318) Penney, J.G. and Bailey, E.D. (1970): Comparison of the
energy requirements of fledgling Black Ducks and American
Coots. J. Wildl. Mamage, 34: 105-114.
- (319) Pennycuick, C.J. (1969): The mechanics of bird migration.
Ibis, III : 525 - 556.
- (320) Pennycuick, C.J. (1970): Energetics of thermal soaring in
birds. Abstr. Int. Ornithol. Congr., 15 th, 1970. P.173
- (321) Pohl, H. (1971): Seasonal variation in metabolic functions
of Bramblings. Ibis, 113 : 185 - 193.
- (322) Prellwitz, W. and Koettgen, E., (1969): Arztl. Lab.,15:
20-27.
- (323) Prichard, A.W.; Hunter, J.R. and lasker, R. (1971): The
relation between exercise and biochemical changes in red
and white muscle and liver in Jack mackerel, Irachurus

- (324) Putzig, P. (1939): Beiträge zur Stoffwechselphysiologie des Zugvogels. Vogelzug, 10 : 139 - 154.
- (325) Randle, P.J. (1963): Endocrine control of metabolism. Ann. Rev. Physiol., 25 : 291 - 325.
- (326) Ratliff, C.R. and Hall, F. (1973): " Laboratory manual of clinical Bio - chemistry " Scott and White Memorial Hospital Publications Office, Temple, Tx.
- (327) Raveling, D.G. and LeFebvre, E.A. (1967): Energy metabolism and theoretical flight range of birds. Bird - Banding, 37 : 97 - 113.
- (328) Reeves, W.G. (1983): "Insulin antibody determination: theoretical and practical considerations". Diabetologia, 24: 399-403.
- (329) Relvas, M.E. and Prior Ferraz., F.G. (1963): L'acidoacidémie à l'état normal et dans quelques cas pathologiques. Clin. Chim. Acta, 8 : 533 - 537.
- (330) Rennie, M.J.; Jennett, S. and Johnson, R.H. (1974): The metabolic effects of strenuous exercise : a comparison between untrained subjects and racing cyclists. Q.J.Exp. Physiol. Com. Med. Sci., 59: 201 - 212
- (331) Ricklefs, R.E. (1974): Energetics of reproduction in birds in Avian Energetics (Edited by Rayner R.A.) pp 152-297. Publication of the Nuttall ornithological club NO. 15, Cambridge.
- (332) Riddle, O. and Opdyke, D.F. (1947): Carn. Inst. Put. p.p. 569. According to " Hazelwood, R. and Lorenz, F.W. (1959): Am. J. physiol., 179(1): 47-51.
- (333) Roberts, B.L. (1969): Spontaneous rhythms in the

- motorneurons of spinal dogfish (Scyliorhinus Canicula).
J. Marin. Biol. Assoc. U.K., 49 : 467 - 472.
- (334) Robinson, J.D.; Brady, R.O. and Bradley, R.M. (1963):
Biosynthesis of fatty acids : IV. Studies with inhibitas.
J. Lipid Res., 4 : 144 - 150.
- (335) Rogers, D.T. and Odum, E.P. (1964): Effect of age, sex and
level of fat deposition on major body components in some
wood warblers. Auk, 81 : 505 - 513.
- (336) Rogers, D.T. and Odum, E.P. (1966): A study of autumnal
postmigrant weights and vernal fattening of North American
migrants in the tropics. Wilson Bull., 78 : 415 - 433.
- (337) Romanul, F.C. (1964): Enzymes in muscle. I. Histochemical
studies in enzymes in individual muscle fibers. Arch.
Neural., 11 : 355 - 361.
- (338) Rosen, E. (1966): A seasonal analysis of fatty acids in
the Wood Thrush (Hylocichla mustelina). Diss. Abstr., B
27 : 2200 - 2210.
- (339) Ross, G.; Lickley, L. and Vranic, M. (1978): Extrapanc-
reatic glucagon in control of glucose turnover in
depancreatized dogs. Am. J. physiol., 234:E213 - E219.
- (340) Rowan, W. (1925): Relation of light to bird migration and
developmental changes. Nature (London) 115 : 494 - 495.
- (341) Sauer, E.G.F. (1962): Ethology and ecology of Golden
Palovers on St. Lawrence Island, Bering sea. Psychol.
Forsch, 26 : 399 - 470.
- (342) Schaefer, G.W. (1968): Energy requirement of migratory
flight. Ibis, 110 : 413 - 414.
- (343) Schildmacher, H. and Rautenberg, W. (1952): Über die
wirkung Kleiner Mengen von thyroxin auf das Körpergewicht
bei Finkenvögelen. Biol. Zentralbl., 71 : 397 - 405.

- (344) Schildmacher, H. and Steubing, L. (1952): Untersuchungen zur hormonalen Regulierung des Fettwerdens der Zug Vögel in Frühjahr. Biol. Zentralbl., 71 : 272 - 282.
- (345) Serle, W. (1956): Migrant land - birds at sea of West Africa. Ibis, 98 : 307 - 311.
- (346) Shahien, Y.M. and EL-Mougy, S.A. (1975): Histochemical differentiation of the pectoral major muscle fibres of two allied forms of *Columba livia*. Assiut Vet. Med. J., II(3) and (4): 57-63.
- (347) Siest, G.; Henny, J. and Schiele, F. (1981): Interpretation des examens de laboratoire, Karger ed., :206-223.
- (348) Smit, H.; Amelelink - Koutstaal, J.M.; Vijverberg, J. and Von Vaugel Klein, J.C. (1971): Oxygen consumption and efficiency of swimming fish. Comp. Biochem. Physiol., 39 A : 1 - 9.
- (349) Smith, V.M. (1966): Autumn and spring weights of some Palaearctic migrants in central Nigeria. Ibis, 108:492-512.
- (350) Snedecor, G. and Cochran, W. (1969): Statistical Method 6th Ed. Iowa State Univer. Press, Ames, Iowa, USA.
- (351) Snow, D.W. and Snow, B.K. (1963): Weight and wing - lengths of some Trinidad birds. Zoologia, 48 : 1 - 12.
- (352) Soulaire, A. (1958): Les régulations psycho - physiologiques de la faim. J. physiol. path. Gén., 50 : 663 - 783.
- (353) Soybet, D.; Jaspan, J.; Polonsky, K.; Goldberg, I.; Rayfield, E. and Tager, H. (1983): "Differential immunoreactivity of plasma glucagon in man: studies with different glucagon antibodies" J. Clin. End. and Med. Met., 56: 612-618.
- (354) Spaepen, J. (1952): De ortolaan (Emberiza hortulana L.)

- alstrek - enals kooivogel. Glervalk, 42 : 164 - 214.
- (355) Stresemann, E. (1934): Aves. In Hand buch der zoologie, W. Kükenenthal, ed., 7 : 678 - 680.
- (356) Sturkie, P.D.(1954): Avian physiology, Comstock Publishing Associates, New York. pp 381-397.
- (357) Szent - Gyorgi (1953): Chemical physiology of contraction in body and heart muscle. New York, Academic press, 1953, p.104.
- (358) Tacheuchi, A. (1959): Neuromuscular transmission of fish skeletal muscles investigated with intracellular microelectrode. J. Cell Comp. Phys., 54 : 211 - 221.
- (359) Talso, P.J.; Miller, C.E.; Carballo, A.J. and Vasquez, E. (1960): Exchangeable potassium as a parameter of body composition. Metabolism, 9 : 456 - 471.
- (360) Thieboud, D.; Schutz, Y.; Acheson, K.; E-Jacot; DeFronzo, A.; Felber, J.P. and Jequier E. (1983): Energy cost of glucose storage in human subjects during glucose - insulin infusions. Am. J. phusiol., 244: E 216 - E 221.
- (361) Thomas, D.G. (1970): Wader migration across Australia. Emug 70 : 145 - 154.
- (362) Thomas, D.G. and Dartnall, A.J. (1970): Pre - migratory deposition of fat in the Red - necked Stint. Emu, 70 : 87.
- (363) Trumpy, R.D.; Barrett, G.W. and Kruse, E.A. (1983): Prey coot color selection and bioenergetics of captive screech owls. Ohio J. Sci., 83: 65-67.
- (364) Tucker, V.A. (1966): Oxygen consumption of a flying birds. Science, 154 : 150 - 151.
- (365) Tucker, V.A. (1968): Respiratory physiology of House Sparrows in relation to high - altitude flight. J. Exp. Biol., 48 : 55 - 66.

- (366) Tucker, V.A. (1971): Flight energetics in birds. Amer. Zool., 11 : 155 - 124.
- (367) Turcek. F.J. (1966): On plumage quantity in birds. Ekol. Pol., 14 : 617 - 634.
- (368) Ungar, I.; Gilbert, M.; Siegel, A.; Blain, J.M.; and Bing, R.J. (1955): Studies on myocardial metabolism. Amer. J. Med., 18 : 358 - 396.
- (369) Vallyathan, N.V. (1963): On the lipid content and lipase activity in the breast muscle of Sturnus roseus (Linnaeus). Pavo, 1 : 106 - 109.
- (370) Vallyathan, N.V.; Eringer, I. and George, J.C. (1970): Effect of fasting and exercise on lipid levels in muscle. A cytological and biochemical study. Con. J. Zoll., 48 : 377 - 383.
- (371) Vallyathan, N.V. and George, J.C. (1964): Glycogen content and phosphorylase activity in the breast muscle of the migratory starling, Sturnus Roseus (Linnaeus). Pavo, 2 (I) : 55 - 60.
- (372) Van wijhe, M.; Blanchaer, M.C. and St. George - Stubbs, S. (1964): Distribution of lactate dehydrogenase isozymes in human skeletal muscle fibers. J. Histochem. Cytochem., 12 : 608 - 611.
- (373) Von Homeyer, E.F. (1881): " Die Wanderungen der Vögel mit reücksicht auf die züge der söugethiere, fische und Insecten. Grieben, Leipzig. According to "Farner, D.S. and King., J.R. (1975): Avain biology".
- (374) Von lucanus,F.(1923) "Die Rätsel des vogelzuges " Beyer & Mann , Langesalza. According to "farner, D.S and king,J.R (1975) : Avain biology"

- (375) Voous, K.H. (1957): The birds of Aruba. Curacao and Bonaire. Vol. VII of studies of Fauna of Curuc, a.o and other caribbean Islands. According to "Rogers, D.T., and odum, E.P." (1966): Wilson Bulletin, 78 : 415 - 433.
- (376) Vranic, M.; Kawamori, R.; Pek, S.; Kovacevic, N. and Wrenshall, G.A. (1976): The essentiality of insulin and the role of glucagon in regulating glucose utilization and production during strenuous exercise in dogs. J. Clin. Invest., 57 : 245 - 255.
- (377) Vranic, M. and Berger, M. (1979): Exercise and diabetes mellitus. Diabetes, 28 : 147 - 167.
- (378) Wachs, H. (1926): Die wanderungen der Vögel. Ergebn. Biol., 1 : 479 - 637.
- (379) Wahiefeld, A.W. (1974): Triglycerides determination offer enzymatic hydrolysio. (page 1831 ff). In H.U. Bergmeyer, ed. Methods of enzymatic analysis. 2 nd English ed. (Transl. from 3 rd German ed.). Veriag chemie Weinheim and academic press. Inc. New York and London, 4 Vols.
- (380) Walker, M.G. (1971): Effect of starvation and exercise on the skeletal muscle fibres of the cod (Gadus Virens L.). Respectively. J. Cons., 33 : 421 - 429.
- (381) Wallgren, H. (1952): On the dependence of standard metabolism upon environmental temperature in the Yellow Bunting (Emberiza citrinella L.) and the Ortolan Bunting (E. horlulama L.). Ornis Fenn., XXIX : 44 - 48.
- (382) Wallgren, H. (1954): Energy metabolism of two species of the genus Emberiza as correlated with distribution and migration. Acta. Zool. Fenn., 84 : 1 - 110.
- (383) Ward, P. (1963): Lipid levels in birds preparing to cross the Sahara. Ibis, 105 : 109 - 111.
- (384) Ward, P. (1964): The fat reserves of Yellow Wagtails.

- Motacilla flava wintering in South - west Nigeria. Ibis, 106 : 370 - 375.
- (385) Ward, P. (1969): Seasonal and diurnal changes in the fat content of an equatorial birds. Physiol. Zool., 42: 85-95.
- (386) Weis - Fogh, T. (1952): Fat combustion and metabolic rate of flying locusts (Schistocerca gregaria). Phil. Trans. B, 237 : 1 - 36.
- (387) Well, G.R. and Robbins, S. (1969): Thin layer chromatography of insulin and IRP. Clin. Res., 17 : 394.
- (388) Wertheimer, E. and Ben - Tor, V. (1952): Fat utilization by muscle. Biochem. J., 50 : 573 : 576.
- (389) Wetmore, A. (1939): Observations on the birds of northern Venezuela. Proc. U.S. Nat. Mus., 87: 173-260.
- (390) Williams, J.B. (1985): Validation of the DLW technique for measuring energy metabolism in Starlings and Sparrows. Comp. Biochem. physiol., 80A: 349-353.
- (391) Wiliams. J.B. and Hansell, H. (1981): Bioenergetics of captive Belding's Savannah Sparrows (passerculus sand whchensis belding).-Comp. Biochem. physiol., 69A: 783-787.
- (392) Williamson, K. (1952): Migrational drift in Britain in autumn 1951. Scot. Nat., 64: 1-18.
- (393) Williamson, K. (1958): Bergmann's rule and obligatory Overseas migration. Brit. Birds, 51 : 209 - 232.
- (394) Williamson, K. (1961): The concept of " cyclonic approach ". Bird migration, 1 : 235 - 239.
- (395) Winder, W.W.; Hickson, R.C.; Hagberg, J.M.; Ehsani, A.A. and McLane, J.A. (1979): Training - induced changes in hormonal and metabolic responses to submaximal exercise. J. App. Physiol., 46 : 766 - 771.

- (396) Winegrad, A.I. and Renold, A.E. (1958): Studies on rat adipose tissue in vitro. I. Effects of insulin on the metabolism of glucose, pyruvate, and acetate. *J. Biol. Chem.*, 233 : 267 - 272.
- (397) Wiskus, K.J.; Hddies, P.B. and Ma, T.I. (1976): Distribution of β R, α R and α W fibres in turkey muscles. *Poultry. Sci.*, 55: 562-572.
- (398) Wolfson, A. (1940): A preliminary report on some experiments on bird migration. *Condor*, 42 : 93 - 99.
- (399) Wolfson, A. (1942): Regulation of spring migration in juncos. *Condor*, 44 : 237 - 263.
- (400) Wolfson, A., (1945): The role of the pitutary, fat deposition, and body weight in bird migration. *Condor*, 47 : 95 - 127.
- (401) Wolfson, A. (1952): The occurrence and regulation of the refractory period in the gonadal and fat cycles of the Junco. *Jour. Exper. Zool.*, 121 : 311 - 325.
- (402) Wolfson, A. (1959): Ecologic and physiologic factors in the regulation of spring migration and reproductive cycles in birds. In comparative endocrinology proc. Columbia Univ., Symp. Comp. Endo., edited by A. Gorbman (John Wiley and Sons, New York). pp. 38 - 70.
- (403) Wolfson. A. (1960) : Role of light and darkness in the regulation of annual stimulus for spring migration and reproductive cycles. *Proc. XII. Intern. Ornith. Cong.*, Helsinki, PP. 758-789.
- (404) Yakovlev, N.N. (1950): *Fiziol. Zhur. S.S.S.R.*, 36 : 744. According to " Hearn, G.R., and Wainio, W.W. (1956). In *Am. J. Physiol.*, 85 348 - 350.

- (405) Yapp, W.B. (1956): Two physiological considerations in bird migration. *Wilson Bull.*, 68 : 312 - 319.
- (406) Yarbrough, C.G. (1970): Summer lipid levels of some subarctic birds. *AUK*, 87 : 100 - 110.
- (407) Yarbrough, C.G. and Johnston, D.W. (1965): Lipid deposition in wintering and premigratory Myrtle Warblers. *Wilson Bull.*, 77 : 175 - 191.
- (408) Zebe, E. (1958): Untersuchungen zum fettstoffwechsel der Insekten. *Verhandlungen der deutschen zoologischen gesellschaft Frankfurt a. M.*, pp. 131 - 137.
- (409) Zedlitz, O. (1926): Vogelgewichte als hilfsmittel für die biologische. *Forschung. J.F. Orn.* 74 : 296 - 308. According to : Wallgren, H. (1954). *Acta zoologica fennica*, 84 : 1 - 110.
- (410) Zimmerman, J.L. (1965): Digestive efficiency and premigratory obesity in the Dickcissel. *AUK*, 82 : 278 - 279.
- (411) Zollner, N. and Kirsch, K. (1962): *Z. Ges. Exp. Med.*, 135 : 545.