REFERENCES

REFERENCES

Abdallah, A.M., 1966 : Stratigraphy and Structure of a portion in the North Western Desert of Egypt.- Geol. Res. Min. Organiz., paper No. 45.

Akar & Drooger, 1957 : Miogypsinids, planktonic foraminifera and Gulf coast Oligocene-Miocene correlation.- Bull. Amer. Assoc. Petro. Geol., 41(4):656-676.

American Commission on Stratigraphic Nomenclature, 1961 : Code of Stratigraphic Nomenclature.- Bull. Amer. Petrol. Geol., 45(5): 645-665.

Andrew, G., & Cuvillier, J. 1938 : The marine Oligocene in Maryut area.- in Geology of Egypt by Hume (1965).

Awad, C.H., Said, R. 1965 : Lexique Stratigraphique International, 4(6).

Auda, K., 1971 : Biostratigraphical studies of some surface and subsurface Miocene Formations from the Western Desert, Egypt.- Thesis of Ph.D., Assiut University, 2 parts, 579 p, 66 pls.

Auda, K. & Omara, S., 1972 : Review of the lithostratigraphy of the Oligocene and Miocene in the Northern Western Desert, Egypt.- 8th Arab Petr. Congr. Paper 93(B-3).

Bahay Issawi, 1973 : Study on the Southern Corner of Western Desert.- Annals of Geological Survey, Volume III.

Baher El Khashab, 1974 : Review of the Early Tertiary Eutherian fauna of African mammals in Fayum Province, Egypt.- Annals of Geological Survey, Vol. IV.

Baher El Rhaslab, 1979 : A brief account on Egyptian Paleogene proboscidea.- Annals of Geological Survey of Egypt, Vol. IV.

Ball, J., 1939 : Contribution to the geography of Egypt.- Egypt. Surv. Dept., Cairo, 330 pp.

Bandy, O.L., 1949 : Eocene and Oligocene foraminifera from Little Stove Creek, Clarke country, Alabama.- Bull. Amer. Paleont., 32 (131) : 1-210, Pls. 1-27.

Bandy, O.L., 1963 : Cenozoic planktonic foraminiferal zonation and basinal development in the Phillipines.- Bull. Amer. Assoc. Petrol., 47 (9) : 1733-1745.

Banner, F.T. & Blow, W.H. 1959 : The classification and stratigraphical distribution of the Globigerinacea.- Paleont. London, 2 (I): 1-27, Pl. 1-3.

Barron, T., 1907 : The topography and geology of the district between Cairo and Suez Egypt.- Surv. Dept., Cairo, 241 pp., 10 pls. Geol. Map and Section.

Bassiouni, Boukhary and El Sheikh, 1976 : Biostratigraphy of Lower and Middle Subsurface Oligocene sediments, Dabaa, West Alexandria - Egypt.- The Arab. Pet. Congr., No. 130 (B-3).

Beadnell, H.L., 1905 : The topography and geology of the Fayum province of Egypt.- Surv. Dept., Cairo, 101 pp.

Becker, L.E. & Dusenburg, A.N., 1958 : Mio-Oligocene (Aquitanian) foraminiferal from the Goo Jira peninsula, Columbia Cushman Found. Foram. Res., Spec. Publ. 4:1-48, pls. 1-7.

Beckmann, J.P. et al, 1969 : Standard planktonic zones in Egypt.- Proc. Intern. Conf. Planktonic Microfossils, 1:92-103.

Blondeau, A., 1972 : Les Nummulites.- Vuibert, Paris, 254 P., 25 figs., 5 charts, 43 pls.

Blow, 1969 : In B lli & Krasheninikov 1977.- Micropaleontology, 23(4) : 436-452.

Bolli, H.M., 1957 : Planktonic foraminifera from the Oligocene Pliocene Cipero and Lengua formations of Trinidad.- B.W.I.U.S. Nat. Mus., 215-97-123, pls. 27-29.

Bolli, H.M., 1960 : Planktonic foraminifera as index fossils in Trinidad, West Indias and their value for world wide Stratigraphic correlation.- Bol. Geol. Rev., 52(2), 637-672.

Bolli, H.M., 1966 : Zonation of Cretaceous to Pliocene marine sediments based on planktonic foraminifera.- Bull. Inform. Assoc. Venezuelana Geol. Miner. Petrol., 9(1): 3-32.

Bolli, H.M., Loeblich, A.R. & Tappan, R., 1957 : Planktonic foraminiferal families Hantekeninidae, Orbulinidae, Globorotaliidae and Globotruncanidae.- U.S. Nat., Mus. Bull., 215-:3-60.

Bolli, H.M., Krasheninikov, A.V., 1977 : Problems in Paleogene and Neogene correlation based on planktonic foraminifera.- Micropaleontology 23(4):436-452.

Cole, W.S., 1960 : Variability in embryonic chambers of Lepidocyclina.- Micro. Paleo. 6(2):133-144.

Cole, W.S., 1962 : Embryonic chambers and the subgenera of Lepidocyclina, Bull. Amer. Paleont., 44(200) : 29-60.

Cole, W.S., 1963 : Tertiary larger foraminifera of the British Islands, South West Pacifici.- Micro. Paleo. 9(1) : 1-38, pl. 1-9.

Cook, C.W., 1936 : Boundary between Oligocene and Miocene.- Bull. Amer. Assoc. Petrol. Geol., 23(10), 1560-1561.

Cronin, T.M. 1978 :& H. Khalifa : Middle and Late Eocene Ostracoda from Gebel El-Mereir, Nile Valley, Egypt.- Micro. Paleo. 25(4), pl, 1-2.

Cushman, 1965 : Multilocular embryonts is Lepidocyclina (Eulepidina) undosa from Puerto Rico.- Micro. Paleo. 10(3):323-330.

Drooger, C.W., 1956 : Transatlantic correlation of the Oligo-Miocene by means of foraminifera.- Micro. Paleo. (2): 103-192, pl. I.

Drooger, C.W., 1964 : Problems of Mid-Tertiary Stratigraphic interpretation.- Micropaleont., 10(3):369-374

Drooger, C.W. & Magne, J., 1959 : Miogypsinids and Planktonic foraminifera of the Algerian Oligocene and Miocene.- Micro. Paleo. 5(3):273-284 pls. 1-2.

Eames, F.E., 1953 : The Miocene-Oligocene boundary and the use of the term Aquitanian.- Geol. Mag., 90:388-392.

Eames, F.E. & Clarke, W.J., 1957 : The ages of some Miocene and Oligocene foraminifera.- Micro Paleo. 3:80.

Eames, F.E., 1962 : Morphology, taxonomy, and stratigraphic occurrence of Lepidocyclininae.

Eames et al., 1965 : Dating of some beds in Panama and Trinidad.- Jour. Paleont., 39 (1) : 162-163.

El-Akkad, S. & Dardiri A. 1966 : Geology and phosphate deposits of Wasfi, Safaga area.- Geological Survey of Egypt, Paper no. 36.

Fahmy, S.E., et al., 1969 : Biostratigraphic and correlation scheme of the Miocene deposits in the Gulf of Suez region.- Proc. 3rd Afr. Micropaleont. 1968, Cairo, 493-500.

Frost & Weiss, 1979 : Patch reef communities and succession in the Oligocene of Antigua West Indies.- Geological Society of America, Bulletin, Part I, 90(7):612-616.

Geukens, 1966 : "Geology of Yemen".- Geological Survey Proffessional paper 560-B.

Gezzery, N., Mohsen S. & Farid, M., 1972 : Sedimentary basins of Egypt and their petroleum prospects.- 8th Petrol. Congr. Algeria, Vol. II Paper No. 88 (B-3).

Ghorab, M.A. et al., 1964 : Oligocene and Miocene rock stratigraphy of the Gulf of Suez region.- Stratigraphic Committee Egyptian General Petroleum Corporation, Cairo, (unpublished).

Greenwood & D. Bleackley, 1967 : Geology of the Arabian penensula Aden Protectorate .- Geological Survey Professional paper 560-C.

Haskins, C.W., 1968 : Tertiary Ostracoda from ISLE of WIGHT and Barton, Hampshire, England,- Review of Micro. Paleont. 10(4):250-260.

Hooyberghs, H.J.F. & De Meuter, 1972 : "Biostratigraphy and interregional correlation of the Miocene deposits of Northern Belgium based on Planktonic foraminifera. The Oligocene-Miocene boundary on the Southern Edge of the North Sea basin.- Paleis Der Academien Hertogstraati, Brussel.

Hume, 1965 : Stratigraphical history of Egypt from the close of the Cretaceous period to the end of Oligocene.- Geology of Egypt, Vol. III, Part II.

Jenkins, D.G., 1964 : Panama and Trinidad Oligocene rocks.- Jour Paleont. 38(3) : 606.

Jenkins, D.G., 1966 : Planktonic foraminifera from the type Aquitanian Burdigalian of France.- contribution from Cushman Foundation, Vol. XVII, Part I.

Kugler, H.G., 1954 : The Miocene/Oligocene boundary in the Caribbean region.- Geol. Mag., 91(5) : 410-414.

Marzouk, I., 1970 : Rock stratigraphy and oil potentialities of the Oligocene and Miocene in the Western Desert, U.A.R.- The Arab. Pet. Congr., No. 54 (B-3) : 1-28.

Meneisy, M.Y. & El-Kalioubi, B.A., 1975 : Isotopic ages of the volcanic rocks of the Bahariya Oasis.- Annals of Geological Survey of Egypt Vol. V, pp (119-122).

Milton, D.I., 1967 : Review of the surface geology of Kuwait as shown on USGS Miscellaneous Geologic investigations maps.- Geological Survey Professional paper 560-G.

Norton, P., 1967 : Rock Stratigraphic classification of the Western Desert, Egypt.- Gulf of Suez Company Internal Report.

Poage, 1972 : Planktonic foraminifera of the chickasawhay Formation, United States Gulf Coast. Micro. Paleont. 18(3):257-277, Pl. I.

Postuma, J.A., 1971 : Mannual of Planktonic foraminifera.- Elsevier Publ. Co. Amesterdam, London, N.Y., 420 pp.

Reymont, 1966 : Brief review of the Stratigraphic sequences of West Africa.- Second African Micropaleon.

Sadek, A., 1969 : Contribution to the Miocene Stratigraphy of Egypt by means of Miogypsinids.- Proc. Third. Micropaleo. Colleq., Cairo, pp. 509-516.

Said, R. 1962 : The Geology of Egypt. Elsvier Publ. Co., Amesterdam, N.Y., 377, pp.

Salahi, D., 1966 : Ostracodes Du Cretace superieur et Du Tertaire En Provanance D'un sondage De ha Region De Zelten(Libya).- Review De Linsitut Francais Du Petrole 1966, 21(1) : 3-43.

Salem, R., 1976 : Evaluation of Eocene-Miocene sedimentation Pattern in parts of Northern Egypt.- AAPG, 60(1):34-64, 19 figs.

Samanta, 1965 ::Discocyclina from the Upper Eocene of Assam, India.- Micropaleon. 1965, pp. 415-431.

Shukri, N.M. & El Ayouty, M.K., 1971 : Geology of Dar El Beida area Cairo-Suez district.- Annals of Geological Survey of Egypt, Vol. I,

Sonmez-Gokcen, 1973 : Etude paleontologique (Ostracodes) et Stratigraphique de niveaux du paleogene du Sud. Est, de la Trace, Ankara.

Souaya, F.J., 1957 : Contribution to the Study of Miogypsina s. l. from Egypt : K. Nederl. Akad.,Wefensch).- Proc. ser. B, 64(5):665-705, Pl. 4.

Srinivasan, M.S., 1968 : Late Eocene and early Oligocene planktonic foraminifera from port Elizabith and Cope Foul wind, New Zealand M.S.S.- Cushman contribution vol. XIX, part 4.

Stainforth R.M., 1949 : Foraminifera in the Upper Tertiary of Egypt.- Jour. Paleont., 23:419-422.

Stainforth, R.M., 1960 : Current Status of Transatlantic Oligo-Miocene Correlation by means of planktonic foraminifera.- Rev. Micropaleont., 2(4) : 219-230.

Stainforth, R.M., 1975 : Cenozoic planktonic foraminiferal zonation and characteristics of index forms.

Whiteman, 1971 : Geology of the Sudan Republic.

Willis, R.P., 1967 : Geology of Bahrain.- Geological Survey, Professional paper 560-E.

Petroleum Exploration Society of Libya, 1967 : Microfacies of Libya.

CURRICULUM VITAE

Hassan Abd El-Monhem El-Sheikh was born on November, 4, 1946, in Cairo, Egypt, A.R.E. He is the son of Abd El-Monhem El-Sheikh.

He attended Abu Bakr El-Sidik preparatory School, Quba Secondary School, and Ain Shams University at Cairo.

He was awarded the B.Sc. (Special) in Geology in June 1968 and M.Sc. in Geology in May, 1975.

Permanent Address :

2 Ibn Khalifa Street, Quba, Cairo, Egypt.