

REFERENCES

REFERENCES

- Abdallah, A.M., A. El Addindani and N. Fahmi, 1963. Stratigraphy of Upper Paleozoic rocks, western side of Gulf of Suez; Geol. Surv. Egypt, Paper no. 25, 18 p.
- Abd el Mohsen, S., 1983. Some stratigraphical studies on the Nubia Sandstone in the area west of Aswan. Ph.D. Thesis, Faculty of Science, Assiut University.
- Adams, A.E., W.S. Mackenzie and C. Guilford, 1984. Atlas of Sedimentary Rocks Under the Microscope Longman Scientific & Technical, p. 18-31.
- Al-Laboun, A.A., 1982. The subsurface stratigraphy of Pre-Khuff Formation in central and northwestern Arabia. Ph.D. Thesis, King Abdulaziz University, Faculty of Science, Jeddah.
- Allen, J.R.L., 1965. A review of the origin and characteristics of recent alluvial sediments. Sedimentology, 33, 89-191.
- _____, 1970. Studies in fluvial sedimentation : A comparison of fining - upwards cyclothems with special reference to coarse - member composition and interpretation. J. Sedim. Petrol., 40, 298-323.
- _____, 1974. Studies in fluvial sedimentation : Implication of pedogenic carbonate units, Lower Old Red Sandstone, Anglo - Welsh outcrop. Geol. J., 9, 181-208.

- Allen, J.R.L., 1978. Studies in fluvial sedimentation:
An exploratory quantitative model for the architecture
of avulsion - controlled alluvial suites. *Sedim.
Geol.*, 21, 129-147.
- Attia, M. I. 1955. Topography, geology and iron ore deposits of
the district east of Aswan, *Geol. Surv. Egypt*, 202 p.
- Avbovbo, A.A., E.O., Ayoola, and G.A. Osahon, 1986.
Depositional and structural styles in Chad basin of
northeastern Nigeria. *Am. Assoc. Petrol. Geol., Bull.*
70(12), 1787-1798.
- Awad G.H., and M.G. Ghobrial, 1965. Zonal stratigraphy of the
Kharga Oasis. *Geol. Surv. Egypt*, Paper no. 34, 77 p.
- Awad, G., and B. Issawi, 1974. Biostratigraphic zonation of
Upper Cretaceous-Paleocene in Egypt. *Egyptian J.
Geology*, 18 (2), 61-75.
- Bagnold, R.A., 1941/1973. The physics of blown sand and desert
dunes. Chapman, London, 265 p.
- Ball, J., 1902. On the topographical and geological results of
a reconnaissance survey of Gebel Garra and the Oasis
of Kurkur. *Surv. Dept., Cairo*, 40 p.
- , 1927. Problems of the Libyan Desert. *Geographical
Journal*, 70, 209-224.
- Barthell, K.W. and R., Boettcher, 1978. Abu Ballas Formation
(Tithonian, Beriasian, south Western Desert, Egypt) : A
significant lithostratigraphic unit of the former
Nubian Series : *Mitt. Bayer Staatssig Palaont. Hist.
Geol.*, 18, 153-165, Munchen.

- Barthell, K.W. and W. Herrmann-Degen, 1987. Late Cretaceous and Early Tertiary stratigraphy in the Great Sand Sea and its SE margins (Farafra and Dakhla Oasis), SW Desert, Egypt. - Mitt. Bayer. Staatsslg. Palaont. Hist. Geol., 21, 141-182, Munchen.
- Bellini, E. and D., Massa, 1981. A stratigraphic contribution to the Paleozoic of the southern Basins of Libya., In: The Geology of Libya, Salem, M. and Busrewil, M.T. (eds.), Academic Press, London - New York, I, 3-56.
- Benkhalil, J., P., Dalnelli, J.F., Ponsard, M. Papoff, and L. Saugy, 1988. The Benue Trough : Wrench fault related basins on the border of the Equatorial Atlantic. In: Triassic - Jurassic Rifting, Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins. Manspeizer, W. (ed.). Developments in Geotectonics, 22 (B), 787-820, Elsevier Sp. Pub., Amsterdam.
- Bernau, R., D.P.F. Darbyshire, G. Frans, U. Harms, A. Huth, N. Mansour, P. Pasteels, and H. Schandelmeier, 1987. Petrology, geochemistry and structural development of the Bir Safsaf - Aswan uplift, southern Egypt. J. Afr. Earth Sci., 6, 79-90.
- Bluck, B.J., 1979. Structure of coarse grained braided stream alluvium : Trans. Royal Soc. Edinburgh, 70, 181-221.
- , 1980. Structure, generation and preservation of upward fining, braided stream cycles in the Old Red Sandstone of Scotland. Trans. Royal Soc. Edinburgh, 71, 24-46.

- Brown, L.F.Jr., 1973. Cratonic basins: Terrigenous clastic models. In : Pennsylvanian Depositional Systems in North-Central Texas. In : Brown, L.F.Jr. and Cleaves, A.W. (eds.). Texas Bur. Econ. Geol. Guide book, 14, 10-30.
- Burk, K.C. and J.F., Deway, 1974. Two plates in Africa during the Cretaceous? Nature, 249, 313-316.
- Burollet, P.E., 1963. Reconnaissance geologique dans le sud-est du bassin de Kufra. Inst. Francais Petrole, 18, 1537-1545.
- Butzer, K.W., 1965. Desert landforms at the Kurkur Oasis, Egypt. Ann. Am. Geographer, 55(4), 578-591.
- _____ and C.L. Hansen, 1968. Desert and river in Nubia : Geomorphology and prehistoric environments at the Aswan Reservoir. The University of Wisconsin Press, Madison, Milwaukee, 562 p.
- Buurman P., 1975. Possibilities of palaeopedology. Sedimentology, 22, 289-298.
- Chmielewski, W., 1968. Early and Middle Paleolithic sites near Arkin, Sudan. In : The Prehistory of Nubia, Wendorf, F. (ed.). Dallas: Fort Burgwin Research Center and Southern Methodist University Press., 110-147.
- Clifton, H.E., 1969. Beach lamination : nature and origin. Marine Geology, 7, 553-559.
- Clifton H.E., R.E. Hunter and R.L. Philips, 1971. Depositional structures and processes in the non-barred, high energy nearshore. J. Sedim. Petrol., 41, 651-670.

- Collinson, J.D., 1978. Alluvial sediments. In : Sedimentary Environments and Facies, Reading, H.G. (ed.). Black-well Scientific Publications Oxford, 15-60.
- _____ and D.B. Thompson, 1982. Sedimentary Structures. George Allen and Unwin Ltd., London, 194 p.
- Cotter, E., 1983. Shelf, paralic and fluvial environments and eustatic sea-level fluctuations in the origin of the Tuscarora Formation (Lower Silurian) of central, Pennsylvanian. J. Sedim. Petrol., 53, 25-49.
- Davies, D.K. and F.G. Ethridge, 1975. Sandstone composition and depositional environment. Am. Assoc. Petroleum. Geol. Bull. 59, 239-264.
- de Heinzeline, J. and R. Paepe 1965. The geological history of the Nile Valley in Sudanese Nubia: Preliminary Results, In: Contr. to the Prehistory Nubia. Wendorf, F. (ed.). Southern Methodist University Press. Dallas, Texas, 29-56.
- Doeglas D.J., 1962. The structure of sedimentary deposits of braided rivers. Sedimentology, 1, 167-190.
- Dumas, B., 1970. The origin of glacis. In : Problems of Relief Planation, Pecs, M. (ed.). Studies in Geography in Hungary, 113-117.
- El Akkad, S. and B. Issawi, 1964. Geology and iron ore deposits of the Bahariya Oasis. Geol. Surv. Egypt, Paper no. 18, 301 p.
- El Baz, F. and Ted A. Maxwell, (eds.), 1982. Desert Landforms of Southwest Egypt: A Basis for Comparison with Mars. NASA, Washington, D.C., 372 p.

- El Dowidar, H.M., 1982. Utilization of space images and aerial photoaraphs in the delineation of some geomorphic and structural aspects in the south Western Desert, Egypt. Unpublished M.Sc. Thesis, Faculty of Science, Ain Shams University.
- El Hinnawi, M., A.M. Abdallah and B. Issawi, 1978. Geology of Abu Bayan-Bolaq stretch, Western Desert Egypt. Ann. Geol. Surv., VIII, 19-50.
- El Naggar, Z.R., 1970. On a proposed lithostratigraphic subdivision for the Late Cretaceous - Early Paleogene succession in the Nile Valley, Egypt. Seventh Arab Petroleum Congress. Kuwait. Paper No. 64 (B-3), 50 p.
- El Ramly, I.M., 1973. Final report on geomorphology, hydrogeology, planning for groundwater resouces and land reclamation in Lake Nasser region and its environs. Desert Research Institute, Cairo.
- El Ramly, M.F., S. Kotb and F. Osman, 1971. Geology of Wadi Kalabsha kaolin deposit in Wadi Kalabsha, Nubia, Egypt. Said, R. and Mansour, A.O. (eds.). Geol. Surv. Egypt, Paper no. 54.
- El Shazly, E.M. and M.A. Abd El Hady, 1977. Geology and groundwater conditions of Tushka basin area, Egypt. Remote Sensing Center, Academy of Scientific Research and Technology, Egypt, 73 p.
- Fairhead, J.D. and R.M., Binks, 1991. Differential opening of the Central and South Atlantic Oceans and the opening of the west African rifts system. Tectonophysics, 187, 191-203.

Fielding, C.R., 1986. Fluvial channel and overbank deposits from the Westphalian of the Durham coalfield, NE England. *Sedimentology*, 33, 119-140.

Fourtau, R., 1902. Sur le gres nubien, *Compt. rend.*, 135, 803-804.

Freytet, P., 1971. Paleosol residuels et paleosols alluviaux hydromorphies associes aux depots fluviatiles dans le Cretace Superieur et l' Eocene Basal du Languedoc. *Revue. Geogr. Phys. Geol. dyns.* 13, 245-268.

Ghorab, M.A., 1956. A ssummary of a proposed rock stratigraphic classification for the Upper Cretaceous rocks in Egypt. Read before the Geological Society of Egypt, Cairo.

Giegengack, R.F., Jr., 1968. Late Pleistocene history of the Nile Valley in Egyptian Nubia. Ph.D. dissertation, Yale University. U.S.A.

Ginsburg, R.N., 1975. Tidal Deposits : A casebook of recent examples and fossil counterparts. New York, Springer - Verlag, 428 p.

Goldbery, R., 1982. Palaeosols of the Lower Jurassic Mishhor and Ardon Formations (Laterite Derivative Facies), Makhtesh Roman, Israel. *Sedimentology*, 29, 669-690.

Greer, S.A., 1975. Sandbody geometry and sedimentary facies at the estuary-marine transition zone, Ossabaw Sound, Georgia; a stratigraphic model. *Senckenberg. Mar.*, 7, 105-135.

- Guiraud, R., 1986. Correlations entre les principaux evenements geodynamiques enregistres du Trias a nos Jours sur les marges Alpine et Atlantique de la plaque Africaine. Rev. Fac. Sci. Marrakech, Sect. Sci. Terre. No. Sepec. 2. PGG-Unesco, 183. 313-338.
- Guiraud, R., R.M. Binks, J.D. Fairhead and M. Wilson, 1991. Chronology and Geodynamic Setting of Cretaceous - Cenozoic Rifting in West and Central Africa. Tectonophysics, 190, 115-157.
- Hantar, G., 1990. North Western Desert. In: The Geology of Egypt, Said, R. (ed.). A.A. Balkema/Rotterdam Netherlands, 293-319.
- Haszeldine, R.S., 1981. Westphalian B. Coal Measures in North East England. In: Field Guides to Modern and Ancient fluvial systems in Britain and Spain, Elliott, T. (ed.). International fluvial conference, Keel, U.K., 212-218.
- _____, 1983. Descending tabular cross bed sets and bounding surfaces from a fluvial channel Upper Carboniferous coalfield of northeast England. In: Modern and Ancient Fluvial systems, Collinson, J.D. and Lewin, J. (eds.). Spec. Publ., Int. Ass. Sediment, Blackwell, 6, 449-456.
- Hayes, M.O., 1975. Morphology of sand accumulation in estuaries: An introduction to the Symposium. In: Estuarine Research, Vol. II Geology and Engineering Cronin, L.E. (Ed.) Academic Press, London, 3-22.

Haynes, C.V., 1980. Geological evidence of pluvial climates in the Nabta area of the Western Desert, Egypt. In: Prehistory of the Eastern Sahara, Wendorf, F. and Schild, R. (eds.). New York, Academic Press, 353-371.

———, 1981. The Darb El-Arbain Desert : a product of Quaternary climatic change. Ann. Geoe. Surv. Egypt, XI, 91-117.

Haynes, C.V., R. Said and M. El Hinnawi, 1977. Quaternary lakes of the Nubian Desert. Paper Presented at the Xth INQUA Congress, Birmingham.

Hendriks, F., P. Luger, J. Bowits and H. Kallenbach, 1987. Evolution of the depositional environments of SE Egypt during the Cretaceous and Lower Tertiary. Berliner Geowiss. Abh. (A) 75(1), 49-82, Berlin.

———, P. Luger, H. Kallenbach and J.H. Schröder, 1984. Stratigraphical and sedimentological framework of the Kharga Sinn El Kaddab stretch (western and southern part of the Upper Nile basin), Western Desert, Egypt: Berliner Geowiss. Abh. A. 50, 117-151, Berlin.

Hermine, M.H., A. Wassef, A. El Tahlawy, and A. Kamel, 1983. The subsurface Paleozoic section of Wadi Araba, Egypt. Ann. Geol. Surv. Egypt, XIII, 257-269.

Hume, W.F., 1907. A preliminary report on the geology of the Eastern Desert of Egypt, between latitudes 22° and 25° N. Surv. Dept., Cairo, 72 p.

———, 1908. The South Western Desert of Egypt. Cairo Scientific Journ., 279-286 and 314-325.

- Huth, A. and G. Franz, 1988. Structural development of the Precambrian basement in the Bir Safsaf-Aswan Area, SW-Egypt. *Geologische Rundschau*, 77/2, 439-451.
- Issawi, B., 1968. The geology of Kurkur - Dungul area. *Geol. Surv. Egypt*, Paper no. 46, 102 p.
- _____, 1971. Geology of Darb El Arbain, Western Desert, Egypt. *Ann. Geol. Surv. Egypt*, I, 153-178.
- _____, 1972. Review of Upper Cretaceous-Lower Tertiary stratigraphy in central and southern Egypt. *Am. Assoc. Petrol. Geol. Bull.* 56, 1448-1463.
- _____, 1973a. Nubia Sandstone, type section. *Am. Assoc. Petrol. Geol. Bull.* 57, 741-744.
- _____, 1973b. Geology of south eastern corner of Western Desert, *Ann. Geol. Surv. Egypt*, III, 25-30.
- _____, 1978a. Geology of the Nubia West area, Western Desert, Egypt, *Ann. Geol. Surv. Egypt*, VII, 237-253.
- _____, 1978c. New findings on the geology of Uweinat - Gilf Kebir, Western Desert, Egypt. *Ann. Geol. Surv. Egypt*, VII, 275-293.
- _____, 1981. Geology of south Western Desert of Egypt. *Ann. Geol. Surv. Egypt*, XI, 57-66.
- _____, 1982. Exploration of the great Sand Sea (Abstract). 95 th Annual Meeting, G.S.A., New Orleans.
- _____, M.H. Francis, M. El Hinnawi, and A. Mehanna, 1969. Contribution to the structure and phosphate deposits of Quseir area. *Geol. Surv. Egypt*, Paper no. 50, 35 p.

Issawi, B., and U. Jux, 1982. Contributions to the stratigraphy of the Paleozoic rocks in Egypt. Geol. Surv. Egypt, Paper No. 64, 28 p.

Jux, U., 1957. Zwei neue Seesterne aus der Kreide von Abu Roasch (*Forbesiaster gaensis* und *Recurvaster Iorioli*) und das fazielle Bild des ägyptischen Santons: Palaont. Z., 31, 166-197.

_____, and B. Issawi, 1983. Cratonic sedimentation in Egypt during the Paleozoic. Ann. Geol. Surv. Egypt., XIII, 223-245.

Kleim, G.D., 1977. Clastic Tidal Facies. Champaign, Illinois, Continuing Education Publishing Company, 149 p.

Klimek, K., 1974. The retreat of alluvial river banks in the Wisloka Valley (south Poland). Geogr. Polonica., 28, 59-75.

Klitzsch, E., 1978. Geologische Bearbeitung sudwest - Egyptens. Geologisch Rundschau, 67, (2), 509-520. Stuttgart.

_____, 1979. Zur geologie des Gilf Kebir Gebietes in der Ost-Sahara. Clausthaler Geologische Abhandlungen, 30, 132 p. Clausthal.

_____, 1984. North western Sudan and bordering areas, geological development since Cambrian time. Berliner Geowiss Abh., A/50, 23-45, Berlin.

_____, 1990. Paleozoic. In: The Geology of Egypt, Said, R. (ed.). A.A. Balkema/Rotterdam Netherlands, 393-406.

Klitzsch, E., and A. Lejal-Nicol, 1984. Flora and fauna from strata in southern Egypt and northern Sudan (Nubia and surrounding areas). Berliner geowiss. Abh. (A) 50, 47-79, Berlin.

_____, J.C. Harms, A. Legal-Nicol, and F.K. List, 1979. Major subdivisions and depositional environments of Nubia strata south western Egypt. Am. Assoc. Petrol. Geol. Bull. 63 (6), 967-974.

_____ and H. Schandelmeier, 1990. South Western Desert. In : The Geology of Egypt, Said, R. (ed.). A.A. Balkema, Rotterdam, Netherlands, 249-257.

_____, and P. Wycisk, 1987. Geology of the sedimentary basins of northern Sudan and bordering areas. Berliner Geowiss. Abh. (A), 75(1), 97-136, Berlin.

Knetsch, G. 1954. Allgemein-geologische Beobachtungen aus Agypten (1950-53). Abh., Neues Jb. Geol., Palaontol. 99, 287-297.

Kogbe, A.C., 1980. The Trans-Saharan Seaway during the Cretaceous. In: Geology of Libya, Salem M.J. and M.T. Busrewil, M.T. (eds.), Academic Press, London, 91-96.

Lobeck, K.A., 1939. Geomorphology: An introduction to the Study of Landscapes. Mc-Graw Hill Book Company. Inc., New York and London.

Lyons, A.G., 1894. On the stratigraphy and physiography of the Libyan Desert of Egypt. Q.J.G.S., London, 50, 531-547.

- Mac, I., 1971. The valley pediments. *Rev. Roumaine de Geol. Geogr. et. Geophysique, Serie de Geogr.*, 15(1), 25-32.
- Mack, G.H., 1978. The survivability of labile light mineral grains in fluvial, aeolian and littoral marine environments, the Permian Cutler and Cedar Mesa Formations, Moab, Utah. *Sedimentology*, 25, 587-624.
- Mahrholz, W.W., 1965. Geological exploration of the Kufra region. Geological section, Bull. Ministry of Industry Libya, 8, 76 p.
- Maurin, C., J. and R. Guiraud, 1990. Relationships between tectonics and sedimentation in the Barremo-Aptian intracontinental basins of Northern Cameroon. *J. Afri. Earth Sci.*, 10(1/2), 331-340.
- Mc Cauley, F.J., C.S. Breed, F. El Baz, M.I. Whitney, M.J. Grolier and A.W. Ward, 1979. Pitted and fluted rocks in the Western Desert of Egypt. Viking comparisons. *J. Geophys. Res.* 84, (B 14), 8222-8232.
- _____, _____ and M.J. Grolier, 1981. The interplay of fluvial, mass-wasting and aeolian processes in the Eastern Gilf Kebir region. *Ann. Geol. Surv. Egypt*, XI, 207-239.
- Mc Hugh, W.P., III, 1980. Archaeological sites of the Gilf Kebir: In : *Journey to the Gilf Kebir and Uweinat, South west Egypt*, El Baz, F. and others (eds.). *Geogr. Jour.*, 146, 64-68.
- Meneisy, M.Y. and H. Kreuzer, 1974. Potassium - Argon ages of Egyptian basaltic rocks. *Geol. Jb.*, 9, 21-31.

Meyerhoff, A.A. and H.A. Meyerhoff, 1972. The new global tectonics: Major inconsistencies. *J. Geol.* 56, 269-336.

Mial, A.D., 1977. A review of the braided river depositional environment. *Earth Sci. Rev.*, 13, 1-62.

———, 1978. Lithofacies types and vertical profile models in braided river deposits: A Summary, In: *fluvial sedimentology*, Mial A.D. (ed.). *Canad. Soc. Petrol. Geol. Mem.* 5, 597-604.

Moddy, J.D., 1973. Petroleum exploration aspects of wrench fault tectonics. *Am. Assoc. Petrol. Geol. Bull.* 57, 449-476.

Moon, F.W., and H. Sadek, 1921. Topography and geology of northern Sinai. Part I. Egypt. Min. Fin., *Petrol. Research Ser. Bull.* 10, 154 p.

Ngangon, E., 1983. Etude tectonique du fosse Cretace de la Mbere et du Djerem, Sud. Adamoua, Cameroun. *Bull. Centres. Rech. Explor. Prod. Elf-Aquitaine*, 7:339-347.

Olevet, J.L., J., Bonnin, P. Beuzart and J.M. Auzendc, 1984. Cinematique de L'Atlantique Nord et Central. *Rapports Sci. CL. techn. CNEXO.* 54, 1-08.

Peel, R.F., 1966. The landscape in aridity: *Terns. Inst. Br. Geogr.* 38, 1-23.

Pettijohn, F.J., and P.E. Potter, 1964. *Atlas and Glossary of Primary Sedimentary Structures.* Springer - Verlag, New York.

Rust, B.R., 1972. Structure and process in a braided river. *Sedimentology*, 18, 221-245.

———, 1978. Depositional models for braided alluvium, In: *Fluvial Sedimentology*, Maill, A.D. (ed.). Canad. Soc. Petrol. Geol. Mem. 5, 605-625.

———, 1981. Coarse alluvial deposits. In : *Facies Models*, second edn., Walker, R.G. (ed.), Geosci. Can. Reprint Ser. I, 9-21.

Said, M., and A. El Kelany, 1988-1989. The geology of Wadi kalabsha area, Western Desert, Egypt. *Ann. Geol. Surv. Egypt*. XVI, 337-339.

Said, R., 1962. *The Geology of Egypt*. Elsevier, New York, 377 p.

———, 1969. Pleistocene geology of the Dungul region, southern Libyan Desert, Egypt. In : *Prehistoric settlement patterns in the Libyan Desert*, Hester J.J. and Hoebler, P.M. (eds.). University of Utah, Anthropology. Paper no. 92, 7-18.

Said, R. and B. Issawi, 1964. Preliminary results of a geological expedition to Lower Nubia and to Kurkur and Dungul Oases, Egypt. *Museum of New Mexico, Santa Fe*. New Mexico, 28 p.

Sandford, K.S., 1933. Geology and Geomorphology of the Southern Libyan Desert, A further Journey through the Libyan Desert. *Geogr. J.*, 83(3), 213-224.

Sandford, K.S., 1935. Geological observations on the north western frontiers of the Anglo - Egyptian Sudan and adjoining parts of the southern Libyan Desert. Q.J.G.S. London, 91, 323-381.

_____, 1951. The stratigraphical position of the Nubian series (Abs.). 18 th Intern. Geol. Cong., London (1948), Part 14, 180.

Schandelmeier, H. and D.P.F. Darbyshire, 1984. Metamorphic and magmatic events in the Uweinat-Bir Safsaf uplift (Western Desert, Egypt). Geol., Rundsch., 73, (2). 819-831., Stuttgart.

Seilacher, A., 1978. Use of trace fossil assemblages for recognizing depositional environments. In: Trace fossil concepts Basan, P.B. et al., (eds.). Soc. Econ. Paleontologists and Mineralogists, Short Course no. 5, 185-201.

_____, 1983. Upper Paleozoic trace fossils from the Gilf Kebir-Abu Ras area in south western Egypt. J. Afr. Earth Sci., I (1), 21-34.

Smith, N.D., 1970. The braided stream depositional environment: Comparison of the Platte River with some Silurian clastic rocks, north-central Appalachians. Geol. Soc. Am. Bull. 81, 2993-3014.

Stromer E., 1914. Die Topographie und Geologie der Strecke Gharga - Bahariya nebst Ausführungen über die geologische Geschinchte Aegyptens. Aby. bayer. Akad. Wissensch., Math-Naturw K.l., 11, 1-78.

- Swift, D.J.P., 1976. Coastal sedimentation, In: Marine Sediment Transport and Environmental Managment. Stanley, D.J. and Swift, D.J.P., (eds.), Wiley, New Yourk, 255-310.
- Ted A. Maxwell, 1982. Erosional patterns of the Gilf kebir plateau and implications for the origin of Martian canyonlands In: Desert Landforms of south west Egypt: A basis for comparison with Mars. F. El-Baz and Ted. A. Maxwell (eds.). NASA, Washington, D.C., Scientific and Technical information Branch, 281-300.
- Terwindt, J.H.J., 1971. Lithofacies of inshore estuarine and tidal inlet deposits. Geol. Mijnb., 50, 515-526.
- Tucker, M.E., 1982. The Field Description of Sedimentary Rocks. The open University Press. Milton Keynes and Halsted press, Wiley, New York-Torento.
- Unternehr, P., D., Curie, J.L. Olevet, J. Goslin and P. Bcuzart, 1988. South Atlantic fits and intraplate boundaries in Africa and South America. Tectonophysics, 155, 169-179.
- Vail, J.R., 1983. Pan-African crystal accretion in north-east Africa. J. Afr. Earth Sci., I, 285-294.
- Van Houten B.F., and P.D. Bhattacharyya, 1979. Late Cretaceous Nubia Formation at Aswan, South Eastern Desert, Egypt. Ann. Geol. Surv. Egypt, IX, 408-431.

Verstappen, Th.H., 1983. Geomorphology of the Agri Valley, Southern Italy. I.T.C. Journal 4, 291-301.

———, 1987. Geomorphological studies of Sirlanka with special emphasis on the northwest coast I.T.C. Journal I, 1-17.

———, and R.A. Van Zuidam, 1975 I.T.C. system of geomorphological survey VII (2), 1-51, Enschede, Netherlands.

Voskuil, R. and R.A. Van Zuidam, 1982. Examples of geomorphological and applied geomorphological mapping in central Java. I.T.C. Journal 3, 290-302, Netherlands.

Walker, R.G. and J.C. Harms, 1975. Shorelines of weak tidal activity : Upper Devonian Castkill Formation, Central Pennsylvania, In: Tidal Deposits, A casebook of Recent Examples and fossil counterparts Ginsburg, R.N. (ed.). Springer - Verlag, New York, 103-108.

Ward, W.C., and K.C. Mc Donald, 1979. Nubia Formation of central Eastern Desert, Egypt, Major subdivisions and depositional setting. Am. Assoc. Petrol. Geol. Bull. 63/6, 975-983.

Wendorf, F., and R. Schild (eds.), 1980. Prehistory of the Eastern Sahara. Southern Methodist University, Dallas, Academic Press INC., New York.

Wendorf, F., and R. Schild, 1980b. Gebel Nabta and vicinity, general geology and geomorphology, associated Archaeology. In : Prehistory of the Eastern Sahara, Wendorf, F. and Schild, R. (eds.), Academic Press INC, 81-102.

Wendorf, F., and R. Schild, 1980c. Paleoenvironment of the Western Desert of Egypt. In : Prehistory of the Eastern Sahara, Wendorf, F. and Schild, R. (eds.). Academic Press. INC., New York.

_____, _____, R. Said, C. V. Haynes, A. Gautier, and M. Kabousiewicz, 1976. The prehistory of the Egyptian Sahara. Science, 193, 103-114.

_____, _____, _____, _____, M. Kobusiewicz, A., Gautier, N. El Hadidi, H. Wieckowska, and A.E. Close, 1977. Late Pleistocene and recent climatic changes in the Egyptian Sahara. Geographical Journal, 143 (part II), 211-234.

Willcocks, W., 1889. Egyptian Irrigation. William Clows and Sons, Ltd., London.

Yousef, M.I., 1949. Stratigraphical studies in Kosseir area. Ph.D. Thesis, Alexandria University, 146 p.

_____, 1957. Upper Cretaceous rocks in Kosseir area. Bull. Inst. Desert, Egypt, 7(2), 35-54.

Zaghloul, Z.M., A. El Shahat and A. Ibrahim, 1983. On the discovery of Paleozoic trace fossils, Bifungites, in the Nubia Sandstone facies of Aswan. Egypt. Jour. Geol., 27 (1-2), 65-72.

Ziegler, P.A., 1988. Evolution of the Arctic - North Atlantic and the western Tethys. Am. Assoc. Petrol. Geol. Mem. 43, 198 p.

_____, 1992. Plate tectonics, plate moving mechanisms and rifting. Tectonophysics, (in Press).

- Zittel, A.K., 1883. Beitrage Zur Geologie und Palaeontologie der Libyschen wuste und der an grensenden Gebiete von: Aegypten Paleontographica, 30(1), 1-112.
- Zuidam, R.A. Van, 1973. Guide to geomorphological photo-interpretation. I.T.C., Enschede, Netherlands.
- , 1976. Geomorphological development of the Zaragoza Region, Spain: Processes and landforms related to climatic changes in a large Mediterranean river basin. Ph.D. Thesis, Utrecht, I.T.C. Publication, 211. p.
- , 1977. A geomorphological survey of the Zaragoza Region, Spain. I.T.C. Journal No. 4, 595-623.
- , 1983. Aerial photo-interpretation of the geomorphology of the Galgamuwakala Wena region, Sri Lanka I.T.C. Journal, I, 43-54.
- Zuidam, R.A. Van, A.M. Meijerink and H.Th. Verstappen, 1977. Geomorphology of the Serayu River basin, central Java I.T.C. Journal 4, 624-654.
- , and F.I. Van Zuidam. 1978. Terrain analysis and classification using aerial photographs. I.T.C. Text Book of Photo-Interpretation, VIII.