

VII.

References

"A"

Abercrombie, M. and Ambrose, E.J. (1962)

The surface properties of cancer cells: A review.
Cancer Res.: 22, 525-548

Ablev, G.I. (1968)

Production of embryonal serum gammaglobulin by hepatomas:
Review of experimental and clinical data.
Cancer Res.: 28, 1344-1348

Al-Ramhahy, A.K.; Levy, J.G. and Jackson, A.L. (1980)

Isolation and partial characterization of a tumor-associated
antigen of the P815 mastocytoma of DBA/2 mice.
J. Immunol.: 124, 143-150

Asma, G.E.M.; Schuit, H.R.E. and Hijmans, W. (1977)

The determination of numbers of T and B lymphocytes in the
blood of children and adults by the direct immunofluorescence
technique.
Clin. Exp. Immunol.: 29, 286-294

"B"

Basch, R.S., Berman, I.W. and Lakow, E. (1983)

Cell separation using positive immunoselective techniques.
J. of Immunol. Meth.: 56, 269-280

Bishop, R. and Lundin, H. (1978)

The selection of buffers for uv monitoring at 206 nm.
LKB Application Notes: 315

Boyle, W. (1968)

An extension of ⁵¹Cr-release assay for the estimation of mouse
cytotoxins.
Transplantation: 6, 761-764

Boyum, A. (1968)

Isolation of mononuclear cells and granulocytes from human blood.

Scand. J. Clin. Lab. Invest.: 21 (Suppl. 97), 77-89

Bubenik, J.; Perlmann, P.; Helmstein, K. and Moberger, G. (1970a)

Immune response to urinary bladder tumors in man.

Int. J. Cancer: 5, 39-46

Bubenik, J.; Perlmann, P.; Helmstein, K. and Moberger, G. (1970b)

Cellular and humoral immune responses to human urinary bladder carcinomas.

Int. J. Cancer: 5, 310-319

Buffe, D., Rimbant, C., Lemerle, J. and Burtin, P. (1970)

Presence d'une ferroprotéine d'origine tissulaire L'a₂-H dans le sérum des enfants porteur de tumeurs.

Bulletin de Cancer: 5, 85-89

"C"

Carrel, S. and Theilkaes, L. (1973)

Evidence for tumor-associated antigen in human malignant melanoma.

Nature: 242, 609-610

Costanza, M.E. and Nathanson, L. (1974)

Carcinofetal antigens.

Prog. Clin. Immunol.: 2, 191-197

Creemers, P. (1977)

The role of leukocyte subpopulations in the indirect leukocyte adherence inhibition assay in the mammary tumor virus system.

Eur. J. Immunol.: 7, 48-52

"D"

Dunn, I.S. and Halliday, W.J. (1980)

Interactions between T and B lymphocytes and macrophages in the production of leukocyte adherence inhibition factor.
Cell. Immunol.: 52, 48-61

"E"

Edynak, E.M., Old, L.J., Vrana, M. and Lardis, M.P. (1972)

A fetal antigen associated with human neoplasia.
New Engl. J. Med.: 286, 1178-1181

Evans, C.M. and Bowen, J.G. (1977)

Immunological tests in carcinoma of the prostate.
Proc. Roy. Soc. Med.: 70, 417-420

"F"

Fishman, W.H. (1968)

Immunological and biochemical approaches to alkaline phosphatase isoenzyme analysis: The Regan isoenzyme.
Ann. N.Y. Acad. Sc.: 166, 745-748

Flores, M., Marti, J.H., Grosser, N., MacFarlane, J.R. and Thomson, D.M.P. (1977)

An overview: antitumor immunity in breast cancer assayed by tube leukocyte adherence inhibition.
Cancer: 39, 494-505

Fossati, G., Canavari, S., Della Porta, G., Balzarini, G.P. and Veronesi, U. (1972)

Cellular immunity to human breast carcinoma.
Int. J. Cancer: 10, 391-396

Fritze, D.; Schulte-Uentrop, C. and Kaufmann, M. (1979)

Leukocyte adherence inhibition (LAI) tests in patients clinically suspected of having breast cancer using a panel of breast carcinoma extracts.

Europ. J. Cancer: 15, 1491-1496

Fritze, D.; Nayak, S.K. and Pilch, Y.H. (1980)

Conversion of human lymphocytes to antitumor immune reactivity by xenogeneic and allogeneic immune RUA detected by leukocyte-adherence inhibition tests.

Cancer Immunol. Immunother.: 9, 255-263

Fritze, D.; Fedra, G. and Kaufmann, M. (1982)

Prospective evaluation of the leukocyte adherence inhibition (LAI) test in breast cancer using a panel of extracts from known and unknown primary tumors.

Int. J. Cancer: 29, 261-264

Fujisawa, T., Waldman, S.R. and Yonemoto, R.H. (1977)

Leukocyte adherence inhibition by soluble tumor antigens in breast cancer patients.

Cancer: 39, 506-513

"G"

Gold, P. and Freedman, S.O. (1965)

Demonstration of tumor specific antigen in human colonic carcinoma by immunological tolerance and absorption techniques.

J. Exp. Med.: 121, 439-445

Goldrosen, M.H. and Howell, J.H. (1979) (eds.)

International Workshop on Leukocyte Adherence Inhibition (Held at Roswell Park Memorial Institute, May 15 to 17, 1978).

Cancer Res.: 39, 552-662

Goldrosen, M.H.; Howell, J.H. and Holyoke, E.D. (1979a)

Demonstration of the microtest version of the leukocyte adherence inhibition assay.
Cancer Res. 39, 630-633

Goldrosen, M.H.; Russo, A.J.; Howell, J.H.; Leveson, S.H.; Moore, M.C.; Holyoke, E.D. and Douglass, H.O. (1979b)

Evaluation of micro-leukocyte adherence inhibition as an immunodiagnostic test for pancreatic cancer.
Cancer Res.: 39, 633-638

Goldrosen, M.H.; Russo, A.J.; Howell, J.H.; Leveson, S.H. and Holyoke, E.D. (1979c)

Cellular and humoral factors involved in the mechanism of the micro-LAI reaction.
Cancer Res.: 39, 587-592

Grant, A.G.; Harris, P.M.; Heyderman, E.; Larkin, S.E., Pym, B. and Hermon-Taylor, J. (1985)

The generation of monoclonal antibodies against human pancreatic exocrine cancer: A study of six different immunization regimes.
Br. J. Cancer: 52, 543-550

Green, H.N. (1954)

An immunological concept of cancer.
Br. Med. J.: 2, 1374-1379

Grosser, N. and Thomson, D.M.P. (1975)

Cell-mediated antitumor immunity in breast cancer patients evaluated by antigen-induced leukocyte adherence inhibition in test tubes.
Cancer Res.: 35, 2571-2579

Grosser, N., Marti, J.H., Proctor, J.W. and Thomson, D.M.P. (1976)

Tube leukocyte adherence inhibition assay for the detection of antitumor immunity. I. Monocyte is the reactive cell.
Int. J. Cancer: 18, 39-47

Grinnell, F.; Milan, M. and Srere, P.A. (1973)

Studies on cell adhesion III. Adhesion of baby hamster kidney cells.
J. Cell. Biol. 56. 659-664

"H"

Halliday, W.J. (1979)

Historical Background and aspects of the mechanism of leukocyte adherence inhibition.
Cancer Res.: 39, 558-563

Halliday, W.J. and Miller, S. (1972)

Leukocyte adherence inhibition: a simple test for cell-mediated tumor immunity and serum blocking factors.
Int. J. Cancer: 9, 477-483

Halliday, W.J., Maluish, A. and Isbister, W.H. (1974a)

Detection of antitumour cell mediated immunity and serum blocking factors in cancer patients by the leukocyte adherence inhibition test.
Brit. J. Cancer: 29, 31-35

Halliday, W.J., Halliday, J.W., Campbell, C.B. and Maluish, A.E. (1974b)

Specific immunodiagnosis of hepatocellular carcinoma by leukocyte adherence inhibition.
Brit. Med. J.: 2, 349-352

Halliday, W.J., Maluish, A.E., Little, J.H. and Davis, N.C. (1975)

Leukocyte adherence inhibition and specific immunoreactivity in malignant melanoma.
Int. J. Cancer: 16, 645-658

Halliday, W.J., Maluish, A.E., Stephenson, P.M. and Davis, N.C. (1977)

An evaluation of leukocyte adherence inhibition in the immunodiagnosis of colorectal cancer.
Cancer Res.: 37, 1962-1971

Hartmann, D., Lewis, M.G., Proctor, J.W. and Lyons, H. (1974)

In vitro interactions between antitumor antibodies and antiantibodies in malignancy.
Lancet: 2, 1481-1483

Hellstrom, I., Hellstrom, K.E., Pierce, G.E. and Yang, J.P.S. (1968)

Cellular and humoral immunity to different types of human neoplasms.
Nature (Lond.): 220, 1352-1354

Hellstrom, K.E. and Hellstrom, I. (1969)

Cellular immunity against tumor antigens.
Adv. Cancer Res.: 12, 167-223

Hellstrom, K.E. and Hellstrom, I. (1974)

Lymphocyte-mediated cytotoxicity and blocking serum activity to tumor antigens.
Adv. In Immuno.: 18, 209-277

Hellstrom, I., Hellstrom, K.E. and Shantz, G. (1976)

Demonstration of tumor-associated immunity with a leukocyte adherence inhibition (LAI) assay.
Int. J. Cancer: 18, 354-361

Hellstrom, I., Hellstrom, K.E. and Belle, G.V. (1977)

Leukocyte-mediated reactivity to human tumors as detected by leukocyte adherence inhibition test. I. Demonstration of tumor type-specific reactions.
Am. J. Clin. Pathol.: (Suppl.): 68, 706-714

Hokland, P.; Hakland, M. and Heron, I. (1976)

An Improved technique for obtaining E rosettes with human lymphocytes and its use for B cell purification.
J. Immunol. Meth.: 13, 175-185

- Holan, V., Hasek, M., Bubenik, J. and Chutna, J. (1974)
Antigen-mediated macrophage adherence inhibition.
Cell. Immunol.: 13, 107-116
- Holan, V., Heyberger, K., Bubenik, J., Hasek, M., Kanka, J. and Laurova, L. (1977)
Immunological response of patients with tumor of the urogenital tract: a follow-up of cell-mediated antitumor immunity by the LAI test.
Neoplasma: 24, 71-79
- Holan, V.; Schimke, R.; Ambrosius, H. and Hasek, M. (1981)
Comparison of the haemocytometer and tube modifications of the leukocyte adherence inhibition assay.
Folia Biol.: 27, 66-75
- Holt, P.G., Roberts, L.M., Fimmel, P.J. and Keast, D. (1975)
The LAI microtest: a rapid and sensitive procedure for the demonstration of cell-mediated immunity in vitro.
J. Immunol. Meth.: 8, 277-288
- Hood, E.L., W.L., Wiessman, I.L. and Wood, W.B. (1978) (eds.)
Immunology.
Benjamin, Cummings, 4th. ed.: 212, 410, 600, 610
- "K"
- Karlsson-Parra, A.; Forsum, U.; Klareskog, L. and Sjoberg, O. (1983)
A simple immunoenzyme batch staining method for the enumeration of peripheral human T lymphocyte subsets.
J. of Immunol. Meth.: 64, 85-90
- Kato, H. and Torigoe, T. (1977)
Radioimmuno assay for tumor antigen of human cervical squamous cell carcinoma.
Cancer: 40, 1621-1628

Kay, H.D., Thota, H. and Sinkovics, J.G. (1976)

A comparative study on in vitro cytotoxic reactions of lymphocytes from normal donors and patients with sarcoma to cultured tumor cells.

Clin. Immunol. Immunopath.: 5, 218-234

Klebe, R.J. (1974)

Isolation of collagen-dependent cell attachment factor.
Nature, 250: 248-252

Koho, H.; Paulie, S.; Ben-Aissa, H.; Jonsdottir, I.; Hansson, Y.; Lundblad, M. and Perlmann, P. (1984)

Monoclonal antibodies to antigens associated with transitional cell carcinoma of the human urinary bladder. I. Determination of the selectivity of six antibodies by cell ELISA and immunofluorescence.

Cancer Immunol. Immunother.: 17, 165-172

Koppi, T.A.; Malufish, A.E. and Halliday, W.J. (1979)

The cellular mechanism of leukocyte adherence inhibition.
J. Immunol.: 123, 2255-2260

Korvath, M.; Toth, L. and Fekete, B. (1985)

Humoral leukocyte adherence inhibition (H-LAI) before and after surgery in human breast cancer.

Neoplasma: 32, 623-627

Kovarik, J.; Lauerova, L.; Ninger, E.; Munzarova, M.; Zemanova, D. and Wotke, R. (1983)

Evaluation of the LAI test in patients with benign and malignant breast diseases.

Neoplasma: 30, 163-167

"L"

Lieberman, I. and Ove, P. (1958)

A protein growth factor for mammalian cells in culture.
J. Biol. Chem.: 233, 637-640

Lloyd, R.V.; Schmidt, K.; Blaivas, L.; McCoy, P. and Wilson, B.S. (1985)

A rapid immunostaining method utilizing preformed antibody-avidin-biotin-peroxidase complexes.
 Amm. J. Clin. Pathol.: 83, 636-639

Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951)

Protein measurement with the Folin phenol reagent.
 J. Biol. Chem.: 193, 265-275

"M"

Maluish, A. and Halliday, W.J. (1974)

Cell-mediated immunity and specific serum factors in human cancer: the leukocyte adherence inhibition test.
 J. Natl. Cancer Inst.: 52, 1415-1420

Maluish, A.E. and Halliday, W.J. (1975)

Quantitation of antitumor cell-mediated immunity by a lymphokin-dependent reaction using small volumes of blood.
 Cell. Immunol.: 17, 131-136

Maluish, A.E. and Halliday, W.J. (1979)

Haemocytometer leukocyte adherence inhibition technique.
 Cancer Res.: 39, 625-626

Marti, J.H., Grosser, N. and Thomson, D.M.P. (1976)

Tube leukocyte adherence inhibition assay for the detection of antitumor immunity. II. Monocyte reacts with tumor antigen via cytophilic antitumor antibody.
 Int. J. Cancer: 18, 48-57

Marti, J.H. and Thomson, D.M.P. (1977)

Antitumor immunity in malignant melanoma assay by tube leukocyte adherence inhibition.
 Brit. J. Cancer: 34, 116-120

McCoy, J.L., Jerome, L.F., Dean, J.H., Cannon, G.B., Alford, T.C., Doering, T. and Herberman, R.B. (1974)

Inhibition of leukocyte migration by tumor-associated antigens in soluble extract of human breast carcinoma.
J. Natl. Cancer Inst.: 53, 11-17

Meltzer, M.S.; Leonard, E.J.; Rapp, H.J. and Borsos, T. (1971)

Tumor-specific antigen solubilized by hypertonic potassium chloride.
J. Natl. Cancer Inst.: 47, 703-709

Mishell, R.I. (1974)

Separation of mouse spleen cells by passage through columns of Sephadex G-10
J. Immunol. Methods: 5, 239-247

Morizane, T. and Sjogren, H.O. (1983)

Detection of different stages of immunity to colon cancer in rats by a leukocyte adherence inhibition (LAI) assay assessing the adherence of T lymphocytes and monocytes selectivity.
Int. J. Cancer: 31, 813-816

Mortenson, R.F. (1979)

Detection of cellular immunity to murine sarcoma virus-induced tumors by leukocyte adherence inhibition.
J. Natl. Cancer Inst.: 62, 157-163

Mortensen, R.F. and Elson, L.M. (1980)

Leukocyte adherence inhibition response to murine sarcoma virus-induced tumors. I. Cell requirements, specificity, lack of H-z restriction and role of antibody.
J. Immunol.: 124, 2316-2323

Mosmann, T. (1983)

Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assay.
J. Immunol. Meth.: 65, 55-63

Muller, S. and Ernst, T.M. (1980)

Studies of cellular mediated immunity in malignant melanoma patients by leukocyte adherence inhibition test.
Arch. Dermatol.: 268, 167-181

"N"

Nogueira-Machado, J.A.; Novato-Silva, E.; Souza, M.F. and Kritz, G.V. (1985)

Shistosoma mansoni : Cell-mediated immunity evaluated by antigen-induced leukocyte adherence inhibition assay.
Immunol. Lett.: 9, 39-42

"O"

Old, L.J. (1981)

Cancer immunology: The search for specificity G.H.A. Clowes memorial.
Cancer Res.: 41, 361-375

Olds, G.H.; El-Kholy, A. and Ellner, J.J. (1983)

Two distinctive patterns of monocyte immuno-regulatory and effector functions in heavy human infections with *Schistosoma mansoni*.
J. Immunol.: 131, 954-958

Oliver, P.D. and Le Douarin, N.M. (1984)

Avain thymic accessory cells.
J. Immunol.: 132, 1748-1755

Oyama, V.I. and Eagle, H. (1956)

Measurement of cell in tissue culture with a phenol reagent (Folin-Ciocalteu).
Proc. Soc. Exp. Biol. and Med.: 91, 305-307

"p"

Parish, C.R. and Mullbacher, A. (1983)

Automated colorimetric assay for T cell cytotoxicity.
J. Immunol. Meth.: 58, 225-237

Paulie, S.; Ehlin-Henriksson, B.; Mellstedt, H.; Koho, H.; Ben-Aissa, H. and Perlmann, P. (1985)

A p50 surface antigen restricted to human urinary bladder carcinomas and B lymphocytes.
Cancer Immunol. Immunother.: 20, 23-28

Peng, R. and Myers, W.L. (1984)

A radio (¹¹¹In) capillary tube leukocyte adherence inhibition assay for the detection of specific tumor-associated immunity.
Immunol. Comm.: 13, 293-303

Pierce, G.E. and DeVald, (1974)

Leukocyte adherence inhibition as measured by a radioisotopic technique for detection of cell-mediated tumor immunity.
Int. J. Cancer: 14, 833-839

Porath, J. and Flodin, P. (1959)

Gel filtration: A method for desalting and group separation.
Nature: 183, 1657-1659

Powell, A.E., Sloss, A.M., Smith, R.N., Makley, J.T. and Hubay, C.A. (1975)

Specific responsiveness of human tumors.
Int. J. Cancer: 16, 905-913

Powell, A.E., Sloss, A.M. and Smith, R.N. (1978)

Leukocyte adherence inhibition: a specific assay of cell-mediated immunity dependent on lymphokin-mediated collaboration between T-lymphocytes.
J. Immunol.: 120, 1957-1966

"R"

Real, F.X.; Mattes, M.J.; Houghton, A.N.; Oettgen, H.F.; Lloyd, K.O. and Old, L.J. (1984)

Class 1 (unique) tumor antigens of human melanoma.
Identification of a 90,000 dalton cell surface glycoprotein by autologous antibody.
J. Exp. Med.: 160, 1219-1233

Rocklin, R.E.; Tracy, J.W. and El-Kholy, A. (1981)

Activation of antigen-specific suppressor cells in human shistosomiasis mansoni by fractions of soluble egg antigens nonadherent to con A sepharose.
J. Immunol.: 127, 2314-2318

Russo, A.J., Douglass, H.O., Leveson, J.S.H., Howell, J.H., Holyoke, E.D., Harvey, S.R. and Goldrosen, M.H. (1978a)

Evaluation of the microleukocyte adherence inhibition test for pancreatic cancer.
Cancer Res.: 38, 2023-2029

Russo, A.J., Holyoke, E.D. and Goldrosen, M.H. (1978b)

Micro-leukocyte adherence inhibition I. Cellular basis of the mechanism of reactivity.
J. Immunol.: 121, 1914-1919

Russo, A.J.; Nordin, A.A. and Goldrosen, M.H. (1979)

A radio (51cr) micro-tube leukocyte adherence inhibition assay: Specific tumor-associated immunity in 3 murine tumor systems.
J. Immunol. Meth.: 31, 259-269

Rutherford, J.C., Walters, B.A.J., Cavaye, G. and Halliday W.J. (1977)

A modified leukocyte adherence inhibition test in the laboratory investigation of gastrointestinal cancer.
Int. J. Cancer: 19, 43-48

"S"

Sarlo, K.T. and Mortensen, R.F. (1983)

Leukocyte adherence inhibition response to murine sarcoma virus-induced tumors. II Requirement for T cell subpopulations and macrophages.
Cell. Immunol.: 79, 211-219

Seddek, M.N. (1980) (edr.)

Immunological studies on human urinary bladder carcinoma.
M.Sc. Thesis, Faculty of Science, Cairo University

Starling, J.J.; Sieg, S.M.; Beckett, M.L.; Schelhammer, P.F.; Ladaga, L.E. and Wright, G.L. (1982)

Monoclonal antibodies to human prostate and bladder tumor-associated antigens.
Cancer Res.: 42, 3084-3089

Shenouda, G. and Thomson, D.M.P. (1984)

Transmembrane signal defect and absence of cancer extract induced leukocyte adherence inhibition (LAI) for leukocytes from patients with advanced cancer.
Cancer Immunol. Immunother.: 18, 59-68

Smith, K.A.; Lachman, L.B.; Oppenheim, J.J. and Favata, M.F. (1980)

The functional relationship of the Interlukins.
J. Exp. Med.: 151, 1551-1557

"T"

Tanaka, F.; Sawada, K. and Yonetnoto, R.H. (1980)

Analysis of sera from patients with breast cancer for blocking and induction of leukocyte adherence inhibition.
Gann.: 71, 589-595

Thomson, D.M.P. (1975)

Soluble tumor-specific antigen and its relationship to tumor growth.
Int. J. Cancer: 15, 1016-1029

Thomson, D.M.P. (1979)

Demonstration of tube leukocyte adherence inhibition assay with coded samples of blood.
Cancer Res.: 39, 627-629

Thomson, D.M.P. and Grosser, N. (1979)

Immunological mechanisms of tube leukocyte adherence inhibition.
Cancer Res.: 39, 576-581

Thomson, D.M.P.; Tataryn, D.N.; O'Connor, R.; Rauch, J.; Friedlander, P.; Gold, P. and Shuster, J. (1979)

Evidence for the expression of human tumor-specific antigens associated with B₂-microglobulin in human cancer and in some colon adenomas and benign breast lesions.
Cancer Res.: 39, 604-611

Tsang, P.H.; Tangnavarad, K.; Lesnick, G.; Perloff, M.; Holland, J.F. and Bekesi, J.G. (1980)

Radioisotopic ⁵¹Cr-leukocyte adherence inhibition (LAI) assay. I. Demonstration of anti-tumor immunity in patients with breast carcinoma.
J. Immunol. Meth.: 36, 119-135

Tsang, P.H.; Holland, J.F. and Bekesi, J.G. (1982a)

Specificity of tumor antigen recognition by T-lymphocytes in the leukocytes in the leukocyte adherence inhibition (LAI) assay in patients with breast cancer.
J. Clin. Lab. Immunol.: 9, 151-157

Tsang, P.H.; Holland, J.F. and Bekesi (1982b)

Central role of T lymphocytes in specific recognition of tumor antigens in ⁵¹Cr-leukocyte adherence inhibition.
Cell. Immunol.: 73, 365-375

"W"

Waddell W.J. and Hill C. (1956)

A simple ultraviolet spectrophotometric method for the determination of protein.
J. Lab. Clin. Med.: 18, 311-314

Wahlstrom, T.; Linder, E.; Saksela E. and Westermarck, B. (1974)

Tumor-specific membrane antigens in established cell lines from gleomas.
Cancer: 34, 274-279

Waldman, S.R. and Yonemoto, R.H. (1978)

The use of cryopreserved lymphocytes in the leukocyte adherence inhibition assay. I. Evaluation of responses in cancer patients.
Int. J. Cancer: 21, 542-551

Wenzel, K.L. and Ichiki, A.T. (1977)

A subpopulation of T cells detected by AET-treated sheep erythrocytes.
Clin. Immunol. Immunopathol.: 8, 73-79

Wysocki, L.J. and Sato, V.L. (1978)

Panning for lymphocytes: A method for cell selection.
Proc. Natl. Acad. Sci.: 75, 2844-2848

"Y"

Yonemoto, R.H., Fujisawa, T. and Waldman, S.R. (1978)

Effect of serum blocking factors on leukocyte adherence inhibition in breast cancer patients. Specificity and correlation with tumor burden.
Cancer: 41, 1289-1297