

REFERENCES

Ackermann U.W.E., (1992):

Physiology of the thyroid gland.

Essentials of human physiology P.219.

**Albores-Saavedra J., Monforte H., Nodji M. and Morales A.R.,
(1988) :**

“C-cell hyperplasia in thyroid tissue adjacent to follicular cell tumors”.

Hum.Pathol.19:795-799.

Anderson J.B. and Webb A.J., (1987):

“Fine needle aspiration biopsy and the diagnosis of thyroid cancer”.

Br.J.Surg.,74:292-296.

**Andrion A., Bellis D., Delsedime L., Bussolati G. and Mazzucco G.,
(1988) :**

“Leiomyoma and neurilemoma, Report of two unusual non epithelial
tumour of the thyroid gland”

Virchows Arch (A)413:367-372.

Aschcreft M.W. and Van Herle A.J., (1981):

Management of thyroid nodules II scanning techniques, Thyroid
suppressive therapy, and fine needle aspiration.

Head Neck surg, 3: 297-322.

Ben-Ezra J., Wu A. and Sshilban K., (1988) :

Absence of clonal lymphoid gene rearrangements in Hashimoto's thyroiditis (Abstract).

Lab. Invest 58 : 9A.

Bloodworth J.M.B., (1982) :

Thyroid gland. In: Bloodworth. J.M.B.(ed): Endocrine pathology General and surgical. 2nd ed. Baltimore, London, Williams and Wilkins P.161.

Blum M., (1978) :

Management of solitary thyroid nodule

Thyroid today 1(9): 1-6.

Bronner M.P., Clevenger C.V. and Edmonds P.R., (1988):

"Flow cytometric analysis of DNA content in Hurthle cell adenomas and carcinomas of the thyroid"

Am.J.Clin.Pathol; 89:764-768.

Cady B. and Rossi R., (1985):

"Further evidence of the validity of risk group definition in differentiated thyroid carcinoma"

Surgery 98:1171.

Capri A., Nicolini A. and Sagripanti A., (1999):

Protocols for the preoperative selection of palpable thyroid nodules,
Am. J. of Clin. On. 22 (5) 499 – 504.

Carcangiu M.L., Zampi G., Pupi A. and Rosai J., (1985):

“Papillary carcinoma of the thyroid A clinicopathologic study of
241 cases treated at the university of Florence, Italy”
Cancer 55: 805-828.

Carney J.A., Ryan J. and Goellner J.R., (1987) :

“Hyalinizing trabecular adenoma of the thyroid gland”.
Am.J.Surg. Path., 11:583-591.

Chan J.K., (1990) :

“Papillary carcinoma of thyroid classical and variants”.
Histol Histopathol. 5:241-257.

Chan J.K.C. and Saw D., (1986) :

The grooved nucleus, a useful diagnostic criterion of papillary
carcinoma of thyroid.
Am.Surg. Pathol. 10:672.

Charles V., Mann and Russell R.C.G., (1992):

Editors of Bailey and Love's “short practice of surgery 21st ed”
Chapman and Hall medical. London. New York, Tokyo.
Melbourne. Madras. PP 733-768.

Coming D.E., Skubi K.B. and Van Eyes J., (1967) :

Familial multifocal fibrosclerosis.

Ann.Intern.Med.66:884.

Compagno J. and Oretel J.E., (1980):

“Malignant lymphoma and lymphoproliferative disorders of the thyroid gland. A clinicopathologic study of 245 cases.

Am.J.Clin.pathol.,74:1-11.

Conard R.A., Rall J.E. and Sutow W.W., (1966) :

Thyroid nodules as a late sequelae of radioactive fall out, in a Marchall island population exposed in 1954.

New Eng.J.Med.,274:1391-1399.

Cusick E.L.,Krukowski Z.H. and Maxcintosh. C.A., (1991) :

“Risk of neoplasia and malignancy in dominant thyroid swelling

Br.Med.J.,303:20-22.

Evans H.L., (1987):

“Encapsulated papillary neeoplasms of the thyroid.A study of 14 cases followed for a minimum of 10 years” Am. J. Surg. Path., 11: 592-597.

Eyre-Brook I.A. and Talbot C.H., (1982):

“The treatment of autonomous functioning thyroid nodules”

Br.J.Sug., 69: 577-579.

Feigin G., Buss D. and Paschat B., (1982):

“Hodgkin’s disease manifested as a thyroid nodule”.

Hum.Pathol.,13:774-776.

Fill H., Wick G. and Aichinger G.,(1985).

In situ immune complexes, lymphocyte subpopulations, and HLA-DR-Positive epithelial cells in Hashimoto thyroiditis.

Lab invest 52:132.

Flannigan G.M., Clifford M.W., Lawrence D.A.S. and Fiddan R.V.(1983):

Simultaneous presentation of papillary carcinoma of thyroid in a father and son”.

Br. J. Surg., 70:181-182.

Gharib H. and John R., (1993):

Fine-needle aspiration biopsy of thyroid gland.

Annals of internal Med, 118: 282-289.

Guyton A., (1991):

The thyroid metabolic hormones.

Textbook of medical physiology, eighth edition, 831.

Hamburger J.I. and Hamburger S.W., (1986) :

“Declining role of frozen section in surgical planning for thyroid nodules”

Surgery 98 : 307 - 312.

Harach H.R. and Williams E.D., (1983) :

Fibrous thyroiditis, An immunopathological study.

Histopathology 7 : 739.

Hazaed J.B., (1977) :

The C-cell (parafollicular cells) of the thyroid gland and medullary thyroid carcinoma : a review.

Am. J. Pathol., 88 : 214 – 250.

Hazaed J.B., Hawk W.A., and Crile G.Jr., (1959):

Medullary solid carcinoma of the thyroid: a clinicopathologic entity.

J. Clin. Endocrinol., 19: 152-161.

Hazard J.B and Kenyon R., (1954) :

“Atypical adenoma of the thyroid”.

Arch. Pathol., 58:554-563.

Hirota Y., Tamai H. and Hayashi Y., (1986) :

Thyroid function and histology in forty-five patients with hyperthyroid graves, disease in clinical remission more than ten years after thionamide drug treatment.

J. Clin. Endocrinol. Metab, 62:165.

Holm R., Sobrinho-Simoes M., Nesland J.M., Gould V.E. and Johannessen J.V., (1985) :

“Medullary carcinoma of the thyroid gland. An Immunocytochemical study”.

Ultrastruct. Pathol., 8:25-41.

Horace K.I., (1984):

Cancer metastatic to the thyroid, a diagnostic problem. Mayo clin.Proc.,59:856.

Jaun Rosai M.D., (1986):

Editor of Ackerman's surgical pathology 8th edition pp, 391-447.

Jeffrey F. and Moley M.D., (1995):

“Medullary thyroid cancer:

Surg. Clin. North Am., 75(3): 405-420

Joensuu H., Klemi P. and Eerola E.(1986):

“DNA aneuploidy in follicular adenomas of the thyroid gland”

Am. J. Path. 124: 373-376.

John M.K., (1990):

Pathology of the thyroid gland.

In : John M. Kissane" Anderson's pathology".

9 th ed. PR 1546.

Johnson T. and Burney R., (1987):

"Hurthle cell thyroid tumours"

Cancer 59:107-112

Katz S.M. and Vickery A.L., (1974).

The fibrous variant of Hashimoto's thyroiditis.

Hum.Pathol 5:161.

Knecht H., and Hedinger Chr E., (1982) :

Ultrastructural Findings in Hashimoto's thyroiditis and focal
lymphocytic thyroiditis.

Histopathology 6:571.

Kountakis, Stilianos E., Skoulas, Ioannis G. and Maillard A., (2002) :

The radiologic work-up in thyroid surgery: fine-needle
biopsy versus scintigraphy and ultrasound.

ENT: Ear, Nose and Throat Journal, 81 Issue 3, P 151, 4P.

Kramer J. and Wells S., (1989):

"Thyroid carcinoma"

Adv. Surg. 22 : 195-224.

Ljunberg O., (1972) :

On medullary carcinoma of the thyroid.

Acta pathol. Microbial.

Scand(A) 231(SUPPL)1-57.

Mansberger A.R. and wei J., (1993):

Surgical embryology and anatomy of the thyroid and Parathyroid glands. Surgical clinics of North America Vol 73 Number 4.P.727.

Martin B., Goran W. and Gert A., (1987) :

Fine-needle biopsy cytology and DNA analysis their place in the evaluation and treatment of patients with thyroid neoplasms.

Surg.Cli of North America Vol. 67 : 197.

Mazzaferri E.L., (1993) :

Management of a solitary thyroid nodule.

N Engl J Med, 328: 553 – 559.

Mazzaferri E.L., de los Santos E.T., Rofagha – Keyhani S., (1988) :

Solitary thyroid nodule: diagnosis and management. Med Clin.

North Am, 72: 117-211.

Miller J.M. and Hamburger J.I., (1965) :

The thyroid scintigram. The hot nodule”

Radiology. 84 : 66-73.

Mizukami Y., Nonomura A., Michigishi T., Ohmura K., Mastubar S. and Noguchi M., (1994) :

“Sarcoidosis of the thyroid gland manifested initially as thyroid tumour”

Path.Res.Pract.,190:1201-1205.

Moore K., (1988) :

Anatomy of the thyroid gland and parathyroid.

Clinically oriented Anatomy 3rd . p. 317.

Nagamine Y., Suzuki J. and Katakura R., (1985) :

“Skull metastases of thyroid carcinoma”

J. Neurosurgery, 63 : 526 – 531.

Nogouchi S. and Nogouchi A., (1970):

Papillary thyroid carcinoma, developing patterns of metastasis.

Cancer 26p.1053.

Norton J.A., Doppman J.L. and Jensen R.T., (1989):

Cancer of the endocrine system.

In: Vincent T., Devita. J.R. and Samuel Hellman (eds.)”

Cancer principles and practice of oncology”

3 rd ed.PP 1269-1343.

Oates G.D. and Grimley R.P., (1980):

The natural history of malignant lymphoma.

Br. J. Surg., 67: 475-477.

Ott R.A., Calander D.B. and McCall A., (1985) :

The incidence of thyroid carcinoma in patients with Hashimoto's thyroiditis and solitary cold nodules.

Surgery 98 : 1201.

Peter A., Singer, David S., Coaper, Glibert H. and Daniels J., (1996) :

Treatment guidelines for patients with thyroid nodules and well-differentiated thyroid cancer.

Arch int Med, 156: 2165-2172.

Rifat S.F. and Ruffin M.T. 4th (1994):

Management of thyroid nodules, Amercian family physician. 50 (4): 785-90.

Rintoul R.F., (1986):

Operations on the neck and salivary glands.

Farquharson's textbook of operative surgery seventh ed.P 256.

Rodney J.B., Joseph F.S. and Peter R.M., (1985) :

"Thyroid and parathyroid ultrasonography".

Radiol.Clinies of North. Am., 23 (1) : 57-71.

Rojeski M.T. and Gharib H., (1985) :

Nodular thyroid disease. Evaluation and management.
N Engle J. Med, 313: 428-36.

Romanes G.J., (1979) :

Anatomy of thyroid gland.
Cunninghams Manual of Practical Anatomy 14th ed.
Vol. 3.P.53.

Rosai M.D., (1989) :

Pathology of the thyroid gland.
Ackermans, surgical pathology. 7 (ed) page 391.

Ross D.S., (1991) :

Evaluation of thyroid nodule.
J Nucle Med, 32: 2181 – 92.

Roth K.A., Bensch K.G. and Hoffman A.R., (1987) :

Characterization of opiod peptides in human thyroid.
Medullary carcinoma.
Cancer 59: 1594.

Sachs M.K., Dickinson G. and Amazon K., (1988) :

“Tuberculous adenitis of the thyroid mimicking
subacute thyroiditis” Am.J.Med.85:573-575.

Sanchez R.B., Van Sonnenbery E. and Dagostino H.B., (1994):

Ultrasound guided biopsy of nonpalpable and difficult to palpate thyroid masses.

J Am Coll Surg, 178: 33-7.

Schmid K.W., Ofner C., Ramsauer T., Hittmair A., Tosch M., Ladurmner D. and Backer W., (1992):

“CA 19.9 expression in subacute (De Quervains) thyroiditis. An immunohistochemical study”.

Mod.Path.5:268-272.

Selzer G.,Kahan L.B. and Albertyn L., (1977) :

Primary malignant tumors of thyroid, a clinicopathic study of 254 cases.

Cancer 40:1501.

Shaha A.R., (2000) :

Controversies in management of thyroid nodule, laryngoscope. 110 (2 Pt 1) : 183-93.

Shimoka K., Sokal J.E. and Pickren J.W., (1982) :

Metastatic neoplasms in the thyroid gland, pathological and clinical findings.

Cancer, 15 : 557.

Snell R., (1984) :

Histology of the thyroid gland.

Clinical and functional histology for medical students 3rd edition p.644.

Spiess B.L., Beahrs O.H., Hermans J.K., Hutter R.V.P. Scheible o.,

Sobin L.H. and Wagner G., (1989) :

Editors of TNM Atlas, 3rd ed.

International union against cancer PP.56-61.

Spjut H.J., Warren W.D. and Ackerman L.V., (1957) :

A clinical-pathologic of 76 cases of recurrent Graves' disease. Toxic (non exophthalmic) goiter, and non toxic goiter. Am.J. Clin.Pathol.27:367.

Sukkar M.Y., El-Munshid H.A. and Ardawi M.S.M., (1993) :

Physiology of thyroid gland.

Concise Human physiology, P.244.

Taylor S., (1969) :

Carcinoma of thyroid gland"

J.F.Coll.Surg., Edinb.,14:184-192.

Thompson N.W., (1983) :

"The thyroid nodule-surgical management".

In: Johnston I.D. and Thompson N.W.(eds). Endocrine surgery.

London, Boston, Durban Butterworths. PP.14:24.

Torfinnur R.N., Ulpik K.A. and Christopherl B., (1998):

Micro surgical technique in thyroid surgery.

Journal of laryngology and otology, 112: 556-560.

Valpe R., (1978) :

“Etiology, pathogenesis and clinical aspects of
thyroiditis” *pathol. Ann.* 13(2):399-413.

Vick R., (1984) :

The thyroid gland.

Contemporary medical physiology 779.

Vickery A.L.Jr., (1983) :

Papillary thyroid carcinoma.

Am. J. Path 7 : 797.

Wells S.A. and Norton J.A., (1990):

Medullary thyroid carcinoma and multiple endocrine neoplasia type
2 syndromes in Frisen S.R. Thompson N.W. (eds). *Surgical
endocrinology clinical syndromes* 2nd ed Philadelphia, J.B.
Lippincott, P.359.

Wilson S., Komorowski R. and Cerletty J. (1983) :

“Radiation associated thyroid tumours. Extent of
operation and pathology influence the apparent
incidence of carcinoma” *surg.*, 94 : 663-669.