

References

References

American Thoracic Society. European respiratory Society Statement:

Standards for the Diagnosis and Management of individuals with alpha-1 Antitrypsin Deficiency. *Am J Respir Crit Care Med.* 2003; 168: 818-900.

American Thoracic Society. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease. *A m J Respir Crit Care Med* 1995; 152: Suppl, S77-S120.

Anthonisen NR, Connett JE, Kiley JP et al. Effects of smoking intervention and the use of an inhaled anticholinergic bronchodilator on the rate of decline of FEV. The Lung Health Study . *JAMA.* 1994; 272: 1497-1505.

Arcasoy SM, Christie JD, Ferrari VA, et al., Echocar-diographic assessment of pulmonary hypertension in patients with advanced lung disease. *Am J Respir Crit Med* 2003; 167: 735-740.

Ashutosh K, Mead G, Dunsky M. Early effects of oxygen administration and prognosis in chronic obstructive pulmonary disease and cor pulmopnale. *A m Rev Respir Dis* 1983; 127: 399-404.

Barberà JA, peunado VI, Santos S, et al.,. Reduced expression of endothelial nitric oxide synthase in pulmonary arteries of smokers. *A m J Respir Crit Care Med* 2001; 164: 709-713.

Barberà JA, Roger N, Roca J, et al.,. Worsenning of pulmonary gas exchange with nitric oxide inhalation in chronic obstructive pulmonary disease. *Lancet* 1996; 347: 436-440.

Barberà JA. Chronic obstructive pulmonary disease In: Roca J, Rodriguez-Roisin R, Wagner PD, editors. *Pulmonary and peripheral gas exchange in health and disease* New York, Marcel Dekker, Inc., 2000; pp. 229-261.

References

- Barberà KA, Riverola A, Roca J, et al.** Pulmonary vascular abnormalities and ventilation-perfusion relationships in mild chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1994; 149: 423-429.
- Baufuin SV.** Oedema and cor pulmonale revisited. *Thorax* 1997; 52: 401-402.
- Bland JM, Altman DG** Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; 1:307-310.
- Burrows B, Kettel LJ, Niden AH, et al.,.** Patterns of cardiovascular dysfunction in chronic obstructive lung disease. *N Engl J Med* 1992; 286: 912-918.
- Cardim N, Oliveira Ag, Longo S, et al.,** Doppler tissue imaging: regional myocardial function in hypertrophic cardiomyopathy and in athlete's heart. *J Am Soc Echocardiogr.* 2003; 16: 223-232.
- Caso P, Galderisi M, Cicala S, et al.,** Association myocardial right ventricular relaxation time and pulmonary arterial pressure in chronic obstructive lung disease: analysis by pulsed Doppler tissue imaging. *J Am Soc Echocardiogr*, 2001; 14: 970-977.
- Connors Af Jr, Dawson NV, Thomas C, et al,** for the SUPPORT Investigators (Study to Understand Prognoses and preferences for Outcomes and Risks of Treatments). Outcomes following acute exacerbation of severe chronic obstructive lung disease . *Am J respir Crit Care Med.* 1996; 154: 959-967.
- Dambrauskaite V, Delcroix M, claus P, et al.,** The evaluation of pulmonary hypertension using right ventricular myocardial isovolumic relaxation time. *J Am Soc Echocardiogr*, 2005 Nov; 18 (11): 1113-20.
- Dinh-Xuan AT, Higenbottam T, Clelland C, et al.** Impairment of endothelium-dependent pulmonary-artery relaxation in chronic obstructive pulmonary disease. *n Engl J Med* 1991; 324: 1539-1547.

References

- Edvardsen T, Skulstad H, Aakhus S, et al.**, Regional myocardial systolic function during acute myocardial ischemia assessed by strain Doppler echocardiography. JAm Coll Cardiol. 2001; 37: 726-730.
- Fahmy Elnoamany M, Abdelrouf Dawood A.** Right ventricular myocardial isovolumic relaxation time as novel method for evaluation of pulmonary hypertension: correlation with endothelin-1 levels. J Am Soc Echocardiogr, 2007 May; 20 (5): 462-9.
- Fishman AP.** State of the art: chronic cor pulmonale. AM Rev Respir Dis .794-114:775,1991
- Goid a, Saleh D.** Reduced expression of endothelial nitric oxide synthase in the lungs of patients with pulmonary hypertension .N Engl J Med 1995; 333: 214-221.
- Goid A, Yanagisawa M, Langblen D, et al.** Expression of endothelin-1 in the lungs of patients with pulmonary hypertension. N Engl J Med 1993; 328: 1732-1739.
- Groves BM, Badesch DB,** Cardiac catheterization of patients with pulmonary hypertension. In: peacock AJ, Editor. Pulmonary circulation. London: Chapman & Hall, 1996: 51-67.
- Hale KA, Niewoehner DE, Cosio MG.** Morphologic changes in the muscular pulmonary arteries: Relationship to cigarette smoking, airway disease, and emphysema. Am Rev Respir Dis 1980;122:273-278.
- Heath D, Smith P, Rios DJ, et al.,.** Small pulmonary arteries in some natives of La paz Bolivia. Thorax 1981; 36: 599-604.

References

- Ho CY, Sweitzer NK, McDonough B, et al.,** Assessment of diastolic function with Doppler tissue imaging to predict genotype in preclinical hypertrophic cardiomyopathy. *Circulation*. 2002; 105:2992-2997.
- Hurd S.** The impact of COPD on lung health worldwide: epidemiology and incidence. *Chest*. 2000; 117 (suppl 2): 1S-4S.
- Isaa k,** Tissue Doppler imaging for the assessment of left ventricular systolic and diastolic functions. *Curr Opin Cardiol*, 2002; 17: 431-442.
- Katano H, Ito K, Shibuya K, Saji T, et al.,** Lack of human herpesvirus 8 infection in lungs of Japanese patients with primary pulmonary hypertension. *J Infect Dis*. 2001; 191 (5): 743-5.
- Keatings VM, Collins PD, Scott DM Barnes PJ.** Differences in interleukin 8 and tumor necrosis factor- α in induced sputum from patients with chronic obstructive pulmonary disease or asthma. *Am J Respir Crit Care Med*. 1996; 153: 530-534.
- Kessler R, Faller M, Fourgot G, et al.,.** Predictive factors of hospitalization for acute exacerbation in a series of 64 patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2001; 159: 158-164.
- Laaban JP, Biebold B, Zelinski R, et al.,** Non invasive estimation of systolic pulmonary artery pressure using Doppler echocardiography in patients with chronic obstructive pulmonary disease. *Chest*, 1989; 96: 1258-1262.
- Lee-chiong TL, Malthay.** The heart in the stable COPD patients, New York: Marcel Dekker: 2002: 475-532.
- Lindqvist P, Waldenstrom A, Wilstrom G, et al.,** Right ventricular myocardial isovolumic relaxation time and pulmonary pressure. *Clin Physiol Funct Imaging*. 2006 Jan; 26 (1): 1-8.

References

- Macnee W.** pathophysiology of cor pulmonale in chronic obstructive pulmonary disease. Part one. *Am J Respir Crit care Med* 1994; 150: 833-852.
- Magee F, Wright JL, Wiggs BR, et al.,** Pulmonary vascular structure and function in chronic obstructive pulmonary disease. *Thorax* 1988; 43: 183-189.
- Marian Aj, Roberts R.** The molecular genetic basis for hypertrophic cardiomyopathy. *Jmol Cell Cardiol.* 2001; 33:655-670.
- Marian Aj, Wu Y, Lim DS, et al.** A transgenic rabbit model for human hypertrophic cardiomyopathy. *J Clin Invest.* 1999; 104: 1683-1692.
- Maron BJ, Shirani J, Poliac LC, et al.** Sudden death in young competitive athletes. Clinical, demographic, and pathological profiles. *JamA.* 1996; 276: 199-204.
- Maron Bj.** Sudden death in young athletes. *N Engl J Med.* 2003; 349: 1064-1075.
- Marwick TH, Case C, Leano R, et al.,** Use of tissue Doppler imaging to facilitate the prediction of events in patients with abnormal left ventricular function by dobutamine echocardiography. *AmJ Cardiol.* 2004; 93:142-146.
- Masuyama T, Kodamak, Kitabatake A, et al.** Continuous wave Doppler echocardiographic detection of pulmonary regurgitation and its application to noninvasive estimation of pulmonary artery pressure. *Circulation*, 1986, 74: 484-492.
- Mehmet Melek Ozlem Esen, Ali Metin Esen, Irfan Bartutcu, et al.,** Tissue doppler Evaluation of tricuspid Annulus for estimation of pulmonary artery pressure in patients with COPD. School of medicine kocatepe univerisity. A fyon, turkey springer science + busiress media ine 2006.

References

- Meluzin J, Spinarova L, Bakala J, et al.,** Pulsed Doppler tissue imaging of the velocity of tricuspid annular systolic motion; a new, rapid, and non-invasive method of evaluation right ventricular systolic function. *Eur Heart J.* 2002; 22: 340-348.
- Meyrich B, Reid. L.** The effect of continued hypoxia on rat pulmonary arterial circulation . An ultrastructural study. *Lab Invest* 1978; 38: 188-200.
- Moustapha A, Lim M, Sallia S, et al.** Interrogation of the tricuspid annulus by Doppler tissue imaging in patients with chronic pulmonary hypertension: implications for the assessment of rightventricular systolic and diastolic function. *Cardiology*, 2001. 95: 101-104.
- Murray CJ, Lopez AD.** Alternative projections of mortality and disability by cause 1990-2020: Global Burden of Disease Study. *Lancet.* 1997; 349: 1498-1504.
- Naeija R, MacNee W.** Pulmonary circulation. In: Calverley P, MacNee W, Pride P, Rennard S, editors. *Chronic obstructive pulmonary disease*, 2nd edition. London: Arnold Health Sciences; 2003.pp.228-242.
- Naeije R.** Should pulmonary hypertension be treated in chronic obstructive pulmonary disease? In: Weir EK, Archer SL, Reeves JT, editors. *The diagnosis and treatment of pulmonary hypertension* Mount Kisco, Futura Publishing, 1995; pp. 209-239.
- Nagueh SF, Bachinski LL, Meyer D, et al;** Tissue Doppler imaging consistently detects myocardial abnormalities in patients with hypertrophic cardiomyopathy and provides a novel means for an early diagnosis before and independently of hypertrophy. *Circulation.* 2001; 104: 128-130.
- Nagueh SF, Kopelen HA, Lim DS, et al;** Tissue Doppler imaging consistently detects myocardial contraction and relaxation abnormalities, irrespective of cardiac hypertrophy, in a transgenic rabbit model of human hypertrophic cardiomyopathy. *Circulation.* 2000; 102: 1346-1350.

References

- Nagueh SF, Middleton KJ, Kopelen HA, et al.**, Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. *J Am Coll Cardiol.* 1997; 30:1527-1533.
- Newmann JH, Alexander RW, O'Rourke**, Chronic cor pulmonale. *The Heart.* Mc Graw-Hill, New York, 2001; 1645- 1656.
- NHLBI morbidity and mortality chartbook**, 2000. Available at <http://www.nhlbi.nih.gov/resources/docs/chtbook.htm> Accessed february 16, 2002
- Niimura H, Bachinski LL, Sangwatanaroj S, et al.** Mutations in the gene for cardiac myosin-binding protein C and late-onset familial hypertrophic cardiomyopathy. *N Engl J Med.* 1998; 338: 1248-1257.
- Nocturnal Oxygen Therapy Trial group.** Continuous or nocturnal oxygen therapy in hypoxemic chronic obstructive lung disease: a clinical trial. *Ann Intern Med.* 1980; 93: 391-398.
- Otto CM.** left and right systolic function in Otto CM (ed) textbook of clinical Echocardiography. Elsevier Saunders, Philadelphia, 2004. PP 131-165.
- Pasquet A, Armstrong G, Bheachler L, et al.**, Use of segmental tissue Doppler velocity to quantitate exercise echocardiography. *J Am Soc Echocardiogr.* 1999; 12:901-912.
- Pauwels RA, Buist AS, Calverley PM, et al.**, GOLD Scientific Committee. Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease: NHLBI/WHO Global Initiative for Chronic Obstructive Lung Disease (GOLD) Workshop summary. *Am J Respir Crit Care Med.* 2001; 163: 1256-1276.

References

- Peinado VI, Barberà JA, Abate P, et al.** Inflammatory reaction in pulmonary muscular arteries of patients with mild chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1999; 159: 11605-1611.
- Peinado VI, Barberà JA, Ramirez J, et al.** Endothelial dysfunction in pulmonary arteries of patients with mild COPD. *Am J Physiol* 1998; 274: L 908-L913.
- Peinado VI, Santos S, Ramirez J, et al.,** Response to hypoxia of pulmonary arteries in COPD: an in vitro study. *Eur Respir J* 2002; 20: 332-338.
- Petitpretz P, Brenot F, Azarian R, et al.** Pulmonary hypertension in patients with human immunodeficiency virus infection. Comparison with primary pulmonary hypertension. *Circulation* 1994; 89: 2722-2727.
- Pietra GG, Capron F, Stewart S, et al.** Pathologic assessment of vasculopathies in pulmonary hypertension. *J Am Coll Cardiol.* 2004; 43 (12 Suppl S): 25S-42S.
- Pietra GG.** Pathology of the pulmonary vasculature and heart in: Chronic obstructive pulmonary disease Philadelphia, W.B. Saunders, 1991; 99. 21-26.
- Prichard JS, Wetherall DK, Ledingham JGG,** Oxford textbook of medicine. 3rd ed. Oxford: Oxford University Press, 1996: 2505-2514.
- Raeside DA, Chalmers G, Clelland J, et al.,** Pulmonary artery pressure variation in patients with connective tissue disease: 24 hour ambulatory pulmonary artery pressure monitoring. *Thorax* 1998; 53: 857-862.
- Recusani F, Di M, gambarin F, D'Armini A, et al.,** Clinical and therapeutical follow-up of HIV- associated pulmonary hypertension: prospective study of 10 patients. *AIDS.* 2003; 17 (Suppl 1): S88-S95.

References

- Reid L, Anderson G, Simon G.** Comparison of primary and thromboembolic pulmonary hypertension. *Thorax*.1972;27(2):263-4.
- Repine JE, Bast A, Lankhorst 1.** Oxidative stress in chronic obstructive pulmonary disease. Oxidative Stress Study Group. *Am J respir Crit Care Med*. 1997; 156: 341-357.
- Rich S, Danzker DR, Ayres S, et al.** Primary pulmonary hypertension: a national prospective study. *Ann Intern Med* 1987; 107:216-223.
- Rich S, ed.** primary pulmonary hypertension: executive summary from the World Symposium on Primary Pulmonary Hypertension. Geneva: World Health Organization, 1998.
- Richj S.M cloughlin vv .** pulmonary hypertension in zipers DP, libby P, Bonow RO, Braunwald E (eds) Braunwald's heart disease. El sevier saunders, phladelphia, 2005, pp 1607-1842.
- Roca J, Wagner PD.** Contribution of multiple inert gas elimination technique to pulmonary medicine. 1. Principles and information content of the multiple inert gas elimination technique. *Thorax* 1994; 49: 815-824.
- Santos S, Peinado VI, Barberà JA, et al.,** Enhanced expression of vascular endothelial growth factor (VEGF) in pulmonary muscular arteries of patients with COPD. *Eur Respir j* 2000; 16: Suppl. 31, 86s.
- Santos S, Peinado VI, Ramirez J, et al;** Characterization of pulmonary vascular remodelling in smokers and patients with mild COPD. *Eur Respir J* 2002; 19: 632-638.
- Siafakas NM, Vermeire P, Pride NB et al,** for the European Respiratory Society Task Force. Optimal assessment and management of chronic obstructive pulmonary disease (COPD).(*Eur Respir J*. 1995; 8: 1398-1420.

References

- Fishman A**, Fishman's Pulmonary Diseases and Disorders. 3 rd ed. New York: McGraw Hill, 1998: 1261-1296.
- Skjaerpe T, Hatle L**, Diagnosis and assessment of tricuspid regurgitation with Doppler ultrasound. In: Rijsterborgh H, Editor. Echocardiology. The Hague: Martinus Nijhoff, 1981, 299:304.
- Sohn DW, Chai IH, Lee DJ, et al**; Assessment of mitral annulus velocity by Doppler tissue imaging in the evaluation of left ventricular diastolic function. JAm Coll cardiol. 2000; 30: 474-480.
- Spiropoulos K, Charokopos N, Petsas T, et al.**, Non-invasive estimation of pulmonary arterial hypertension in chronic obstructive pulmonary disease, lung, 1999; 177: 65-75.
- Stenmark K, Durmowicz AG, Dempsey EC**. Modulation of vascular wall cell phenotype in pulmonary hypertension In: Bishop JE, Reeves KT, Laurent GJ, editors. Pulmonary vascular remodelling London, Portland press. 1995; pp. 171-212.
- Stevens D, Sharma K, Szidon P, et al.**, Severe pulmonary hypertension associated with COPD. Ann Transplant 2000; 5:8-12.
- Su Y, Han W, Giraldo C, et al.**, Block ER. Effect of cigarette smoke extract on nitric oxide synthase in pulmonary artery endothelial cells. Am J Respir Cell Mol Biol 1998; 19: 819-825.
- Sullivan SD, Ramsey SD, Lee TA**. The economic burden of COPD . Chest. 2000; 117 (suppl 2): 5S-9S.
- The COPD Guidelines Group of the Standards of Care Committee of the BTS**. BTS guidelines for the management of chronic obstructive pulmonary disease .Thorax. 1997; 52 (suppl 5): S1-S28.

References

- Tramarin R, Torbicki A, Marchandise B, et al.,** Doppler echocardiographic evaluation of pulmonary artery pressure in chronic obstructive pulmonary disease. A European multicentre study. *Eur Heart J* 1991; 12: 103-111.
- Vinereanu D, Khokhar A, Fraser AG.** Reproducibility of pulsed wave tissue Doppler echocardiography. *J Am Soc Echocardiogr* (1999:792-799-105
- Voelkel NF, Tudor RM.** Cellular and molecular mechanisms in the pathogenesis of severe pulmonary hypertension. *Eur Respir J* 1995; 8: 2129-2138.
- Wedgwood S, Dettman RW, Black SM.** Et-1 stimulates pulmonary arterial smooth muscle cell proliferation via induction of reactive oxygen species. *Am J Physiol* 2001; 281: L1058-L1067.
- Weitzenblum E, Hirth C, Ducolone A, et al.,** Prognostic value of pulmonary artery pressure in chronic pulmonary hypertension in a series of 131 patients with chronic obstructive lung disease. *Am J Respir Crit Care Med* 2001; 164:219-224.
- Weitzenblum E, Kessler R, Oswald M, et al.,** Medical Treatment of pulmonary hypertension in chronic lung disease. *Eur Respir J* 1994; 7: 148-152.
- Weitzenblum E, Sautegeau A, Ehrhart M, et al.,** Long-term oxygen therapy can reverse the progression of pulmonary hypertension in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1985; 131: 493-498.
- Weitzenblum E, Sautegeau A, Ehrhart M, et al.,** long-term course of pulmonary arterial pressure in chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1984; 130: 993-998.

References

- WHO.** Who sites. Respiratory diseases. Chronic obstructed Pulmonary disease. *Int J Cardiol.* 2003; 74: 107-113.
- Wright JK, Petty T, Thurlbeck WM.** Analysis of the structure of the muscular pulmonary arteries in patients with pulmonary hypertension and COPD: National Institutes of Health nocturnal oxygen therapy trial. *Lung* 1992; 170: 109-124.
- Yamada H, Oki T, Mishiro Y, Tabata T, et al.,** Effect of aging on diastolic left ventricular myocardial velocities measured by pulsed tissue Doppler imaging in healthy subjects. *JAm Soc Echocardiogr.* 1999; 12:574-581.
- Yamada H, Oki T, Tabata T, et al;** Assessment of left ventricular systolic wall motion velocity with pulsed tissue Doppler imaging: comparison with peak dp/dt of the left ventricular pressure curve. *JAm Soc Echocardiogr.* 1998; 11:442-449.
- Yamato H, Churg A, Wright JL.** Guinea pig pulmonary hypertension caused by cigarette smoke cannot be explained by capillary bed destruction *J. Appl Physiol* 1997; 82: 1644-1653.
- Yock PG, Popp RL.** Noninvasive estimation of right ventricular systolic pressure by Doppler ultrasound in patients with tricuspid regurgitation. *Circulation* 1991, 70: 657-662.
- Yu CM, Fung JW, Zhang Q, et al.,** Tissue Doppler imaging is superior to strain rate imaging and postsystolic shortening on the prediction of reverse remodeling in both ischemic and nonischemic heart failure after cardiac resynchronization therapy. *Circulation.* 2004; 110: 66-73.
- Zornoff LA, Skali H, Pfeffer MA, et al.,** Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction. *JAm Coll Cardiol.* 2002; 39: 1450-1455.