

References

- Aaslid R:** Transcranial Doppler assessment of cerebral vasospasm. Eur J Ultrasound 16:3, 2002.
- Ackerstaff RG, Moons KG, van de Vlasakker CJ, et al:** Association of intraoperative transcranial Doppler monitoring variables with stroke from carotid endarterectomy. Stroke 31:1817, 2000.
- Ali HH, Utting JE, Gray C:** Stimulus frequency in the detection of neuromuscular blocks in humans. Br J Anaesth 42:967, 1970.
- Al-Majed SA, Harakati MS:** The effect of henna paste on oxygen saturation reading obtained by pulse oximetry. Trop Geogr Med 46:38, 1994.
- Arkilic CF, Akça O, Taguchi A, et al:** Temperature monitoring and management during neuraxial anesthesia: An observational study. Anesth Analg 91:662–666, 2000.
- Badr KF, Ichikawa I:** Prerenal failure: A deleterious shift from renal compensation to decompensation. N Engl J Med 319:623, 1988.
- Banoub M, Tetzlaff JE, Schubert A:** Pharmacologic and physiologic influences affecting motor evoked potentials. Anesthesiology 99:716, 2003.
- Barash PG, Cullen BF, Stoeling RK:** Monitoring of anesthetized patient, p 669, Clinical Anesthesia 4th edition, 2007.

- Barker SJ , Tremper KK:** The effect of carbon monoxide inhalation on pulse oximetry and transcutaneous PO₂ .Anesthesiology 66:677, 1996.
- Barthram CN, Taylor L:** The oesophageal and precordial stethoscope transducer as a monitoring and teaching aid.Anaesthesia 49:713–714, 1999.
- Baudendistel L, Goudsouzian N, Coté C, Strafford M:** End-tidal CO₂ monitoring. Its use in the diagnosis and management of malignant hyperthermia. Anaesthesia 39:1000–1003, 1999.
- Bebout DE:** Issues in the laboratory evaluation of pulse oximeter performance. Anesth Analg 94(Suppl):S62, 2002.
- Bedford RF, Wollman H:** Complications of percutaneous radial artery cannulation: An objective prospective study in man. Anesthesiology 38:228–236, 1999.
- Beilin Y, Bronheim D, Mandelbaum C:** Hemothorax and subclavian artery laceration during "J" wire change of a right internal jugular vein catheter. Anesthesiology 88:1399–1400, 1999.
- Block FE:** What is heart rate, anyway? J Clin Monit 10:366–370, 1994.
- Botero M, Lobato EB:** Advances in noninvasive cardiac output monitoring: An update. J Cardiothorac Vasc Anesth 15:631–640, 2001.
- Breen PH, Serina ER:** Bymixer provides on-line calibration of measurement of CO₂ volume exhaled per breath. Ann Biomed Eng 25:164, 1997.

- Budavari S, O'Neil MJ, Smith A, Heckelman P:** The Merck Index, 11th ed. Rahway, NJ, Merck, 1989.
- Cahalan MK, Stewart W, Pearlman A, et al:** American Society of Echocardiography and Society of Cardiovascular Anesthesiologists task force guidelines for training in perioperative echocardiography. J Am Soc Echocardiogr 15:647–652, 2002.
- Capek JM, Roy RJ:** Noninvasive measurement of cardiac output using partial CO₂ rebreathing. IEEE Trans Biomed Eng 35:653–661, 2003.
- Cariou A, Monchi M, Joly L-M, et al:** Noninvasive cardiac output monitoring by aortic blood flow determination: Evaluation of the Sometec Dynemo-3000 system. Crit Care Med 26:2066–2072, 2002.
- Chaitman BR, Hanson JS:** Comparative sensitivity and specificity of exercise electrocardiographic lead systems. Am J Cardiol 47:1335, 1999.
- Chemla D, Richard C, Michard F et al:** Clinical use of arterial tonometry. Am J cardiol Crit Care Med 159:935–939, 2006.
- Clark DL, Rosner BS:** Neurophysiologic effects of general anesthetics. The electroencephalogram and sensory voked responses in man. Anesthesiology 38:564, 1999.
- Comroe JH Jr, Botelho S:** The unreliability of cyanosis in the recognition of arterial hypoxemia. Am J Med Sci 214:1, 1947.

-
- Connors AF, McCaffree DR, Gray BA:** Evaluation of right-heart catheterization in the critically ill patient without acute myocardial infarction. *N Engl J Med* 308:263–279, 1999.
- Cork RC, Vaughan RW, Humphrey LS:** Precision and accuracy of intraoperative temperature monitoring. *Anesth Analg* 62:211–214, 1998.
- Curran MJ, Donati F, Bevan DR:** Onset and recovery of atracurium and suxamethonium-induced neuromuscular blockade with simultaneous train-of-four and single twitch stimulation. *Br J Anaesth* 59:989, 1987.
- Davis FM, Stewart JM:** Radial artery cannulation. A prospective study in patients undergoing cardiothoracic surgery. *Br J Anaesth* 52:42–47, 1990.
- Davis RF:** Clinical comparison of automated auscultatory and oscillometric and catheter-transducer measurements of arterial pressure. *J Clin Monit* 1:114–119, 1985.
- Debaene B, Plaud B, Dilly M-P, et al:** Residual paralysis in the PACU after a single intubating dose of nondepolarizing muscle relaxant with an intermediate duration of action. *Anesthesiology* 98:1042, 2003.
- Dermott MC, Dale GH:** Transcranial Oximetry, monitoring of cerebral regional oxygenation, *Anesthesiol Clin North Am* 20:293, 1987.

- Doi M, Morita K, Ikeda K:** Frequently repeated Fick cardiac output measurements during anesthesia. *J Clin Monit* 6:107–112, 2000.
- Donald RM .:** Pulmonary artery catheter education project, p. 40, 2005.
- Donohoe JF, Venkatachalam MA, Bernard DB, et al:** Tubular leakage and obstruction after renal ischemia: Structural functional correlations. *Kidney Int* 13:208–222, 1978.
- Dunham CM, Sosnowski C, Porter JM, et al:** Correlation of noninvasive cerebral oximetry with cerebral perfusion in the severe head injured patient: A pilot study. *J Trauma* 52:40, 2002.
- Dupont H, Squara P:** Cardiac output monitoring. *Curr Opin Anaesthesiol* 9:490–494, 1996.
- El-Orbany MI, Joseph JN, Salem MR:** The relationship of posttetanic count and train-of-four responses during recovery from intense cisatracurium-induced neuromuscular blockade. *Anesth Analg*, 2003.
- English JB, Hodges MR, Sentker C, et al:** Comparison of aortic pulse-wave contour analysis and thermodilution methods of measuring cardiac output during anesthesia in the dog. *Anesthesiology* 52:56–61, 2002.
- Erb J, Ramsay JG:** Is your pulmonary artery catheter shedding? *Anesthesiology* 89:543, 1998.

Eriksson LI: Evidence-based practice and neuromuscular monitoring. It's time for routine quantitative assessment. *nesthesiology* 98:1037, 2003.

Fick A: Über die Messung des Blutquantums in den Herzventrikeln. *Verh Phys Med Ges Wurzburg* 2:16, 1870.

Fife CE, Buyukcakil C, Otto GH, et al: The predictive value of transcutaneous oxygen tension measurement in diabetic lower extremity ulcers treated with hyperbaric oxygen therapy: A retrospective analysis of 1,144 patients. *Wound Repair Regen* 10:198, 2002.

Fluck RR Jr, Schroeder C, Frani G, et al: Does ambient light affect the accuracy of pulse oximetry? *Respir Care* 48:677, 2003.

Fournell A, Schwarte LA, Kindgen-Milles D, et al: Assessment of microvascular oxygen saturation in gastric mucosa in volunteers breathing continuous positive airway pressure. *Crit Care Med* 31:1705, 2003.

Fournell A, Schwarte LA, Kindgen-Milles D, et al: Assessment of microvascular oxygen saturation in gastric mucosa in volunteers breathing continuous positive airway pressure. *Crit Care Med* 31:1705, 2003.

Frazin L, Talano JV, Stephanides L, et al: Esophageal echocardiography. *Circulation* 54:102–108, 2001.

- Fruergaard K, Viby-Mogensen J, Berg H, et al:** Tactile evaluation of the response to double burst stimulation decreases, but does not eliminate the problem of postoperative residual paralysis. *Acta Anaesthesiol Scand*, 42:1168, 1998.
- Galla SJ, Rocco AG, Vandam LD:** Evaluation of the traditional signs and stages of anesthesia: An electroencephalographic and clinical study. *Anesthesiology* 19:328, 1998.
- Garcia-Rodriguez C, Pittman J, Cassell CH, et al:** Lithium dilution cardiac output measurement: A clinical assessment of central venous and peripheral venous indicator injection. *Crit Care Med* 30:2199–2204, 2002.
- Geddes LA, Bourland JD:** Technical note: Estimation of the damping coefficient of fluid-filled, catheter-transducer pressure-measuring systems. *J Clin Eng* 13:59–62, 1988.
- Gilmour I, Burnham M, Craig DB:** Closing capacity measurement during general anesthesia. *Anesthesiology* 45:477, 1976.
- Girard F, Tetzlaff JE, Schubert A:** problems of intraventricular catheter, *Anesthesiology* 99:716, 2003.
- Glass PSA, Hardman D, Kamiyama Y, et al:** Preliminary pharmacokinetics and pharmacodynamics of an ultra-short acting opioid: Remifentanyl. *Anesth Analg* 77:1031–1040, 2005.

- Gorback MS:** Considerations in the interpretation of systemic pressure monitoring. In Lumb PD, Bryan-Brown CW (eds): Complications in Critical Care Medicine. Chicago, Year Book, p 296 , 1988.
- Gordon E [ed]:** A Basis and Practice of Neuroanesthesia. New York, Elsevier, p 3, 1981 .
- Gravenstein JS, Paulus DA, Hayes TJ:** Gas Monitoring in Clinical Practice, 2nd ed. Boston, Butterworth-Heinemann, 1995.
- Grundy BL:** Evoked potential monitoring. In Blitt ED (ed): Monitoring in Anesthesia and Critical Care Medicine , p 345. New York, Churchill Livingstone, 2000.
- Hampson NB:** Pulse oximetry in severe carbon monoxide poisoning. Chest 114:1036, 1998.
- Hartung HJ:** Intracranial pressure monitoring . Initial results [in German]. Anaesthesist 36:66–68, 1996.
- Heier T, Caldwell JE, Sessler DI, et al:** The relationship between adductor pollicis twitch tension and core, skin and muscle temperature during nitrous oxide-isoflurane anesthesia in humans. Anesthesiology 71:381–384, 1999.
- Helbo-Hansen HS, Bang U, Nielsen HK, et al:** The accuracy of TOF monitoring at varying stimulating currents. Anesthesiology 76:199, 2003.

- Hess CE, Nichols AB, Hunt WB, Suratt PM:** Pseudohypoxemia secondary to leukemia and thrombocytosis. *N Engl J Med* 301:361, 1979.
- Horrow JC, Rosenberg H:** Does urinary catheter temperature reflect core temperature during cardiac surgery? *Anesthesiology* 69:986–989, 2003.
- Hughes JR:** EEG in Clinical Practice, 2nd ed. Newton, ME, Butterworth-Heinemann, 1994.
- Huntsman LL, Stewart DK, Barnes SR, et al:** Noninvasive Doppler determination of cardiac output in man. Clinical validation. *Circulation* 67:593–602, 2005.
- Huttemann E, Greim CA:** Trans-esophageal Echocardiography(TEE) *Br J Anaesth* 86:486–496, 2008.
- Iaizzo PA, Kehler CH, Zink RS, et al:** Thermal response in acute porcine malignant hyperthermia. *Anesth Analg* 82:803–809, 2004.
- Ikeda T, Sessler DI, Marder D, Xiong J:** The influence of thermoregulatory vasomotion and ambient temperature variation on the accuracy of core-temperature estimates by cutaneous liquid-crystal thermometers. *Anesthesiology* 86:603–612, 1997.
- Imberti R, Bellinzona G, Langer M:** Cerebral tissue PO₂ and S_{jv}O₂ changes during moderate hyperventilation in patients with severe traumatic brain injury. *J Neurosurg* 96:97, 2002.

- Irita K, Kai Y, Akiyoshi K, et al:** Performance evaluation of a new pulse oximeter during mild hypothermic cardiopulmonary bypass. *Anesth Analg* 96:11, 2003.
- Iyriboz Y, Hearon CM, Edwards K:** Agreement between large and small cuffs in sphygmomanometry: A quantitative assessment. *J Clin Monit* 10:127–133, 1994.
- Jaffe MB:** Partial CO₂ rebreathing cardiac output—operating principles of the NICO system. *J Clin Monit* 15:387–401, 2001.
- Janssens JP, Howarth-Frey C, Chevrolet JC, et al:** Transcutaneous PCO₂ to monitor noninvasive mechanical ventilation in adults: Assessment of a new transcutaneous PCO₂ device. *Chest* 113:768, 1998.
- Jopling MW, Mannheimer PD, Bebout DE:** Issues in the laboratory evaluation of pulse oximeter performance. *Anesth Analg* 94(Suppl):S62, 2002.
- Kastor JA:** Atrioventricular block. *N Engl J Med* 292:462, 1998.
- Kelley SD:** Monitoring Level of Consciousness during Anesthesia and Sedation. Natick, MA, Aspect Medical Systems, 2003.
- Kessler MR, Eide T, Humayun B, Poppers PJ:** Spurious pulse oximeter desaturation with methylene blue injection. *Anesthesiology* 65:435, 1986.

- Kirkegaard H, Heier T, Caldwell JE:** Use of a Peripheral Nerve Stimulator During Reversal of Neuromuscular Blockade
Efficacy of tactile-guided reversal from cisatracurium-induced neuromuscular block. *Anesthesiology* 96:45–50, 2002.
- Kitahata H:** Transesophageal echocardiography (TEE) after cardiopulmonary bypass during surgery .*Br J Anaesth* 86:486–496, 2008.
- Klepper ID, Webb RK, Van Der Walt JH, et al:** Use multiple leads ECG during intraoperative monitoring & ICU—an analysis of 2000 incident reports. *Anaesth Intensive Care* 21:575–578, 1993.
- Kopman AF, Strachovsky G, Lichtenstein L:** Use of a Peripheral Nerve Stimulator During Reversal of Neuromuscular Blockade, *Anesthesiology* 96:45–50, 2004.
- Kubicek WG, Karnegis JN, Patterson RP:** Development and evaluation of an impedance cardiac output system. *Aviat Space Environ Med* 37:1208–1212, 1999.
- Kuramoto T, Oshita S, Takeshita H, Ishikawa T:** Modification of the relationship between cerebral metabolism, blood flow and electroencephalogram by stimulation during anesthesia in the dog. *Anesthesiology* 51:211–217, 1999.

- Kurita T, Morita K, Kato S, et al:** Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output. *Br J Anaesth* 79:770–775, 2000.
- Kyriacou PA, Powell SL, Jones DP, Langford RM:** Evaluation of oesophageal pulse oximetry in patients undergoing cardiothoracic surgery. *Anaesthesia* 58:422, 2003.
- Lancee CT, de Jong N, Bom N:** Design and construction of an esophageal phased array probe. *Med Prog Technol* 13:139–148, 2003.
- Lewer BMF, Larsen PD, Torrance JM, Galletly DC:** Artifactual episodic hypoxaemia during postoperative respiratory monitoring. *Can J Anaesth* 45:182, 1998.
- Linton NWF, Linton RAF:** Estimation of changes in cardiac output from the arterial blood pressure waveform in the upper limb. *Br J Anaesth* 86:486–496, 2001.
- Linton RAF, Linton NWF, Kelly F:** Is clinical assessment of the circulation reliable in postoperative cardiac surgical patients? *J Cardiothorac Vasc Anesth* 16:4–7, 2002.
- Lotto CC :** Effect of IV anesthetics on motor evoked potentials. *Anesthesiology* 99:716, 2004.

- Lunn JK, Stanley TH, Webster LR, Bidwai AV:** Arterial blood-pressure and pulse-rate responses to pulmonary and radial arterial catheterization prior to cardiac and major vascular operations. *Anesthesiology* 51:265–269, 1999.
- Lunsgaard C, Van Slyke DD:** Cyanosis. *Medicine (Baltimore)* 2:1, 1923.
- Lutter NO, Urankar S, Kroeber S:** False alarm rates of three third-generation pulse oximeters in PACU, ICU patients. *Anesth Analg* 94(Suppl):S69, 2002.
- Managano CM, Diamondstone LS, Ramsey JG, et al:** Renal dysfunction after myocardial revascularization: Risk factors, adverse outcomes and hospital resource utilization. *Ann Intern Med* 128:194–203, 1998.
- Manday IT, Stoddart PA, Jones RM, et al:** Serum fluoride concentration and urine osmolality after enflurane and sevoflurane anesthesia in male volunteers. *Anesth Analg* 81:353–359, 2004.
- Mansfield PF, Hohn DC, Fornage BD, et al:** Complications and failures of subclavian-vein catheterization. *N Engl J Med* 331:1735–1738, 1994.
- Marini JJ, Pierson DJ, Hudson LD, Lakshminarayan S:** The significance of the capnogram . *Am Rev Respir Dis* 120:1069, 1979.

Mark JB, Spillane R: Interluminal communication in a pulmonary artery catheter causing artifactual pressure measurement. *Anesth Analg* 78:1184–1186, 1994.

Mark JB, Spillane R: Interluminal communication in a pulmonary artery catheter causing artifactual pressure measurement. *Anesth Analg* 78:1184–1186, 1994.

Mark JB, Steel SM: Cardiovascular effects of spinal anesthesia. *Int Anesthesiol Clin* 27:31–39, 1998.

Mark JB: Central venous pressure, left atrial pressure. *In* Mark JB (ed): *Atlas of Cardiovascular Monitoring*. New York, Churchill Livingstone, pp 15–25 1998.

Mark JB: Monitoring heart rate. *In* Mark JB (ed): *Atlas of Cardiovascular Monitoring*. New York, Churchill Livingstone, pp 205–217, 1998.

Mathew JP, Weathersax KJ, East CJ, et al: Bispectral analysis during cardiopulmonary bypass: The effect of hypothermia on the hypnotic state. *J Clin Anesth* 13:301, 2001.

Matsukawa T, Sessler DI, Ozaki M, Kumazawa T: Electronic thermometers, *Anesth Analg* 95:67–71, 2000.

Mattar JA: Noninvasive cardiac output determination by thoracic electrical bioimpedance. *Intensive Crit Care Dig* 7:14–18, 2004.

- Mazze RI, Calverley RK, Smith NT:** Inorganic fluoride nephrotoxicity: Prolonged enflurane and halothane anesthesia in volunteers. *Anesthesiology* 46:265–271, 1977.
- McCullough PA, Wolun R, Rocher LL, et al:** ARF after coronary intervention incidence, risk factors, and relationship to mortality. *Am J Med* 103:368–375, 1997.
- McGee DC, Gould MK:** Preventing complications of central venous catheterization. *N Engl J Med* 348:1123–1133, 2004.
- McGee DC, Gould MK:** Preventing complications of central venous catheterization. *N Engl J Med* 348:1123–1133, 2003.
- McGregor AD:** The Allen test—an investigation of its accuracy by fluorescein angiography. *J Hand Surg [Br]* 12:82–85, 1993.
- Menzel M, Soukup J, Henze D, et al:** Experiences with continuous intra-arterial blood gas monitoring: Precision and drift of a pure optode-system. *Intensive Care Med* 29:2180, 2003.
- Merrer J, De Jonghe B, Golliot R, et al:** Complications of femoral and subclavian venous catheterization in critically ill patients. A randomized controlled trial. *JAMA* 286:700–707, 2001.
- Miller RD:** Monitoring of mixed venous Oxygen saturation, *Miller's Anesthesia* 6th edition, 2005.
- Moerer O, Baller C, Hinz J et al:** Neuromuscular effects of rapacuronium on the diaphragm and skeletal muscles in naesthetized patients using cervical magnetic stimulation for stimulating the phrenic nerves. *Eur J Anaesth* 19:883, 2002.

- Moller JT, Pedersen T, Rasmussen LS, et al:** Randomized evaluation of pulse oximetry in 20,802 patients. I. Design, demography, pulse oximetry failure rate, and overall complication rate. *Anesthesiology* 78:436, 1993.
- Morgan GE , Mikhail MS , Murray MJ :** Patient monitoring during Anesthesia, clinical anesthesiology, p 120, 2006.
- Moxham JP, Lee PK:** Broken glass mercury thermometer: A difficult airway foreign body. *Otolaryngol Head Neck Surg* 127:339–341, 2004.
- Munts CB :** Transcranial Doppler Ultrasound monitoring , CNS monitoring, *Anesthesiol Clin North Am* 10:686, 2003.
- Myers BD, Moran SM:** Hemodynamically mediated acute renal failure. *N Engl J Med* 314:97–105, 1999.
- Novis BK, Roizen MF, Aronson S, Thisted RA:** Association of preoperative risk factors with postoperative acute renal failure. *Anesth Analg* 78:143, 1994.
- Numoto EA, Martin M, Benumof JL:** The principle of the Numoto pressure switch, CNS monitoring, *Anesthesiol Clin North Am* 10:686, 1997.
- O'Brien E, Atkins W:** Blood pressure measurement using oscillometric finger cuffs. *Anaesthesia* 50:743–744, 1995.
- O'Grady NP, Alexander M, Dellinger EP, et al:** Guidelines for prevention of intravascular catheter-related infections. *MMWR Morb Mortal Wkly Rep* 51:1–29, 2002.

- Ornato JP, Shipley JB, Racht EM, et al:** Multicenter study of a portable, hand-size, colorimetric end-tidal carbon dioxide detection device. *Ann Emerg Med* 21:55, 1992.
- Park R, Illinois R:** The standards for intraoperative monitoring: directory of members, p 477, American Society of Anesthesiologists, 2003.
- Pittman JA, Sum Ping J, Sherwood M, et al:** Continuous cardiac output measurement by arterial pressure waveform analysis: A 24-hour comparison with the lithium dilution indicator method. *Anesth Analg* 93:SCA71, 2004.
- Prielipp RC, Kelly JS, Roy RC:** Use of esophageal or precordial stethoscopes by anesthesia providers: Are we listening to our patients? *J Clin Anesth* 7:367–372, 1998.
- Prielipp RC, Sherertz RJ: Skin:** The first battlefield. *Anesth Analg* 97:933–935, 2003.
- Pulmonary artery catheter education project :** Available at: <http://www.pacep.org/>. Accessed October 26, 2005.
- Raman RD:** Mass spectrometer & Raman gas analysis Monitoring of expired gases, *N Engl J Med* 301:361, 1995.
- Rampil IJ:** What every neuroanesthesiologist should know about electroencephalograms and computerized monitors. *Anesthesiol Clin North Am* 10:683, 1998.

- Read RC, Finch RG, Donald FE, et al:** Infective endocarditis after transesophageal echocardiography. *Circulation* 87:1426, 1999.
- Robertson PW, Hart BB:** Assessment of tissue oxygenation. *Respir Care Clin N Am* 5:221, 1999.
- Roizen MF, Berger DL, Gabel RA, et al:** Practice guidelines for pulmonary artery catheterization. An updated report by the American Society of Anesthesiologists Task Force on Pulmonary Artery Catheterization. *Anesthesiology* 99:988–1014, 2003.
- Romhilt DW, Bloomfield SS, Chai TC, et al:** Unreliability of conventional electrocardiographic monitoring of arrhythmia detection in coronary care units. *Am J Cardiol* 31:457, 2004.
- Rousou JA, Tighe DA, Garb JL, et al:** Risk of dysphagia after transesophageal echocardiography during cardiac operations. *Ann Thorac Surg* 69:486–489, 2000.
- Rubinstein EH, Sessler DI:** Skin-surface temperature gradients correlate with fingertip blood flow in humans. *Anesthesiology* 73:541–545, 1999.
- Saada M, Duval AM, Bounet F, et al:** Abnormalities in myocardial segmented wall motion during lumbar epidural anesthesia. *Anesthesiology* 71:26–32, 1998.

- Saitoh Y, Masuda A, Toyooka H, et al:** Effect of tetanic stimulation on subsequent train-of-four responses at various levels of vecuronium-induced neuromuscular block. *Br J Anaesth* 73:416, 2003.
- Sakka SG, Reinhart K, Wegscheider K, Meier-Hellmann A:** Is the placement of a pulmonary artery catheter still justified solely for the measurement of cardiac output? *J Cardiothorac Vasc Anesth* 14:119–124, 2000.
- Samra SK, Dy EA, Welch K, et al:** Evaluation of a cerebral oximeter as a monitor of cerebral ischemia during carotid endarterectomy. *Anesthesiology* 93:964, 2003.
- Sandham JD, Hull RD, Brant RF, et al:** A randomized, controlled trial of the use of pulmonary-artery catheters in high-risk surgical patients. *N Engl J Med* 348:5–14, 2003.
- Savino JS, Hanson CR, Bigelow DC, et al:** Oropharyngeal injury after transesophageal echocardiography. *J Cardiothorac Vasc Anesth* 8:76–78, 1994.
- Schnider TW, Minto CF, Shafer SL, et al:** A bispectral analysis for the electroencephalogram. *J Clin Monit anesthesiology* ,90:1502–1516, 2000.
- Schrier RW:** Acute renal failure *JAMA* 247:2518–2522, 2524, 2000.
- Severinghaus JW, Astrup PB:** History of blood gas analysis. VI. Oximetry. *J Clin Monit* 2:270, 1994.

-
- Sharkey SW:** A Guide to Interpretation of Hemodynamic Data in the Coronary Care Unit. Philadelphia, Lippincott- Raven, 1997.
- Shevchenko YL, Tsitlik JE:** 90th anniversary of the development by Nikolai S. Korotkoff of the auscultatory method of measuring blood pressure. *Circulation* 94:116–118, 1996.
- Shusterman N, Strom BL, Murray TG, et al:** Risk factors and outcome of hospital-acquired acute renal failure: A clinical epidemiologic study. *Am J Med* 83:65, 1987.
- Sigl JC, Chamoun NG:** An introduction to bispectral analysis for the electroencephalogram. *J Clin Monit* 10:392, 2004.
- Silverman DG, Brull SJ:** Assessment of double-burst monitoring at 10 mA above threshold current. *Can J Anaesth* , 40:502,1999.
- Skacel M, O'Hare E, Harrison D:** Invalid information from the ear probe of a pulse oximeter in tricuspid incompetence. *Anaesth Intensive Care* 18:270, 1990.
- Skeehan TM, Thys DM:** Monitoring the cardiac surgical patient. In Hensley FA, Martin DE (eds): *The Practice of Cardiac Anesthesia*. Boston, Little, Brown ,p 123., 2000.
- Smythe PR, Samra SK:** Monitors of cerebral oxygenation. *Anesthesiol Clin North Am* 20:293, 2002.
- Squara P, Bennett D, Perret C:** Pulmonary artery catheter. Does the problem lie in the users? *Chest* 121:2009–2015, 2007.

- Stoeling RK:** Association for the advancement of medical instrumentation, advancement of medical instruments, p. 144. 2004.
- Sulek CA, Gravenstein N, Blackshear RH, Weiss L:** Head rotation during internal jugular vein cannulation and the risk of carotid artery puncture. *Anesth Analg* 82:125–128, 1996.
- Suleman MI, Doufas AG, Akca O, et al:** Insufficiency in a new temporal-artery thermometer for adult and pediatric patients. *Anesth Analg* 95:67–71, 2002.
- Swan HJC, Ganz W, Forrester J, et al:** Catheterization of the heart in man with use of a flow-directed balloon-tipped catheter. *N Engl J Med* 283:447–451, 1970.
- Thys DM, Kaplan JA:** *The ECG in Anesthesia and Critical Care*. New York, Churchill Livingstone, 1997.
- Tremper KK, Barker SJ:** Pulse oximetry. *Anesthesiology* 70:98, 1989.
- Ueda N, Muteki T, Tsuda H, et al:** Is the diagnosis of significant residual neuromuscular blockade improved by using double-burst nerve stimulation? *Eur J Anaesth* 8:213, 1991.
- Vakkuri ES:** Sensory Evoked potentials importance as a part of CNS monitoring, *Anesthesiol Clin North Am* 10:686, 2004.
- Wallace AW, Salahieh A, Lawrence A, et al:** Endotracheal cardiac output monitor. *Anesthesiology* 92:178–189, 2000.
- Wenzel RP, Edmond MB:** The evolving technology of venous access. *N Engl J Med* 340:48–50, 1999.

- Werba A, Klezl M, Schramm W, et al:** The level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure: A study with vecuronium and atracurium. *Anaesthesia* 48:301, 2001.
- White AW:** Evoked potentials importance as a part of CNS monitoring, *Anesthesiol Clin North Am* 10:683, 2004.
- Wilkins RG:** Radial artery cannulation and ischaemic damage: A review. *Anaesthesia* 40:896–899, 1985.
- Williams J, Bellinzona G, Langer M:** Cerebral tissue PO₂ changes during moderate hyperventilation in patients with severe traumatic brain injury. *J Neurosurg* 96:97, 1994.
- Wu C, Kenny MA:** A case of sulfhemoglobinemia and emergency measurement of sulfhemoglobin with an OSM3 CO-oximeter. *Clin Chem* 43:162, 1997.
- Zupan J, Martin M, Benumof JL:** End-tidal CO₂ excretion waveform and error with gas sampling line leak. *Anesth Analg* 67:579, 1988.