
REFERENCES

1. ***Abosef, S.R .and Lue, T.F. (1988):*** Hemodynamics of penile erection. Urol. Clinc. of North. Am.; 15 (1) : 1-7.
2. ***Abou-Haila, A. and Fain – Maruel, M. (1984):*** Regional differences in the proximal part of mouse epididymis. Morphological and histochemical characterization. Ant. Rec. 209 : 197 – 208.
3. ***Adamali, H.I. and Hermo, L. (1996):*** Apical and narrow cells are distinct cell types differing in their structure, distribution, and functions in the adult rat epididynis. J. Androl. May – Jun; 17 (3) : 208 – 22.
4. ***Agelopoulou, R.; Magre, S.; Patsavoudi, E. and Jost, A. (1984):*** Initial phase of therat testis differentiation in vitro. J. Embryol. Exp. Morphol. Oct.; 83 : 15 – 31.
5. ***Amann, R.P. and Veeramachaneni, D.N. (2007):*** Cryptorchidism in common eutherian mammals. Reperoduction. Mar.; 133 (3) : 541 – 61.
6. ***Amenta, P.S. (1991):*** Endocrine system, reproductive system. In : Histology and Micro-anatomy. Textbook, 6th edition. Piccin Nuova Libreria S.P.A (pub.), Padova. 471 – 500.
7. ***Anahara, R.; Royama, Y. and Mori, C. (2007):*** Review of the histological effects on the antiandrogen, flutamide on mouse testis. Reprod. Toxicol. Dec. 28.

8. **Artyukhin, A.A. (2007):** Anatomy and microanatomy of the venous system of scrotal organs and spermatic cord. Bull Exp. Biol. Med. Jan; 143 (1) : 99 – 104.
9. **Awoniyi, C.A.; Santute, R; Chandrashekar, V.; Schanbacher, B.D. and Zirkin, B.R. (1989):** Quantitative restoration of advanced spermatogenic cell in adult male rat made azoospermic by active immunization against luteinizing hormone or gonadotrophine releasing hormone. Endocrinology, 125, 1303 – 1309.
10. **Badran, H.H. and Hermo, L.S. (2002):** Expression and regulation of aquaporin 5, 8 and 9 in the testis, efferent ducts and epididymis of adult rats and during post natal development. J. Androl. May – Jun; 23 (3) : 358 – 73.
11. **Baker, L.A.; Silver, R.I. and Docimo, S.G. (2001):** Cryptorchidism; in Geathart JP, Rink RG, Mouriquand PD (eds). Pediatric Urology. Philadelphia, Sanders, pp. 738-754.
12. **Ballantyne, B.; Timothy, G.M. and Tore, S. (2000):** Reproductive toxicology in general and applied toxicology. 2nd edition, volume 2 : 1141.
13. **Bancroft, J.D. and Stevens, A. (1996):** The haematoxylin and eosin. Theory and practice of histological techniques. 4th ed, Ch6, PP. 99 – 112. Churchill livingstone, London, New York & Tokyo.
14. **Barry, S.; McIntyre, Norman, J.; Barlow and Paul, M.D. Foster (2001):** Androgen – mediated development in male rat offspring exposed to flutamide in utero : permanence and correlation of Early postnatal changes in Anogenital distance and Nipple retention with

- malformations in androgen – Dependent tissues End. Toxicol. May (1).
15. **Bawa, S.R. (1963):** The fine structure of Sertoli cells of the human testis. J. Ultrastruct. Res., 9 : 459.
 16. **Beland, G.; Elhilali, M.; Frodet, Y.; Larache, B.; Ramsey, E.W.; Trachtenberg, J.; Venner, P.M. and Tewari, H.D. (1988):** Total androgen blockade versus castration in metastatic cancer of the prostate. In : Matta M. and Serio M. (eds). "Hormonal therapy of prostatic diseases: basic and clinical aspects" Bussum : Medicom; P. 302.
 17. **Bergman, R.A.; Afifi, A.K. and Heidger, P.M. (1996):** Male reproductive system. In : Text book of histology 12th ed. W.B. Saunders Company. Philadelphia. London. Toronto. Montreal. Tokyo. PP : 304 – 319.
 18. **Bielli, A.; Genovese, P.; Ungerfeld, R. and Katz, H. (2007):** Histology of Lamb epididymal development. Anat. Histol. Embryol. Dec.; 36 (6) : 437 – 14.
 19. **Bloom, W. and Fawcett, D.W. (1996):** A text book of histology. 11th edition. Chapter 31, Male Reproductive system. B.W. Saunders company. 796- 850.
 20. **Brash, J.C. (1993):** Male external genital organs in : Brash, J.C. (ed.): Cunningham's manually practical anatomy, 15th ed. Vol. I. Oxford University Press. P : 204 – 216.
 21. **Brouchu, M.' Belanger, a.; Dupont, A.; Cusan, L. and Labrie, F. (1987):** Effects of flutamide and aminogluethimide on plasma 50 –

- reduced steroid glucuronide concentrations in castrated patients with cancer of the prostate. *J. Steroid. Chem.*; 28 : 619.
22. **Burgoyne, P.S.; Buehr, M.; Koopman, P.; Rossan, T.J. and McLaren, A. (1988):** "Cell – autonomous action of the testis – determining gene : Sertoli cells are exclusively xy in xx – xy chimeric mouse testes". *Development*, 102 : 443 – 450.
 23. **Burkitt, H.G.; Barbra, Y. and Heath, J.W. (1999):** Wheater's functional histology. A text and color Atlas. 3rd edition. Churchill livingstone. London, 323 – 330.
 24. **Caine, M.; Perlberg, S. and Gordon, R. (1975):** The treatment of benign prostatic hypertrophy with flutamide (SCH 13521) : A placebo controlled study. *J. Urol.*; 114 : 564.
 25. **Carlos, L.J.; Jose, C. and Robert, O.K. (1992):** Basic Histology. 7th edition. Chapter 22. 432.
 26. **Carlson, B.M. (1999):** Human anatomy and developmental biology. 2nd edition. Mosby S. Louis. Tokyo, 385.
 27. **Chu, C.W.; Hwong, S.J.; Luo, J.C.; Tsay, S.H.; Li, C.P.; Huong, Y.S.; Chong, F.Y.; and Lee, S.D. (1999):** Flutamide. Induced liver injury : A cases report. *Chung, Hua. I. H Sueh. Tsa. Chih. Taipei. Nov.*; 61 (11) : 678 – 82.
 28. **Chummy.S,Sinnatamby (2006):** In : Last's anatomy, textbook. Abdomen. 11th edition. Churchill livingstone. 295.
 29. **Cicognani, C.; Malavolti, M.; Morselli Labate, A.M.; Sama, C. and Barbara, L. (1996):** Flutamide – induced toxic hepatitis

- potential utility of urodeoxycholic acid administration in toxic hepatitis. Dg Dis. Sci. Nov., 41 (11): 2219-21.
30. **Clerman, Y. and Huckins, C. (1961):** Microscopic anatomy of sex cords and seminiferous tubules in growing and adults male albino rat. J. Anat., 108 : 79 – 97.
 31. **Collins, P. (2008):** "Gray's Anatomy". A textbook of anatomy, 40th ed., Longman group limited Edinburgh, 204 – 212.
 32. **Corkery, J.C.; Bibrbe, W.; McCaffrery, J.A.; Whitcomb, F.F.; levy, C. and Ellis, R. (1991):** Flutamide – related fulminant hepatic failure. J. Clin. Gastroentrol. 13 : 364.
 33. **Cormack, H.D. (1987):** Ham's histology. 2th edition. J. B. Lippincott Company. Philadelphia. New York, 651.
 34. **Cormack, H.D. (1997):** Essential histology. 9nd edition. Lippincott – Raven Publishers. Philadelphia. New York. 377 – 379.
 35. **Courizent, B.; Pholsena, M.; Yaung, J. and Schaison, J. (1993):** The impact of a pure antiandrogen (Flutamide) on LH, FSH, androgens and clinical status in idiopathic hirsutism. Clin. Endocrinal., 39 : 157.
 36. **Crownover, R.L.; Halland, J.; Chen, A.; Krieg, R.; Young, B.K.; Roach, M. and Fu, K.K. (1996):** Flutamide induced liver toxicity including fatal hepatic necrosis. Int. J. Radiation, Oncology, Biology, Physics, 34 : 911.
 37. **Cusan, L.; Dupont, A.; Belonger, A.; Tremblay, R.R.; Manhes, G. and Labrie, F. (1990):** Treatment of hirsutism with the pure antiandrogen flutamide. J. Am. Acad. Dermatol., 23 : 462.

38. **Daniel, F.A.U.; Dominique, E.; Alain, B.; Philippe, L.; Bernard, F.; Cecile, F. and Dominique, P. (1994):** Toxicity of the antiandrogen flutamide in isolated rat Hepatocytes. *J. Pharmacology and experimental therapeutics*, 269 (3) : 954 – 962.
39. **David, T.L. (1996):** Functional human anatomy. Male reproductive system. Mosby – year book, Inc. P: 789 – 798.
40. **Demers, L.M. (1995):** Biochemistry and laboratory measurement of androgens in women. In : *Androgenic disorders*, Redmond, J.P. (eds.) Raven Press, P. 12.
41. **DeSanctis, V.; Ficarra, V.; Mazzoni, G.; Fiscina, B.; Raiola, G. and Castellano, G. (2007):** Varicocele in the adolescent. *Pediatr. Endocrinol. Rev. sep.*; 5 (1) : 468 – 70.
42. **Dian, K.W.; Joel, P.F.; John, B.J. and Marshall, L.H. (1993):** Fatal and non-fatal hepatotoxicity associated with flutamide. *Annals of Internal Medicine*. 118 : 860 -864.
43. **Dourakis, S.P.; Alexopoulou, A.A. and Hadziyannis, S.J. (1994):** Fulminant hepatitis after flutamide treatment. *J. Hepatol. Mar.*; 20 (3) : 350- 3.
44. **Drea, C.M.; Weldele, M.L.; Forger, N.G.; Coscia, E.M.; Frank, L.G.; Licht, P. and Glickman, S.E. (1998):** Androgens and masculinization of genitalia in the spotted hyaena (*Crocuta Crocuta*). Effects of prenatal antiandrogens. *J. Repord. Fertil. May*; 113 (1) : 117 – 27.
45. **Dym, M. and Fawcett, D.W. (1971):** The blood testis barrier in rat and the physiological compartment of the seminiferous epithelium. *Biology of Reproduction*, 3 : 308.

46. **Dym, M. and Romrell, L.J. (1975):** Intraepithelial lymphocytes in the male reproductive tract of rats and rhesus monkey. J. Reprod. Fertil. 42 : 1-7.
47. **Ehrmam, D.A. and Rosenfield, R. (1990):** An endocrinologic approach to the patient with hirsutism. J. Clin. Endocrinol. Metab.; 71 :1.
48. **Ewing, L.L. and Chang, T.S.K. (1986):** The testis, epididymis and ductus deferens. In Walsh, P.C.; Gittes, R.F.; Petlmutter, AD. And Stamy TAC (eds): Campbell's Urology, 5th ed. W.B. Saunders Co. Philadlephia. London. Toronto. PP.: 55-60.
49. **Favorito, L.A.; Costa, W.S. and Sampaio, F.J. (2007):** Applied anatomic study of testicular veins in adult cadavers and in human fetuses. Int. Braz. J. Urol. Mar-Apr; 33 (2) : 179 – 80.
50. **Fawcett, D.W. (1994):** Male reproductive system. Bloom and Fawcett, A text book of histology, 12th. Chapman and Hall. New York. London P. 768 – 815.
51. **Fawcett, D.W. and Jensh, R.P. (2002):** Bloom and Fawcett : concise Histology. 2nd ed. Chapman and Hall. New York. London, 256 – 263.
52. **Fentener Van Vlissingen, J.M.; Van Zolene, E.J.J.; Ursem, P.J.F. and Wensing, C.J.G. (1988):** In vitromodel of the first phase of testicular descent. Identification of a low molecular weight factor from fetal testis involved in proliferation of gubernaculums testis cells. Endocrinology, 123, 2868 – 2877.

53. **Flickinger, C.J. (1972):** Alterations in the fine structure of the rat epididymis after vasectomy. *Anat. Rec.* 173 : 277 – 300.
54. **Flickinger, C.J.; Howards, S.J. and English, H.F. (1978):** Ultrastructural differences in efferent ducts and several regions of the epididymis of the hamster. *Am. J. Anat.* 152 : 557 – 586.
55. **Fornes, M.W. and DeRosas, J.C. (1991):** Interaction between rat epididymal epithelium and spermatozoa. *Anat. Rec.* 231 : 193 – 200.
56. **Fruzzetti, F.; Delorenzo, D.; Dicci, C. and Fioretti, P. (1993):** Clinical and endocrine effects of flutamide in hyperandrogenic women. *Fertil. Steril.*, 60 : 806.
57. **Futterweit, W.; Dunaif, A.; Yeh, H.C. and Kingsley, P. (1988):** The prevalence of hyperandrogenism in 109 consecutive female patients with diffuse alopecia. *J. Am. Acad. Dermatol*; 19 : 834.
58. **Garcia, V.V.; Sanchez, M.; Gutierrez, M.; Contabrona, B. and Hidalgo, A. (1991):** Effect of steroidal and nonsteroidal antiandrogens on the left atrium of the rat in vitro. *Gen. Pharmacol.* 22 (6): 1081.
59. **Gartner, L.P. and Hiatt, J. (2001):** Male reproductive system. In color text book of histology: Lippincott. W. and Wilkins. Philadelphia. London, 487 – 509.
60. **George, F.W. and Wilson, J.D. (2007):** Embryology of the genital tract. *Compbell's urology*, 9th ed. Walsh, P.C.; Gites, R.F.; perlmutter, A.D. and Stamey, T.A. (Eds.). W.B. Saunders

- company. Philadelphia, London, Toronto, Mexico City P. 1804 – 1816.
61. **George, F.W.(1989):** Developmental pattern of 5 alpha-reductase activity in the rat gubernaculum. *Endocrinology* 124, 727 – 732.
 62. **Ghodesawar, M.G.; Ahamed, R.N.; Ahamed, A.W. and Aladakatti, R.H. (2004):** Ultrastructural changes in Canine epididymal epithelial cell types of *Azadirachta indica* Leaf Treated Rats. *Indian J. Exp. Biol. Nov.*; 42 (11) : 1091 – 5.
 63. **Glauret, A.M. (1975):** Practical methods in electron microscopy fixation, dehydration, and embedding in electron microscopy. Vol. III. Elsevier, North Holland, Amsterdam, P. 1207.
 64. **Godlewski, G.; Goubert Cristol R.; Rouy, S. and Prudhamme, M. (1997):** Liver development in the rat during the embryonic period (Carnegie stages 15 – 23). *Acta. Anat.*; 160 : 172 – 178.
 65. **Goldstein, A.M.; Mechan, J.P. and Zakhary, R. (1982):** New observations on microarchitecture of corpora cavernosa in man and possible relationship to mechanism of erection. *Urol.*; 20 : 259.
 66. **Goto, K.; Koizumi Ktakaori, H.; Fujii, Y.; Furuyama, Y.; Saika, O. and Suzsaito Ksuzuki, K. (2004):** Effects of flutamide on sex maturation and behavior of offspring born to female rats treated during late pregnancy. *J. Toxicol. Sci. Dec.* : 29 (5) : 517-34.
 67. **Goulding, A. and Gold, E. (1993):** Flutamide mediated androgen blockade evokes osteopenia in the female rat. *J. Bone Miner. Res.* 8 (6) : 763.

68. **Gray, L.E. Jr., Ostby, J.; Monosson, E. and Kelce (1999):** Environmental antiandrogens low dose of the fungicide vinclozoline alters sexual differentiation of the male rat. *Toxicol. Ind. Health* 15, 48 – 64.
69. **Green E.C. (1968):** Anatomy of the rat. New York. Hafner Publishing Co.
70. **Gunapala Shetty and Cannie G.Y. Weng (2004):** Cryptorchidism rescues spermatogonial differentiation in Juvenile spermatogonial depletion Mice. *Edocrinol.* Vol. 145; No. 1126 – 133.
71. **Guttruff, R.F.; Cooke, P.S. and Hess, R.A. (1991):** Blind – ending tubules and branching pattern of the rat ductuli efferentes. *Anat. Rec.*, 232 : 423 – 431.
72. **Guyton, M.B. (1996):** Reproductive and hormonal function of the male : text book of medical physiology. PP. 1003 – 1015.
73. **Hallowes, R.; Cose, s.; Hayword, S.; Deshpande, M. and Towler, J. (1991):** Effects of flutamide and hydroxyflutamide on the growth of human benign prostatic hyperplasia cells in primary culture. *Anticancer, Res.*; 11 (5) : 1799 – 805.
74. **Hamilton, D.W. (1972):** The mammalian epididymis. *Reproductive Biology*. Balin, H. and Glasser, S. (Eds.). Excerpta Medica. Amsterdam. P. 268 – 330.
75. **Hamilton, D.W. (1975):** Structure and function of the epithelium lining the ductuli efferentes, ductus epididymis and ductus deferens in the rat. *Handbook of physiology*. Greep, R.O. and Hamilton,

- D.W. (Eds.). Amer. Physiol. Soc. Washington Vol. 5, Sec. 7 : 259 – 301.
76. **Hamitokur, Sabahattin Muhtaroglu, Ali Bozkunt, Olgun Kontas, Nursel Kucukaydin, and Mustafa Kucukaydin (2006):** Effect of prenatal flutamide on testicular development, androgen production and fertility in rats. *Urol. Int.*, 76 : 130 – 133.
77. **Harnaen, C.J.; Na, A.F.; Shenker, N.S.; Sourial, M.; Farmer, P.J.; Southwell, B.R.; Hutson, J.M. (2007):** The anatomy of the cremaster muscle during inguinoscrotal testicular descent in the rat. *J. Pediatr. Surg. Dec.*, 42 (12) : 1982-7.
78. **Hart, W. and Stricker, B.H. (1989):** Flutamide and hepatitis. *Annals of Internal. Medicine*; 110 : 943.
79. **Hasckek, W.M. and Rousseaux, C.G. (1998):** Physiology and functional considerations of male reproductive system in fundamentals of toxicologic pathology. Academic Press. San Deigo. Tokyo, 443.
80. **Hayakawa, T.; Naya, Y. and Kojima, A. (1998):** Significant changes in volume of seminal vesicles as determined by transrectal sonography in relation with age and benign prostatic hyperplasia. *J. Exp. Med.*; Nov.; 186 (3) : 193 – 204.
81. **Hebel, R. and Stromberg, M.W. (1976):** Anatomy of the laboratory rat. The Williams and Wilkins Co. Baltimore. P. 68.

-
82. **Hermo, L. (1995):** Structural features and functions of principle cells of the intermediate zone of the epididymis of adult rats. *Anat. Dec. Aug.*; 242 (4) : 515 – 50.
83. **Hermo, L.; Barin, K. and Robaire, B. (1992):** Structural differentiation of the epithelial cells of the testicular excurrent duct system of rats during postnatal development. *Anat. Rec.* 233 : 205 – 228.
84. **Hoffer, A.P.; Hamilton, D.W. and Fawcett, D.W. (1973):** The ultrastructure of the principal cells and intraepithelial leucocytes in the initial segment of the rat epididymis. *Anat. Rec.* 175 : 169 – 202.
85. **Hrabovszky, Z.; Farmer, P.J. and Sutson, J.M. (2000):** Does the sensory nucleus of genitofemoral nerve have a role in testicular descent ? *Pediatr. Sing.*; 35 : 96 – 100.
86. **Husmann, D.A. ; and McPhaul, M.J. (1991 a):** Localization of the androgen receptors in the developing rat gubernaculum *Endocrinology*, 128 : 383 – 387.
87. **Husmann, D.A.; Boone, T.B. and McPhaul, M.J. (1994):** Flutamide induced testicular undescend in the rat is associated with alterations in genitofemoral nerve morphology. *Journal of Urology*, 151, 509 – 513.
88. **Husmann, D.A. and McPhaul, M.J. (1991 b):** Time – specific androgen blockade with flutamide inhibits testicular descent in the rat. *Endocrinology* 129, 1409-1416.

-
89. **Hutson, J.M.; Sasaki, Y.; Huynh, J., Yong, E. and Ting, A. (2004):** The gubernaculum in testicular descent and cryptorchidism. *Turk. J. Pediatr.*, 46 (Suppl.): 3 – 6.
 90. **Hutson, J.M.; Terada, M.; Zhou, B. and Williams, M.P.L. (1996):** Normal testicular descent and the aetiology of cryptorchidism. *Advances in anatomy, Embryology and Cell Biology* 132, 1-56.
 91. **Jost, A.; Mayre, S. and Agelopoulou, R. (1981):** Early stage of testicular differentiation in the rat. *Hum. Genet.*, 58 (1) : 59 – 63.
 92. **Junqueira, C.L. and Caneiro, J. (2005):** Basic histology. A Lang medical book, 11th edition. Middle east edition. Appleton & Lange Norwalk, Connecticut, Los Altos. California. 423 – 440.
 93. **Kassim, M.M.; McDonald, S.W.; Reid, O.; Bennett, N.K.; Gilmore, D.P. and Payne, A.P. (1997):** The effects of pre and postnatal exposure to the nonsteroidal antiandrogen of flutamide on testis descent and morphology in the albino Swiss rat. *J. Anat.* May; 190 (P 14) : 577 – 880.
 94. **Kent, M. and De-Graaff, V. (1995):** Human anatomy. Male reproductive system. WCB. Inc. USA. PP : 661 – 688.
 95. **Kerr, B.J. (1999):** Histophysiology of male reproductive system. In : *Atlas of fundamental histology*. Mosby. London. Philadelphia. 341.
 96. **Kersten, W.; Molenaar, G.J.; Emmen, J.M.A.; and Vanderschoot, P. (1996):** Bilateral cryptorchidism in a dog with persistent cranial testis suspensory ligaments and inverted gubernacula; report of a

- case with implications for understanding normal and aberrant testis descent. *Journal of anatomy* 189, 171 – 179.
97. **Kessel, R.G. (1998):** Basic medical histology : the biology of cells, tissues, and organs. 2nd ed. Oxford University press. New York. 495 – 513.
 98. **Knorr, D.W.; Vanka-Pertulla, T. and Lipsett, M.B. (1970):** Structure and function of rat testis through pubescence. *Endocrinology*. 86 : 1298 – 1304.
 99. **Kraus, I.; Vitezic, D. and Oquic, R. (2001):** Flutamide – induced acute hepatitis in advanced prostatic cancer patients. *Int. J. Clin. Pharmacol. Ther.* Sept; 39 (9) : 395 -9.
 100. **Krause, W.J. and Cutts, H.J. (1996):** Essential of histology. Text / Atlas Review. 2nd edition. Little, brown and company. Boston. New York. London. Toronto. 589 – 604.
 101. **Labrie, F. (1991):** Intracunology. *Mol. Cell. Endocrinol.*; 78 : 113.
 102. **Labrie, F.; Cusan, L.; Dupont, A.; Gomez, J.; Simard, J.; Luuthe, V.; Pelletier, G.; Labrie, c. and Belonger, A. (1997):** Androgen receptor antagonists. In : Greenspon, F.S. and Strewler, G.J. (eds.) *Basic and clinical endocrinology*. Fifth edition. Appleton and Longe, Connecticut. PP 662-665
 103. **Labrie, F.; Cuson, L.; Dupont, A.; Comez, J.L.; Simard, J.; Pelletier, G.; labrie, C. and Belonger, A. (1996):** Androgen receptor antagonists. *Reproductive Endocrinology, Surgery and Technology*, 5 : 31.

104. **Labrie, F.; Dupont, A. and Belanger, A. (1985):** Complete androgen blockage for the treatment of prostate cancer. In : De Vita, V.T.; Hellman, S. and Rosenberg, S.A. (eds.) Important advances in oncology, Philadelphia, J.B. Lippincott; 193.
105. **Labrie, F.; Dupont, A.; Cuson, L.; Giguere, M.; Bergeron, N.; Borsany, J.P.; Lacowiciere, Y.; Belonger, A.; Bmond, J. and Manfett, G. (1988):** Combination therapy with flutamide and castration (LHRH agonist or orchiectomy) in previously untreated patients with clinical stage D2 prostate Cancer today's therapy of choice. J. Steroid. Biochem.; 30 (1-6) : 107.
106. **Lambright, C.; Ostby, J.; Bobseine, K.; Wilson, V.; Hotchkiss, A.K.; Mann, P.C. and Gray, L.E. (2000):** Cellular and molecular mechanisms of action of linuron: An antandrogenic herbicide that produces reproductive malformations in male rats Toxicol. Sci. 56 : 389 – 399.
107. **Leeson, S.T.; Leeson, R.C. and Paparo, A.A. (1985):** Male reproductive system Text/Atlas of histology. 5th edition. W.B. Saunders Company. Philadelphia. London. Toronto. Montreal. Sydney. 492 – 506.
108. **Leeson, S.T.; Leeson, R.C. and Paparo, A.A. (1988):** Male reproductive system Text/Atlas of histology. 6th edition. W.B. Saunders Company. Philadelphia. London. Toronto. Montreal. Sydney. 432 – 633.
109. **Lloyd, S.; Carrick, F. and Hall, L. (2008):** Unique features of spermiogenesis in the Musky rat – Kangaroo : reflection of a basal

lineage or a distinct fertilization process ? J. Anat. Mar.; 212 (3) : 257 – 74.

- 110. Lowrence, H.; Robert, A.; John, D.; Eric, F. and John, A. (1996):** Clinical anatomy (principles) 5th ed. Pelvic viscera in male. Mosby year book. St. Louis. Boston. Chicago. Tokyo. PP : 613 – 621.
- 111. Lubbert, C.; Wiese, M.; Haupt, R. and Ruf, B.R. (2004):** Toxic hepatitis and liver failure under therapy with flutamide. Internist (Berl) Mar; 45 (3): 333 – 40.
- 112. Magre, S., Agelopoulou, R. and Jost, A. (1980):** Sertoli cells and organogenesis of the fetal testis. Ann Endocrinol (Paris), Nov – Dec; 41 (6) : 531 – 7.
- 113. McCormick, C.M. and Mahoney, E. (1999):** Persistent effects of prenatal, neonatal, or adult treatment with flutamide on the hypothalamic – pituitary adrenal stress response of adult male rats. Horm. Behav. Feb; 351 (1) : 90 – 101.
- 114. McLachlan, J. (1994):** "University of St Andrew". Medical Embryology 1st Printed, 339 – 349.
- 115. McNeal, J.E. (1984):** The prostate gland; morphology and pathology. Monograph in Urology Vol. 4 (2) : 139 – 144.
- 116. Meachem, S.J.; Wreford, N.G.; Kobertson, D.M.;and McPachlan, R.T. (1997):** Androgen action on the restoration of spermatogenesis in adult rat : effect of human chorionic gonadotrophin, testosterone and flutamide administration on germ cell number. Int. J. Androl. Apr., 20 (2) : 70-9.

117. **Miyata, K.; Yabushita, S.; Sukata, T.; Sano, M.; Yoshino, H.; Nakanishi, T.; Okuno, Y. and Matsuo, M. (2002):** Effect of prenatal exposure to flutamide on sex hormones and androgen dependent organism FI male rats. *J. Toxicol. Sci.* Feb., 27 (1) : 19 – 33.
118. **Miyata, Yabushita, Sano, Miyashita, Okuno, and Matsuo (2003):** Effect of perinatal exposure to flutamide on sex hormone responsiveness in FI male ret. *Journal of Toxicol Sc.* Vol. 28 (3) : 149 – 163.
119. **Montorsi, F.; Sarteschi, M.; Maga, T.; Gauzzoni, g.; Fabris, G.F.; Rightti, P.; Pizzini, G. and Miani, A. (1998):** Functional anatomy of a cavernous helicine arterioles in potent subjects. *J. Urol.*, 159 (3) : 808 – 810.
120. **Moore and Persaud (2003):** "Before we are born". Essentials of embryology and birth defects 6th ed., 213 – 216.
121. **Mylchreest, E.; Cattley, R.C.;and Foster, P.M. (1998):** Male reproductive tract malformations in rats following gestational and lactational exposure to Di (n – butyl) phalate : An antiandrogenic mechanism. *Toxicol. Sci.* May; 43 (1) : 47 – 60.
122. **MyLchreest, E.; Sar, M.; Cattley, R.C. and Foster, P.M.D. (1999):** Disruption of androgen – regulated male reproductive development by di (n – butyl) phthalate during late gestation in rat is different from flutamide. *Toxicol. Appl. Pharmacol.*, 156, 81 – 95.
123. **Nakazato, H.; Suzuki, K.; Ito, K.; Fukabori, Y.; Kurokawa, K. and Yamanaka, H. (2001):** Suppressive effects of the antiandrogen

- flutamide on adrenal androgens in advanced prostatic cancer patients *Nippon Hinyokika Gakkai Zasshi*, Jan; 92 (1) : 6 -12.
- 124. Nambu, A. and Kumamoto, Y. (1995):** Studies of spermatogenic damages induced by anti – cancer and anti androgenic agents in rat testes *Nippon Hinyokika Gakkai Zasshi* – Jul; 86 (7): 1221 – 30.
- 125. Neri, R.; Monahan, M.D.; Meyer, J.G.; Afonso, B.A. and Tabachinck, I.A. (1967):** Biological studies of on antiandrogen (SH – 714). *Eur. J. Pharmacol.*; 1 : 438.
- 126. Normadiah, M.; Kassim, S.W.; McDonald, D.; Reid, N.K.; Bennett, D.P. Gilamore and Payne, A.P. (1997):** The effect of pre- and postnatal exposure to the nonsteroidal antiandrogen flutamide on testis descent and morphology in the albino swiss rat. *J. Anat.* 190, pp. 577 – 588.
- 127. Oke, B.O.; Aire, T.A.; Adeyemo, O. and Heath, E. (1988):** The structure of the epididymis of the giant rat: histological, histochemical and microstereological studies. *J. Anat.* 160 : 9 – 19.
- 128. Palmer, J. and Burgoyne, P.S. (1991):** "In situ analysis of fetal, prepubertal & adult xx – xy chimaeric mouse testes : Sertoli cells are predominantly, but not exclusively, xy". *Development*, 112 : 265 – 268.
- 129. Paoletti, A.M.; Cognacci, A.; Orru, M.; Ajossa, S.; Guerriero, S. and Melis, G.B. (1999):** Treatment with flutamide improves hyper insulinemia in women with idiopathic hirsutism. *Fertil. Steril.* Sep 72 (3) : 778 – 53.
- 130. Papavasiliou, K.A.; Kirkos, J.M.; Kapetanios, G.A. and Pournaras, J. (2007):** Potential influence of hormones in the development of

- slipped capital femoral epiphysis : apreliminary study. J. Pediatr. Orthop. Jan; 16 (1) : 1-5.
- 131. Patil, S.B. and Saidapure, S.K. (1991):** Kinetics of spermatogenesis in the wild squirrel *funambulus palmarum* (Linnaeus). Acta Anta., 141 : 352 – 363.
- 132. Peets, E.A.; Henson, M.F. and Neri, R. (1974):** On the mechanism of the antiandrogenic action of flutamide (α - α - α trifluoro- 2-methyl -4- nitro-m-propionatoluidide in the rat. Endocrinology; 94 : 532.
- 133. Pesayre, D. (1992):** Mechanisms of drug – induced hepatic injury in Drug – Induced Hepatic Injury, ed. By B.H.C. Srickler, Vol. 2, pp. 23 – 49, Elsevier, Amsterdam.
- 134. Raftery, A. (2000):** Applied basic science for basic surgical training. 1st ed. Churchill livingstone. Edinburgh. London. New York. Philadelphia. Sydney. Toronto.
- 135. Ramos, A.S. and Dym, M. (1977):** Fine structure of the monkey epididymis. Amer. J. Anat. 149 : 501 – 532.
- 136. Redman, J.F. (1987):** Anatomy of the urogenital tract. In : Hano, PM and Wein, AJ (eds): A clinical manual of urology. 1st ed. Appleton – Century – Crofts / New York, P. : 35.
- 137. Redmond, J.P. (1995):** Interpretation of androgen levels in women. In : Androgenic Disorders, Redmond, J.P. (ed.) Raven Press, P. 33.
- 138. Ross, H.M.; Romrell, J.L. and Kaye, I.G. (1995):** Histology A text & Atlas. 3rd edition. Williams & Wilkins A Waverly Company.

- Baltimore. Philadelphia. Hong Kong. London. Munich. Sydney. Tokyo. 636 – 654.
- 139. Ross, H.M.; Romrell, J.L. and Kaye, I.G. (2003):** Histology A text & Atlas. 4rd edition. Williams & Wilkins A Waverly Company. Baltimore. Philadelphia. Hong Kong. London. Munich. Sydney. Tokyo. 636 – 654.
- 140. Ross, M.H. and Reith, E.J. (1985):** Male reproductive system. Histology A text / Atlas. Harper and Row, publisher, J.B. Lippincott Co. New York, London. P. 604 – 657.
- 141. Saddler, T.W. (2006):** Development of male genital system. "Langman's medical embryology". 8th ed., 286 – 292.
- 142. Sahin, I.; Serter, R.; Karakurt, F.; Demirbas, B.; Culla, C.; Taskapan, C.; Kosar, F. and Aral, Y. (2004):** Metformin versus flutamide in treatment of metabolic consequences of non – obese young women with polycystic ovary syndrome. Gynecol. Endocrinal. Sep. 19 (3) : 115 – 24.
- 143. Sahin, Y. and Kelestimur, F. (2004):** Medical treatment regimens of hirsutism. Reprod. Biomed. Online, May; 8 (5): 538 – 46.
- 144. Sasone, J. and Reisner, R.M. (1971):** Differential rates of conversion of testosterone to dihydrotestosterone in acne and in Normal skin – a possible pathogenic factor in acne. K. Invest. Dermatol.; 56 : 366.
- 145. Schulze, C. (1984):** Sertoli and Leydig cells in man. Adv. Anat. Embryo. Cell Biol., 88 : 1 – 104.

-
146. **Segatelli, T.M.; Almedia, C.C.; Pinheiro, P.F.; Martinez, M.; Padovani, C.R. and Martinez, F.E. (2000):** Ultrastructural study of acrosome formation in mangolian gerbil (*Meriones unguiculatus*). *Tissue cell. Dec.*, 32 (6) : 508 – 17.
147. **Sharp, R.M. and Skakkebaek, N.E. (1993):** Are estrogens involved in falling sperm counts and disorders in the male reproductive tract? *Lancet*, 341 : 1392 – 1395.
148. **Sharpe, R.M.; Maddocks, S. and Kerr, J.B. (1990):** Cell – cell interactions in the control of spermatogenesis as studied using Leydig cell destruction and testosterone replacement. *Am. J. Anatomy*, 188 : 3 – 20.
149. **Shenker, N.S., Huynh, J.; Farmer, P.J. and Huston, I.M. (2006):** A new role for androgen in testicular descent : permitting gubernacular cell proliferation in response to the neuropeptide, calcitonin gene – related peptide. *J. Pediatr. Surg. Feb.*; 41 (2) : 407 – 12.
150. **Simard, J.; Singh, S.M. and Labrie, F. (1997):** Comparison of in vitro effects of the pure antiandrogens OH – Flutamide, Casodex, and Nilutamide on androgen – sensitive parameters. *Urology*; 49 (4): 580.
151. **Snell, R.S. (2000):** The abdomen. In : *clinical Anatomy for Medical student*. 6th edition. Little Brown and Company. New York. London. 133 – 183.
152. **Snell, R.S. (2007):** *Clinical anatomy for medical students*. 8th ed. P : 361.
-

153. **Song, G.S. and Seo, J.T. (2008):** Relationship between ambient temperature and heat flux in the scrotal skin int. J. Androl. Jan. 22.
154. **Spaliviero, J.A.; Jimenez, M.; Allan, C.M. and Handelsman, D.J. (2004):** Luteinizing hormone receptor – mediated effects on initiation of spermatogenesis in gonadotrophin – deficient (hpg) mice are replicated by testosterone. Biol. Reprod. Jan; 70 (1) : 32 – 8.
155. **Spencer, J.R.; Darracott Vaughane, J.R.;and Imperato – Mcginley, J. (1993):** Studies of hormonal control of postnatal testicular descent in the rat. Journal of Urology, 149; 618-624.
156. **Standring, S.; Ellis, H.; Healy, J.; Johnson, D.; Williams, A.; Collins, P. and Wigley, G. (2008):** The reproductive system in : Gray's anatomy. 40th edition. Churchill livingstone. London. 1848 – 1854.
157. **Stephens, F.D.; Smith, E.D. and Hutson, J.M. (1996):** Congenital anomalies of urinary and genital tracts. Oxford isis Medical Media.
158. **Stevens, A. and Lowe, S.J. (2005):** Human histology. 3rd edition. Mosby. London. Baltimore. Boston. Chicago. Mexico City. New York. Sydney. Tokyo. Toronto. 309 – 318.
159. **Strain, P. and Labo, R.A. (1985):** Increased 50 – reductase activity in idiopathic hirsutism. Fertil. Steril.; 43 : 74.
160. **Strinivason, R.; Buchweitz, J.P. and Ganey, P.E. (1997):** Alteration by flulamide of neutrophil response to stimulation. Implication for tissue injury. Biochem. Pharmacol. Apr. 25; 53 (8) : 1179 – 85.

-
- 161. Sun, E.L. and Flickinger, C.J. (1979):** Development of cell types and of regional differences in the postnatal rat epididymis. *Amerc. J. Anat.* 154 : 27 – 56.
- 162. Sun, E.L. and Flickinger, C.J. (1980):** Morphological characteristics of cells with apical nuclei in the initial segment of the adult rat epididymis. *Anat. Rec.* 196 : 285 – 293.
- 163. Sun, E.L. and Flickinger, C.J. (1982):** Proliferative activity in the rat epididymis during postnatal development. *Anat. Rec.* 203 : 273 – 284.
- 164. Swerdloff, R.S. and Sinha – Hikim, A.P. (1994):** Time course of recovery of spermatogenesis and Leydig cell function after cessation of gonadotrophin – releasing hormone antagonist treatment in adult rat. *Endocrinology* 134 : 1627 – 1634.
- 165. Swerdloff, R.S. and Sinha-Hikim, A.P. (1995):** Temporal and stage specific effects of recombinant human follicle stimulating hormone on the maintenance of spermatogenesis in gonadotrophin – releasing hormone antagonist – treated rat. *Endocrinology*, 136, 253 – 261.
- 166. Tadlock, C.H. (1996):** Male sex hormones, physiology. 2nd edition. Little, Brown and Company. Boston. New York. Toronto. London. 262.
- 167. Takeshi Shono, Hiroki Kai M.D.; and Sachiyo Suita, (2002):** Effect of the prenatal administration of cimetidine on testicular descent and genital differentiation in rat. *Japan Surgery*; 131 : S 301-5.

168. **Tanagho, E.A. (2002):** Anatomy of the lower urinary tract. In : Walsh PC; Retik, AB; Stamey TA and Vanghan, (eds). Campbell's Urology, 8th ed. Pliladelphia: WB Saunders. Vol. 1. PP: 40 – 69.
169. **Tanagho, E.A. (2007):** Anatomy of the epididymis. Campbell's urology, 9th ed.: Walsh, P.C.; Gittes, R.F.; Perlmutter, A.D. and Stamey, T.A. (Eds.). W.B. Saunders Co. Philadelphia, London, Toronto, Mexico City. P. 67.
170. **Telford, I.R. and Bridgmans, C.F. (1995):** Introduction to functional histology 3th ed. Chapter 23. Male reproductive system. Harper Collins College Publishers. 419.
171. **Thiboutot, D. and Chen, W. (2003):** Update and future of hormonal therapy in acne. Dermatology, 206 (1) : 57 – 67.
172. **Tilbrook, A.J.; De-Kretse, D.M. and Clarke, I.J. (1999):** Changes in the suppressive effect of recombinant inhibin A on FSH secretion in ram lambs during sexual maturations :L evidence for attention in the clearance of inhibin. J. Endocrinol; May; 161 (2) : 219 – 229
173. **Toyama, Y.; Suzuki – Toyota, F.; Mekawa, M.; Ito, C. and Toshimori, K. (2007):** Disruption of ectoplasmic specializations between Sertoli cells and maturing spermatids by anti – nectin 2 and anti-nectin 3 antibodies. Aspian J. Androl. Dec. 20.
174. **Toyota, K.E.; Shibutani, M.; Tamura, T.; Koujitani, T.; Uneyama, C. and Hirose, M. (2000):** Repeated dose (28 days) oral toxicity study of flutamide in rat, based on the draft protocol for the Enhanced DECD test guideline 407 for screening for endocrine disrupting chemicals Arch. Toxicol, 74 : 127 – 132.

-
175. **Tsukomoto, S. and Akaza, H. (1999):** Progress in oral anticancer drug therapy for urological cancer. *Gon – To – Kagaku – Ryoho*. Feb.; 26 (3) : 308 – 14.
176. **Van Der Schoot, P. (1992):** Disturbed testicular descent in the rat after prenatal exposure to the antiandrogen flutamide. *Journal of Reproduction and Fertility* 96, 483 – 496.
177. **Vermeulln, A. and Rubens, R. (1992):** Adrenal Virilism in the Adrenal Gland, 2nd ed.; Tomes, V.H.T. (ed.) Raven Press, P. 38.
178. **Wensign, G.J.G. (1988):** "The embryology of testicular descent". *Hormone Res.*, 30 – 144.
179. **Wheater, P.R.; Burkitt, H.G.; Barbara, Y.; Heath, J.W. and Daniels, V.G. (1999):** Wheater's functional histology. A text and colour Atlas. 3rd edition, ELBS. Churchill livingstone.
180. **Williams, P.L.; Bannister, L.H.; Bery, M.M.; Collins, P.; Dypson, M.; Dussk, J.E. and Ferguson, M.W. (1995):** Male genital tract *Gray's anatomy*, 39th ed. Churchill, Livingstone, Edinburgh; PP : 1848 – 1861.
181. **Wolf, C.J.; Le Blanc, G.A.; Ostby, J.S. and Gray, L.E. (2000):** Characterization of the period of sensitivity of fetal male sexual development to Vinclozoline *Toxicol. Sci.* 55, 152 – 161.
182. **Wysowski, D.K.; Feriman, J.P.; Towetelot, J.B. and Horton, M.L.(1993):** Fatal and non – fatal hepatotoxicity. *Annals of Internal Medicine*; 118 : 860.
183. **Xia, W.; Wong, C.H.; Lee, N.P.; Lee, W.M. and Cheny, C.Y. (2005):** Disruption of Sertoli – germ cell adhesion function in the
-

seminiferous epithelium of the rat testis can be limited to adherens junctions without affecting the blood – testis barrier integrity : an in vivo study using an androgen suppression model. *J. Cell physiol.* Oct.; 205 (1) : 141 – 57.

184. ***Yamada, T.; Kunimatsu, T.; Sako, H.; Yabushita, S.; Sukata, T.; Okuno, Y. and Matsuo, M. (2000):*** Comparative evaluation of a 5- day Hershberger assay utilizing mature male rats and a 20 day assay utilizing immature intact male rats for detection of flutamide antiandrogenic activity *Toxicol. Sci.* : 53, 289 – 296.
185. ***Yamada, T.; Ueda, S.; Yoshioka, K.; Kawamura, S.; Seki, T.; Okuno, Y. and Mikami, N. (2003):*** Lack of estrogenic or antiandrogenic effects of phenothrin in the uterotrophic and Hershbergers Assays. *Toxicology*, 186, 227 – 239.
186. ***Zhang, M.; Latham, D.E.; Delaney, Ma;and Chakravarti, A. (2005):*** Survivin mediates resistance to antiandrogen therapy in prostatc cancer. *Oncogene*. Feb. 14; (Epub ahead of print).