

REFERENCES

- Abd-El-Reheem, A.M.A (2003):*** Effect of feeding fish oil and vegetable oils on the serum levels of some inorganic irons., cholesterol and some hormones in white rats (*Rattus rattus*). J. Egypt. Ger. Soc. Zool., 40A: 55-70.
- Adamopoulos, P.N.; Pappmichael, C.M.; Zampelas , A. and Moulopoulos, S.D. (1996):*** Cholesterol and unsaturated fat diets influence lipid and glucose concentration in rats . Biochem. Physiol., 113(B): 659-663.
- Ahin, K.S.; Uчук, O. K.; Ahin, N. S and Ursu, M. F. (2002):*** Optimal dietary concentrations of vitamin E for alleviating the effect of heat stress on performance, thyroid status, ACTH and some serum metabolite and mineral concentrations in broilers. Vet. Med. Gz ech., 47 (4): 110-116.
- Akahane, K.; Furuham, K and Onodery, T. (2002):*** Simultaneous occurrence of hypercholesterolemia and hemolytic anemia in rats fed cholesterol diet life. Sci., 39: 497-505.
- Alberts, A.W. (1998):*** Discovery, Biochemistry and Biology of lovastatin. Am. J. Cardio., 62: 10-15.
- Alberts, A.W. (1988):*** HMG-CoA reductase inhibitors-the development. Atherosclerosis. Rev., 18: 123-131.
- Allain, C. C.; Poon, L. S.; Chan, C. S.; Richmond, W. (1974):*** Enzymatic determination of total serum cholesterol. Clin. Chem., 20: 470-475.

- Anderson, T.J.; Meredith, I.T.; Yeung, A.C.; Frei, B.; Selwyn A.P. and Ganz, P. (1995):** The effect of cholesterol-lowering and antioxidant therapy on endothelium-dependent coronary vasomotion. *N. Engl. J. Med.*, 332: 488-493.
- Andrews, J. W., Wagstaff, R. K. and Edwards, H. M. (1968):** Cholesterol metabolism in the laying fowl. *Am. J. Physiol.*, 214: 1078-1083.
- Anton, F. H. S.; Mare, J. T. M. M. and Panl, M. J. S. (1989):** Efficacy and tolerability of simvastatin (MK- 733). *Am. J. Med.*, 87: 39-43.
- Arad, Z. and Marder, J. (1983):** Acid-base regulation during thermal panting in fowl (*Gallus domesticus*): comparison between birds. *Comp. Biochem. Physiol.*, 74 A (1): 125-130.
- Armstrong, D. T. (1968):** Gonadotropins, ovarian metabolism and steroid biosynthesis. *Rec. Prog. Horm. Res.*, 24: 255-320.
- Asli, M. M.; Hosseini, S. A; Lotfollahian, H. and Shariatmadari, F. (2007):** Effect of probiotics, yeast, vitamin E and vitamin C supplements on performance and immune response of laying hen during high environmental temperature inter. *J. Poult. Sci.*, 6 (12): 895-900.
- Ayala, B.; Garcia Perez, G.; Domenech, M. T.; Castells, C. and Valdes, M. (2005):** Use of the chicken as an experimental animal model in atherosclerosis. *Avian. Poult. Biolo.*, 16 (3): 151-159.

- Balnave, D and Muheereza, S. K. (1997):** Improving egg shell quality at high temperature with dietary sodium bicarbonate Poult Sci., 76: 588-593.
- Bellows, R. A.; Staigmiller, R. B.; Wilson, J. M.; Phelps, D. A. and Darling, A. (1991):** Use of bovine Fsh for super ovulation and embryo production in beef sheifers. Theriog enology., 35: 1069-1082.
- Berglund, L.F.; Beltz, W.F.; Elam, R. L and Witztum, J. L. (1994):** Altered apolipoprotein B metabolism in very low density lipoprotein from lovastatin treated guinea pigs. J. Lipid. Res., 35: 956: 965.
- Berglund, L. F.; Sharkey, M. F.; Elam, R. L and Witztum, J. L. (1989):** Effects of lovastatin therapy on guinea pig low density lipoprotein composition and metabolism. J. Lipid. Res., 30: 1591-1600.
- Berrio, L.F. and Hebert, J. A. (1990):** The effect of adding cholesterol to laying hen diet as powder or predissolved in fat. Poult. Sci., 69 (6): 972-976.
- Beyer, R. S and Jensen, L. O. (1992):** Cholesterol concentration of egg yolk and blood plasma and performance of laying hens as influenced by dietary α ketoisocaproic acid. Poult. Sci., 71: 120-127.
- Bisgaier, C.L.; Essenburg, A.D.; Auerbach, B.J.; Pape, M.E.; Sekerke, C.S.; Gee, A.; Wolle, S. and Newton, R.s. (1997):** Attenuation of plasma low density lipoprotein cholesterol by select 3- hydroxyl-3-methylglutaryl coenzyme A reductase inhibitors in mice devoid of low density lipoprotein receptors. J. Lipid. Res., 38: 2502-2515.

- Bocan, T.M.A.; Ferguson, E.; McNally, W.; Uhlendorf, P.D.; Mueller, S.B.; Dehart, P.; Sliskovic, D.R.; Roth, B.D.; Krause, B. R and Newton, R. S. (1992):** Hepatic and nonhepatic sterol synthesis and tissue distribution following administration of a liver selective HMG-COA reductase inhibitors. *Biochem. Biophys. Acta.*, 1123: 133-144.
- Bolego, C.; Baetta, R.; Bellosta, S.; Corsini, A and Paoletti, R. (2002):** Safety considerations for statins *pharm. Sci. Univ. Milan. Italy.*, 13 (6): 637-644.
- Bourre, J. M and Galea, F. G. (2006):** An important source of omega- 3- fatty acids, vitamins D, and E, carotenoids Iodine and selenium, a new natural multi-Enriched egg. *J. Nutr. Health. Aging.*, 10: 37-375.
- Breslau, N. A. (1992):** Calcium homeostasis. In: " Textbook of Endocrine physiology". (Griffin, J. E and Ojeda, S. R. Eds). Oxford press, oxford.
- Brown, M. S and Goldstein, J. L. (1981):** Lowering plasma cholesterol by raising LDL receptors. *N. Engl. J. Med.*, 305: 51-58.
- Buchwald, H.; Menchaca, H.J.; Michalek, V.N.; Rohade T.D. ; Hunninghake, D.B. and O'Dea, T. J. (2000):** Plasma cholesterol : An influencing factor in red blood cell oxygen release and cellular oxygen availability, *J. Am. Coll. Surg.*, (191) : 490-497.
- Bujo, H.; Yamamoto, T.; Hayashi, K.; Hermann, M.; Nimpf, J. and Schneider, W.J. (1995):** Mutant oocyte low density lipoprotein receptor gene family member causes atherosclerosis and female sterility. *Proc. Natl. Acad. Sci. USA.*, 92 (21): 9905-9909.

- Bunyaratvej, P.; Komindr, S and Wised panickhij, R. (2000):** Different reticulocyte volume in diabetes mellitus patients with and without hypercholesterolemia and/ or hypertriglyceridemia J. Med. Assoc. Thail., 83: 790-6.
- Burnett, J. R., Barrett, H.R.; Vicinig, P.C.; Miller, D.B.; Telford, D.E.; Kleinstiver, S.J and Huff, M. W. (1998):** The HMG-COA reductase inhibitor atorvastatin increases the fractional clearance rate of postprandial triglyceride-rich lipoproteins in miniature pigs. Arterioscler. Thromb. Vasc Biol., 18: 1906-1914.
- Burnett, J. R.; Wilcox, L.J.; Telford, D. T.; Kleinstiver, S. J.; Barrett, P. H. R.; Newton, R. S and Huff, M. W. (1997):** Inhibition of HMG-COA Reductase by atorvastatin decrease both VLDL and LDL Apolipoprotein B production in minature pigs Arteriosclerosis, Thrombosis and vascular Biol., 17: 2589-2600.
- Caliskan, S.; Caliskan, M.; Kuralay, F. and Onvural, B. (2000):** Effect of simvastatin therapy on blood and tissue ATP levels and erythrocyte membrane lipid composition. Res. Exp. Med., 199: 189-194.
- Castillo, M.; Hortal, J.H.; Aguilera, J. A.; Linares, A. and Garcia-Peregrin, E. (1998):** Synergism between the effects of dietary cholesterol and coconut oil on plasma, liver and lipoprotein composition of chick. Int. J. Biochem. Cell Biol., 30: 707-718.

- Castillo, M.; Hortal, J. H.; Gil- Villarino, A.; Luque, P.; Iglesias, J. and Garcia-Peregrin, E. (1999):** Differential effects of dietary fat on chick plasma and liver composition and HMG-CoA reductase activity. *J. Nutr. Biochem.*, 10: 198-204.
- Cazana, F. J.; Puyol, R.P.; Caballero, P.J.; Jimenez, J, A and Duarte, M.A. (1990):** Effects of dietary hyperlipidemia_ hypercholesterolemia on rat erythrocytes. *Int. J. Vitam. Nutr. Res.*, 60(4):392-397.
- Cheung, M. C.; Zhao, X.; Chait, A.; Albers, J. J and Brown, G. (2001):** Antioxidant supplements block the response of HDL to simvastatin-Niacin therapy in patients with coronary artery disease and low HDL. *Arteriosclero. Thrombo. Vascu. Biol.*, 21: 1320-1327.
- Chiappa, S. A. and Fin, K. G. (1977):** Hypothalamic luteinizing hormone relasing factor and corticotrophin relasing activity in relation to pituitary and plasma hormone in male and female rats. *J. Endocrinol.*, 72: 195- 210.
- Choi, J.W and Pai, S.H.(2004):** Influences of hypercholesterolemia on red cell indices and erythrocyte sedimentation rate in elderly persons. *Clin. Chimica. Acta.*, 341: 117-121.
- Chowdhury, S.R.; Chowdhury, S.D and Smith, T.K. (2002):** Effects of dietary garlic on cholesterol metabolism in laying hens. *J. Poult. Sci.*, 81 (12): 1856-1862.
- Chowdhury, S.R.; Sarker , D.K.; Roy P.K. and Wahidt, M.A. (2005):** Effects of dietary tamarind on cholesterol metabolism in laying hens. *Poult. Sci.*, 84: 56-60.

- Cindy, L. C.; Peter, H. J.; Wadi, N. S., Elamor, D. L.; Miguel, A. Q.; Shelley, W. S. and James, B. Young (1988):** Rhabdomyolysis and renal injury with Lovastatin use report of two cases in cardiac transplant recipients. JAMA., 260 (2): 239-246.
- Conde, K.; Vergara, M.; Kraues, B.R.; Newton , R.S.; Fernandez, M.L. (1996):** Hypocholesterolemic actions of atorvastatin are associated with alterations on hepatic cholesterol metabolism and lipoprotein composition in the guinea pig. J. lipid. Res., 37:2372-2382.
- Connor, W.E.; Osborne, W.J. and Marion, W.L. (1965):** Incorporation of plasma cholesterol -4-C¹⁴ into egg yolk cholesterol. Proc. Soc. Exp. Biol. Med., 118: 710-713.
- Cook, F. and Briggs, G. M. (1977):** Nutritive value of eggs in Egg Sci. Techno. 2nd ed., 92-108.
- Cooksey, J and Reilly, P. (1977):** Effect of hypercholesterolemia on the hemoglobin-oxygen dissociation curve of the rabbit. J. surg. Res., 22: 23-27.
- Copper, R. A.; Leslie, M. H.; Knight, D. and Detweiler, D.k. (1980):** Red cell cholesterol enrichment and spur cell anemia in dogs fed a cholesterol-enriched, atherogenic diet. J. Lipi-Res., 21: 1082-1089.
- Cottlieb, M. H. (1980) :** Rates of cholesterol exchange between human erythrocytes and plasma lipoproteins . Biochim. Biophys. Acta., 600: 530-541.

- Daghini, E.; Chade, A.R.; Krier, J.D.; Versari, D.; Lerman, A. and Lerman, L.O. (2006):** Acute inhibition of the endogenous xanthine oxide improves renal hemodynamics in hypercholesterolemic pigs. *Am. J. Physiol. Regul. Integr, Comp. Physiol.*, 290: 609-615.
- Dalgic, B.; San, S.; Gündüz, M.; Ezgu, F.; Tumer, L.; Hasunoglu, A and Akyol, G. (2006):** Cholesterol ester storage disease in a young child presenting as isolated hepatomegaly treated with simvastatin. *J. Pediatric.*, 48: 148-151.
- Dawson, W.R. and Poulson, T.L. (1962):** Oxygen capacity of Lizard bloods. *Am. Mild. Natur.*, 68: 154-161.
- Defronzo, R.A. and Ferrannini, E. (1991):** Insulin resistance: A multifaceted syndrome responsible for NIDDM, obesity, Hypertension, dyslipidemia and atherosclerotic cardiovascular disease. *Diabeties. Care.*, 14: 173-189.
- Defronzo, R.A.; Ferrannini, E.; Hendler, R.; Felig, P. and Wahren, J. (1982):** Regulation of splanchnic and peripheral glucose uptake by insulin and hyperglycemia in man. *Diabetes.*, 32: 35-45.
- Delbos, C.S.; Morena, M.; Djouad, F.; Ledoucen, C.; Descomps, B. and Cristol, J.P. (2002):** Statins HMG-COA reductase inhibitors, are able to reduce superoxide anion production by NADPH oxidase in THP-1 derived monocytes. *J. Cardiovasc. Pharmacol.*, 40: 142-149.

- Depinieu, X. G.; Chariot, P.; and Ammi- Said, M. (1996):*** Lowering drugs and mitochondrial function effects of HMG- COA reductase inhibitors on serum ubiquinone and blood lactate, pyruvate ratio. Br. J. Clin. Pharm., 42: 333-337.
- Devaraj, S.; Chan, E and Jialal, I. (2006):*** Direct demonstration of an anti-inflammatory effect of simvastatin in subjects with the metabolic syndrome. J. Clin. Endocrin Metab., 91 (11): 4489-4496.
- Doumas, B. and Watson, W. (1971):*** Enzymatic colorimetric method of albumin. Clin. Chim. Acta., 31: 87-96.
- Droubay, P. E. and Puppione, D.L (1980):*** Dietary fat-induced postprandial lipemia : effect on arterial oxygen saturation and plasma lactate, triglyceride and cholesterol level in subjects with anagina pectoris Am. J. Clin. Nutr., 33: 1199-1207.
- Dujovne, C.A. (1997):*** New lipid lowering drugs and new effects of old drugs. Curr. Opin. Lipidol., 8: 362-368.
- Dwight, F. S.; Riberio, A. C. M. and Hendry, B. M. (1996):*** Effects of HMG-CoA reductase inhibition on erythrocyte membrane cholesterol and acyl chain composition. Clin. Chim. Acta., 256: 53-63.
- Edwards, M. J. and Marthin, R. (1966):*** Mixing technique for the oxygen hemoglobin equilibrium and Bohr effect. J. Appl. Physiol., 21 (6): 1898-1902.

- Edwards, J.E and Moore, R. A. (2003):** Statins in hypercholesterolaemia, adose – specific meta analysis of lipid changes in randomized, double blind trials. BMC. Fam. Pract., 4 (1): 18-23.
- Egashira, K.; Hirooka, Y.; Kai,H.; Sugimachi, M.; Suzuki, S.; Inou, T. and Takeshita, A. (1994):** Reduction in serum cholesterol with pravastatin improves endothelium-dependent coronary vasomotion in patients with hypercholesterolemia. Circulation., 89: 2519-2524.
- Eissa, S. M.; Marie, M. S.; Abdel- Salam, A. W and Mohamed, H. A. (1990a):** Acid –base status of blood of two wild crows. Proc. Zool. Soc. A. R. Egypt., 18: 439-449.
- Eissa, S.M.; Marie, M.S.; Abdel-Salam, A.W and Mohamed, H.A. (1990b):** Oxygen equilibrium curves of two wild crows. B- effect of body weight, temperature and (Bohr effect). Proc. Zool. Soc. A. R. Egypt., 18: 425-437.
- Eissa, S. M.; Ziada, G. A.; Marie, M. S.; El-Shafey, A.A.M. and Hasheesh, W.S. (1988a):** Regulation of acid-base status of blood of two rodents in relation to adaptation to desert habitat. Proc. Zool. Soc. A.R. Egypt. 4th. Sci. Conf., 16: 313-324.
- Eissa, S. M.; Ziada, G. A.; Mohamed, H. A.; El-Shafey, A.A.M. and Hasheesh, W. S. (1988b):** Factors affecting oxygen loading of blood of two Egyptian rodents inhabiting different habitats. A- temperature and pH (Bohr effect). Proc. Zool. Soc. A. R. Egypt., 16: 301-311.

- El-Fiky, M.A. (1999):*** Ameliorative effects of the Royal Jelly and ascorbic acid on the hypercholesterolemia- induced complications in male rats. Egypt. J. Zool., 32: 1-26
- Elkin, R.G. (2007) :*** Factors affecting yolk cholesterol. Poult. Sci., 63(1): 5-11.
- Elkin, R.G(2006):*** Reducing shell egg cholesterol content. 1. overview, genetic approaches, and nutritional strategies .J. World's. Poult. . Sci., 62: 665-687.
- Elkin, R. G. and Rogler, J. C. (1990):*** Reduction of the cholesterol content of eggs by the oral administration of lovastatin to laying hens. J. Agric. Food. Chem., 38: 1635-1641.
- Elkin, R. G and Yan, Z. (1999):*** Relationship between inhibition of mevalonate biosynthesis and reduced fertility in laying hens. J. Reprod. Fertil., 116: 269-275.
- Elkin, R.G.; Freed, M.B.; Kieft, K.A. and Newton, R.S. (1993):*** Alteration of egg yolk cholesterol content and plasma lipoprotein profiles following administration of a totally synthetic HMG- CoA reductase inhibitor to laying hens. J. Agric. Food Chem., 41: 1094-1101.
- Elkin, R. G., Furumoto, E. J. and Thomas C. R. (2003):*** Assessment of egg nutrient compositional changes and residue in eggs, tissues, and excreta following oral administration of atorvastatin to laying hens. J. Agric. Food. Chem., 51: 3473-3481.

- Elkin, R.G.; Yan, Z.; Zhong, Y.; Donkin, S.S.; Buhmanstory, J.A.; Turek, J.J.; Porter, R.E.; Anderson, M.H. R and Newton, R.S. (1999):** Select 3- hydroxyl-3 methylglutaryl-coenzyme A reductase inhibitors vary in ability to reduce egg yolk cholesterol levels in laying hens through Alteration of hepatic cholesterol biosynthesis and plasma VLDL composition. *J. Nutr.*, 129: 1010-1019.
- El-Shafey, A.A.M. (1998):** Effect of ammonia on Respiratory functions of blood of (*Tilapia zilli*) *Comp. Biochem. Physiol.*, 121 (A): 305-313.
- El-Shafey, A.A.M. (1997):** Respiratory Functions of blood of domestic and migratory ducks. *Egypt. J. Zool.*, 29: 245-254.
- El-Shafey, A.A.M (1994):** Effect of praziquantel on the blood gases and oxygen equilibrium curve of the rat. *J. Egypt, Ger. Soc. Zool.*, 13 (A): 223-236.
- El-Shafey, A.A.M. (1990):** The effect of reserpine on the respiratory function of the blood of the Nile grass rat: (*Arvicanthis niloticus*). *Proc. Zool. Soc. A. R. E.*, 21: 345-360.
- El-Shafey, A.A.M and Selim, M.M. (1996):** Respiratory functions of blood of the domestic fowl (*Gallus domesticus*) and the European coot, (*Fulica atra*). *Proc. Zool. Soc. A. R. Egypt.*, 27: 11-19.
- El-Shafey, A. A.M.; El-Serafy, S.S.; Abdel-Halim, M.E.; Mossad, M.N.M.; Diab, A.S and AbdEl-Aziz, M. (1999):** Effect of glyphosate on haematological parameters and respiratory functions of *Oreochromis aureus*. *Zagazig Univ. Med. J.* IV(7): 12-32.

- El-Shafey, A.A.M.; Seliem, M.M.E.; Abdel-Halim, M.E. and Awad, A.M. (2000):*** Effect of bromadiolone on some blood parameters and respiratory functions in the albino rat. Egypt. J. Zool., 35: 385-400.
- Endo, A. (1992):*** The discovery and development of HMG- CoA reductase inhibitors. J. Lipid. Res., 33: 1569-1582.
- Engeseth, N.J.; Gray, J.I.; Booren, A.M. and Asghar, A. (1993):*** Improved oxidative stability of lipids and cholesterol through dietary vitamin E supplementation, Meat. Sci., 35: 1-15.
- Fain, J.N. (1980):*** Hormonal regulation of lipid mobilization from adipose tissue in: " Biochemical Action of Hormones" Litwack (ed)., 7: p. 119.
- Feoli, A.M.; Roehrig, C.; Rotta, L.N.; Kruger, A.,H.; Souz, A.M.; Renz, S.V.; Brusque, A.M. and Souza, D. O, P.M.L. (2003):*** Serum and liver lipids in rats and chicks fed diets containing different oils. J. Nutr., 9: 789-793.
- Fossati, P. and Prencipe, L. (1982):*** Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. Clin. Chem., 28 (10): 2077-2080.
- Fossati, P.; Prencipe, L. and Berti, G. (1980):*** Use of 3, 5-dichloro-2- hydroxyl benzene sulfonic acid/ 4-aminophenazone chromogenic system in direct enzymic assay of uric acid in serum and urine. Clin. Chem., 26: 227-231.
- Friedewald, W.T. Levy, R.I. and Freidrickson, D.C. (1972):*** Estimation of the concentration of low density lipoprotein cholesterol in plasma without use of the preparative ultracentrifuge. Clin. Chem., 18: 499-507.

- Fryer, L. G. and Kruszynska, Y. T. (1993):** Insulin resistance in high fat fed rats. Role of glucose transporters, membrane lipids and triglyceride stores. *Ann. N. Y. Acad. Sci.*, 683: 91-97.
- Fukuzaki, H.; Okamoto, R. and Matusuo, T. (1975):** Studies on pathophysiological effects of postalimentary lipemia in patients with ischemic heart disease. *Jap. J. Circ.*, 39: 317-326.
- Gamba, C.V.; Carviello, Z.A.; Alves, A.G.M.; Dasilva, L.N.; Gimes, G. N. and Gill, F.Z. (2001):** Effects of dietary lipids on renal function of aged rats . *Baraz. J. Med. Biol. Res*, 34(2): 259- 265.
- Gamble, W. (2006):** Atherosclerosis. The carbonic anhydrase, carbon dioxide, calcium concerted theory. *J. Thero. Biol.*, 239: 16-21.
- Gindler, E. M. and King, J. D. (1972):** Rapid colorimetric determination of calcium in biologic fluids with methylthymol blue. *Am. J. Clin. Pathol.*, 58: 376-382.
- Gleeson, M. and Brackenbury, J. H. (1984):** Effect of body temperature on ventilation, blood gases and acid-base balance in exercising fowl. *Quart. J. Exp. Physiol.*, 69: 61-72.
- Gloria, L. V. and Scott, M. G. (1987):** Treatment of primary moderate hypercholesterolemia with lovastatin (Mevinolin) and colestipol. *JAMA.*, 257 (1): 33-43.
- Goldstein, J. L.; and Brown, M. S. (1990):** Regulation of the mevalonate pathway. *Nature.*, 343: 425-430.

- Goldstein, J.L. and Brown, M.S. (1987):** Regulation of low-density lipoprotein receptors: implications for pathogenesis and therapy of hypercholesterolemia and atherosclerosis. *Circulation.*, 76 (3): 504-513.
- Goldstein, J.L. and Brown, M.S. (1977):** The low density lipoprotein pathway and its relation to atherosclerosis. *Annu. Rev. Biochem.*, 46: 897-905.
- Goldstein, J.L.; Hazzard, W. R.; Schrott, H. G.; Bierman, E.L., and Motulsky, A. G. (1973):** Hyperlipidemia in coronary heart disease. *J. Clin. Invest.*, 52: 1533-1540.
- Goli, A.K.; Goli, S.A. and Byrd, R.P. (2002):** Simvastatin-induced lactic acidosis a rare adverse reaction. *J. Pharm.*, 72: 461-464.
- Gonzalez – Pacanowska, D.; Marco, C., Garcia- Martinez, J. and Garcia- Peregrin, E. (1986):** Changes in plasma lipid composition induced by coconut oil. *Biochim. Biophys. Acta.*, 875: 605-609.
- Gray, L. H. and Steadman, J. M. (1964):** Determination of the oxyhemoglobin dissociation curves for mouse and rat blood. *J. Physiol.*, 175: 161-171.
- Griffin, H.D. (1992):** Manipulation of egg yolk cholesterol: A physiologist's view. *J. World's. Poul. Sci.*, 48: 101-112.
- Grone, H.J.; Wall, A.; Wall, A.; Grone, E.; Niedmann, P.; Thiery, J.; Seidel, D. and Helmchen, U. (1989):** Introduction of glomerulosclerosis by dietary lipids: a functional and morphologic study. *Lab. Invest.*, 6: 433-446.

- Gross, M. and Kumar, R. (1990):** Physiology and biochemistry of vitamin D dependent calcium binding proteins. *Am. J. Physiol.*, 259: 195- 206.
- Grundy, S.M. (1988):** HMG-CoA reductase inhibitors for treatment of hypercholesterolemia. *N. Engl. J. Med.*, 319: 24-33.
- Guazzi, M.; Tumminello, G.; Reina, G.; Vicenzi, M and Guazzi, M.D. (2007):** Atorvastatin therapy improves exercise oxygen uptake kinetics in post-myocardial infarction patients. *Europ. J. clin.*, 37: 454-462.
- Gupta, P. K. (1977):** Hematological Techniques. 4th edition Syndicate, India, P. 231.
- Hall, L. M., and McKay, J. C. (1993):** The relationship between yolk cholesterol and total lipid concentration throughout the first year of egg production in the domestic fowl. *Br. Poult. Sci.*, 34: 487-495.
- Halliwel, B. (1996):** Antioxidants in human health and disease. *Annu. Rev. Nutr.*, 16: 33-50.
- Hallman, D. M.; Brown, S. A.; Ballantyne, C. M.; Sharrett, A. R. and Boerwinkle, E. (2004):** Relationship between low-density lipoprotein subclasses and a symptomatic atherosclerosis in subjects from the atherosclerosis risk in communities (ARJC) study. *Bio.*, 9 (2): 190-202.
- Hargis, P.S. (1988):** Modifying egg cholesterol in the domestic fowl. *World. J. Poult. Sci.*, 44: 17-29.
- Hass, M. J.; Reincher, D. L. I.; Wong N. C and Moorandian, A.D. (2001):** Regulation of aPcAI expression with acidosis : requirement for a transcriptional repressor. *J. Mol. Endocrinol.*, 27: 43-57.

- Hatta, A. and Frei, B. (1995):** Oxidative modification and antioxidants protection of Atherosclerosis . J. Am. Chem. Soc., 115: 6029-6040.
- Havel, R. J. (1986):** Functional activities of hepatic lipoprotein receptors. Ann. Rev. Physiol., 48: 119-134.
- Heibashy, M.I.A. (2000):** Hypolipidemic effect of taurine and L-Carnitine on rats fed a high cholesterol diet. J. Union. Arab. Biol., (14A) : 11-23.
- Hennessy, L.K.; Osada, J.; Ordovas, J.M.; Nicolosi, R.J.; Stucchi, A.F.; Brousseau, M.E. and Schaefer, E. J. (1992):** Effect of dietary lipid lowering drugs on plasma lipids of the laying hens. J. Lipid. Res., 33: 351-360.
- Hennig, B.; Boissonneault, G. A.; Chow, C. K.; Wang, Y.; Matulionis, D. H and Glauert, H. P. (1990):** Effect of vitamin E on linoleic acid mediated induction of peroxisomal enzymes in cultured porcine endothelial cell. J. Nutr., 120: 331-337.
- Henry, R. J. (1974):** Clinical chemistry, principles and Technics, 2nd Ed., Harper and Ro., p: 525.
- Henry, R.J. (1964):** Clinical chemistry, principles and techniques. Harper- Row, New York., 182.
- Hermier, D.; Forgez, P.; Williams, J. and Chapman, M. J. (1989):** Alterations in plasma lipoproteins and apolipoproteins associated with estrogen- induced hyperlipidemia in the laying hen. Europ. J. Biochem., 184: 109-118.

- Hirst, D. G.; Wood, P. J and Schwartz, H. C. (1987):** The modification of hemoglobin affinity for oxygen and tumor radiosensitivity by antilipidemic drugs. *Radiat. Res.*, 112 (1): 164-172.
- Hoyos, M.; Guerrero, J. M.; Perez-Cano, R.; Olivan, J.; Fabiani, F.; Garcia- perganeda, A. and Osuna, C. (2000):** Serum cholesterol and lipid peroxidation are decreased by melatonin in diet-induced hypercholesterolemic rats. *J. Pineal. Res.*, 28: 150-155.
- Huff, M.W and Burnett, J.R. (1997):** 3-Hydroxy-3- methylglutaryl coenzyme A reductase inhibitors and hepatic apolipoprotein B secretion. *Curr. Opin. Lipi. Dol.*, 8: 138-145.
- Huff, M.W. and Telford, D.E. (1989):** Regulation of low density lipoprotein apoprotein B metabolism by lovastatin and cholestyramine in miniature pigs: effects on LDL composition and synthesis of LDL subfractions. *Metabo.*, 38: 256-264.
- Huff, M.W.; Telford, D.E and Barrett, P.H.R. (1992):** Dietary fish oil plus lovastatin decreases both VLDL and LDL apo B production in miniature pigs. *Arterioscler. Thromt.*, 12: 902-910.
- Huff, M.W.; Telford, D.E.; Woodcroft, K.M and Strong, W.L.P. (1985):** Mevinolin and cholestyramine inhibit the direct synthesis of low density lipoprotein apolipoprotein B in miniature pigs. *J. Lipid. Res.*, 26: 1175-1186.

- Hughes, R.J. (1988):** Inter relationships between egg shell quality, blood acid base balance and dietary electrolyte. World. Poult. J. Sci., 44: 30-40.
- Isaacks, R.; Goldman, P. and Kim, C. (1986):** Studies on avian erythrocyte metabolism. XIV Effect of CO₂ and pH on P₅₀ in the chicken. Am. J. Physiol., 250 (19): 260-266.
- Islam, M.A.; Bulbul, S.M and Islam, A.B. (2001):** Egg quality of different chicken genotypes in summer and winter. Pak. J. Biol. Sci., 4: 1411-1414.
- James, S.; Sturt, M.C.; Ian, F.; Christopher, G.; Isles, Isles, A.; Ross, L.; Peter, W.M.; James, H.; M. and Christopher, J. P. (1995):** Prevention of coronary heart disease with pravastatin in men with hypercholesterolemia. N. Engi. J. Med., 333: 1301-1309.
- Jayarsree, U.; Gopala, A.R.; Reddy, K.S.; Anjaneyulu, Y. and Kalakumar, B. (2003):** Evaluation of vitamin E against deltamethrin toxicity in broiler chicks. Indian. J. Physiol. Pharmacol., 47 (4): 447-455.
- Jiang, J, and Roman, R. J. (1997):** Lovastatin prevents development of hypertension in spontaneously hypertensive rats. Hypertension., 30: 968-974.
- Jonathan, A. and Tobert, M. B. (1986):** Therapeutic Response to Lovastatin (Mevinolin) in non familial hypercholesterolemia. JAMA, 256 (20): 2829-2836.
- Junker, L. H. and Story, J. A. (1985):** An improved assay for cholesterol 7 α - hydroxylase activity using phospholipid liposome solubilized substrate. Lipids., 20: 712-718.

- Kaya, S.; Kececi, T and Hal, L., S. (2001):** Effect of zinc and vitamin A supplements on plasma levels of thyroid hormones, cholesterol, glucose and egg yolk cholesterol of laying hen, Res. J. vet. Sci., 71: 135-139.
- Keaney, J.F.; Gaziano, J. M.; Xu, A.; Frei, B.; Curran-Celentano, J.; Shwaery, G.T.; Loscalzo, J.F. and Vita, J.A. (1993):** Dietary antioxidant preserve endothelium dependent vessel relaxation in cholesterol-fed rabbits. Proc. Nat. 1- Acad. Sci. U.S.A., 90 (24): 11880-11889.
- Kempaiah, R. K and Srinivasan. (2002):** Integrity of erthrocytes of hypercholesterolemic rats during spices treatment. Mol. Cell. Bioch., 236: 155-161.
- Khan, B.; Wilcox, H.G. and Heimberg, M. (1989):** Cholesterol is required for secretion of very-low-density lipoprotein by rat liver. Biochem. J., 259:807-816.
- Kieft, K. A., Bocan, T.M.A. and Krause, B. R. (1991):** Rapid on – line determination of cholesterol distribution among plasma lipoproteins after high- performance gel filtration chromatography. J. Lipid Res., 32: 859-866.
- Kiley, J.P.; Kulmann, W. D and Fedde, M. R. (1982):** Ventilatory and blood gas adjustments in excercising isothermic ducks. J. Comp. Physiol., 147: 107-112.
- Kim, J. H.; Hong, S. T.; Lee, H.S and Kim, H.J. (2004):** Oral administration of pravastatin reduces egg cholesterol but not plasma cholesterol in laying hens. Poult. Sci., 83: 1539-1543.

- Koelbeck, K.W and Odom, T. W. (1994):** Laying hen responses to acute heat stress and carbon dioxide supplementation: Blood gas changes and plasma lactate accumulation. *Com. Biochem. Physiol.*, 107 A (4): 603-606.
- Konjufca, V.H.; Pesti, G.M. and Bakalli, R. I. (1997):** Modulation of cholesterol levels in broiler meat by dietary garlic and copper. *Poult. J. Sci.*, 76: 1264-1274.
- Korte, S.M.; Rueisnk, W.; Kwakernaak, C.; Vanvoorst, S.; Scheele, C. W. and Blokhuis, H. J. (1999):** High carbon dioxide tension (P_{CO_2}) and the incidence of cardiac arrhythmias in rapidly growing broiler chickens. *Vet. Res.*, 145: 40-43.
- Koter, M.; Franiak, I.; Broncel, M. and Jezierska, J.C. (2003):** Effects of simvastatin and pravastatin on peroxidation of erythrocyte plasma membrane lipids in patients with type 2 hypercholesterolemia. *Can. J. physiol. pharmacol.*, 81: 485-92.
- Kritchevsky, S. B and Kritchevsky, D. L. (2000):** Egg consumption and coronary heart disease. *J. Am. Coll. Nutr.*, 19: 549: 555.
- Lantuejoul, S.; Brambilla, E and Devoua, S.G. (2002).** Statin induced fibrotic nonspecific interstitial pneumonia. *Rur. Respir.*, 19: 577-580.
- Lasser, N. L.; Roheim, P. S.; Edelstein, D. and Eder, H. A. (1973):** Serum lipoproteins of normal and cholesterol-fed rats. *J. lipid. Res.*, 14: 1-8.

- Leonhardt, M.; Gebert, S and Venk, C. (1997):** Vitamin E content of different products: Influence of animal nutrition 2.Ernahrungswiss., 36 (1): 23-27.
- Levine, G.N.; Frei, B.; Koulouris, S.N.; Gerhard, M.D.; Keaney, J.F and Vita, J.A. (1996):**Ascorbic acid reverses endothelial vasomotor dysfunction in patients with coronary artery disease. Circulation., 93: 1107-1113.
- Liao, J. K. (2002):** Beyond Lipid lowering: the role of statins in vascular protection. Int. J. Cardiol., 86: 5-18.
- Linck, L. M.; Lin, D. S.; Flavell, D.; Connor, W.E and Steiner, R. D. (2000):** Cholesterol supplementation with egg yolk increases plasma cholesterol and decrease plasma 7-dehydrocholesterol in smith-lemli opitz syndrome. Am. J. Medic. Genetic., 93: 360-365.
- Liscum, L. and Underwood, K.W. (1995):** Intracellular cholesterol transport and compartmentation. J. Biol. Chem., 270: 15443-15446.
- Lopes-Virella, M.F.; Stone, P.E.; Ellis, S. and Colmed, J.A. (1977):** Cholesterol determination in high-density lipoproteins separated by three different methods. Clin. Chem., 23: 882-890.
- Lowe, G.; Rumley, A and Norrie, J (2000):** Blood Cardiovascular disease. Thromb. Haemost., 84: 553-558.
- Lumeij, J.T.; Ritchie, B. W.; Harrison, G. J. and Harrison, L. (1994):** Hepatology. Avian medicine: principles and application. Lake worth, F. I., Wingers publishing. Ins., 522-555.

- Luneva, O.G.; Brazhe, N.A.; Maksimova, N.V.; Rodnenkov, O.V.; Parshina, E.Y.; Bryzgalova, N.Y.; Maksimov, G.V.; Rubin, A.B.; Orlov, S.N. and Chazov, E.I. (2007):** Ion transport, membrane fluidity and haemoglobin conformation in erythrocyte from patients with cardiovascular diseases: Role of augmented plasma cholesterol. *Pathophysiology.*, 14: 41-46.
- Macri, J.; Mohammadi, A.; Newton, R.S and Adeli, K. (1995):** Effect of atorvastatin on intracellular translocation and degradation of apolipoprotein B.J. *Biol. Chem.*, 270: 28892-28896.
- Mahley, R. W. and Holcombe, K. S. (1977):** Alternations of the plasma lipoproteins and apoproteins following cholesterol feeding in the rat. *J. Lipid Res.*, 18: 314-324.
- Matos, S.L.; de Paula, H.; Pedrosa, M.L.; dos Santos, R. C.; de Oliveira, E.L.; Junior, D.A.C. and Silva, M.E. (2005):** Dietary models for inducing hypercholesterolemia in rats. *Braz. Arch. Biol. Technol.*, 48 (2): 203-209.
- McNamara, D.J. (2000):** The impact of egg limitations on coronary heart disease risk. Do the numbers add up? *J. Am. College. Nutr.*, 19: 540-548.
- Meluzzi, A.; Sirri, F.; Manfreda, G.; Tallarico, N and Franchini, A. (1999):** Effects of dietary vitamin E on the quality of table eggs enriched with n-3 long- chain fatty acids. *Agricul. Zool. Bologna. Italy.*, 538-545.

- Menchaca, H. J.; Mchalek, V.N.; Rohede, T.D.; Hirsch, A.T.; Tunna, N and Buchwald, H. (2004):** Improvement of blood oxygen diffusion capacity and angina symptoms by cholesterol lowering with simvastatin. J. App. Res., 4: 410-418.
- Menchaca, H. J. ; Mchalek, V.N. ; Rohede, T.D. ; O'dea, T.J. and Buchwald, H. (1998):** Decreased blood oxygen diffusion in hypercholesterolemia. J. SM. Coll. Surg., 124 : 689-698.
- Mendonca, Jr. Cx (1996):** Cholesterol noovo-possibilidades de sua reducao In: simposio latino Americano de Nutricao desuinos eaves. Campinas. Sao. Paulo. Brasil. Anais., 87-118.
- Miller, J. P.; Chair, A. and Lewis, B. (1975):** The relationship between dietary fat composition and plasma esterification in man. Clin. Sci. Molec. Med., 49: 617-624.
- Milne, D. B. (1996):** Trace elements in: Tietz fundamentals of clinical chemistry. Burtis. C.A and A showed E. R. (Eds) 4th Edition., 1485-1496.
- Mol, M.A.E.; Desemet, R. C.; Terpstra, A.H.M. and West, C.E. (1982):** Effect of dietary protein and cholesterol on cholesterol concentration and lipoprotein pattern in the serum of chickens. J. Nutr., 112: 1029-1037.
- Montgomery, S. P.; Prouillard, J. S.; Sindt, J. J.; Greenquist, M.A.; Depenbusch, B.E.; Good, E.J.; Loe, E. R.; Sulpizio, M.J.; Kessen, T.J and Ethington, R. T. (2005):** Effects of dried full-fat corn germ and vitamin E on growth performance and carcass characteristics of finishing cattle. J. Anim. Sci., 83: 2440-2447.

- Moorhead, J.F.; Chank, M.K. and Varghese, Z. (1986):** The role of abnormalities of lipid metabolism in the progression of renal disease. In: " contemporary Issues in Nephrology". (Brenner, B. M., Stein, J. H., Mitch, W.E., Eds.). Churchill-Livingstone, New york. pp. 133.
- Morgan, I. and Leak, D. S. (1993):** Acidic PH increases the oxidation of LDL by macrophages. FF BS lett., 333: 275-279.
- Mori, A. V.; Mendonca, C. X. J and Santos, C.O. (1999):** Effect of dietary lipid- lowering drugs upon plasma lipids and egg yolk cholesterol levels of laying hens. J. Agric. Food. Chem., 47: 4731: 4735
- Naber, E.C. (1983):** Nutrient and drug effects on cholesterol metabolism in the laying hen. J. Fed proc., 42: 2486-2493
- Naoumova, R. P.; Marais, D.; Firth, J. C.; Neurwirth, C.K.Y.; Taylor, G. W and Thompson, G. R. (1996):** Atorvastatin augments therapy of homozygous familial hypercholesterolemia by inhibiting upregulation of cholesterol synthesis after apheresis and bile acid sequestrants. Circulation., 94: 583-590.
- Natt, M.P. and Herrick, C.A. (1952):** A new blood diluent for counting the erythrocytes and leucocytes of the chicken. poult. Sci., 31: 735-738.
- Nervi, F. O.; Weis, H. J. and Dietschy, J. H. (1975):** The kinetic characteristics of inhibition of hepatic cholesterogenesis by lipoproteins of intestinal origin. J. Biol. Chem., 250: 4145-4151.

- Ness, G. C. and Chambers, C.M. (2000):** Feed back and hormonal regulation of hepatic 3-hydroxy-3-Methylglutaryl Coenzyme A reductase : the concept of cholesterol buffering capacity. *Biol. Med.*, (224): 8-19.
- Ness, G.C.; Chambers, C. M. and Lopez, D. (1998):** Atorvastatin action involves diminished recovery of hepatic HMG- CoA reductase activity. *J. Lipid. Res.*, 39: 75-84.
- Ness, G.C.; Zhao, Z. and Lopes, D. (1996):** Inhibitors of cholesterol biosynthesis increase hepatic low density lipoproteins receptor protein degradation . *Arch . Biochem. Biophys.*, 325: 242-248.
- Nestel, P. J.; Reardon, M. and Billington, T. (1979):** *In vivo* transfer of cholesteryl esters from high density lipoproteins to very low density lipoproteins in man. *Biochim. Biophys. Acta.*, 57: 403-407.
- Noriaki, N.; Yasuhiko, I.I.; Hiromitsu, T.; Hiroshi, S.; Yoshiya, H. and Yuichiro, G. (1987):** The effect of CS- 514- on serum lipid and apolipoproteins in hypercholesterolemic subjects. *IAMA.*, 257 (22): 3088-3099.
- Odom, T.W and Ono, Y. (1991):** The time course in development of hypocalcemic and plasma lactate accumulation in mature and immature hyperthermic domestic fowl. (*Gallus domesticus*). *Comp. Biochem. Physiol.*, 98 A (2): 207-210.
- Olawumi, S. O. and Ogunlade, J. T. (2008):** Phenotypic correlations between some external and internal egg quality traits in the exotic Isa brown layer breeders. *Asian. J. Poult. Sci.*, 2 (1): 30-35.

- Ozansoy, G.; Guven, C.; Ceylan, A.; Can, B.; Aktan, F.; Oz, E. and Gonu, B. (2005):** Effects of simvastatin treatment on oxidant/ antioxidant state and ultra structure of streptozotocin-diabetic rat lung. *Cell. Biochem. Funct.*, 23: 421-426.
- Pahan, K. (2006):** Lipid-lowering drugs. *Cell. Mol. Life. Sci.*, 63 (10): 1165-1178.
- Paragh, G.; Balogh, Z.; Boda, J.; Kovacs, P.; Karpati, L.; Szabo, J. and Leovey, A. (1997):** Treatment possibility of hypercholesterolemia associated with hypertriglyceridaemia. *Acta. Biol. Hung.*, 48 (3): 359-367.
- Pelkonen, R.; Nikkila, E. A.; Koshinen, S.; Penttinen, K. and Sarna, S. (1977):** Association of serum lipids and obesity with cardio- vascular mortality. *Br. J. Med. J.*, 2: 1185-1195.
- Pereira, J.V.; Mc Dowell, L. R.; Risco, C.; Prichard, D.; Martin, F. G.; Calhoun, M. C.; Williams, S. N.; Wilkinson, N. S and Ogebe, P. (1998):** Effects on performance, tissue integrity, and Metabolism of vitamin E supplementation for Beef Heifers fed a diet that contains Gossy pol. *J. Anim. Sci.*, 76: 2871-2884.
- Pierno, S.; D.A. A.; tricarico, D.; Roselli , A.; Natuzz, F.L.; and Camerino, D. C. (1995):** potential risk of myopathy by HMG CoA reductase inhibitors: a comparison of pravastatin and simvastatin effects on membrane electrical properties of rat skeletal muscle. *J. pharm. Exp. Ther.*, 275: 1490-1496.
- Pipkin, F. B. (1984):** Medical statistics Made Easy Churchill Living Stone Co., Edinburgh, London, Melbourne and New York.

- Pittman, R. C. and Steinberg, D. (1984):** Sites and mechanisms of uptake and degradation of high density and low density lipoproteins. *J. Lipid. Res.*, 25: 1577-1585.
- Pocotte, S. L.; Ehrenstien, G. and Fitzpatric, Z.A. (1991):** Regulation of parathyroid hormone secretion. *Endocr. Rev.*, 12: 291-305.
- Poernama, F.; Schereyer, S. A.; Bitgood, J. J.; Cook, M.E and Attie, A.D. (1990):** Spontaneous high density lipoprotein deficiency syndrome associated with a Z- linked mutation in chicken. *Lipid. Res.*, 31: 955-963.
- Pond, W.G.; Yen, J.T.; Mersmann, H.J. and Haschek, W.M. (1986):** Comparative effects of dietary protein and cholesterol fat content on genetically lean and obese pigs. *J. Nutr.*, 116: 1116-1124.
- Prasad, K and Kalra, J. (1993):** Oxygen free radicals and hypercholesterolemic atherosclerosis effect of vitamin E. *Am. J. heart.*, 125: 958-973.
- Puicini, T.; Elchebly, M., Dusserre, E.; Berthezene, F. and Ponsin, G. (1995):** Cholesterol ester transfer and high-density lipoprotein conversion in normolipidemic, hypercholesterolemic, and hypertriglyceridemic non-insulin- dependent diabetics. *Biochem. Mol. Med.*, 55: 54-60.
- Pulliainen K.; (1996):** Determination of total phosphorus and calcium in foods by colorimetry: summary of NMKL collaborative study. *J. AOAC Int.*, 79: 1408-1501.

- Rabini, R. A.; Polenta, M.; Staffolani, R.; Tocchini, M. ; Signore R.; Testa, I and Mazzanti, L. (1993):** Effect of hydroxyl methyl glutaryl CoA reductase inhibitors on the functional properties of erythrocyte membranes. *Exp. Molec. Patho.*, 59: 51-57.
- Ravid, M.; Brosh, D.; Ravid, S.D.; Levy, Z and Rachmani, R. (1998):** Main risk factors for nephropathy in type 2 diabetes mellitus are plasma cholesterol levels, mean blood pressure, and hyperglycemia. *Arch. Intern. Med.*, 158: 998-1004.
- Reece, W. O (1997):** Physiology of domestic animals. Williams, Awavedy. Company. Boston. USA. Second Ed., 196.
- Reitman, S. and Frankel, S. (1957):** Acolorimetric method for the determination of serum glutamic oxalo-acetic and glutamic pyruvic transminases. *Am. J. Clin. Path.*, 28: 56-60. *Rev.*, 35: 664-700.
- Ritchie, B. W.; Harrison, J. G and Harrison, R. L. (1994):** Avian medicine, winger's. publishing. Inc, Florida.
- Robert, J. R. (2004):** Factors affecting egg internal quality and egg shell quality in laying hens. *J. Poult. Sci.*, 41: 161-177.
- Rodenburg, J.; Vissers, M.N.; Wiegman, A.; Trotsenbufg, A. S. ; Graaf, A.; Groot, E.; Wijburg, F,A ; Jastekein , J.J. P and Hutten, B. A. (2007):** statin treatment in children with familial hypercholesterolemia . *Am. Heart I. Inc.*, 116 : 664-668.
- Rosenson, R. S (1999):** Non lipid lowering effects of statins on atherosclerosis. *Curr. Cardiol. Res.*, 1: 225-232.

- Roth, B. D.; Blankley, C. J.; Chucholouski, A. W.; Ferguson, E.; Hoefle, M.L.; Ortwine, D. F.; Newton, R. S.; Sekerke, C. S.; Sliskovic, D.R.; Stratton, C.D and Wilson, M.W. (1991):** Inhibitors of cholesterol biosynthesis. J. Med. Chem., 34: 357-366.
- Rubatu, S., Volpe, M.; Enea, I.; Russo, R., Romano, M. and Triamrco, B. (1993):** Influence of hypercholesterolemia on adrenal steroid metabolism and electroyte balance in spontaneously hypertensive rats. Endocrine. Soci., 133: 2015-2021.
- Rudel, L.L. and Morris, M. D. (1973):** Determination of cholesterol using O-phthalaldehyde. J. Lipid. Res., 14: 364-366.
- Rustemiejer, C.; Schouten, J. A.; Janssens, E.N.; Spooren, P.F. and Van-Doormaal, J. J. (1997):** Pravastatin in diabetes-associated hypercholesterolemia. Acta. Diabetol., 34: 294-300.
- Salem, M.M and Zaahkouk, S.A. (2000):** Effect of high fat and protein diet on some physiological parameters related to lipid and protein metabolism in albino rats. J. Egypt. Ger. Soc. Zool., 33A: 279: 290.
- Salma, U.; Miah, A. G.; Maki, T. and Tsujii, H. (2007):** Effect of dietary Rhodobacter capsulatus on cholesterol concentration and fatty acid composition in Japanese quail egg. J. Poult. Sci., 44: 375-385.

- Santillo, M.; Mondola, P.; Milone, A.; Gioielli, A and Bifulco, M. (1996):** A scorbate administration to normal and cholesterol-fed rats inhibits in vitro TBARS formation in serum and liver homogenates. *Life. Sci.*, 58: 1101-1108.
- Scheen, A. J. (1998):** How study hypertriglyceridemia. *Rev. Med. Liege.*, 53: 103-105.
- Schmidt, G.; Bessman, M.J.; Hickey, M.D and Thannhauser, S. J. (1956):** The concentrations of some constituents of the egg yolk in its soluble phase. *Bioch. J.*, 1027-1031.
- Sehayek, E.; Butbul, E. and Avner, R. (1994):** Enhanced cellular metabolism of very low density lipoprotein by simvastatin: a novel mechanism of action of HMG- CoA reductase inhibitors, *Eur. J. Clin. Invest.*, 24: 173-178.
- Sever, P.S.; Dahlof, B.; poultier, N.R.; wedel, H.; Beevers, G. and Gaulfield, M. (2003):** prevention of coronary and stroke events with atrovastatin in hypertensive patients. *Lancet.*, 261: 1149-58.
- Shafey, T. M.; Dingle, J. G. and Kostner, K. (1999):** Effect of dietary tocopherol and corn oil on the performance and on the lipoproteins, lipids, cholesterol and tocopherol concentrations of the plasma and eggs of laying hens. *J. Appl. Anim. Res.*, 16: 185-194.
- Shaklee, W.E. (1972):** Research on cholesterol in poultry and eggs in the united states. *World's. Poult. J. Sci.*, 28: 389-399.

- Shand, J.H and West, D. W. (1995):** The effects of simvastatin and cholestyramine, alone and in combination, on hepatic cholesterol metabolism in the male rat. *Lipids.*, 30: 917: 926.
- Shapiro, D. J., Nordstrom, J. L., Mitschelen, J. J., Rodwell, V. R. and Schimke, R. T. (1974):** Micro assay for 3- hydroxyl-3-methylglutaryl-CoA reductase in rat liver and in L- cell fibroblasts. *Biochim. Biophys. Acta.*, 370: 369-377.
- Shappell, S.D.; Murray, J.A.; Nasser, M.G.; Wills, R.E.; Torrance, J.D. and Lenfant, C.J.M. (1970):** Acute change in hemoglobin affinity for oxygen during angina pectoris. *N. Engl. J. Med.*, 282: 1219-1224.
- Shepherd, J.; Packad, C.J.; Grundy, S.M.; Yeshuru, D.; Gotto, A.M. Jr. and Tavnton, D.D. (1980):** Effects of saturated and polyunsaturated fat diets on the chemical composition and metabolism of LDL in man. *J. lipid. Res.*, 21: 91.
- Simaraks, S.; Chinrasri, O and Aengwanich, A. (2004):** Hematological, electrolyte and serum biochemical of the thai indigenous chickens (*Gallus domesticus* northeastern, Thailand. *J. Sci. Technol.*, 26 (3): 425-430.
- Simonen, P.P.; Gylling, H.; Howard, A. N and Miettinen, T. A. (2000):** Introducing a new component of the metabolic syndrome low cholesterol absorption. *Am. J. Clin. Nutr.*, 72: 82-81.
- Simonen, P.P.; Glylliny, H.K and Miettinen, T.A. (2002):** Diabetes contributes to cholesterol metabolism regardless of obesity. *Clin. Edu. Nutrition.*, 25 (9)-1511-1515.

- Sinet, M.; Muffat- Joly, M.; Henzel, D.; Renault, G. and Pocidalo, J. J. (1984):** Performance of hypothermic isolated rat heart at various levels of blood acid-base status. *J. Appl. Physiol.*, 56 (6): 1526-1532.
- Souza, V. L. F and Sliva, R. S. F. (2006):** Dietary vitamin E supplementation on cholesterol and cholesterol oxides of pig meat and cooked ham. *Braz. Arch. Boil. Technol.*, 49 (2): 1-12.
- Steinbach, J. H.; Blackshear, P. L.; Varco, R. L and Buchwald, H. (1974):** High blood cholesterol reduces *in vitro* blood oxygen delivery. *J. Surg. Res.*, 16: 134-139.
- Steinberg, D. (2006):** An interpretive history of the cholesterol controversy, part V: the discovery of the statins and the end of the controversy. *J. Lipid. Res.*, 47: 1339-1351.
- Steinberg, D. (1983):** Lipoprotein and atherosclerosis: a look back and look ahead. *Arteriosclerosis (Dallas)*., 3: 283-301.
- Stone, N. J.; Leavy, R. I. and Fredrickson, D. S. (1974):** Coronary artery disease in 116 kindred with familial type II hyperlipidemia. *Circulation*., 49: 476-482.
- Stone, P.H.; Lloy d- Jones, M. D.; Kinlay, S.; Frei, B.; Carlson, W.; Rubenstein, J.; Andrews, T. S; John Stone, M.; Sopko, G.; Cole, H.; Orav, J.; Selwgn, A.P. and Creager, M. A. (2005):** Effect of intensive lipid lowering with or without antioxidant vitamins, compared with moderate lipid lowering on myocardial ischemia in patients with stable coronary artery disease. *Am. J. Heart.*, 111: 1747-1755.
- Sturkie, P. D. (1965):** Avian physiology, Comstock publishing Associates, New York.

- Sulton, C. D. (1984):** Cholesterol metabolism in the laying hen as influenced by dietary cholesterol caloric intake and genotype Poult. Sci., 63: 972-980.
- Surai, P. F.; Gall, T.; Noble, R. C and speake, B. K. (1997):** The relationship of alpha tocopherol content of the yolk and its accumulation in the tissues of the newly hatched chick. J. Sci. food. Agr., 75 (2): 212-216.
- Talbott, G. D and Frayser, R. (1963):** Hyperlipidemia: A cause of decreased oxygen saturation Nature (London)., 200: 684-691.
- Tarumi, C.; Matsunumo, N.; Migakoshi, N.; Yamashita, K. and Masuda, H. (1989):** Long term oral administration study of pravastatin sodium to beagles for 14 weeks. J. Toxicol. Sci., 14: 85-101.
- Thompson, G. R.; Judith, F.; Jenkinson, M. and Iris, T. (1986):** Efficacy of mevinolin as adjuvant therapy for refractory familial hypercholesterolemia. J. Med., 60 (232): 803-809.
- Tiefenbacher, C.P.; Friedrich, S.; Bleeke, T.; Vahl, C.; Chen, X and Niroomand, F.A.C.E (2004):** Inhibitors and statins acutely improve endothelial dysfunction of human coronary arterioles. Am. J. Physiol. Heart Circ. Physiol., 286: 1425-432.
- Tikkanen, M.J.; Laakso, M.; Ilmonen, M.; Halve, E.; Kaarsalo, E.; Kilkki, E and Saltevo, J. (1998):** Treatment of hypercholesterolemia and comtined hyperlipidemia with simvastatin and gemfibrozil in patients with NI DDM. A multicenter comparison study. Diabetes. Care., 21: 477-481.

- Tiwari, A. (2006):** An overview of statin associated proteinuria. DrugDiscovery. Today., 11 (9): 458-464.
- Tobert, J. A. (2003):** Lovastatin and beyond: the history of the HMG-CoA reductase inhibitors. Natu. Rev. Drug. Discovery., 2: 517-526.
- Tobert, J.A. (1987):** New developments in lipid – lowering therapy: The role of inhibitors of hydroxy methyl glutaryl coenzyme A reductase. Cir, 76 (3): 534-542.
- Tovar , A. M . F.; Pecly, I.M.D.; Rangel , E.P.; Filho, N. M. M.; Mourao, P.A.S. and Leite, M.J.T. (2007) :** Experimental induced metabolic acidosis in rabbits modulates. The interaction of aortic glucosaminoglycan with plasma low-density lipoprotein- An interesting observation about the association of acidosis and atherosclerosis. Atherosclerosis., 192: 33-39.
- Trinder, P. (1969):** Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. Biochem., 6: 24-27.
- Tziaka, D.N.; Kaski, J.C.; Chalikias G.K.; Romer, C.; Fredericks, S.; Tentas I.K. ; Kortsaris, A. X.; Hatserans, D. I and Holt, D.V. (2007):** Total cholesterol content of erythrocyte membranes is increased in patients with acute coronary syndrome, J. Am. cardio., 49(21) : 2081-2089.
- Vaughan, C.J. and Gotto, A.M. (2004):** Update on statin. Circulation., 110: 886-92.

- Wagner, A.H.; Kohler, T.; Ruckschloss, U.; Just, L. and Hecker, M. (2000):** Improvement of nitric oxide-dependent vasodilatation by HMG- CoA reductase inhibitors through attenuation of endothelial superoxide anion formation, *Arterioscler. Thromb. Vasc. Biol.*, 20: 61-69.
- Walsh, K.M.; Albassam, M. A. and Clark, D. E. (1996):** Subchronic toxicity of atorvastatin, a hydroxymethylglutaryl-coenzyme A reductase inhibitor, in beagle dogs. *Toxicol. Pathol.*, 24: 468-476.
- Wang, J.J and Pan, T.M. (2003):** Effect of Red mold rice supplements on serum and egg yolk cholesterol levels of laying hens. *J. Agric. Food. Chem.*, 51: 4824-4829
- Watts, G. F.; Cummings, M.H.; Umpieby, M.; Quiney, J. R.; Naoumova, R.; Thompson, G. R and Sonksen, P.H. (1995):** Simvastatin decreases the hepatic secretion of very-low-density lipoprotein apolipoprotein B-100 in heterozygous familial hypercholesterolaemia pathophysiological and therapeutic implications. *Eur. J. Clin. Invest.*, 25: 559-567.
- Webster, D. (1974):** Enzymatic colorimetric method of albumin. *Clin. Chem. Acta.*, 53: 109-115.
- Weder, A.B.; Serr, C.; Torretti, B.A.; Bassett, D.R and Zweifler, A.J. (1991):** effects of lovastatin treatment on red blood cell and platelet cation transport. *Am. Heart.*, 17: 203-209.
- Weggemans, R.M.; Zock, P.L and Katan, M.B. (2001) :** Dietary cholesterol from eggs increase the ratio of total cholesterol to high-density- lipoprotein cholesterol in humans. A meta-analysis. *Am. J. clin . Nutr.*, 73: 885-891.

- Westweber, J.G. (1986):** Diseases of the respiratory system. Vet. Therap. USA., 649: 669-674.
- Wideman, R. F. and Buss, E. G. (1985):** Arterial blood gas, pH and bicarbonate values in laying hens selected for thick or thin egg shell production. Poult. Sci., 64: 1015-1019.
- Wootton, I. D. P. (1974):** Microanalysis in medical Biochemistry. 5th ed. Churchill living stone. London.
- Yassin, H.D.; Hasso, N.M.A and Rubayl, H.A. (2005):** Lipid profile and lipid peroxidation pattern pre and post Exercise in coronary heart disease. Turk. J. Med. Sci., 35: 223-228
- Zhang, B.; Saku, K. and Arakawa, K. (1997):** Quantification of the effect of troglitazone on insulin sensitivity and beta-cell function in watanabeheritable hyperlipidemic rabbits: a minimal model analysis. Meta., 46: 273-281.
- Zollner, N. and Kirsch, K. (1962):** Determination of lipids (micromethod) by means of the sulfophosovanillin reaction common to many natural lipids (all known plasma lipids) Z. Ges. Exp. Med., 135: 545-561.