

REFERENCES

- Abd El-Aziz, M. I.; Aziz, M. A.; Ferial, A. S. and Naima, A. A. (1995):** Pharmacokinetic evaluation of enrofloxacin (Spectrama Vet.) in chickens. *J. Egypt. Vet. Med. Ass.*, **55** (6): 1151-1165.
- Abd El-Aziz, M. I.; El-Banna, H. A. and Eissa, S. H. I. (1996):** Efficacy and residual pattern of some fluoroquinolones in poultry. *J. Egypt. Vet. Med. Ass.*, **56** (4): 547-562.
- Abd-El-Latif, A. E. (1990):** Effect of some drugs in vitro and in vivo on colibacillosis in chickens. M.V.Sc. Thesis, Fac. Vet. Med. Zag. Univ.
- Abou El-Nil, M. (1997):** Some pharmacological studies on norfloxacin in experimental animals. Ph. D. Thesis, Fac. Vet. Med. Zag. Univ.
- Abo-Norag, M. A. and El-Magdoub, A. A. (1997):** Effect of tobramycin and amoxicillin administration on blood picture and serum constitutes in sheep. *J. Egypt. Vet. Med. Ass.*, **57** (1): 705.
- Afifi, M. A. A. (1987):** Studies on some immunosuppressives interfering with vaccination in chickens. M.V.Sc. Thesis, Fac. Vet. Med., Cairo Univ.
- Afify, Nehal, A. (1987):** Relationship between liver function and some bacterial and viral diseases of chickens. M. V. Sci. Thesis, Fac.Vet. Med., Zagazig Univ.

- Al-Badry, K. S.; Taha, H. M.; Bashtar, A. R. and Fayed, H. M. (1988):** Hematological and biochemical changes in response to natural infection with *Hepatozoon balfour*; in Jjerboas. II serum electrolytes and organic constituents. *Proc. Zool. A. R. Egypt*, 15:63-76.
- Aleixandra, V.; Herrera, G.;Urios, A. and Blanco, M. (1991):** Effects of ciprofloxacin on plasmid DNA supercoiling of *Escherichia coli* topoisomerase I and gyrase mutants. *Antimicrobial agents and chemotherapy* 35 (1): 20 -23.
- Algird, J. R. (1966):** The allergic patient. *Connecticut Medicine*, 12: 878-879.
- Altman, R.; Montali, R., Kollias, G. and Harrison, G. J. (1975):** Avian clinical pathology evaluation panel. Annual Proceedings of the American Association of Zoo Veterinarians.
- Amer, M. S.; Waffia, H. Abd-Alla,; Koshai, M. Y.; Abdel Aleam, A. F. and Gammaz, H. A. (1994):** Gentamicin and netilmicin residues in tissues and organs of treated rabbits. *Vet. Med. J. Giza*, 42 (1): 95-99.
- Anadon, A.; Martinez-Larranaga, M. R.; Velez, C.; Diaz, M. J. and Bringas, P. (1992):** Pharmacokinetics of norfloxacin and its N-desethyl and oxo-metabolites in broiler chickens. *Am. J. Vet. Res.*, 53 (11): 2084-2089.
- Anadon, A.; Martinez-Larranaga, M. R.; Diaz, M. J.; Bringas, P.; Martinez, M. A.; Fernandez-Cruz, M. L.; Fernandez, M. C. and Fernandez, R. (1995):** Pharmacokinetics and residues of enrofloxacin in chickens. *Am. J. Vet. Res.*, 56 (4): 501-506.

- Andrews, C.; Excell, A. and Carrington, N. (1988):** Treatment against bacteria and fungi. The manual of fish health. Salamander books limited, London, New York, pp. 186-191.
- Anon, L. (1953):** Report from ministry of health. *Br. Med. J.*, **1**: 39-40.
- Anon, L. (1963):** The public health aspects of the use of antibiotics in food stuffs. WHO, *Tec. Rep. Ser.*, **260**: 32.
- Anon, L. (1972):** Task force on the use of antibiotic in animal feeds. Rockville USA. Report to Commissioner of the Food and Drug Administration by the FDA.
- Anthony, T. W. C.; Irwin, K. M. L.; Erin, M. W. and Michael, E. M. (1985):** Phagocytic and killing capacities of uterine derived leukocytes from more resistant and susceptible to chronic endometritis. *Am. J. Vet. Res.*, **46** (9): 1983-1990.
- Appel, G. B. and Neu, H. C. (1977):** Nephrotoxicity of antimicrobial agents. *Engl. J. Med.*, **296**: 663-670.
- Arret, B.; Johnson, D. P. and Kirshbaum, A. (1971):** Outline of details for microbiological assays of antibiotics, 2nd revision. *J. Pharm. Sci.*, **60** (11): 1689-1694.
- Ashish, S.; Jayakumar, K.; Honne, G.; Unesh, M. H.; Venkatesha, U. and Naragana, K. (2003):** Safety evaluation of pefloxacin in broiler chickens. *Indian Vet. J.*, **80** (5): 404-405.
- Aslan, V.; Nizamlioglu, M.; Kalaycioglu, L. and Acet, A. (1989):** Effect of antibiotic treatment of young calves on glucose absorption and some plasma components. *British Vet. J.*, **145** (2): 170.

- Atef, M.; El-Gendi, A. Y. I.; El-Sayes, M. G. A. and Ramadan, A. (1987):** Some pharmacokinetic and microbiologic aspects of flumequine in chickens. *Arch. Geflügelk*, **51** (3): 88-92.
- Atef, M.; Youssef, S. A. H.; Amer, A. M. M.; El-Banna, N. A. H. and Hessen, R. M. (1991):** Metabolic behaviour and tissue distribution of nalidixic acid in chickens. *Dtsch. Tierärztl. Wschr.*, **96**: 303-306.
- Ayad, A. A. (1987):** Some Pharmacological studies on flumequine in chickens. Ph.D. Thesis, Fac. Vet. Med., Cairo Univ.
- Aziza, Amer, M. (1987):** Some pharmacokinetic aspects of certain antibiotics in chickens. Ph. D. Thesis, Fac. Vet. Med., Cairo Univ.
- Barbar, D.; Pennucci, C.; Espesito, S. and Galante, D. (1985):** Cross resistance of quinolone derivatives in Gram negative bacteria. *Chemoterapia*, **4** (2): 192-196.
- Barham, D. and Trinder, P. (1972):** Determination of uric acid by enzymatic colorimetric method. *Analyst*, volume I, 97-142.
- Barry, G. and John, R. (1988):** In vitro microbicidal activity of avian peritoneal macrophage. *Avian Dis.*, **33**: 177-181.
- Baur, E. (1975):** Examination of meat and sausage product by inhibition test in the context of veterinary inspection. *Fleischwirtschaft*, **55**: 843.

- Beerman, D.; Scholl, H.; Wingender, W.; forsler, D.; Beubler, E. and kulovetz, W, R. (1986):** Metabolism of ciprofloxacin in man. Inter. Ciprofloxacin workshop, Leverkusen (1995), pp. 141-146. Excerpta Medica, Amsterdam.
- Behr, K. P. (1986):** Safety and compatibility of Bay VP 2674 (Baytril) in healthy young turkeys and its efficacy against experimental *Mycoplasma gallisepticum* infection Inaugural Dissertation, p. 94.
- Belfield, A. and Goldberg, D. M. (1971):** Revised assay for serum phenyl phosphatase activity using 4-amino-antipyrine –enzyme. *J. Clin. Path.*, **12**: 561-573.
- Bellanti, J. A. (1985):** Immunology III, W. B. Saunders Company. London-Toronto-Mexico City. Philadelphia.
- Bennet, J. V.; Brodie, J. L.; Bennet, E. J. and Kirby, W. M. (1966):** Simplified accurate method for antibiotics assay of clinical specimens. *App. Microb.*, **14**: 170-177.
- Bergan, T. (1981):** Pharmacokinetics of tissue penetration of antibiotics. *Rev. Infect. Dis.*, **3**: 45-65.
- Bergan, T.; Thorsteinesson, S. B.; Kolstad, I. M. and Johansen, S. (1986):** Pharmacokinetics of ciprofloxacin and increasing oral doses. *Europ. J. clin. Microbio.*, **5**: 187-192.
- Bergan, T.; Lolekha, S.; Cheong, M. K.; Poh, C. L.; Doencham, S. and Charoenpipop, D. (1988):** Effect of recent antibacterial against bacteria causing diarrhea. *Scan. J. of Infect. Dis. Suppl.* **56**: 7-10.

- Booth, N.H. and McDonald, L.E. (1988):** veterinary pharmacology and therapeutics. 6th Ed Iowa state University Press Ames, p. 1198-1199.
- Boreus, L. O. and Sundstrom, B. (1967):** Intracranial hypertension in a child during treatment with nalidixic acid. *Br. Med. J.*, 2: 744.
- Boyum, A. (1968):** Isolation of mononuclear cells and granulocytes from human blood. *Scan J. Clin. Invest.*, 21: 77-89.
- Brander, G. C.; Pugh, D. H.; Bywater, R. J. and Jenkins, W. L. (1991):** Veterinary Applied Pharmacology and Therapeutics. 5th ed. The English language Book Society and Boilliere, Tindall, London, pp. 484-488.
- Brown, B. C.; Price, E. V. and Moore, M. B. (1964):** Penicilloyl Polysine as intradermal test of penicillin sensitivity. *J. Am. Med. Ass.*, 189: 599-604.
- Brown, S. A. (1996):** Flouroquinolones in animal health. *J. Vet. Pharmacol. Therap.*, 19: 1-14.
- Brown, W. O. (1957):** Effect of dietary penicillin on calcium and nitrogen retention in chicks on a low mineral diet. *J. Sci. Food. Agr.*, 8: 279.
- Carl, A. and Edward, R. (1996):** Tietz Fundemental of Clinical Chemistry, W.B Sunders Co., Phladilphia, London, Tronto, Montreal, Sydney, Yokyo.
- Carter, G. R. (1973):** Diagnostic procedures in Veterinary Microbiology 2nd Ed., pp 301-307, East Lawrence, Pringfird, Illinois, USA.

- Chaumachenko, V. E. (1979):** Influence of antibiotics on alanine and aspartate aminotransferase in the blood and tissues of swine. *Vestnik Sel'Skokhozy aistvennoi Nauk*, No. 2.
- Chin, N. X and Neu, H. C. (1984):** Ciprofloxacin, a quinolone carboxylic acid compound active against aerobic and anaerobic bacteria. *Antimicrob. Agents and Chemother.*, **25**: 319-326.
- Chunha, J. J. (1972):** Hormones and feed additives use and control. Proceeding of the meat Industry Research Conference. Mar. 1.
- Chu, Y. I. and Dieter, R. R. (1989):** Monocyte function in chickens with hereditary dystrophy. *Poult. Sci.*, **68**: 226-232.
- Cohen, R. R. (1967):** Anticoagulation, centrifugation time and sample replicate number in microhematocrit method for avian blood. *Poultry Sci.*, **46**: 214-215.
- Columbano, A.; Ledda, G. M.; Siriqu, P.; Parrat,T. and Pani, P. (1983):** Liver cell proliferation induced by a single dose of lead nitrate. *Am. J. Path.*, **10**: 83-88.
- Corry, J. E.; Sharma, M. R. and Bates, M. L. (1983):** Detection of antibiotic residues in milk and animals tissues. Technical series. *Soci. Appl. Bacterio.*, **18**: 349.
- Cozzaerlli, N.R. (1980):** DNA grayse and the supercoiling of DNA. *Science*, **73**: 3872-3876.
- Curtis, M. J.; Jenkins, H. G. and Butler, E. (1980):** The effect of *Escherichia coli* endotoxins and adrenocorticol hormones on plasma enzyme activation in the domestic fowl. *Res. Vet. Sci.*, **28**: 44.

- Dabija, G.; Popa, C.; Popet, A. D. A.; Mescus, G.; Gazacus, L. and Nemateau, S. (1976):** Pharmacokinetic aspects and damage in blood values seen following administration of antibiotics and sulphonamide to animals (sheep, rabbit and rat). *Biopropart Pasteur*, 112-281.
- Dahlager, J. I. (1980):** The effect of netilmicin and other aminoglycosides on renal function. *Scand. J. Infect. Dis. Duppl.*, 23: 96.
- Dalhoff, A. And Eickenberg, H. U. (1985):** Tissue Distribution of ciprofloxacin following oral and intravenous administration. *Infection*. 13:67-81.
- David, C.; Hooper, D. C. and Wolfson, J. S. (1988):** Mode Of action of the antimicrobial agents. *Rev. Infect. Dis.*, 10 (Suppl. 1): 14-20.
- De Haan, G.; Engel, C.; Dontje, B.; Nijhof, W. and Loeffler, M. (1995):** Hematotoxicity by prolonged Etoposide administration to mice can be prevented by simultaneous growth factor therapy. *Cancer Res*. 55, 324-329, January 15.
- Dein, J. (1984):** Hematology. In: *Clinical avian medicine and surgery*. Pp. 174-191. Philadelphia: WB Saunders.
- Dias-de-Oliveira, S. and Siqueria-Flores, F. (2004):** Antimicrobial resistance in *Salmonella enteritidis* strain isolated from broiler carcasses, food, human and poultry-related samples. *Inter.J.Food Microb.*, 97 (3): 297-305.

- Dickgiesser, N. (1984):** Wirkungs weise and Resistenz mechanismen der yrasechemmer. *Immun. Infekt.*, **12**: 298-302.
- Doganay, M. and Aydin, N. (1991):** Antimicrobial susceptibility of *Bacillus anthracis*. *Scand. J. Infec. Dise.*, **23**:3, 333-335.
- Drusano, G. L.; Standiford, H. C.; Plaisance K. I.; Forrest, A.; Leslie, J. and Caldwell, J. (1986):** Absolute oral bioavailability of ciprofloxacin Antimicrobial Agents and chemotherapy. **30**: 444-446.
- Easmon, C. S. F. and Crane, J. P. (1983):** Uptake of ciprofloxacin by human neutrophils. *J. Antimicrob. Chemother.*, **23**: 284-288.
- Edlund, C. and Nord, C. E. (1986):** Comparative in vitro activities of ciprofloxacin, enoxacin, norfloxacin, ofloxacin, and perfloxacin against *Bacteroides fragilis* and *clostridium difficile*. *Scand. J. Infec. Dis.*, **18**: 149-151.
- El-Atrash, S. A. (1983):** Some biochemical changes in blood of camels following antibiotic therapy. Ph. D. Thesis, Fac. Vet. Med., Cairo Univ.
- El- Azzawy, H. M. and Khodary, R. M. (2003):** A study on the effectiveness of difloxacin in the treatment of *E. coli* infection in broiler chickens. *Egy. J. Agri. Res.*, **81** (1).
- El-Bana, H. A. (1990):** Disposition, Kinetics, metabolism and residues of nalidixic acid in broiler chickens. Ph. D. Thesis, Fac. Vet. Med. Cairo Univ.

- El-Daly, E. S. (1998):** Protective effect of cystein and Vitamin E, *Crocus sativus* and *Nigilla sativa* extract on cisplatin-induced toxicity in rats. J. Pharm. Bely., 53 (2): 87-93.
- El-Enbaway, M. I. (1990):** Some studies on *Candida albicans*. Ph. D. Thesis, Fac. Vet. Med. Cairo. Univ.
- El-Maaz, A. A. (1990):** Studies on the excretion of tylosin and its effect on ruminal metabolism in goats. M. V. Sci. Thesis. Fac. Vet. Med., Cairo Univ.
- El-Nile, M. O. A. (2006):** Effect of boiling and freezing on ciprofloxacin residues in chicken tissues. *Assiut Vet. Med. J.* 52 (110): 111-120.
- El-Sergany, M. A.; Ann, A. A.; Dessoukky, M. I.; Amirs, H. M. and Asia, M. E. (1984):** Studies on blood cytology, serum enzymes and histopathology of the liver in chicks fed on *Senecio desfontainei*. *Arch. Ceflugelk*, 48: 77-80.
- El-Shazly, K. A. M. (1989):** The effect of some antibiotics on growth of chicks. M. V. Sci. Thesis, Fac. Vet. Med., Alex. Univ.
- Ezhova, T. V. (1985):** Effect of lincomycin on morphology and iochemistry of blood of valves. *Moskovskaya, Vetrtninaya Akademiya*, 32.
- Fanmell, E. C. and Kappinn, A. (1984):** Quantitative determination of phosphorous. *Clinic. Chem.* The C. V. Mosby Co. St. Louis. Toronto.

- Farkouh, F. I. (1976):** Comparative study on the effect of chloramphenicol and thiamphenicol on serum enzymes and blood picture. M. V. Sci. Thesis. Fac.Vet. Med., Cairo Univ.
- Fass, R. J. (1985):** The quinolones. *Ann. Intern. Med.*, **102**: 400-402.
- Fawcett, J. K. and Scott, J. E. (1960):** Determination of urea in serum. *J. Cline. Path.*, **13**: 156.
- Feltwell, R. and Fox, S. (1979):** Practical Poultry Feeding. The English language Book Society and Faber and Faber.
- Fernandez-Guerrero, M. L.; Rouse, M. S.; Hernery, N. K.; Geraci, J. E. and Wilson, W. R. (1987):** In-vitro and in-vitro activity of ciprofloxacin against enterocci isolated from patients with infective endocarditis. *Antimicrob. Agents Chemother.*, **31**:430-433.
- Fernstrom, A. L. (1959):** Studies on procaine allergy with reference to urticaria due to procaine penicillin treatment. *Acta. Dermato. Venereolo.*, **39**: 433-449.
- Forsgren, A. and Bergkvist, P. I. (1985):** Effect of ciprofloxacin on phagocytosis. *Eur. Clin. Microbiol.*, **4** (6): 575-578.
- Fudge, A. M. (1997):** Avian clinical pathology-hematology and chemistry. In: Altman RB, Club SL., Dorrenstein G M, quesenberry K, eds. Avian medicine and surgery. Philadelphia: WB Saunders. 142-157.
- Gaballa, M. S. (1982):** Experimental furazolidone and amprolium toxicosis in ducks. Ph.D. Thesis Fac. Vet. Med. Zag. Univ.

- Garcia-Ovando, H.; Gorla, N.; Weyers, A.; Ugnia, L. and Magnoli, A (2004):** Simultaneous quantification of ciprofloxacin, enrofloxacin and balfloxacin in broiler chicken muscle. *Archivos-de-medicina- Veterinaria*. **36** (1): 93-98.
- Garcia, H.; ; Magnoli, A; Weyers, A.; Ugnia, L.; Luders, C.; Prieto, G.; Erricalde, C. and Gorla, N. (2006):** Residues of enrofloxacin and ciprofloxacin in muscle of broiler chickens. *Revista-Colombiana-de-Ciencias-Pecuarias*. **19** (1): 61-65.
- Garrod, L. P. (1964):** Sources and hazards to man of antibiotics in food. *Proc. R. Sci. Med.*, **57**: 1087.
- Gellert, Z. M. (1981):** DNA topoisomerases. *Annu. Rev. Biochem.*, **50**: 879-910.
- Georgopoulos, A.; Feistauer, S. M.; Georgopoulos, M.; Walzl, H. Graninger, W. (1991):** Chemotherapeutic activity of difloxacin, sarafloxacin and ciprofloxacin against experimentally induced pneumonia in rats. *Inter. J. Exper. And Clin.Chemother*, **4**:73-77.
- Gips, M.; Barel, S. and Soback, S. (1994):** Norfloxacin disposition kinetics and residues in calves after intramuscular administration of norfloxacin nicotinate. 6th Cong. Euro. Ass. of Vet. Pharmacol. and Toxicol., **77**.
- Gohara, Y.; Arai, S.; Kawashina, T and Matsuura, I. (1992):** In vitro antimicrobial activities of new quinolone antibiotics against *Mycoplasma pneumoniae*. *Jap. J. of Bact.*, **47** (2): 387-393.
- Goodman, L.S. and Gilman, A. (1980):** the pharmacological bases of therapeutics, 6th Ed. Macmillan publ. Com. Inc. New York. P. 1173.

- Gorla, N.; Chioatri, E.; Ugina, L.; Weyers, A.; Giacomelli, N.; Davivino, R. and Ovando, H.G. (1996):** HPLC residues of enrofloxacin and ciprofloxacin in eggs of laying hens. *Intern. J. Antimicr.*, **8**:4, 253-256.
- Grove, D. and Randall, W. (1955):** Penicillin: Methods 2. In Assay Methods of Antibiotics. A laboratory Manual, 3rd ed. pp. 7-14. Encyclopaedias, N, Y.
- Grys, S. and Schollenberger, A. (1970):** Effect of tetracycline on the phagocytic activity of the reticuloendothelial system in pigs. *Archiwum Wetermazyine*. **13**: 75.
- Haagsma, N. (1993):** Stability of veterinary drug residues during storage, preparation and processing. Proceeding of the Euro residue II conference, Veldhoven, the Netherlands, (1): 41-49.
- Haddad, L. and Winchester, J. F. (1990):** Clinical management of poisoning and drug overdose. 2nd ed. W. B. Saunders Company. London, Toronto, Tokyo.
- Halliwell, W. H. (1981):** Serum chemistry profiles in the health and disease of birds of prey. In: Recent Advances in the study of Raptor diseases. Edited by Cooper, J. E. and Greenwood, A. G. Chiron Pub. Ltd., Wase Yprkshire, England.
- Hamman, J.; Tolle, A. and Heeschen, W. (1978):** Residues in milk products. Document 39, International dairy Federation, Brussels, Belgium, pp. 44.
- Hanafy, A. M. A. (1993):** Some adverse effects of norfloxacin in male rats. M. V. Sc. Fac. Vet Med. Edfina, Alex. Univ.
- Hanks, D. H. and Wallace, O. H. (1985):** Determination of cell viability. Proceeding Society Exp. Diollld. **98**: 185-192.
- Hassan, Nashwa, M. M. (1995):** Some antibacterial residues in chicken meat. M. V. Sci. Thesis, Fac. Vet. Med., Zag. Univ.

- Heo Gan Joon and Seo Jeong Joo. (1997):** Efficacy of ciprofloxacin against selected fish Pathogens in cultured fish. *Bulletin of the Euro. Asso. of Fish Pathol.*, **17** (1) 8-12.
- Hernandez, J. (1984):** Disease of red cells and bleeding disorders. In *Pathological Basis of Disease* (3rd Ed) W. B Saunders Company Igaku-Shoin/Saubders, Philadelphial, pp. 215-240.
- Hillel, H. (1988):** Adverse effects of fluoroquinolones. *Rev. Infect Dis.*, **10** (Suppl.1): 258-261.
- Hobden, J. A.; Reidy, J. J.; O'callaghan, R. J.; Insler, M. S. and Hill, J. M. (1990):** Quinolones in collagen shields to treat aminoglycoside resistant pseudomonal Keratitis. *Inves. Ophthalmo.and Visu., Sci.*, **31** (11): 2241-2243.
- Hoffken, K.; Lode, H.; Prinzing, C.; Borner, K.; and Koeppe, P. (1985):** Pharmacokinetics of ciprofloxacin after oral and parenteral administration. *Antimicro. Agen. and Chemother.*, **27**: 375-379.
- Homayouni, H.; Gross, P. A. and Setia, U. (1979):** Leucopenia due to penicillin and cephalosporin homologues. *Arch. Intern. Med.*, **139**: 827-828
- Honikel, K. O. (1976):** Tetracycline residues in the bone of animals and their behaviour during processing. *Fleischwritschaft*, **56**: 722-726.
- Hopper, D. C. and Wolfson, J. S. (1985):** The fluorquinolones: Pharmacology, clinical uses and toxicities in humans. *Antimicrob. Agen. Chemother.*, **28**: 716-720.

- Husdan, L. and Hay, S. C. (1980):**Pradical Immunology 2nd ed. Black Well Scintific Publication, Oxford, London, Boston.
- Husein, E. M. (1993):** Some Pharmacodynamic studies on nalidixic acid in chicken exposed to stress factors. Ph.D. Thesis. Fac. Vet. Med. Zag. Univ.
- Ibraheem, A. S. S.; Shalash, M. R.; Hassan, S. G.; Seif El-Nasr and Esmat, A. (1989):** Virginiamycin antibiotic in relation to some blood parameters and blood biochemistry in Fayomi poultry. *Egypt. J. Vet. Sci.*, **26** (1-2): 121.
- Ibraheem, F. M. (1988):** Some pharmaceutical aspects of virginiamycin in chickens. M. V. Sci. Thesis. Fac. Vet. Med., Cairo Univ.
- Ibraheem, A. S. S.; Shalash, M. R. Hassan, S. G.; Seif EL-Nasr and Esmat, A. (1989):** Virginiamycin antibiocyic in relation to some blood parameters and blood biochemistry in Fayomi poultry. *Egypt. J. Vet. Sci.*, **26**, 1-2: 121.
- Ibraheem, S. A. R. (1995):** Effect of enrofloxacin of the immune response of chickens under vaccination. M.V.Sc. Thesis. Fac. Vet. Med. Zag. Univ.
- Ibraheem, M. A. K. (2005):** Interaction between danofloxacin and isoflupredone acetate in chickens. M. V. Sc. Thesis Fac. Vet. Med. Zag. Univ.
- Inglis, J. M. and Katz, S. E. (1978):** Determination of streptomycin residues after cooking. *J. A. O. A. C.*, **55**: 1098-1102.

- Intorre, L.; Mengozzi, G.; Bertini, S.; Bagliacca, M.; Luchetti, E. and Soldani, G. (1997):** The plasma kinetic and tissue distribution of enrofloxacin and its metabolite ciprofloxacin in the Muscovy duck. *Vet. Res. Commun.*, **21**: 2, 127-136.
- Ismaeel, N. A. and Tayeb, O. S. (1993):** Comparative antibacterial activity of lomefloxacin, norfloxacin, ofloxacin, ciprofloxacin and enoxacin against >500 bacterial isolates. *Microbio*, **74**: 300-147-154.
- Jacobs-Retisma, W. F.; Koenraad, P. M. F. J.; Bolder, N. M. and Mulder, R. W.A. W. (1994):** In-vitro susceptibility of campylobacter and salmonella isolates from broilers to quinolones, ampicillin, tetracycline, and erythromycin. *Vet. Quat.*, **16**:4, 206-208.
- Jukes, T. H. (1973):** Public health significance feeding low levels of antibiotics to animals. *Adva. in Appl. Microbio.*, **16**: 30.
- Kar, B. K.; Mondal, M.; Ghosh, R. K.; Basak, D. K. and Mukhopadhyay, S. K. (2002):** Haematological studies in goats treated with consecutive graded dose levels of ciprofloxacin. *J. Interacadem.*, **6** (1): 73-76.
- Katz, S. E.; Fassbender, C. A. and Dorfman, D. (1972):** Chlortetracycline residues in broiler tissues and organs. *J. A. O. A. C.*, **55**(1):134.
- Kayser, F.H. (1985):** The quinolones: mode of action and mechanism of resistance. *Res. Clinic. Forum.* **7**: 17-27

- Kempf, I. (1991):** Influence of the administration of antibiotics on the diagnosis of *Mycoplasma gallisepticum* infection in chickens. *Point Vet.*, **23** (139): 767-773.
- Khan, M. V.; Gruniger, R. P.; Nelson, S. M. and Klicker, R. E. (1982):** Comparative In vitro activity of norfloxacin (MK-0366) and ten other oral antimicrobial agents against urinary bacterial isolates. *Antimicrob . Agen. and Chemother.*, **21** (5): 848-851.
- Khodary, R. (1992):** Pharmacodynamic studies on flumequine in chickens. Ph.D. Thesis. Fac. Vet. Med. Zag. Univ.
- Kind, P. R. N. and King, E. J. (1954):** Estimation of plasma phosphatase by determination of hydrolyzed phenol with amino-antipyrine. *J. Clin. Path.*, **7**: 322-326.
- Kobayashi, H. (1985):** Summary of clinical studies on ciprofloxacin efficiency and adverse reaction. Proc. Of the 14th Intern. Congress of Chemotherapy, Kyoto, Japan.
- Krepak, O. M. and Strozhev, I. A. (1970):** Changes in the functional state of the liver in animals treated with streptomycin, D-cycloserine, kanamycin and flotimycin. Effects of antibiotics on the activity of alkaline phosphatase. *Antibiotiki*, **15** (10): 908.
- Lawrence, J. M.; Darkin-Rattray, S.; Xie, F.; Neims, A. H. and Rowe, T. C. (1993):** 4-Quinolones cause a selective loss of mitochondrial DNA from mouse L 1210 Leukemia cells. *J. cellul. Bioch.*, **51** (2): 165-174.
- Lebdah, M. (1990):** Experimental studies on some factors influencing immuno suppression in poultry. Ph.D. Thesis. Fac. of Vet. Med. Zag. Univ.

- Lebel, M. (1988):** Ciprofloxacin chemistry, mechanism of action, resistance antimicrobial spectrum, Pharmacokinetics, clinical trials and adverse reactions, 8:3-33.
- Leigh, D. A. and Emmanuel , F. X. S. (1984):** The treatment of *Pseudomonas aeruginosa* urinary tract infection with norfloxacin. *J. Antimicrob. Agen. Chemother.*, **26**: 785-786.
- Lemeland, J. F. (1981):** Les nouvelles quinolones. *Med. Revices*, **3**: 121-126.
- Leonard, J. L. (1982):** Clinical laboratory examinations. In: Diseases of cage and Avian Birds, edited by Patrek, M. L.; Lee and Febiger, Philadelphia.
- Leroy, A.; Humbert, G.; Godin, M.; Fillastre, J. F. (1980):** Pharmacokinetics of azlocillin in subjects and impaired renal function. *Antimicrob. Agen. Chemother.*, **17**: 344-349.
- Li-Yang-Song.; Zhou-Yu.; Li-Jiping. And Tan-Jianhua. (2007):** Comparison of ELISA and HPLC for detecting ciprofloxacin in chicken tissue. *Chin.e J. Vet. Sci.*, **27** (1) 111-113.
- Lola, M.; Pedreira, S.; Fente, C.; Vazquez, B. I.; Franco, C. M. and Cepeda, A. (2005):** Study of enrofloxacin depletion in the eggs of laying hens using diphasic dialysis extraction/purification and determinative HPLC-MS analysis. *J. Agricul. and Food Chem.* **53** (8): 2849-2852.

- Lolo, M.; Pedreira, S.; Miranda, J. M.; Vazquez, B. I.; Franco, C. M.; Cepeda, A. and Fente, C. (2006):** Effect of cooking on enrofloxacin residues in chicken tissue. *Food Additive and Contaminants*. **23** (10): 988-993.
- Lott, J. A. and Wolf, D. L. (1986):** Clinical enzymology: a case-Oriented Approach. Chicago, Year Book Medical Publishers, pp. 57-74.
- Lumeij, J. T. and Weslerhof, I. (1987):** Blood chemistry for diagnosis of hepatobiliary disease in birds: A review. *Vet. Quarter* **9**: 255-261.
- Lunch, M. J., Rice, J. R.; Ericson, J. F.; Mosher, E. R.; Millas, W. J.; Harn, L. P. and Frame, G. M. 1994):** Residues depletion studies on danofloxacin in the chicken. *J. Agric. Food Chem.*, **42**,(2):289-294.
- Manzella, J. P. and Clark, J. K. (1988):** Effects of quinolones on nitrogen-stimulated human non-nuclear leucocytes. *J. of Antimicro.Chemoth.*, **21**: 183-186.
- Mercer, H. D.; Gelete, J. N.; Carter, G. G. and Kramer, J. (1970):** Dihydrostreptomycin tissue residue and certain physicopharmacologic properties in swine. *Am. J. Vet. Res.*, **31** (9): 1589.
- Meyer, B. R.; Hirschman, S. Z.; Strougo, L. and Sruleve, E. (1980):** Comparative study of piperacillin, ticarcillin and carbenicillin pharmacokinetics. *Antimicrob Agen.Chemother*, **17**: 608-611.
- Moellering, R. C. (1987):** Norfloxacin a fluoroquinolone carboxylic acid antimicrobial agent. *Am. J. Med.*, **82**: 1-17.

- Mohan, A. and Grag, S. K. (2003):** Disposition kinetics of ciprofloxacin following single intravenous dose in calves. *Ind. J. of Pharmaco.*, **35** (4): 227-231.
- Mohan, J.; Sastry, K. V. H.; Tyagi, J. S.; Rao, G. S. and Singh, R. V. (2006):** Residues of fluoroquinolone drugs in the colocal gland and other tissues of Japanese quail. *British Poultry Sci.*, **47** (1): 83-87.
- Moore, C. P.; Collins, B. K. and Fales, W. H. (1995):** Antibacterial susceptibility patterns for microbial isolates associated with infections Keratitis in horses. *J. A. V. M. A.* **207** (7): 928-933.
- Morgan, J. L.; Coulter, D. B.; Marshall, A. E. and Goetsch, D. D. (1980):** Effects of neomycin on the wave-form of auditory-Evoked Brain stem potentials in dogs. *Am. J. Vet. Res.*, **41** (7): 1077.
- Muhammad, N.; Khalida, K. and Samra, R. (2006):** Determination of residues of quinolones in poultry by high pressure liquid chromatography. *J. Appl. Sci.*, **6** (2): 373-379.
- Munk, M. and Kovanic, H. (1979):** Effect of oxytetracycline on blood, kidney enzyme in chickens. *Vet. Archiv.*, **49** (5): 2.
- Munoz, M. J.; Lloveria, P.; Santos, M. P. Abdia, A. R.; ramayona, J. J. and Bregante, M. A. (1996):** Pharmacokinetics of ciprofloxacin in sheep after single intravenous or intramuscular administration. *Vet. Quart.*, **18**: 45-48.
- Nadim, M. A.; Atef, M.; AL-Samarrae, S. A.; EL-Gindi, A. Y. I. and Khammas, D. J. (1984):** Effect of a single therapeutic dose of oxytetracycline on some blood constituents and serum enzymes in sheep. *Egypt. J. Vet. Sci.*, **2** (21): 183.

- Nanji, A. A. (1983):** Decreases activity of commonly serum enzymes: Cause and clinical significance. *Am. J. Med. Technol.*, **49**: 241-245.
- Natt, M. P. and Herrick, C. A. (1952):** A new blood diluent for counting erythrocyte and leucocytes of the chicken. *Poultry Sci.*, **3**: 735-738.
- Neer, T. M. (1988):** Clinical pharmacologic features of fluroquinolone antimicrobial drug, J, Am, Vet. Med. Assoc., **193** : 577-580.
- Neu. J. C. (1987b):** Ciprofloxacin: A major advance in quinolone chemotherapy. *Am. J. Med.* **82** (Suppl.4A), 1.
- Nix, D. E. and DeVito, J. M. (1987):** Ciprofloxacin and norfloxacin, two fluoroquinolone antimicrobials. *Clin. Pharmacy*. Volume **6**: 105-117.
- Nouws, T. E. M. and Ziv, G. (1978):** Tissue distribution on the residues of benzipenicillin and aminoglycosides antibiotic in emergency slaughtered ruminants. *Tijdschrift Voor Diergenskunde*, 103-104.
- O'brien, J. J.; Campbell, N. and Canaghan, T. (1981):** Effect of cooking and cold storage on biologically active antibiotic residues in meat. *J. Hyg. Camb.*, **87**: 511-523.
- Panigraphy, B.; Grumbles, L. C.; Millar, D.; Naqi, S. N. and Hall, C. F. (1978):** Antibioptic induced immunosuppression and levamisole induced immunopotential in turkeys. *Avi. Dis.*, **23**: 401-408.
- Peric, M. and Dakic, M. (1973):** Resistance of penicillin and streptomycin to exposure to heat. *Technologija Mesa*, **6**: 162-164.

- Petrovic, J.; Baltic, M.; Cupic, V.; Stefanovic, S. and Stojanovic. D. (2006):** Residues of enrofloxacin and its metabolites ciprofloxacin in broiler chicken. *Acta-Vet.Beograd*, **56**: 497-506.
- Pitlinger, H. (1970):** pH and streptomycin influences upon calcium in serum. *Anesth. Analg.*, **49** (4): 540.
- Plaisance, K. I. ; Drusano, G. L. Forrest, A.; Bustamante, C. L. and Standiford, H. C. (1987):** Effect of dose size on bioavailability of ciprofloxacin. *Antimicro. Agen. and Chemother.*, **31**: 956-958.
- Posen, S. and Doherty, E. (1981):** The measurements of serum alkaline phosphatase in clinical medicines. *Adv. Clin. Chem.*, **22**: 163-245.
- Raemdonck, D.; Harada, Y. and Holek, T. (1993):** Efficacy of danofloxacin for treatment and control of colibacillosis in broilers using pulse dosing or intermittent dosing regimens. Proc. XIII Latin. *Am Poultry Congr.*, Santo Domingo, Dominican Republic, October 13, (1993).
- Ramadan, O. E. A. (1996):** Some Pharmacological studies on Danofloxacin in chickens. Ph.D. Thesis. Fac. Vet. Med. Zag. Univ.
- RaPhael, B. L.; Papieh, Mand cook, R. A. (1994):** Pharmacokinetics of enrofloxacin after a single intramuscular injection in Indian star tortoises (*Geopherus polyPhemus*). *J. of Zoo and Wild life Med.*, **25** (1): 88-94.

- Reitman, A. and Frankel, S. (1957):** Determination of Glutamic-Oxaloacetic Transaminase and Glutamic- Pyruvic Transaminase in serum. *Am. J. Clin. Path.*, **28**: 56.
- Richmond, W. (1973):** Determination of cholesterol in serum. *Clin. Chem.*, **19**:1350.
- Richardson, M. D. and Smith, H. (1981):** Resistance of virulent and attenuated strains of *C. albicans* to intracellular killing by human and mouse phagocytes. *J. Inf. Dis.*, **144**: 557-265.
- Ridgway, G. L.; O'Hare; Felmingham, D. and Grunebergm R. N. (1985):** The comparative activity of 4-quinilone antimicrobials against *HaemoPhilus influenza* and *Streptococcus pneumominae*. *J. of Drugs and Exp. Clin. Res.*, **11** (4): 259-262.
- Ritchie, B. W.; Harrison, G. J. and Harrison, L. R. (1994):** Principles and application. Wingers Publishing. Inc. Lake Worth, Florida.
- Rogstad, A.; Hormazabal, V. and Yndestad, M. (1991):** Extraction of high performance liquid chromatographic determination of enrofloxacin in fish serum and tissues. *J. of liquid chrome.*, **14** (3): 521-531.
- Rozman, R. S.; Locke, N. and McClure, S. F. (1974):** Enzyme changes in mallard ducks fed in iron or lead shot. *Avian Dis.*, **18**: 435.
- Roushdy, M. A. M. (2007):** Some pharmaceuticl stusies of pefloxacin in chickens. M. V. Sc. Thesis Fac. Vet. Med. Zag. Univ.
- Rzedzicki, J.; Cybulska, R.; Trawinska, B. and Jaworska Adamu, J. (1991):** Effect of some antibacterial agents on the immune response and intestinal mucosa of chickens. *Zeszyty Naukiwe Akademi Roliniczei. Wroclowin Wtermaria* **40**: 179-189.

- Sahar, A. Omran, (1991):** Clinicopathological studies on the interaction between certain drugs causing hepato and nephrotoxicities. M. V. Sci. Thesis, Fac. Vet. Med., Cairo Univ.
- Said, M. T. (1995):** Hepato and nephrotoxicities of some aminoglycoside antibiotics in calves. Ph. D. Thesis, Fac. Vet. Med., Cairo Univ.
- Saini, S. P. S. and Srivastava, A. K. (2001):** The disposition kinetic, urinary excretion and dosage regimen of ciprofloxacin in buffalo (*Bubalus bubalis*). *Vet. Reach. Commun.*, **25** (8): 641-649.
- Samia, E. and Atta, A. H. (1995):** Tissue residues of enrofloxacin and flumequine in broilers and effect of freezing and boiling on residual level. *J. Egypt. Vet. Med. Ass.*, **55** (5): 1009-1016.
- San-Martin, B.; Cornejo, J.; Iraguen, D.; Hidalgo, H. and Anadon, A. (2007):** Depletion study of enrofloxacin and its metabolite ciprofloxacin in edible tissues and feather of white lwghorn hens by liquid chromatography couples with tandem mass spectrometry. *J. Food Prot.*, **70** (8): 1952-1957.
- Sasipreeyajan, J. and Pakpinyo, S. (1992):** The results of using enrofloxacin in broiler chickens after experimental *E. coli* infection. *J. of Vet. Med.*, **22** (2): 95-104.
- Scheer, M. (1987):** Concentration of active ingredient in the serum and in tissues after oral and parental administration of Baytril. *Vet. Med. Rev.*, **2**: 104-118.
- Scheibner, V, G. (1969):** Occurrence and decomposition of antibiotic in meat. *Monatshefte fur Veterinarmedizin Heft*, **24**: 739.

- Scheibner, V, G. (1972):** Studies into inactivation of several antiviotics in meat tining. *Monatshefte fur Veterinarmedizin Heft*, **27**: 941-943.
- Schirmeister, J. (1964):** Determination of creatinine in serum. *Dtsch. Med. Wschr*, **89**: 1940.
- Schothorst, M. Van (1969):** Antibiotics residues in slaughter animals. Ph. D. Thesis, Utrecht Univ. Netherlands.
- Shah, P. M. (1989):** The role of quinolones in staphylococcal infection . *J of Chemother.*, **1** (4): 253-256.
- Shakaryan, G. A. and Sevyan, T, K. (1973):** Persistence of penicillin in chicken meat byproducts. *Biologicheskii Zhurnal Armenii*, **26** (2): 106
- Shalit, I (1991):** Immunological aspects of new quinolines. *Eur. J. of Clin. Microbiol. and Infec Dis.*, **10**: 262-266.
- Shalit, I.; Barnea, A. and Shahar, A. (1989):** Efficacy of ciprofloxacin against leptospira interrogans serotype icterohaemorrhagiae. **33**: 5, 788-789.
- Sharma, P. K.; Ahmad, A. H.; Varma, R. Ahuja, V.; Pardeep, K. and Singh, K. P. (2006):** Tissues residues of enrofloxacin and its active metabolite ciprofloxacin in broilers. *Ind J. Vet. Med.*, **26** (2): 114-116.
- Shasha, B.; Lang, R.; and Rubinstein, E. (1992):** Therapy of experimental murine brucellosis with streptomycin, Co. trimoxazole ciprofloxacin, ofloxacin, perfloxacin, doxycycline and rifampin. *Antimic. Agen. and Chemother.*, **36** (5): 973-976.

- Sherlock, S. (1989):** Disease of the liver and biliary system. 30-338
Alders Press Oxford. Pp. 17-22.
- Siegel, D.; Huber, W. G. and Enloe, F. (1974):** Continuous non
therapeutic use of antibacterial drugs in feed and drug resistance
of the Gram-negative enteric flora of food producing animals.
Antimicrob. Agent. Chemother., **6**: 697-701.
- Singh, C. S.; Singh, S. D.; Jayachandran, C.; Akhtar, M. H. and
Singh, M. K. (2001):** Kinetics and distribution of ciprofloxacin
in biological fluids of goats after intramuscular administration.
Ind. J. of Ani. Resch., **35**, (2): 116-119.
- Smith, J. T. (1984a):** Awakening the slumbering potential of the 4-
quinolone antibacterials. *Pharm. J.* **233**: 299-305.
- Smith, J. T. (1984b):** Chemistry and mode of action of 4-quinolone
agents. *Fortschrittdes Antimikrobiellen und Antineoplastischen
chemotherapie.* **3**: 493-508.
- Snedecor, G. W. and Cochran, W. G. (1980):** Statistical methods. 6th
Ed., Iowa State University press. Ames, USA.
- Soback, S.; Van den Hoven, S. and Paape, M.(1994):**
Effect of norfloxacin nicotinate on leukocyte function in vitro
and in vivo. Proceeding of the 6th Congress of the European
Association for Veterinary Pharmacology and Toxicology.
Edinburg, Scotland. pp. 239.
- Sobhy, H. M. (1997):** Comparative investigation of ofloxacin and
doxycycline on cytogenic and biochemical analysis in rats. *Egy. J.
Comp. Path. And Clin. Path.*, **10** (2): 105-117.

- Stern. J. and Lewis, W. H. P. (1957):** Determination of calcium in serum. *Clin. Chem. Acta*, **2**: 576.
- Stipkovits, L. (1988):** Studies on the efficacy of Baytril in chickens after experimental infection with *Mycoplasma gallisepticum* and *E.coli*. *Vet. Med. Rev.*, **59** (2): 103-107.
- Tanaka, M.; Sato, K.; Kimura, Y.; Hayakawa, L.; Osada, Y. and Nishino, T. (1991):** Inhibition by quinolones of DNA gyrase from staphylococcus aureus. *Antimic. Agent. and Chemother.*, **35**(7): 1489-1491.
- Tanner, A. C.; Davidson, J. N.; Odor, E. M. Quories, C. L.; Lautz, C.A. and Migaki, T. T.(1992):** Efficacy of danafloxacin against induced colisepticemia in broiler chickens. *Proc. 19th World's Poultry Congress*, Amsterdam 19-24. Sept: 1992.
- Tarbutton, P. N. and Gunter, C. R. (1974):** Determination of cholesterol in serum. *Clin. Chem.*, **20**, 724.
- Tartaglione, T. A.; Raffalovich, A. C.; Poynor, W. J.; Espinel. Inogross, A. and Kerkerling, T. M. (1986):** Pharmacokinetics and tolerance of ciprofloxacin after sequential increasing oral doses. *Antimic. Agent. and Chemother.*, **29**: 62-66.
- Tarter, F. E. M. (1986):** The effect of commonly used chemotherapeutic agents on the blood constituents in chickens. Ph.D. Thesis. Fac. Vet. Med. Cairo Univ.
- Tawfik, A. E.; Soeb, H. A.; Bishop, S. J.; Al-Shammary, F. J. and Shibl, A. M. (1990):** Influence of new quinolones on normal immune capabilities. *J. of Chemother.*, **2** (5): 300-305.

- Taylor, K. E. C. (1966):** Toxic residues in meat products. Proc. 9th Ann. Meat U. S. Livestock Saint. Asc., pp. 294.
- Thompson, R. B. (1977):** In disorders of the blood, 1st (ed), Chuchill Livingston, Edinburgh.
- Thompson, M. I. B.; Russo, M. E.; Matsen, J. M. and Alkon, E. (1981):** Piperacillin pharmacokinetics in subjects with chronic renal failure. *Antimicro. Agent. Chemother.*, **19**: 450-453.
- Tietz, N. W. (1976):** Fundemental of Clinical Chemistry, Sunders, Phladilphia, Sec. Edit., 876.
- Tietz, N. W. (1983):** Clinical guide to Laboratory Tests, p. 384 W.B. Saunders Co., Philadelphia
- Tietz, N. W. (1995):** Clinical guide for Laboratory Tests. 3rd ed. AACC.
- Topel-Berg, V. W. (1960):** Action of antibiotics and sulphonamide on transaminase of animal tissue. *Antibiotiki*, **5** (2): 80.
- Tras, B.; Bas, A. L. and Oguz, H. (1993):** Experimental studies in the withdrawal time of enrofloxacin from milk. *Vet FukDer., Selcuk Univ.* **9** (2): 13-14.
- Tsubosaki, M.; Irie, Y.; Ito, K.; Handa, J.; Ezrka, H.; Kumagai, M.; Suzuki, A.; Yamashita, K.; Matsuda, A. and Koroha, N. (1979):** Toxicological studies on pepleomycin sulphate. II subacute toxicity of pepleomycin sulphate in rats. *Jap. J. Antibiot.*, **31** (12): 738.

- USDA, United State Department of Agriculture. (1974):** Antibiotic Residues. Determination of antibiotic residues in animal tissues. Microbiology Laboratory Guide book, APHIS, USDA.
- Waffia, H. A. (1989):** Some chemotherapeutic residues in chicken carcasses and their effect on public health. Ph. D. Thesis. Zag. Univ.
- Walker, R. D.; Stein, G. E.; Hauptman, J. G.; MacDonald, K. H.; Budsberg S. C. and Rosser, E. J. (1990):** Serum and tissue cage fluid concentrations of ciprofloxacin after oral administration of the drug to healthy dogs. *Am. J. Vet. Res.*, **51**: 896-900.
- Walker, R. C. and Wright, A. J. (1991):** The fluoroquinolones. *Mayo Clin. Proc.*, **66**: 1249-1252.
- Walser, K.; Gandrofer, B.; Steinberger, A.; Treitinger, E. and Winter, T. (1993):** Studies of antibacterial activity and pharmacokinetics of enrofloxacin (Baytril) in lactating cow.
- Wieliczko, A.; Mazurkiewicz, M. and Zalesinski, A. (1991):** Efficacy some chemotherapeutics in controlling salmonellosis in poultry. *Weterynaria*, **49**: 5-107.
- Wolfson , J. S. and Hooper, D. C. (1985):** The fluoroquinolones: structures, mechanism of action and resistance spectra of activity *in-vitro*. *Antimic. Agent. Chemother.*, **28**: 581-586.
- Wuilleret, A. (1973):** Antibiotics in meat. *Euroviande Courier des Abattoirs*, **14** (75): 34.

- Xie Kaizhou, Pu Shijin; Zhang Yumei; Wang Zhiyue; Zha Ngjun; Gong DaoQing and Zhao Whnli (2002):** Phamacokinitica of ciprofloxacin following intravenous and oral administration in broiler chickens. *Chin. J. of Vet. Sci.*, **22**: 617-619.
- Yonova, I. (1971):** Studies on thermal resistance of tetracycline and oxytetracycline residues in eggs and poultry meat. *Vet. Med. Nauki*, **10**: 75-82.
- Young, D. S.; Pestamer, L. G. and Gibberman, P. (1975):** Effects of drugs on clinical laboratory tests. *Clin. Chem.*, **21**: 246D-248D.
- Younis, A.; Aziza, M. M.; Naguib, M. and Abd-ElAziz, E, S, (1997):** Pharmacokinetics, efficiency and tissue residues of enrofloxacin in *Oreochromis niloticus* infected with *Vibrio anguillarum*. *Vet. Med. J. Giza*, **45** (1): 75-85.
- Youssef, S. (2005):** Clinicopathological studies on the effect of jojoba seeds (*Simmodsia chinesis*) as antibacterial agent and immunostimulant in chickens. Ph. D. Thesis Fac. Vet. Med. Suez Canal Univ.
- Zeiler. H. J.; Peterson, U.; Gau, W. and Ploschke, H. J. (1987):** antibacterial activity of the metabolites of ciprofloxacin and its significance in the bioassay. *Arzneimittel-Forschang* **37**:131-134.
- Ziv, G.; Nouws, J. F. M.; Groothuis, D. G. and Vav Miert, A. M. (1975):** Oral absorption and bioavailability of ampicillin derivatives in calves. *Am. J. Vet. Res.*, **38** (7): 1007.

- Zweerink, M. M. and Edison, A. (1986):** Inhibition of *Micrococcus* lateus DNA gyrase by norfloxacin and 10 other quinolone carboxylic acids. *Antimicrob. Agent. Chemother.*, **29** (4): 598-601.