

References

- Abdallah, A. and Adindani, A., (1963):** Stratigraphy of Upper Paleozoic rocks of the western side of the Gulf of Suez. Geol. Surv. Egypt. Paper No. 25, 18 p.
- Abdel Mogheth, S.; Abdel Daiem, A and Hammad, F., (1985):** Hydrogeological remarks on Gharandal basin, Southwest Sinai Peninsula. Desert Inst. Bull., A.R.E., Vol. 35, No. 2, pp. 309-329.
- Aggour. T.A.O.,(1999):** Priorities of flood insurance, Gulf of Aqaba region, southeast Sinai, Egypt. Desert. Inst. Bull., Egypt. 49, No. 2, pp. 371-400.
- Allam, A. and Khalil, H. (1988):** Geology and stratigraphy of Arif El Naqa area, Sinai, Egypt. Egypt. Jour. Geol., Vol. 32, pp. 199-218.
- Al Far, D.A. (1966):** Geology and coal deposits of Gebel El Maghara, Northern Sinai Geol. Survey. Egypt, 55p.
- Arkin, Y. and Brann, M., (1965):** Type section of Upper Cretaceous formation in the northern Nagev (southern Israel); Geol. Survey Isr., stratigraphic section Za, 19 p.
- Awad, G.H. (1946):** On the occurrence of marine Triassic (Maschelkalk) deposits in Sinai. Bull. Inst. Desert. Egypt, 27, pp. 397-429.

- Awad, G.H. and Fawze, I.M.A. (1956):** The Cenomanian transgression of Egypt. Desert Inst.. Bull, Egypt, 6 (1), pp. 168-184.
- Ball, J., (1916):** The geology and geography of west central Sinai Egypt survey. Dept., Cairo, 219p.
- Ball, J., (1937):** The water supply of Mersa Matruh. Survey and Mines dept. paper no. 42, Cairo, A.R.E., Cairo, 18 p.
- Bartove, Y., Lewy, Z., Steinitz, G., and Zak, I. (1980):** Mesozoic and Tertiary stratigraphy, paleogeography and structural history of Gebel Arif El Naqa, Eastern Sinai. Israel Jour. of Earth Sci., Vol. 29, pp. 114-139.
- Benson (1959):** channel slope factor in flood frequency analyses, proe. Am. Soc. Civil. Engrs. i. hydraulics. Div. vol. 85, pp. 1-9.
- Beadnall. H. J.L., (1905):** THE RELATION OF THE Eocene and cretaceous systems
- Boukhary , M. and Abd El Malik, W., (1983):** Revision of the stratigraphy of the Eocene deposits. Egypt. Njb. Geol. Palant. Mh. H. 6 Stuttgart, pp. 321-337.
- Chebotarev,I. I., (1955):** Metamorphism of natural waters in the crust of weathering . geochem. Cosmochim. Acta, 8, part I: 22-48 pp., part II137-170 PP. AND PART iii 198-212 PP.

- Eaton, F.M. (1950):** Significance of Carbonates in irrigation waters. Soil sci., vol. 69, No. 2, pp. 123-133.
- Egyptian geological survey and mining authority (1986):** Limestone and dolomite in Egypt Accommodity package, internal report, 76 p.
- El Ghazawi, M.M., (1989):** Hydrogeological studies in northeast Sinai, Egypt. Ph.D. thesis, fac. Sci., Mansoura Univ. A . R. E, 290 P.
- El Milahi, S.S.M., (1994):** Petrological and Geochemical studies on carbonates of Late Cretaceous- Lower Eocene of Gebel Libini, North Sinai, Egypt. M.sc. thesis, Fac. of Sci., El Azhar Univ. Cairo. Egypt, 138p.
- El Rakaiby, M.L., (1989):** Drainage basins and flash flood hazard in selected parts of Egypt. J. Geol. V. 33, NO. 1-2, PP. 307- 323.
- Emberger, L. (1955):** Aquifer due Nord- Desert Ecologic vegetate compet rendu de recheiches: plant Ecology Review of research, paris, Unesco.
- El Shazly, E.M.,; Abdel Hady,M.A.; El Ghawaby, M.A.; El Kassas,I.A., and El Shazly, M.M., (1974):** Geology of Sinai peninsula from ERT Satellites image. Remote sensing research project. Academy of Scientific Research and Technology. Cairo . Egypt.

- El Shazly, E.M. (1977):** The geology of Egyptian region. In Nairn, E.M., Kanes, W.H. and Stehli, F.G., eds. The Ocean basins and margins. 4A, pp. 379-444. (Plenum press).
- Farag, I. A. M. and Shata, A.A (1954):** Detailed geological survey of El Minshera area. Bull. Inst. desert, Egypt, vol. 4, no. 2, pp. 5-82.
- Farag, I. A. M. and Omar, S. (1955):** On the occurrences of marine Middle Jurassic deposits at Gebel El Minshera, north Sinai, Egypt, extraite du bull. Del. inst. du desert d, Egypt, Tom v, No. 1.
- Ghorab, M.A. (1961):** Abnormal stratigraphic features in the Ras Gharib field. 3rd Arab Petrol. Conger., Alexandria, II, 10 p.
- Garfunkel, Z. and Bartove, Y. (1977):** The tectonics of the Suez rift. Geol. Surv. Israel. Bull. 71, 44 p.
- Geological survey of Egypt (GSE):** Geological map of Sinai, scale 1: 250,000. Geol. Surv. Egypt, Cairo. Egypt
- Gregory, K.J. and Willing, d.e. (1973):** Drainage Basin form and process, New York, Halasted Press Div. of John Wiley and sons 456 P.
- Hagget, P. (1956):** Locational Analysis In Human Gegraphy, Edward Arnold ltd, London, 339 P.

- Hammad, F. A. (1980):** Geomorphological and hydrogeological aspects of Sinai Peninsula. 5th Africa conference, A.R.E., Ann. Geol. Surv. Egypt, Vol. 10, pp. 807-817.
- Hassanin, A.m., (1997):** Geological and Geomorphological impact on the water resources in the Central Sinai, Egypt. Ph.D thesis Fac. Sci. Ain Shams Univ. 373 P.
- Horton, R. E., (1945):** Erosion development of streams and their drainage basins: hydrophysical approach to quantitative morphology. Geol. Soc. Am. Bull. Vol. 56 pp. 275-370.
- Horton, R. E., (1932):** Drainage basin characteristics. Trans. Am. Geophys. Union. Vol. 13. pp. 350-361.
- Hume, W. F., (1906):** The topography and geology of peninsula rocks. Egypt. Surv. Dept. Cairo, 280 p.
- Issar, A., (1982):** groundwater flow system in arid crystalline province of southern Sinai. J. hydrol. Sci., vol. 27, No. 3, pp. 309-325.
- Issawi, B., El Hinnawi, M., Francis, M. and Mazhar, A. (1998):** The Phanerozoic of Egypt, a geodynamic Approach. Egypt. Geol. Surv., Special pub. No. 76, 462 p.

- Japan International Cooperation Agency (JICA) (1992):** North Sinai groundwater resources; study in the Arab Republic of Egypt. Final report submitted to the research institute for water resources, ministry of public works and water resources, Cairo, Egypt, 207 p.
- Jenkis, D.A., Harms, J.C. and Oesleby, T.W. (1982):** Mezozoic sediments Of Gebel Maghara, **Jenkis, D.A.**North Sinai Arab Republic of Egypt. The 6th exploration Seminar, E. G. P. C. Co. Cairo, Egypt, 46p.
- Jenkis, D.A. (1990):** North and Central Sinai, in geology of Egypt, R. said (ed), A.A. Balkeman, pub. Rotterdam, pp. 361-380.
- Kelly, M.L., Dunnorth, G., Floyd, C.S., Forbes, G.A., King,C., Magrava, R.M. and Shaw, D. (1990):** the Jurassic system in northern Egypt, Jour. Petrol. Geol., vol 13, No. 4, pp. 397- 420.
- Khalil, S.M., Khawasik, S.M. and El Ghawaby, M.A.(1992):** Utility of carbonate rocks in Gebel Yelleq area, north Sinai, proc. 3rd. conf. geol. Sinai Development, Ismailia, pp. 223-228.
- Kuss, J. (9187):** Interpretation of **upper** cretaceous and lower tertiary facies Patterns from limestone- dominated sequence in northern Egypt. Current research in African earth sciences, Matheis and Schandelmeier (eds), Balkema Rotterdam, pp. 195-198.

- Lewy, Z. (1973 and 1975):** The geological history of southern Israel and Sinai during the Coniacian. *Isr. J. Earth Sci.*, Vol. 24, p. 19 - 43.
- Maxwell, J.C., (1955):** The bifurcations ratio in Horton's Law of stream numbers (abstract). *Trans. Am. Geophys. Union*. Vol. 36, 520 p.
- Melton, M.A., (1957):** An analysis of the relation among elements of climate, surface properties and geomorphology. Technical office of national research, geography branch project NR. Pp. 389- 442, Columbia Univ., New York.
- Melton, M.A., (1958):** the geomorphology and photogeological studies of the raltlands: photogramettic engineering Vol. 16, pp. 722-744.
- Miller, V.C., (1953):** A quantitative geomorphic study of drainage basin characteristics in the Clinch Mountain area. Virginia and Tennessee, project NR3 P9-042, Tech Rept. 3, Columbia Univ., Geol. Dept., ONR, Geography Branch, New York, 30p.
- Mustafa, A.R., and Khalil, M.H. (1989):** North Sinai structures and tectonic evaluation Middle East Reearch Center, Ain Shams Univ., Earth Sci. ser., Vol. 3, pp. 215-231.
- National Academy of Science and National Academy of Engineering (1972):** Water quality criteria: Protection Agency: Washington, D.C., 594 p.

- Orbson, J. F. (1970):** Drainage density in drift-covered basins, Jour. Hydro. D.V., Amer. Soc. Civ. Engrs, vol. 96, (HYI), pp. 183-192.
- Patton, P.C. (1988):** Drainage basin morphometry and flood. In flood Geomorphology; P.C. Patton. Wiley Intr. Publ. pp. 51-64.
- Philip, G., Abu El Ela, N.M., Abdel Gawad, G.I. and Aly, M.F. (1988):** Facies and paleontology of the Albian rocks of Gebel Man Zour, Maghara area, North Sinai, Egypt, Jour. Geol., Vol. 32, 1-2, pp. 173-197.
- Piper, A.M., (1953):** A graphic procedure in the geochemical interpretation of water analysis. U.S. Geol. Surv. Groundwater, Note 12.
- Rainwater, F.H. and Thatcher, H., (1960):** Methods of collection and analysis of water samples. Geol. Surv., water supply paper, No. 1454, Washington.
- RIWR (Research institute of groundwater resources), (1993):** Sinai water resources study, phase II, final report, A.R.E., Ministry of public works and water resources, 218 p.
- Saad, K.F., El Shamy, S.Z. and Sweiden, A.S. (1980):** Quantitative Analysis of the Geomorphology and Hydrology of Sinai peninsula, Ann. Geol. Surv. Egypt, vol. 10, pp. 819-836.

- Sadek, K.F., El-Shamy, I.Z. and Sweidan, A.S., (1980):** Quantitative analysis of the geomorphology and hydrology of Sinai Peninsula. Am. Geol. Surv. Egypt. Vol. x, pp. 819-836.
- Said, R., (1962):** The geology of Egypt. Elsevier pub. Co. Amsterdam 377 p.
- (1971):** Exploration notes to accompany the geologic map of Egypt. Egypt. Geol. Surv. No. 56, 123p.
- **(1990):** The geology of Egypt. (ed), A.A. Balkema, Pub. Rotterdam, 734 p.
- Schlumberger (1984):** well Evaluation conference, Cairo. Egypt, 181 p.
- Schumm, S.A.(1956):** Evaluation of drainage systems and slopes in badlands at Perth Amboy. New Jersey, Soc. Amer. Bull. Geol.soc., v. 67, pp. 596-646.
- Shabana, A.R.(1999):** Geology of water resources in some catchment areas draining in the Gulf of Aqaba, Sinai, Egypt: PhD. Thesis, Fac. Sci., Ain Shams Univ., Cairo, Egypt, 261 p.
- Shata, A. (1956):** Structural development of the Sinai peninsula, Egypt. Bull. Inst. desert, Egypt, 6 (2), pp. 117-157.

- (1959)**: Groundwater and geomorphology of the northern sector of wadi El Arish Basin. Bull. Soc. Geograph., Egypt, vol. 32, pp.247-262.
- (1960)**: The geology and Geomorphology of El Qusaima area. Bull. Soc. Geograph. Egypt, pp. 95-146.
- Shata, A. and Surial, G. (1946)**: Geological report on the Gebel Halal structure, northern Sinai. Rept. Standard Oil Co. Egypt (Arch. Nat. research center, F: 8), 12 p.
- Sulin, V.A., (1946)**: oil water in the system of natural groundwater, Gost.opichezd at, Mouscow, USSR. 215P.
- Smith, K.G., (1950)**: standers for graiding texure of erosional topography. Am. J.sci., vol. 248, pp. 655-668.
- (1958)**: Erosional processes and landforms in badlands national monuments, south Dakota: geol. Soc. America Bull. 69, pp. 975 -1008.
- Sneh, A. (1982)**: Drainage systems of the Quaternary in north and central Sinai with emphasis on Wadi El Arish. Z.Geomorph. N.F., Berlin, Stuttgart, Vol. 26, pp. 179-195.

- Strahler, A.N., (1954):** Quantitative geomorphology of erosional landscapes, C.R.19th. Intern. Geol. Cong. Algiers, 1952, sec. 13pt.3, pp. 341-354.
- Thies, C.V., (1953):** The relation between the lowering piezometric surface and the rate and duration of discharge of well using groundwater storage. Trans. American geophys. Union, Vol. 16, pp. 519-524.
- Toy, T.J. and Hadley, R.F. (1987):** Geomorphology and Reclamation of Disturbed Lands. Academic press, Inc., John Wiley and Sons, New York, pp. 289-343.
- U.S Public Health Service (1962):** "Drinking Water Standard U.S. Public Health Service, Publ. 1956.
- U.S. Salinity laboratory staff (1954):** Diagnosis and improvement of saline and alkaline soils. U.S. Dept. Agri. Handbook, vol. 60, Washington, D.C., pp. 1- 60.
- Visser, W.A. (1941):** Geological report on Gebel Yelleq area, north central Sinai, Egypt. Un publ. Report, standard Oil Co., 21 p.
- Walton, W.C., (1970):** Groundwater resources evaluation. McGraw- Hill, New York, U.S.A.

- Weissbord, T. (1970):** The Paleozoic Outcrops in southern Sinai and their correlation with these of Southern Israel in the Paleozoic of Israel and the adjacent countries Geol. Surv. Israel. Bull, No. 47pt.2, 23p.
- Wilcox, L.V., (1948):** THE quality of water for irrigation use. U.S. Dep. Agri. Tech. Bull. No. 962, Washington, D.C., 40 P.
- World health Organization (WHO), 1971):** International standards for drinking water : Geneva World Health Organization, 70 p.
- Youssef, M.I. (1949):** Stratigraphical studies in Quseir area. Bull. Inst. Desert. Egypt., 7(2), pp. 35-54
- (1957):** Upper Cretaceous rocks in Kossier area. Bull., Inst. Desert. Egypt, V. 7 (2), pp. 35- 54.
- (1969):** Structural pattern of Egypt and its interpretation. Am. Assoc. part. Geol. Bull., Vol. 52, no. 4, pp. 601- 614.
- Zaghloul, E.A. (1981): Preliminary report field mission no. 181/1, Wadi Feran, Gulf of Suez. Camp. 1-15.**
- Ziko, A.; Darwish, M and Eweda, S. (1993):** Late cretaceous- Early Tertiary stratigraphy of the Themed area, East Central Sinai, Egypt- N. jb. Geol. Palont. Mh., (1993) (3): pp. 135- 149, stuttgart.

