## **CONTENT**

	Page
LIST OF TABLES	-
LIST OF FIGURES	
LIST OF ABBREVIATIONS	-
INTRODUCTION	1
AIM OF THE WORK	3
REVIEW OF LITERATURE	4
* HCV Virology	4
* Epidemiology of HCV	8
*Immunopathogenesis of HCV	19
* Acute hepatitis C virus	26
* Chronic hepatitis C virus	28
* Chronic hepatitis C virus with normal ALT	32
* Laboratory Diagnosis of Hepatitis C virus	39
* Treatment of patients with chronic HCV and PNALT	45
* Biopsy of the liver	47
* Histopathological interpretation of liver biopsy in chronic hepatitis.	61
PATIENTS AND METHODS	75
RESULTS	82
DISCUSSION	
SUMMARY AND CONCLUSION	
RECOMMENDATIONS	
REFERENCES	
ARABIC SUMMARY	-

## **LIST OF TABLES**

No. of	Table	
Table		
	TABLE OF REVIEW	
1	The principal indications for Liver Biopsy.	48
2	Absolute and relative contraindications to Liver Biopsy.	50
3	HAI for Numerical Scoring of Liver Biopsy Specimens.	64
4	Modified HAI grading: necroinflammatory scores.	66
5	Modified staging: architectural changes, fibrosis and cirrhosis.	67
6	Example of conventional verbal and semi-numerical liver biopsy report.	69
7	Staging hepatic fibrosis: Most often used scoring systems.	72
	TABLE OF RESULTS	
1	Distribution of patients according to different stages of hepatic fibrosis.	82
2	Characteristics of patients according to the stage of fibrosis and grade of necroinflammtory changes.	83
3	Characteristics of patients according to the stage of fibrosis and degree of steatosis.	84
4	Characteristics of patients according to stage of fibrosis and changes in normal alanine aminotransferase level.	85
5	Characteristics of patients according to the stage of fibrosis and sex.	86
6	Characteristics of patients according to the stage of fibrosis and HCV RNA level.	87

No. of Table	Table	Page
7	Characteristics of patients according to the stage of fibrosis and blood transfusion.	88
8	Characteristics of patients according to $(X \pm SD)$ of age and stage of fibrosis.	89
9	Characteristics of patients according to the grade of necroinflommatory changes and degree of steatosis.	90
10	Characteristics of patients according to the grade of necroinflammatory changes and changes in normal alanine aminotransferase level.	91
11	Characteristics of patients according to $(X \pm SD)$ of age and grading of necroinflammatory changes.	92
12	Characteristics of patients according to the grade of necroinflommatory changes and sex.	93
13	Characteristics of patients according to the grade of necroinflommatory changes and blood transfusion.	94
14	Characteristics of patients according to grading of necroinflammatory changes and HCV RNA level.	95
15	Characteristics of patients according to $(X \pm SD)$ of age and degree of steatosis.	96
16	Characteristics of patients according to degree of steatosis and sex.	97
17	Characteristics of patients according to degree of steatosis and blood transfusion.	98
18	Characteristics of patients according to degree of steatosis and changes in alanine aminotransferase level.	99

No. of Table	Table	Page
19	Characteristics of patients according to degree of steatosis and HCV RNA level.	100
20	Characteristics of patients according to $(X \pm SD)$ of age and changes in normal alanine aminotransferas level	101
21	Characteristics of patients according to changes in normal alanine aminotransferase level and sex	102
22	Characteristics of patients according to changes in normal alanine aminotransferase level and blood transfusion.	103
23	Characteristics of patients according to changes in normal alanine aminotransferase level and HCV RNA level.	104
24	Characteristics of patients according to $(X \pm SD)$ of age and HCV RNA level.	105

## **LIST OF FIGURES**

No. of	Figures	Page
figure	rigures	
	FIGURE OF REVIEW	
1	Molecular anatomy of the HCV version.	4
•	Suggested spatial distribution of the structural and	E
2	nonstructural proteins of HCV.	5
3	Algorithm for the evaluation of histological activity.	70
	Figure OF RESULTS	
4	Distribution of patients according to different stages of	02
1	hepatic fibrosis.	82
	Characteristics of patients according to the stage of	02
2	fibrosis and grade of necroinflammtory changes.	83
	Characteristics of patients according to the stage of	0.4
3	fibrosis and degree of steatosis.	84
	Characteristics of patients according to stage of fibrosis	0.5
4	and changes in normal alanine aminotransferase level.	85
	Characteristics of patients according to the stage of	0.6
5	fibrosis and sex.	86
	Characteristics of patients according to the stage of	07
6	fibrosis and HCV RNA level.	87
	Characteristics of patients according to the stage of	00
7	fibrosis and blood transfusion.	88
0	Characteristics of patients according to the grade of	00
8	necroinflommatory changes and degree of steatosis.	90
9	Characteristics of patients according to the grade of	
	necroinflammatory changes and changes in normal	91
	alanine aminotransferase level.	

No. of figure	Figures	Page
10	Characteristics of patients according to the grade of necroinflommatory changes and sex.	93
11	Characteristics of patients according to the grade of necroinflommatory changes and blood transfusion.	94
12	Characteristics of patients according to grading of necroinflammatory changes and HCV RNA level.	95
13	Characteristics of patients according to degree of steatosis and sex.	97
14	Characteristics of patients according to degree of steatosis and changes in normal alanine aminotransferase level.	98
15	Characteristics of patients according to degree of steatosis and blood transfusion.	99
16	Characteristics of patients according to degree of steatosis and HCV RNA level.	100
17	Characteristics of patients according to changes in normal alanine aminotransferas level and sex	102
18	Characteristics of patients according to changes in normal alanine aminotransferase level and blood transfusion.	103
19	Characteristics of patients according to changes in normal alanine aminotransferase level and HCV RNA level.	104

## **LIST OF ABBREVIATIONS**

ADCC	Antibody Dependent Cellular Cytotoxicity
ALK	Alkaline phosphates
ALT	Alanine Aminotransferase
ANA	Anti nuclear antibody
AST	Aspartate Aminotransferase
САН	Chronic Active Hepatitis
СРН	Chronic Persistent Hepatitis
CTL	Cytotoxic T-Lymphocyte
DM	Diabetis Mellitus
EDTA	Ethylene Diamine Tetro Acetic Acid
ELISA	Enzyme Linked Immunosorbant Assay
ERCP	Endoscopic Retrograde Cholangio Pancreatography
ESR	Erythrocyte Sedimentation Rate
HAI	Histological Activity Index
HBC	Hepatitis B Surface Core
HBSAg	Hepatitis B Surface Antigen
HBV	Hepatitis B Virus
НСС	Hepatocellular Carcinoma
HCV	Hepatitis C Virus
HCV-Ab	Hepatitis C Virus Antibody
HCVAg	Hepatitis C Virus Core Antigen
HD	Haemodialysis Core

HIV	Human Imunodefficiency Virus
INF- 60	Interferon Gamma
INR	International Normalization Ratio
IRES	Internal Ribosomes Entery Site
LN	Lobular Necrosis
МНС	Major Histocompatibility Complex
MRC	Magnetic Resonance Cholangiography
NANBH	Non A non B Hepatitis
NCR	Non Coding Regions
NIH	National Institute of Health
NK	Natural Killer Cell
ORF	Open Reading Frame
PBC	Primary Biliary Cirrhosis
PCR	Polymerase Chain Reaction
PMN	Piecemeal Necrosis
PNALT	Persistently Normal Alanine Aminotronsverase
PSC	Primary Sclerosing Cholangitis
RT-PCR	Reverse Transcriptase Polymerase Chain Reaction
SPSS	Statistical Package For Social Science
SVR	Sustained Virological Response
TNF - α	Tumor Necrosis Factor Alpha
ULN	Upper Limit of Normal
UTR	Untraslated Region