

---

---

**REFERENCES**

---

**ACR (2001):** ARC standard for performing and interpreting diagnostic ultrasound examinations, Reston, Va: American College of Radiology. p1

**Alberrrts, B; Bray, D; Lewis, J (1994) :** Germ Cells and Fertilization Sperm. In: Albert B, Bray D, Lewis J, Raff M, Roberts K, Watson JD, et al., editors. Molecular Biology of the Cell. 3. New York, NY: Garland Publishing; 1994. p. 978.

**Arai T, Kitahara S, Horiuchi S, Sumi S and Yoshida K (1998):** Relationship of testicular volume to semen profiles and serum hormone concentrations in infertile Japanese males. Int J Fertil Womens Med; 43: 40-7.

**Brackett NL, Lynne CM and Aballa TC (2000):** Sperm motility from the vas deferens of spinal cord injured men is higher than from the ejaculate. J Urol;164 (3 ): 712-715.

**Bannister LH and Dyson P (1995):** Reproductive organs of the male. In: Williams SP, Lawrence HB, Berry HM, Collin SP, Dyson P, Dussek JT, Mark WJ (Eds.) Grey's anatomy, (38th ed). Churchill, Livingstone, Britian. pp. 1847-1861.

---

## *References*

---

**Brooks JD (2002):** Anatomy of the lower urinary tract and male genitalia. In Walsh PC, Retik AB, Vaughan ED and Wein AJ (Eds.) . Campbell's urology (8th ed). Philadelphia, Pennsylvania, WB. Saunders. P.41-80.

**Blaivas M and Brannam L (2004):** Testicular ultrasound Emerg Med Clin North Am ; 22 :723–48.

**Buch JP, Tindal DL, and Rowley DR (1991):**Sertoli cell structure and function in vivo and in-vitro. In: Lipshultz LI, Howards SS (eds.).Infertility in the male (2nd ed) St. Louis, Mosby-Year Book, pp. 54-83.

**Cochlin D (2006):** The scrotum. In: Urogenital ultrasound: A text atlas. 2<sup>nd</sup> edition. Cochlin, Dubbins, Goldberg and Halpren (editors). Tylor & Francis, London, UK. p.183-242 .

**Comhaire FH, Vermeulen L and Schoonjans F (1987):**

Reassessment of the accuracy of traditional sperm characteristics and adenosine triphosphate (ATP) in estimating the fertilizing potential of human semen in vivo. Int J Androl. (5):653-62.

## *References*

---

- Demuren O, Adebayo S and Althogafi M (2001):** Gray Scale and Doppler ultrasound of normal testis and extra testicular structures. West Afr. J. Med. 20: 7-12.
- Dewbury K (2000):** Scrotal Ultrasonography an update. BJU Int; 86: 143-52.
- Diamond DA, Paltiel HJ, DiCanzio J, Zurakowski D, Bauer SB, Atala A, et al.(2000) :** Comparative assessment of pediatric testicular volume: orchidometer versus ultrasound. J Urol; 164: 1111–4.
- Dogra VS , Gottlieb RH, Oka M and Rubens DJ (2003):** Sonography of the Scrotum. Radiol; 227:18-36.
- Foresta C, Enrico M, Andrea G, Maurizio O and Onisto Alberto F (1999):** Y Chromosome microdeletion in cryptorchidism and idiopathic infertility. J. Clin. Endocrinol Metab 84:360-365.
- Fretz P and Sandlow J (2002):** Varicocele: current concepts in pathophysiology, diagnosis and treatment. Urol. Clin. N. Am; 29: 921-937.
- Gerscovich E (1997):** High resolution ultrasonography in diagnosis of scrotal pathology I: Normal scrotum and benign disease. J. Clin. Ultrasound; 21 :355-359
-

## *References*

---

***Giwerzman A and Petersen PM (2000):*** Cancer and male infertility.

Baillieres Best Pract. Res. Clin. Endocrinol. Metab; 14(3): 453-471.

***Gray H (2000):*** Reproductive organs of the male. In: Williams SP,

Lawrence HB, Berry HM, Collin SP, Dyson P, Dussek JT, Mark WJ

(Eds.): Anatomy of the Human Body. Grey's anatomy. Philadelphia:

Lea & Febiger. Downloaded from Bartleby.com, 2000.

www.bartleby.com 107/.at 23/4/2005.

***Guo R, Yu Z, Guan J, Ma J, Li, S Wang S, Xue S and Han D (2004):***

Stage-specific and tissue-specific expression characteristics of

differentially expressed genes during mouse spermatogenesis. Mol.

Reprod; 67(3):264-272.

***Hangiandreou N (2003):*** Physics tutorial for residents. Topics in US: B

mode US: basic concepts and new technology. Radiographics ;

23:1019–1033.

***Harold E (2006):*** The abdomen and pelvis. In: Clinical anatomy: A revision

and applied anatomy for clinical students. 7th edition. Harold E

(editor). Blackwell Science, London, UK. p55-124

***Harris GC and Nicholson WF( 1998):*** Characterization of the biological

effects of neurohypophysial peptides on seminiferous tubules. J.

Endocrinol; 156:35-42.

## References

---

**Harting JK (1999):** UWMS Histology Atlas. Downloaded from <http://www.medsch.wisc.edu/anatomy/histo/htm/tmalebas.htm> at 5/6/2005.

**Hinman F (1995):** Normal surgical anatomy. In: Thomas AJ and Nagler HN (eds.): Atlas of surgical Management of Male Infertility. Igaku-Shoin, New York, p. 9-20.

**Holstein AF, Maekawa M, Nagano T and Davidoff MS (1996):** Myofibroblasts in the lamina propria of human seminiferous tubules are dynamic structure of heterogenous phenotype. Arch. Histol. Cytol; 59:109-125.

**Horstman W, Middleton W, Melson G and Siegel B (1991):** Color Doppler US of the scrotum. Radiographics; 11: 941–957.

**Jacobsen KD, Theodorsen L and Fossa SD (2001):** Spermatogenesis after unilateral orchiectomy for testicular cancer in patients following surveillance policy. J. Urol. 165(1): 93-6.

**Jarow JP, Ogle A, Kasper S and Hopkins M (1992):** Testicular artery ramification within the inguinal canal. J Urol; 147:1290-92.

**Jequier AM (2000):** Anatomy and physiology of the male genital tract, The history and clinical examination of the infertile man, obstructive lesions of the male genital tract, primary testicular disease: A

## *References*

---

common cause of male infertility and endocrine causes of infertility in the male. In: Jaquire AM (Ed.): Male infertility a guide for the clinician. (1st Edt.) Blackwell Science. London. 8-180.

***Johnson K, Dewbury K (1996):*** Ultrasound imaging of the appendix testis and appendix epididymis. Clin. Rad; 1996; 51: 335-337

***Jones RE (1997):*** Adult female and male reproductive system, Sexual differentiation In: Jones R E (Ed.): Human reproductive biology. (2nd ed). Academic Press.San Diego. California. pp. 3-158.

***Kabay S, Yucel M, Ozden H, Yaylak F, Ozbek O, and Gumusalan Y (2008):*** Magnetic Resonance Imaging Is a Complementary Method to Stereological Measurement of Testicular Volume. UROLOGY.

***Koji Shiraishi, Hiroshi Takihara, Yoriaki Kamiryo and Katsusuke Naito (2005):*** Usefulness and limitation of punched-out orchidometer in testicular volume measurement. Asian J Androl; 7 (1): 77–80.

***Lenz S, Thomsen JK, Giwercman A, Hertel NT, Hertz J and Skakkebaek NE (1994):*** Ultrasonic texture and volume of testicles in infertile men. Hum Reprod; 9: 878-81.

***Lunstra DD, Wisea T H and Forda J J (2003):*** Sertoli Cells in the Boar testis: Changes During Development and Compensatory

## *References*

---

Hypertrophy after Hemi castration at different ages. *Biol. Reprod*; 68:140–150.

**McAhran SE, Dogra V and Resnick MI (2005):** Office Urologic Ultrasound. *Urol Clin North Am*; 32: 337–52.

**McClure R and Hricak H (1986):** Scrotal ultrasound in the infertile man: detection of subclinical unilateral and bilateral varicoceles. *J. Urol*; 135: 711-715.

**McMinn RMH (1990):** Anatomy of the abdomen and pelvis. In: McMinn RMH (ed.): *Last's Anatomy*. London, Churchill, Livingstone. p. 305.

**Meacham R, Townsend R, Rademacher D and Drose J (1994):** The incidence of varicoceles in the general population when evaluated by physical examination, grey-scale sonography, and colour Doppler sonography. *J. Urol*; 151: 1535-1538

**Middleton WD and Bell MW (1993):** Analysis of intratesticular arterial anatomy with emphasis on transmediastinal arteries. *Radiol*; 189:157.

**Middleton WD and Fitzgerald SW (1995):** Color Doppler imaging of the scrotum and penis. In: Taylor KJW, Burns PN and Wells PNT

## **References**

---

(Eds.): Clinical applications of Doppler ultrasound (2nd ed). Raven Press. pp. 179-202.

**Mihmanli I, Kurugoglu S, Cantasdemir M, Zulfikar Z, Yilmaz M and Furuzan N (2000):** Color Doppler ultrasound in subclinical varicocele: an attempt to determine new criteria. Europ. J. Ultraasound ; 12: 43–48

**Mruk DD and Cheng CY (2004):** Sertoli-Sertoli and Sertoli-germ cell interactions and their significance in germ cell movement in the seminiferous epithelium during spermatogenesis. Endocrin. Rev; 25 747–806.

**Nieschlag E (2000):** Scope and goals of andrology. In: Nischlag E and Behre HM (Eds.): Andrology male reproductive health and dysfunction (2nd ed). Berlin, London, Paris, Tokyo, Springer Verlag. pp.1-8.

**Olesen H (1948) :** Mortologic spermatozoa testis undersogelser. Munksgaard, Copenh-Agen.

**Paltiel H., Diamond D., DiCanzio J., et al (2002):** Testicular volume: comparison of orchidometer and US measurements in dogs. Radiology; 222: 114-119.

---

## *References*

---

**Petros J, Andriole G and Middleton W (1991):** Correlation of testicular color Doppler ultrasonography, physical examination and venography in the detection of left varicoceles in men with infertility. *J Urol*; 145: 785-787.

**Pierik FH, Dohle GR, van Muiswinkel JM, Vreebrug JT and Weber RF.(1999):** Is routine scrotal ultrasound advantageous in infertile men? *J. Urol*; 162: 1618–1620.

**Pourbagher M, Guvel S, A Pourbagher and F Kilinc (2003):** Intratesticular varicocele: Report of two cases. *Inter. J. Urol*; 10:231-223.

**Prader A (1966):** Testicular size: assessment and clinical importance. *Triangle* ;7: 240–243.

**Ragheb D and Higgins J (2002):** Ultrasonography of the Scrotum. Technique, anatomy, and pathologic entities. *J Ultrasound Med*; 21: 171–185.

**Raymond H (2002):** Scrotal ultrasound. *Eur. Radiol*; 12:19–34.

**Rivkees S.A., Hall D.A., Boepple P.A., et al (1987):** Accuracy and reproducibility of clinical measures of testicular volume. *J Pediatr*; 110: 914-917.

## *References*

---

***Sakamoto H, Saito K, Oohta M, Inoue K, Ogawa Y, and Yoshida H (2007)***

:Testicular Volume Measurement: Comparison of Ultrasonography, Orchidometry, and Water Displacement. UROLOGY ; 69: 152–157.

***Sakamoto H, Ogawa Y, and Yoshida H (2008):*** Relationship Between

Testicular Volume and Varicocele in Patients With Infertility. UROLOGY 71: 104 –109.

***Schatte EC, Orejuela FJ and Lipshultz LI (2000):*** Treatment of infertility

due to anejaculation in the male with electroejaculation and intracytoplasmic sperm injection. J. Urol; 163 (6): 1717-1720.

***Schlegel PN and Chang TSK, (1992):*** The testis, epididymis and ductus

deferens. In: Walsh, PC, Retik AB, Stamy TA and Vaurghan ED (eds.): "Campbell's Urology". Philadelphia, W.B. Saunders Co. pp. 1254.

***Sellars ME and Sidhu PS (2003):*** Ultrasound appearances of the testicular

appendages: pictorial review. Eur Radiol; 13(1): 127-35.

***Setchell B.P and Brooks D.E. (1998):*** Anatomy, vasculature, innervation

and fluids of the male reproductive tract. In: Knobil E., Neill J.D.,

## *References*

---

ed. The Physiology of Reproduction, Raven Press New York: 753-836.

***Shiraishi K, Takihara H, Kamiryo Y and Naito K (2005)*** : Usefulness and limitation of punched-out orchidometer in testicular volume measurement. Asian J Androl ; 7 (1): 77–80.

***Siegel M (1997)***: The acute scrotum. Radiol. Clin. North Am; 35:959-976.

***Sigman M and Jarow JP (2002)***: Male infertility. In Walsh PC, Retik AB, Vaughan ED and Wein AJ (Eds.): Campbell's urology (8th ed). Philadelphia, Pennsylvania, WB. Saunders . P. 1475-531.

***Sinnatamby CS (1999)***: "The abdomen."In: Sinnatamby CS (Ed). Last's Anatomy regional and applied (10th ed). London, Churchill livingstone. P.215-320.

***Skinner MK (2005)***: Sertoli cell secreted regulatory factors. In: Skinner MK & Griswold MD (eds.): Sertoli Cell Biology. San Diego: Elsevier Science pp. 107–120.

***Snell S (1986)***: Anatomy of the pelvis in: Snell SR (Ed.): Clinical anatomy for medical students. (3rd ed). Little Brown Company. pp. 172-173.

***Takihara H, Sakatoku J, Fujii M, Nasu T, Cosentino JM and Cockett ATK (1987)***: Significance of testicular size measurement in

---

## *References*

---

andrology. I.A new orchidometer and its clinical application. *Fertile steril*; 39:836-840.

***Taranger J.(1976):*** Evaluation of biological maturation by means of maturity criteria. *Acta Paediatr Scand Suppl.* (258):77-82.

***Tasci AI, Resim S, Caskurlu T, Dincel C, Bayraktar Z and Gurbuz G et al (2001):***Color doppler ultrasonography and spectral analysis of venous flow in diagnosis of varicocele. *Eur Urol* ; 39(3): 316-21.

***Tetsuo M, Poth M and Markey S (1982):*** Melatonin metabolite excretion during childhood and puberty. *J. Clin. Endocrinol. Metab*; 55: 311-313.

***Thrush A and Hartshorne T (2005):*** Introduction In: *Peripheral Vascular Ultrasound*. 2<sup>nd</sup> edition, Elsevier, London, UK. p. 2-12 .

***Trainer TD (1992):*** Testis and the excretory duct system. In: Sternberg S (ed.): *Histology for pathologists*. New York, NY: Raven.744-746.

***Wald M, Lewin LM, Shochat L, Vigodner M and Golan R (2004):*** Evaluation of sperm samples from infertile men by flow cytometry. *Harefuah*. Jan; 143 (1) :22-25.

***Weinbauer GF, Gromoll J, Simoni M and Nieschlag E (2000):*** Physiology of testicular function In: Nieschlag E and Behre HM (Eds.):

## *References*

---

Andrology male reproductive health and dysfunction (2nd ed).  
Springer-Verlag Berlin Heidelberg New York.pp. 23-61.

**Williams PL and Dyson P (1989):** Anatomy of the pelvis In: Williams PL  
and Dyson P (Eds.): Gray's anatomy (37th ed). Churchill  
Livingstone. pp. 1424-1431.

**Wolverson M, Houttuin E, Heiberg E, Sundaram M and Gregory J  
(1983):** High-resolution real-time sonography of scrotal varicocele.  
AJR; 141: 775-779

**Yachia D. (2007) :** Surgical anatomy of the penis and scrotum. In: Yachia  
D (Ed) : Text Atlas of Penile Surgery. Informa UK Ltd. P 1-7.