

REFERENCES

- ✓ *Abdine, A. S.; 1974:* Oil and gas discoveries in the northern Western Desert of Egypt; 4th Expl. Sem., E.G.P.C. Cairo p. 1-127.
- Abd El-Aziz, M., Moustafa, A. R. and Said, S.; 1998:* Impact of basin inversion on hydrocarbon habitat in the Qarun concession, Western Desert, Egypt; 14th EGPC Expl. & Prod. Conf.; V.1, P. 139-155.
- ✓ *Abu El-Ata, A. S. A.; 1981:* Study on the tectonics and oil potentialities of some cretaceous-Jurassic Basins, Western Desert, Egypt, using geophysical and subsurface data; ph. D. Thesis, Fac. Of Scien. Ain Shams Univ., 568 p.
- Abu El-Ata, A. S. A.; 1987:* The role of structure activations and the stratigraphic manifestations in the origin of the Qattara Depression, Western Desert, Egypt, using gravity modelling; E.G.S. Proc. Of the 5th Ann. Meet. Cairo, P. 90-110.
- Abu El-Ata, A. S. A.; 1988:* The relation between the local tectonics of Egypt and the plate tectonics of the surrounding regions using geophysical and geological data; E.G.S. Proc. of the 6th Ann. Meet. Maech, p. 92-112.
- ✓ *Alpern, B.; 1969:* Le pouvoir réflecteur des charbons Français Applications et repercussions sur la théorie de A. Duparque; Ann. Soc. Geol. Nord. 89 P. 143-166.
- ✓ *Alpern B.; 1980:* Pétrographie du kérogène, in: Kerogen Insoluble Organic Matter From Sedimentary Rocks (B. Durand, ed.), Editions Technip, Paris, pp.339-371.
- Baker, D. R. and Clypool, G. E.; 1970:* Effect of an incipient metamorphism on organic matter in mud rock; AAPG. Bull., Vol. 45 P. 456-467.
- ✓ *Beadnell, H. J. L.; 1905:* The relations of the Eocene and cretaceous systems in the Esna-Aswan reach of the Nile Valley; Quart. J. Geol. Soc., London, pp: 667-678.

- ✓ *Bostick, N. H.; 1979: Microscopic measurements of the level of catagenesis of solid organic matter in sedimentary rocks to aid exploration for petroleum and to determine former burial temperatures-a review; Soc. Econ. Paleontol. Mineral. Spec. Publ. pp: 17-43.*
- ✓ *Burgess, J. D.; 1974: Microscopic examination of kerogen (dispersed organic matter) in petroleum exploration; Geological Society of American Special Paper 153, pp:19-30.*
- ✓ *Combaz, A.; 1975: Essai de classification des roches carbonées et des constituents organiques des roches sédimentaires, in: Pétrographie de la Matière Organique des Sédiments, Relations avec la Paléotempérature et le Potential (B. Alpern, ed.), Editions du Centre National de La Recherche Scientifique, Anatole, pp:93-101.*
- ✓ *Connon, J.; 1974: Time temperature relation in oil genesis; AAPG. Bull. Vol. 58 No. 8 P. 1422-1436.*
- ✓ *Dow, W. C.; 1977: Kerogen studies and geological interpretation Jour; Geochem Expl. Vol. 7, p. 79-99.*
- ✓ *Eloui, M. and Abbine, S.; 1972: Rock unit correlation chart of the Northern Western Desert, Egypt; WEPCO.*
- ✓ *Espitaile, J. Laporle, L., Madec, M., Marquis, F., Leplat, P., Paulet, J. and Boutefeu, A.; 1977: Methode rapid de caracterisation des rocks meres, de leur potential petroleir et leur degree devolution; Rev. Inst. Fr., Petrol., Vol. 32, P. 23-42.*
- ✓ *Espitalie, J., Deroo, G. and Marquis, F.; 1985: Rock Eval Pyrolysis and its application. Inst. Fr. Preprint 33578, 72 P.*
- ✓ *Hantar, G.; 1990: North Western Desert: Chapter 15, The Geology of Egypt, edited by R. Said; A.A. Bulkema/Rotterdam/Brook Field/P. 293-319.*
- ✓ *Hood, A. and J. R. Castane; 1974: Organic metamorphism: Its relation to petroleum generation and application to studies of authigenic minerals; united Nations Escap ccod Committee for coordination of joint prospecting for mineral Resources in Asian offshore Areas]; Technical Bull. Vol. 8, P. 85-118.*

Hood, A., C. C. M. Gutjaha and R. L. Heacock; 1975: Organic metamorphism and the generation of petroleum; AAPG. Bull. Vol. 59, P. 986-996.

Hunt, J. H.; 1979: Petroleum geochemistry and geology; San Francisco; W. H. Freeman Company; 617 P.

page
216

Landes, K. K.; 1966: Eometamorphism Can determine oil floor oil and gas in time and space; AAPG. Bull. Vol. 51, P.828-841.

Lopatin, N. V.; 1969: The main stage of petroleum formation (in Russian); I₂V. Akad. Nauk SSR. Ser. Geol, P. 69-76.

Lopatin, N. V.; 1971: Temperature and geologic time as factors in coalification (in Russian), Akad. Nauk. SSSR Irv. Ser. Geol., No.3, P. 95-106.

Massoud, M. S. and Kinghorn, R. R. F.; 1985: A new classification for the organic components of kerogen, J. Petrol. Geol., pp: 85-100.

McCarthy, J. T., Teichmiller, M.; 1972: Classification of coals according to degree of coalification by reflectance of the vitrinite component; Fuel 51, P. 64-68.

Mesherf, W. M. and El-Sheikh, M. A.; 1973: Magnetic tectonic trend analysis in northern Egypt; J. Geol., Vol. 17, No. 2, pp. 179-184.

Meshref, W. M.; 1982: Regional structural setting of Northern Egypt; 6th E.G.P.C. Exploration Seminar, Cairo, Egypt, V.1, pp. 17-34.

Meshref, W. M. and El-Siraffee, A. M.; 1988: Geophysical interpretation of the regional structural setting of Abu Gharadig Basin, northern Western Desert; E.G.S., Cairo (under publication).

Mohsen, S., Naggar, A. and Taher, M.; 1973: Geologic setting of the Western Desert during the Cretaceous time; Internal Report of G.P.C.

Mosheir, S. and D. Waples; 1985: Quantitative evaluation of lower Cretaceous; Mannville Group as a source for Alberta's oil sands; AAPG. Bull. Vol. 69 No. 2 p. 161-172.

✓ *Mukhopadhyay, P. K., Hagemann, W. H. and Gormly, J. R.; 1985: Characterization of kerogens as seen under the aspect of maturation and hydrocarbon generation, Erdöl Kohle, Erdgas, Petrochem., pp: 7-18.*

✓ *Norton, P.; 1967: Rock-stratigraphy nomenclature of the Western Desert, Egypt; Unpublished Report, E. R., 557 p.*

✓ *Oehler, J.; 1982: Using geothermal gradient to estimate the source rock quality; AAPG Memoir 42.*

✓ *Omara, S. and Ouda; 1972: Review of the lithostratigraphy of the Oligocene and Miocene and Miocene in the Northern Western Desert; 8th Arab Petrol. Congr., Algiers.*

✓ *Ower, J.; 1980: Elements of geochemistry Rob; Int. Ltd. Ty'ny-coed llyanths, landudno LL 30 ISA, North Wales. UK.*

✓ *Passey, Q. R., Greaney, J. B., Kulla, F.J., Moretti and Stroud, J. D.; 1990: A practical Model for organic richness from porosity and Resistivity Logs. AAPG. Bull. Vol. 74, P. 1777-1794.*

✓ *Peters, K. E.; 1986: Guidelines for evaluating petroleum source using programmed pyrolysis. AAPG Bull. Vol. 70, P. 318-329.*

✓ *Potonie, H.; 1908: Die rezenten Kaustobiolithe und ihre Lagerstätten: Die Sapropeliten, Hbh. Kgl. Preuss. Geol. Landesanstalt, New Series, 1 (55), P. 361-392.*

✓ *Price, L. C. Daws, T. and Pawlewicz M.; 1986: Organic metamorphism in the lower Mississippian-Upper Devonian Bakken Shales part. 1, Rock evaluation using pyrolysis and vitrinite reflectance; Jour. Pet Geol., Vol. 9, No. 2, P. 125-162.*

✓ *Said, R.; 1961: New light on the origin of the Qattara Depression; Bull. Soc. Geograph. Egypt, V. 33, P. 37-44.*

✓ *Said R.; 1962: The geology of Egypt; New York; Elsevier 377P.*

✓ *Said, R.; 1990: The geology of Egypt; A;A. Ballkema/Rotterdam/ Brookfield.*

✓ *Saxby, J. D.; 1982: A reassessment of the range of kerogen maturities in which hydrocarbon are generated, J. Petrol. Geol. pp: 117-123*

✓ *Schlumberger; 1984: Well Evaluation Conference; Cairo, Egypt, P. 1.19-1.34.*

✓ *Senfite, J. T. and Landis, C. R.; 1991: Vitrinite reflectance as a tool to assess thermal maturity, in : Source migration process and evaluation techniques, (R. R. Merrill, ed.) AAPG Treatisa of Petroleum Geology, AAPG, Tulsa, OK, pp. 119-126.*

✓ *Soliman, M. S. and El Badry, O.; 1970: Nature of cretaceous sedimentation in Western Desert, Egypt; AAPG. Bull. Vol. 34 No. 12, P. 2349-2370.*

✓ *Stach., Chandra, D., Machowsty, M., Taylor, G., Teichmüller, M. and Teichmüller, R.; 1982: Stach's textbook of coal petrology, Gebnider Bontraeger, Berlin.*

✓ *Staplin, F. L.; 1969: Sedimentary organic matter, organic metamorphism, and oil and gas. Occurrences; Bull. Can. Petrol. Geol. 17, P. 47-66.*

✓ *Tammam, M. T.; 1996: Basin Modeling of Qarun and W.Qarun area and its implication on hydrocarbon generation, Western Desert, Egypt; Proc. 13th EGPC, petroleum Conference, Vol. 2, P.433-446.*

✓ *Teichmiüller, M.; 1971: Anwendurg Kohlenpetrographischer Methoden beider Errolund Erd gas prospektion; Erdöl U. Kohle 24, P. 69-76.*

✓ *Teichmiüller, M. and Ottenjann, K.; 1977: Liptinite und lipoide stoffe in einem Erdolmuttergestein; Erdöl, Erdgas, Petrochem., pp: 387-398.*

✓ *Thomas, B. M.; 1979: Geochemical analysis of hydrocarbon occurrence, Northern. Perth basin Australia; AAPG, Bull. Vol. 63, P. 1092-1107.*

- ✓ *Tissot, B. P., and Pelet, R.; 1971: Nouvelles donnees sur les mecanismes de genese de migration d petrole: Simulation mathematique et application à la prospection in: Proceedings of the 8th world petroleum congress, Vol. 2. Applied Science Publishers, London, PP. 35-46.*
- ✓ *Tissot, B. P. and Welte, D. H.; 1978: Petroleum formation and occurrence. Springer, Verlag, Berlin, Heidelberg, New York, 538P.*
- ✓ *Tissot, B. P. and Welte, D. H.; 1984: Petroleum formation and occurrence; 2nd edition. Springer, Verlag, Berlin, Heidelberg, 699P.*
- ✓ *Van Eysinga, F. W.; 1978: Geological time scale; Amsterdam the Netherlands Elsevier Co.*
- ✓ *Van Gijssel, P.; 1981: Application of the geomicrophotometric kerogen, solid hydrocarbon and crude oils to petroleum exploration, in: Organic Maturation Studies and Fossil Exploration (J. Brooks, ed.), Academic Press, London. pp: 351:377.*
- ✓ *Vassoevich, N. B., Koechagina, Y. L., Lopatin, N. V. and Chernichen, V. V.; 1969: The main phase of oil generation; Moscow State Univ. Ser. Geol. No. 6P. 66-69.*
- ✓ *Waples, D. W.; 1980: Simple method for oil source bed evaluation. AAPG. Bull. Vol. 63, P. 239-245.*
- ✓ *Waples, D. W.; 1985: Geochemistry in petroleum exploration. International Human Resources Development Corporation, Boston, 232P.*
- ✓ *Welte, D.; 1974: Recent advances in organic geochemistry of humic substances and kerogen, in: Advances in Organic Geochemistry 1973 (B. Tissot and F. Biennier, eds.), Editions Technip, Paris, PP. 3-14.*
- ✓ *Welte, D. H. and Yukler, M. A.; 1981: Petroleum origin and accumulation in basin evolution; AAPG. Bull. Vol. 65 P. 1387-1396.*