

References

A:

Courouce A.M. and L.O. Magnius. (1994).

Complete genomes, phylogenetic relatedness, and structural proteins of six strains of the hepatitis B virus, four of which represent two new genotypes. *Virology* 198: 489-503.

Abravva K., Huff J., Marshall R., Merchant B., Mulle3n C., Schneider G., and Robinson J., (2003).

Molecular diagnosis as diagnostic tools, technology and
Clin chem. Lab Med., 41 (4): PP 468-474.

Angello V., Chung R.T., Kaplan L. M. (1992).

A role for hepatitis C virus infection in type II cryoglobuloemia. *N Eng I J med.* 327: 1490-1495.

Aki ABe, Kazuaki Inoune, Takeshi Tanaka, Junko Kato. (1999).

Quantitation of hepatitis B virus genomic DNA by REAL-TIME PCR.
Journal of clinical Microbiology 37: 2899-2903.

Alestig, E., Hannoun, C., Horal, P. & Lindh, M. (2001).

Phylogenetic Origin of Hepatitis B Virus Strains with Precore C-1858 Variant. *Journal of Clinical Microbiology* 39, 3200-3203.

Alexopoulou A., Karayiannis P., Hadziyannis S.J., Aiba N., Thomas H.S. (1997). Emergence and selection of HBV variants in an anti-HBe

positive patient persistently infected with quasi-species. *Hepatology*; 26; 748-753.

Aljarallah B.M., (2006). Hepatitis B genotyping and its clinical implications; 12:146-148

- Andre F. (2000).** Hepatitis B epidemiology in Asia, the Middle East and Africa. *Vaccine.18 Suppl (1):S20-522*
- Arauz _Ruiz, P., Norder, H., Visona, K.A. & Magnius L.O. (1997).** . Genotype F prevails in HBV infected patients of Hispanic origin in central America and may carry the precore stop mutant. *Journal of medical virology 51, 302-312.*
- Argentini, c., La sorsa, V., Bruni, R., D' Ugo, E., Guiseppetti, R.& Rapicetta, M. (1999).** Hepadnavins evolution and molecular strategy of edapation in a new host. *Journal of general virology 80, 617-626.*
- Argentini, c., La sorsa, V., Bruni, R., D' Ugo, E., Guiseppetti, R.& Rapicetta, M. (1999).** Hepadnavins evolution and molecular strategy of edapation in a new host. *Journal of general virology 80, 617-626.*
- Arya M., Shegill I.S., Williamson M., Gommersall L., Arya N. and Patel H.R. (2005).** Basic principles of real time quantitative PCR. *Expert Rev Mol Diagn, 5 (2): PP. 209-219.*
- Ashton-Rickardt, P. G., Murray, K. (1989).** Mutants of the hepatitis B virus surface antigen that define some antigenically essential residues in the immunodominant a region. *Journal of Medical Virolog 29, 196-203.*

B:

- Bahn, A., Gerner, P., Martine, U., Bortolotti, F. & Wirth, S. (1997).** Detection of different viral strains of hepatitis B virus in chronically infected children after seroconversion from HBsAg to anti-HBs indicating viral persistence. *Journal of Hepatology 27, :973-978.*

- Bancroft, W. H., Mundon, F. K. & Russell, P. K. (1972).** Detection of additional antigenic determinants of hepatitis B antigen. *Journal of Immunology* 109,842-848.
- Beasley, R. P., Hwang, L. Y., Lin, C. C. & Chien, C. S. (1981).** Hepatocellular carcinoma and HBV. Aprospective study of 22707 men in Taiwan. *Lancet* 2, 1129-1133.
- Blackberg, J. & Kidd- Ljunggren, K. (2000a).** Genotypic differences in the hepatitis B virus core promoter and precore sequences during seroconversion from HBeAg to anti-HBe. *Journal of medical virology* 60, 107-112
- Blackberg, J. & Kidd-Ljunggren, K. (2000b).** Occult hepatitis B virus after acute self-limited infection persisting for 30 years without sequence variation. *Journal of hepatology* 33, 992-997.
- Blackberg, J., Braconier, J. H., Widell, A. & Kidd-Ljunggren, K. (2000).** Long-term outcome of acute hepatitis B and C in an outbreak of hepatitis in 1969-72. *European Journal of Clinical Microbiology & Infection Diseases* 19, 21-26.
- Blumberg B.S., Alter, H. J. &visnich S. (1965).** A 'new' antigen in leukemia sera. *Journal of the American medical Association* 191, 541-546.
- Bollyk, P. L. & Holmes, E. C. (1999).** Reconstructing the complex evolutionary history of hepatitis B virus. *Journal of molecular evolution* 49, 130-141.
- Bollyky, P. L., Rambaut, A., Harvey, P. H. & Holmes, E. C. (1996).** Recombination between sequences of hepatitis B virus from different genotypes. *Journal of molecular evolution* 42, 97-102.
- Borchani-Chabchoub, I., Gargouri, A., Mokdad-Gargouri, R. (2000).** Genotyping of Tunisian hepatitis B virus isolates based on the sequencing of preS2 and S regions. *Microbes and Infection* 2, 607-612.

Bowyer S.M., Sim J.G. (2000).

Relationships within and between genotypes of hepatitis B virus at points across the genome: footprints of recombination in certain isolates. *Journal of General Virology*. 81(2):379-392.

Bowyer, S. M., Vanstaden, L., Kew, M. C. & Sim J. G. (1997).

A unique segment of the hepatitis B virus group A genotype identified in isolates from south Africa. *Journal of general virology* 78, 1719-1729.

Brechot, C., Pourcel, C., Lousi, A., Rain, B. & Tiollais, P. (1980).

Presence of integrated hepatitis B virus sequences in cellular DNA of human hepatocellular carcinoma. *Nature* 286, 533-535.

C:

Caplin B.E., Rasmussen R.P. Bernard P.S. , Wittwer C.T. (1999).

Light cycler hybridization probes . *Biochemica* 1:5-8.

Carman, W.F., Jacyna, M.R., Hadziyannis, S, Karayiannis, P., McGarvey, M.J., Makris, A. & Thomas, H.C. (1989).

Mutation preventing formation of hepatitis B e antigen in patients with chronic hepatitis B infection. *Lancet* 2, 588-591.

Carr A. and Cooper D.M. (1997).

Restoration of immunity to chronic hepatitis B infection in HIV infected patients on protease inhibitor. *Lancet*; 349: 995-996.

Cavanaugh V.J. Guidotti L.G., Chisari F.V. (1997).

Interleukin-12 inhibits hepatitis B virus replication in transgenic mice. *J virol*. 71: 3236-3234.

Chan H.L., Hussain, M. & Lok, A.S. (1999).

Different hepatitis B virus genotypes are associated with different mutations in the core promoter and precore regions during hepatitis B e antigen seroconversion. *Hepatology*. 29, 976-984

Chang M-H., Chen C-J., Lai M-S. (1997).

Universal hepatitis B vaccination in Taiwan and the incidence of hepatocellular carcinoma in children. *N Eng J Med*; 336: 1855-1859.

Chang, S. F., Netter, H. J., Hildt, E., Schuster, R., Schaefer, S., Hsu, Y. C., Rang, A. & Will, H. (2001).

Duck Hepatitis B Virus Expresses a Regulatory HBx-Like Protein from a Hidden Open Reading Frame. *Journal of Virology* 75, 161-170

Chen B.F., Chen P.J., Jow G.M., Sablon E, Liu C.J., Chen D.S., Kao J.H. (2004). High prevalence of mixed genotype infections in hepatitis B virus infected intravenous drug users. *Journal of Medicine Virology*. 74(4):536-42.

Chisari F.V. (1997). Cytotoxic T cells and viral hepatitis. *J clin Invest* . 99: 1472-1477.

Chun Y.K., Kim J.Y., Woo H.J., Oh S.M., Kang I, H.J., Kim S.S. (2000). No significant correlation exists between core promoter mutations, viral replication, and liver damage in chronic hepatitis B infection. *Hepatology*. 32:1154-1162.

Courouce-Pauty A.M., Plancon A., Soulier J.P. (1983). Distribution of HBsAg subtypes in the world. *Vox Sanguinis* 44, 197-211.

D:

Dane, D.S., Cameron, C.H & Briggs, M. (1970).

Virus-like particles in serum of patients with Australia- antigen-associated hepatitis. *Lancet* I, 695-698.

Devesa M., Rodriguez C., Leon G., Liprandi F., Pujol F. H., (2004).

Clade analysis and surface antigen polymorphism of hepatitis B virus American genotypes. *J Med Virol*. 72: 377-384.

Ding, X., Mizokami, M., Yao, G., Xu, B., Orito, E., Veda, R. & Nakanishi, M. (2001). Hepatitis B virus genotype distribution among chronic hepatitis B virus carriers in shanghai, china. *Intervirology* 44, 43-47.

Du Bios D.B., Walker peach C.R., Winkler M.M., Pasloske B.L. (1999). Standards for PCR assa in: *Innis MA, Gelfand DH and snksky JJ (eds) PCR applications: protocols for functional genomics: San Diego, London, Boston, Academic press: PP. 197-209.*

F:

Fields H.A, Davis CL., Bradley DW and Maynard JE. (1983).

Experimental conditions affecting the sensitivity of enzyme-linked immunosorbent assay (ELISA) for detection of hepatitis B surface antigen (HBsAg). *Bull WHO*; 61: 135-142.

Feitelson M.A. (1994).

Biology of hepatitis B virus variants. *Lab Invest*; 71: 324-349.

Ferrari C., Chisari F.V., Fiaccadori F. (1994). The cellulae immune response to hepatibts B virus infection . In: *Viral hepatitis Ato F: an uPdate. Chicago: American Association for the Study of Liver diseases.*

Flodgren, E., Bengtsson, S., Knutsson, M., Strebkova, E. A., Kidd, A. H., Alexeyev, O. A. & Kidd-Ljunggren, K. (2000).

Recent high incidence of fulminant hepatitis in Samara, Russia: molecular analysis of prevailing hepatitis B and D virus strains. *Journal of Clinical Microbiology* 38, 3311-3316.

Foroni L., Potter M.N. and Hoffbrand A.V. (1997).

Molecular approaches to the investigation of minimal residual disease in acute lymphoblastic leukemia. *Rev clin Exp Hemtol*, 3: PP.28.

Friedt, M., Gerner, P., Lausch, E., Trubel, H., Zabel, B. & Wirth, S. (1999). Mutations in the basic core promotor and the precore region of hepatitis B virus and their selection in children with fulminant and chronic hepatitis B. *Hepatology*. 29, 1252-1258.

Funk ML, Rosenberg DM, Lok ASF. (2002).

World-wide epidemiology of HBeAg-negative chronic hepatitis B and associated precore and core promoter variants. *J Viral Hepat*. 9:52-61.

G:

Galibert, F., Chen, T. N. & Mandart, E. (1982). Nucleotide sequence of a cloned woodchuck hepatitis virus genome: comparison with the hepatitis B virus sequence. *Journal of Virology* 41, 51-65.

Gandhe S.S., Chadha M.S., Arankalle V.A. (2003). Hepatitis B virus genotypes and serotypes in western India: lack of clinical significance. *J Med Virol*. 69:324-330.

Ganem D. and Schneider R. J. (2001). Hepadnaviridae: the viruses and their replication. In: *Knipe DM, Howley PM, eds. Fields virology, 4th ed. Vol. 2. Philadelphia. Lippincott Williams and Wilkins*, 2923-69.

Ganem, D. & Varmus, H. E. (1987). The molecular biology of the hepatitis B viruses. *Annual Review of Biochemistry* 56, 651-693.

Georgi-Geisberger, P., Berns, H., Loncarevic, I. F., Yu, Z. Y., Tang, Z. Y., Zentgraf, H. & Schroder, C. H. (1992). Mutation on free and integrated hepatitis B virus DNA in a hepatocellular carcinoma; Footprints of homologous recombination. *Oncology* 49, 386-395.

Gerner, P. R., Friedt, M., Oettinger, R., Lausch, E., Wirth, S. (1998). The hepatitis B virus seroconversion to anti-HBe is frequently associated with HBV genotype changes and selection of preS2-defective particles in chronically infected children. *Virology*. 245, 163-172

- Giles RE, Butgess C, Gilmore M, Perry KR and Parry JV. (1999).**
An evaluation of the bioelisa HBsAg colour assay (Product code:3000-1130/31). *Medical Devices Agency Evaluation Report MDA/99/68*.
- Girones, R. & Miller, R. H. (1989).** Mutation rate of the hepadnavirus genome. *Virology* 170, 595-597.
- Govindarajan S., Chin K.P., Redeker A.G., Peters R.I. (1984).**
Fulminant B viral hepatitis: role of delta agent. *Gastroenterology*. 86: 1417-1420.
- Grandjacques, C., Pradat, P., Stuyver, L., Chevallier, M., Chevallier, P., Pichoud, C., Maisonnas, M., Trepom C. & Zoulim, F. (2000).**
Rapid detection of genotypes and mutations in the pre-core promoter and the pre-core region of hepatitis B virus genome: correlation with viral persistence and disease severity. *Journal of Hepatology* 33, 430-439.
- Grethe, S., Heckel, J. O., Rietschel, W. & Hufert, F. T. (2000).**
Molecular Epidemiology of Hepatitis B Virus Variants in Nonhuman Primates. *Journal of Virology* 74, 5377-5381.
- Guilevin L., Lhote F., Cohen P. (1995).**
Polyarteritis nodosa related to hepatitis B virus: a prospective study with long-term observation of 41 patients. *Medicine*; 74: 238-253.
- Gunther S., Sommer G., Von Breunig F., Iwańska A., Kalinina T., Sternek M., Will H. (1998).** Amplification of full length hepatitis B virus genome from samples from patients with low levels of viremia: Frequency and functional consequences of PCR introduced mutations. *J clinical microbiology* 36: 531-538.
- Gunther, S., Sommer, G., Iwanska, A. & Will, H. (1997).**
Heterogeneity and common features of defective hepatitis B virus genomes derived from spliced pregenomic RNA. *Virology* 238, 363-371.

Gust, I. (1984). The epidemiology of viral hepatitis. *In viral hepatitis and liver disease*, pp. 415-421. Edited by G. N. Vyas. Orlando, FL: Grune and Stratton.

H:

Halfon P., Bourliere M., Pol S., Benhumou Y., Ouzan D., (2006).

Multicenter study of hepatitis B virus genotypes in france: correlation with liver fibrosis and hepatitis Be antigen status. *Journal of viral hepatology*. 13 (5): 325-329.

Hannoun, C., Horal, P. & Lindh, M. (2000a). Long-term mutation rates in the hepatitis B virus genome. *Journal of general virology* 81, 74-83.

Hannoun, C., Norder, H. & Lindh, M. (2000b). An aberrant genotype revealed in recombinant hepatitis B virus strains from Vietnam. *Journal of general virology* 81, 2267-2272..

Harpaz R, Von Seidlein L, Averhoff FM, Tormey MP, Sinha SD, Kotsopoulou K, Lambert SB, Robertson BH, Cherry JD, Shapiro CN. (1996). Transmission of hepatitis B virus to multiple patients from a surgeon without evidence of inadequate infection control. *N Engl J Med* 334:549-554.

Harpaz R., Von Seidlein L., Averheff F.M. (1996). Transmission of hepatitis B virus to multiple oatients from a surgeon without evidence of inadequate infection control. *N Engl J Med*. 334: 549-554.

Harpaz, R., Von Seidlein, L., Averhoff, F. M., Tormey, M. P., Sinha, S. D., Kotsopoulou, K., Lambert, S. B., Robertson, B. H., Cherry, J. D. & Shapiro, C. N. (1996). Transmission of hepatitis B virus to multiple patients from a surgeon without evidence of inadequate infection control. *New England Journal of Medicine* 29, 549-554.

Hawkins, A. E., Zuckerman, M. A., Briggs, M., Gilson, R.J., Goldstone, A. H., Brink, N. S. & Tedder, R. S. (1996).

Hepatitis B nucleotide sequence analysis: linking an outbreak of acute hepatitis B to contamination of a cryopreservation tank. *Journal of Virology Methods*. 60, 81-88.

Heerman, K. H. & Gerlich, W. H. (1991). Surface proteins of hepatitis B virus. In *molecular biology of the hepatitis B virus*, pp. 109-143.

Heermann KH, Gerlich WH, Chudy M, Schaefer S, Thomssen R. (1999). Quantitative detection of hepatitis B virus DNA in two international reference plasma preparations. *Eurohep Pathobiology Group. Journal of Clinical Microbiology* 37(1):68-73.

Hou J., Karayiannis P., Waters J., Luo K., Liang C., Thomas H.C. (1995). A unique insertion in the S gene of surface antigen-negative hepatitis B virus Chinese carriers. *Hepatology*; 21: 273-278.

Hu, X., Margolis, H. S., Purcell, R. H., Ebert, J. & Robertson, B. H. (2000). Identification of hepatitis B virus indigenous to chimpanzees. *Proceedings of the National Academy of Sciences, USA* 97, 1661-1664.

Huang Y.H., Wu J.C., Chang T.T., Sheen I.J., Lee P.C., Huo T.I., Su C.W., Wang Y.J., Chang F.Y., Lee S.D. (2003).

Analysis of clinical, biochemical and viral factors associated with early relapse after lamivudine treatment for hepatitis B e antigen-negative chronic hepatitis B patients in Taiwan. *J Viral Hepat.* 10:277-284.

Huang Y.H., Wu J.C., Chang T.T., Sheen I.J., Huo T.I., Lee P.C., Su C.W., Lee SD. (2006). Association of core promoter/precore mutations and viral load in e antigen-negative chronic hepatitis B patients. *J Viral Hepat.* 13(5):336-342.

Hunt CM, McGill JM, Allen MI, Condeelis LD. (2000).

Clinical relevance of hepatitis B viral mutations. *Hepatology*. 31:1037-1044.

J:

Johnson P.T. and Mcfarlane I.G. (1989).

The laboratory investigation of liver disease. *Bailliere Tindall, London.*

Jung M .C., Diepolder H. M., Pape G. R. (1994). T cell recognityion of hepatitis B and C viral antigens. *EUR J Clin. Invest.* 24: 641-650.

K:

Kane M. (1995). Global programme for central of hepatitis B infection. *Vaccine.* 13, suppl 1: 547-549.

Kao, J. H., Chen, P. J., Lai, M. Y. & Chen, D. S. (2000a). Hepatitis B genotypes correlate with clinical outcomes in patients with chronic hepatitis B. *Gastroenterology* 118, 554-559.

Kato H, Ruzibakiev R, Yuldasheva N, Hegay T, Kurbanov F, Achundjanov B, Tuichiev L, Usuda S, Ueda R, Mizokami M. (2002). Hepatitis B virus genotypes in Uzbekistan and validity of two different systems for genotyping. *Journal of Medicine Virology.* 67:477-83.

Kato, H., Orito, E., Sugauchi, F., Ueda, R., Gish, R.G., Usuda, S., Miyakawa, Y. & Mizokami, M. (2001). Determination of hepatitis B viruse genotypes G by polymeras chain reaction with hemi-nested primers. *Journal of virology methods* 98, 153-159.

Kendo K, Makoto N., Takeshi S., Eiji T., Yoshiyuki N. and Seiichi F; (1988). Relation between Hepatitis B viruses deoxyribonucleic acid, HBeAg/ anti- HBe status in serum and HBcAg in liver. *Jpn J. Med* Vol 27, No. 3, 267-270.

Kidd- Ljunggren K. and Simonsen O. (1991). Reappearance of hepatitis B 10 years after Kidney transplantation. *New England Journal of Medicine.* 341, 127-128.

- Kidd-Ljunggren, K., Oberg, M. & Kidd, A. H. (1995).** The hepatitis B virus X gene: analysis of functional domain variation and gene phylogeny using multiple sequences. *Journal of General Virology* 76, 2119-30
- Kidd, A. H. & Kidd-Ljunggren, K. (1996).** A revised secondary structure model for the 3'-end of hepatitis B virus pregenomic RNA. *Nucleic Acids Research* 24, 3295-3301.
- Kidd-Ljunggren, K., Broman, E., Ekvall, H. & Gustavsson, O. (1999).** Nosocomial transmission of hepatitis B virus infection through multiple-dose vials. *Journal of Hospital Infection* 43, 57-62.
- Kidd-Ljunggren, K., Zuker, M., Hofacker, I. L., Kidd, A. H. (2000).** The hepatitis B virus pregenome: prediction of RNA structure and implications for the emergence of deletions. *Intervirology* 43, 154-164.
- Kim S.C., Sinai L.N., Casey R., Pinto- Martin J.A. (1991).** Universal hepatitis M immunization. *Pediatrics*. 95: 764-766.
- Kiobuchi, T., Hitani, A., Nakamura, T., Nojiri, N., Nakajima, K., Jyuji, T. & Twamoto, A. (2001).** Dominance of genotype A HBV in an HBV-HIV-1 dually positive population compared with an HIV-negative counterpart in japan. *Journal of medial vitology* 64, 435-440.
- Klingmuller U., Schallar H., H. (1993).** Hepadnavirus infection requires interaction between the viral pre-S domain and a specific hepatocellar receptor. *J Virol.* 67: 7414-7422.
- Kosaka, Y., Takase, K., Kojima, M., Shimizu, M., Inoue, K., Yoshiba, M., Tanaka, S., Akahane, Y., Okamoto, H., Tsuda, F., Miyakawa, Y. & Mayumi, M. (1991).** Fulminant hepatitis B: induction by hepatitis B virus mutants defective in the precore region and incapable of encoding e antigen. *Gastroenterology* 100, 1087-1094.
- Kramvis A, Kew M, Francois G. (2005)** Hepatitis B virus genotypes. *Vaccine*, 23:2409-2423.

- Kreuzer K.A., Bohn A., Lupberger J., Solasso I.J., Le coutre P., and Schmidt C.A. (2001).** Simultaneous absolute quantification of large and control templates by real time fluorescence reverse transcription-PCR using 4- (4-dimethyl-aminophenylazo) benzoic acid as a dark quencher dye. *Clin chem*, 47: PP. 486-490.
- Kruger M., Boker K.H.W., Zeidler H., Manns N.M.P. (1997).** Treatment of hepatitis B related polyarteritis nodosa with famciclovir and interferon alfa -2b. *J Hepatol*; 26: 935-939.
- Kurgman S. and Giles J. P. (1970).** Viral hepatitis: new light on an old disease. *JAMA*. 212, 1019-1029.

L:

- Lanford, R. E., Chavez, D., Brasky, K. M., Burns, R. B. III & Rico-Hesse, R. (1998).** Isolation of a hepadnavirus from the woolly monkey, a New World primate. *Proceedings of the National Academy Sciences, USA* 95, 5757-5761.
- Lanford, R. E., Chavez, D., Rico-Hesse, R. & Mootnick, A. (2000).** Hepadnavirus Infection in Captive Gibbons. *Journal of Virology* 74, 2955-2959.
- Lau J.Y.N., Wright T.L. (1993).** Molecular virology and pathogenesis of hepatitis B. *lancet*. 342: 1335-1340.
- Le Bouvier, G. L. (1971).** The heterogeneity of Australia antigen. *Journal of Infectious Diseases* 123, 671-675.
- Lee W.M.(1997).** Hepatitis B infection. *New England Journal of Medicine*, 337: 1733-1745.
- Lee W. M. (1993).** Acute liver failure. *N Engl J Med*, 329: 1862-1872.

- Levene, C. & Blumberg, B. S. (1969).** Additional specificities of Australia antigen and the possible identification of hepatitis carriers. *Nature* 221,195-196.
- Li, J. S., Tong, S. P., Wen, Y. M., Vitvitski, L., Zhang, Q. & Trépo, C. (1993).** Hepatitis B virus genotype A rarely circulates as an HBe-minus mutant: possible contribution of a single nucleotide in the precore region. *Journal of Virology* 67, 5402-5410.
- Lieven S., Sija De G., Caroline V. G., Fabian Z. Michael F., Raymond F. and Rudi R. (2000).** Anew genotype of hepatitis B virus: complete genome and phylogenetic relatedness. *Journal of general viology*, 81, 67-74.
- Lindh M., Horal P., Dhillon A.P., Norkrans G. (2000).** Hepatitis B virus DNA levels, precore mutations, genotypes and histological activity in chronic hepatitis B. *J Viral Hepat.* 7:258-267.
- Lindh, M., Hannoun C., Dhillon A. P. Norkrans, G. & Horal, P. (1999).** Core promoter mutation and genotypes in relation to viral replication and liver damage in east asian hepatitis B virus carriers. *Journal ofInfections diseases* 179, 775-782.
- Lisker-Melnan M., Webb D., Di Bisceglie A.M. (1989).** Glomerulonephritis caused by chronic hepatitis B virus infection: tretment with recombinant human alpha-interferon. *Ann Intern Med* 111: 479-483.
- Liu, H.F., Sokal, E. & Goubau, P. (2001).** Wide variety of genotypes and geography origins of hepatitis B vitus in belgian children. *Journal of pediatric gastroenterology and Nutrition* 32, 274-277.
- Löfgren, B., Nordenfelt, E., Lindholm, T. & Lindergard, B. (1982).** A ten-year follow-up of a hepatitis B epidemic in a dialysis unit. *Scandinavian Journal of Infectious Diseases* 14:165-169.

LOK A.S.F., Chung H-T., Liv V.W.S., Ma O.C.K. (1993).

Long-term follow-up of chronic hepatitis B patents treated with interferon alfa. *Gastreterology*; 105: 1833-1838.

Lok, A. S., Akarca, U. & Greene, S. (1994). Mutations in the pre-core region of hepatitis B virus serve to enhance the stability of the secondary structure of the pre-genome encapsidation signal.

Proceedings of the National Academy Sciences, USA 91, 4077-4081.

M:

MacDonal, D. M., Holmes, E. C., Lewis, J. C. & Simmonds, P. (2000).

Detection of hepatitis B virus infection in wild-born chimpanzees (pan troglodytes verus): phylogenetic relationships with human and other primate genotypes. *Journal of virology* 74, 4253-4257.

Magnius L.O., Espmark J.A. (1972). New specificities in Australia antigen positive sera distinct from the le Bouvier determinants.

J. Immunol. 109: 1017-1021.

Mason, W. S., Seal, G. & Summers, J. (1980). Virus of Pekin ducks with structural and biological relatedness to human hepatitis B virus.

Journal of virology 36, 829-836.

Maternal (1994). Hepatitis B screenina practices- California,

Connecticut, Kansas and vented states. *MMWR Morb Mortal WKLY Rep.* 43: 311-317, 320.

Mayerat, C., mantegani, A. & Frei, P. C. (1999). Dose hepatitis B virus (HBV) genotype influence the clinical outcome of HBV infection?

Journal of viral 6, 299-304.

- Mbayed, V. A., Lopez, J. L., Telenta, P. F., Palacios, G., Badia, I., Ferro, A., Galoppo, C. & Compos, R. (1998).** Distribution of hepatitis B virus genotypes in two different pediatric populations from Argentina. *Journal of clinical microbiology* 36, 3362-3365.
- Mc Millan J. S., Bowden D. S., Angus P. W., Mc Caughan G. W., Locarnini S. A., (1996).** Mutation in the hepatitis B virus precore/ core gene and core promoter in patients with severe recurrent disease following liver transplantation. *Hepatology* 24: 1371- 1378.
- McGory R., Ishitani M., Oliveira W., Stevenson W., McCullough C., Pruett T. (1996).** Hepatitis B immune globulin dose requirements following orthotopic liver transplantation for chronic hepatitis B cirrhosis. *Transplant proc.* 28: 1687-1688.
- Micntosh, E. D., Givney, R., Zhang, S.S., Courouce, A. M., Burgess, M. & Cossart, Y. E. (1998).** Molecular epidemiology and variation of hepatitis B in recent immigrant families to Australia. *Journal of medical virology* 56, 10-17.
- Milich D.R., Sallberg M., Maruyama T. (1995).** The humoral immune response in acute and chronic hepatitis B virus infection. *Springer semin Immunopathol.* 17: 149-166.
- Mizokami, M., Nakano, T., Orito, E., Tanaka, Y., Sakugawa, H., Mukaide, M. & Robertson, B. H. (1999).** Hepatitis B virus genotype assignment using restriction fragment length polymorphism patterns. *FEBS Letters* 450, 66-71.
- Mizokami, M., Orito, E., Ohba, K., Ikeyo, K., Lau, J. Y. & Gojobori, T. (1997).** Constrained evolution with respect to gene overlap of hepatitis B virus. *Journal of molecular evolution* 44, 583-590.
- Moradpour D. and Wands J.R. (1995).** Understanding hepatitis B virus infection. *N Eng. J. Med.* 332: 1092-1093.

Morozov, V., Pisareva, M. & Groudinin, M. (2000).

Homologous recombination between different genotypes of hepatitis B virus. *Gene* 260, 55-65.

Muller R. and Young. (1995). Recombinant DNA technology. Emery's Elements of Medical Genetics, 9th edit. *Churchill livingstone*: PP45.

Mutchnick M.G. (1996). Acute and chronic hepatitis B. In: Feldman M, Maddrey WC, eds. *The liver, Philadelphia: current medicine*, 4.1-4.2.4.

Myers T.W. (1999). Recent advances in high temperature reverse transcription in: *Inns MA, Gelfand DH, Snisky JJ (eds): PCR application: Protocols for functional genomics. SanDeigo, London, Boston, Academic press: PP. 141-145.*

N:

Naito H., Hayashi S., Abe K. (2001). Rapid and specific genotyping system for hepatitis B virus corresponding to six major genotypes by PCR using type-specific primers. *J Clin Microbiol.*39:362-364..

Naito H., Hayashi S. & Abe K. (2001)

Rapid and specific genotyping system for hepatitis B virus corresponding to six major genotypes by PCR using type-specific primers. *Journal of Clinical Microbiology* 39, 362-364.

Nakano, T., L.U., L., HU.X., mizokami, M., Orito, E., Shapiro, C., Hadler, S. & Robertson, B. (2001).

Characterization of hepatitis B virus genotypes among Yucpa Indians in venezuela. *Journal of general virology* 74, 1627-1632.

Nassal M., Schaller H. (1996).

Hepatitis B virus replication-an Update. *J viral hepatitis* 3: 217 -226.

Nassal M., (1999). Hepatitis B virus replication novel roles for virus-host interactions. *Intervirology* 42: 100-116.

- Naumann H., Schaefer S., Yoshida C. F., Gaspar, A. M., Repp, R. & Gerlich W. H. (1993).** Identification of a new hepatitis B virus (HBV) genotype from Brazil that expresses HBV surface antigen subtype adw4. *Journal of General Virology* 74, 1627-1632.
- Noguchi A., Hayashi J., Nakashima K., Hirata, M., Ikematsu H. & Kashiwagi S. (1994).** HBSAg subtypes among HBSAg carriers in okinawa, Japan. Evidence of an important relationship in seroconversion from HBeAg to anti-HBe. *Journal of infection* 28, 141-150.
- Norder, H., Hammas, B. & Magnius, L. O. (1991).** Sub typing of HBV at the genomic level by sit- directed amplification. *In viral hepatitis and liver disease, PP 195-199. Edited bS.B. Hollinger. Blatimore: Williams and Wilkins.*
- Norder H., Hammas B., Lofdahl, S., Courouce, A. M. & Magnius, L. O. (1992).** Comparison of the amino acid sequences of nine different serotypes of hepatitis B surface antigen and genomic classification of the corresponding hepatitis B virus strains. *Journal of General Virology* 73, 1201-1208.
- Norder H. Courouce A.M. & Magnius, L.O. (1992).** Molecular basis of hepatitis B virus serotype variations within the four major subtypes. *Journal of General virology.* 73, 3 141-3145
- Norder H., Hammas B., Lee S. D., Bile K., Courouce A. M. & Mushahwar I. K. (1993).** Magnius LO. Genetic relatedness of hepatitis B viral strains of diverse geographical origin and natural variations in the primary structure of the surface antigen. *Journal of General Virology* 74, 1341-1348.

Norder, H., Courouce, A. M. & Magnius, L.O. (1993).

Complete nucleotide sequences of six hepatitis B virus genomes encoding the surface antigen subtypes classification. *Archives of virology supplement 8*, 189-199.

Norder, H., Courouce, A. M. & Magnius, L. O. (1994).

Complete genomes, phylogenetic relatedness, and structural proteins of six strains of the hepatitis B virus, four of which represent two new genotypes. *Virology 198*, 489-503.

Norder, H., Ebert, J. W., Fields, H. A., Mushahwar, I. K. & magnius, L. O. (1996).

Complete sequencing of a gibbon hepatitis virus genome reveals a unique genotype distantly related to the chimpanzee hepatitis B virus. *Virology 218*, 214-223.

O:

Odemuyiwa, S.O., Mulders, M.N., Oyedele, O.I., Olu, S.O., Odaibc, G.N., Olaleye, D.O. & Miller, C.P. (2001).

Phylogenetic analysis of new hepatitis B Virus.

Ogata, N., Miller, R. H., Ishak, K. G. & Purcell, R. H. (1993).

The complete nucleotide sequence of a pre-core mutant of hepatitis B virus implicated in fulminant hepatitis and its biological characterization in chimpanzees. *Virology 194*, 263-276.

Okamoto, H., Imai, M., Kametani, M., Nakamura, T. & Mayumi, M. (1987a).

Genomic heterogeneity of hepatitis B virus in a 54-year-old woman who contracted the infection through materno-fetal transmission. *Japanese Journal of experimental medicine 57*, 231-236.

Okamoto, H., Imai, M., Miyakawa, Y. & Mayumi, M. (1987b).

Site-directed mutagenesis of hepatitis B surface antigen sequence at codon 160 from arginine to lysine for conversion of subtypic determinant from r to w. *Biochem Biophys Research Communications 148*, 500-504.

- Okamoto H., Tsuda F., Sakugawa H., Sastrosoewignjo R.I., Imai M., Miyakawa Y., Mayumi M. (1988).** Typing hepatitis B virus by homology in nucleotide sequence: comparison of surface antigen subtypes. *Journal of General virology*, 69:2575-2583.
- Okamoto H., Tsuda F., Sakugawa H., Sastrosoewignjo R. I., Imai M., Miyakawa Y. & Mayumi, M (1988).** Typing hepatitis B virus by homology in nucleotide sequence: comparison of surface antigen subtypes. *Journal of General Virology* 69, 2575-2583.
- Okamoto H., Omi S., Wang Y., Itoh Y., Tsuda F., Tanaka T., Akahane Y., Miyakawa Y. & Mayumi M. (1989).** The loss of subtypic determinants in alleles, d/y or w/r, on hepatitis B surface antigen. *Molecular Immunology* 26, 197-205.
- Okamoto H., Tsuda F., Akahane Y., Sugai Y., Yoshiba M., Moriyama K. & Tanaka T.(1994).** Hepatitis B virus with mutations in the core promoter for an e antigen-negative phenotype in carriers with antibody to e antigen. *Journal of Virology* 68, 8102-8110.
- Omata M., Ehata T., Yokosuka O., Hosoda K., Ohto M.C. (1991).** Mutations in the precore region of hepatitis B virus DNA in patients with fulminant and severe hepatitis. *N Eng IJ Med* 324: 1699-1704.
- Orito E., Mizokami M., Ina Y., Moriyama E.N., Kameshima N., Yamamoto M., Gojobori T. (1989).** Host-independent evolution and a genetic classification of the hepadnavirus family based on nucleotide sequences. *Proceedings of National Academy of Sciences*, 86: 7059-7062.
- Orito, E., Ichida, T., Sakugawa, H., Sata, M., Horiike, N., Hino, K., Okita, K., Okanoue, T., Iino, S., Tanaka, E., Suzuki, K., Watanabe, H., Hige, S. & Mizokami, M. (2001a).** Geographic distribution of hepatitis B virus (HBV) genotype in patients with chronic HBV infection in Japan. *Hepatology*. 34, 590-594.

Orito, E., Mizokami, M., Sakugawa, H., Michitaka, K., Ishikawa, K., Ichida, T., Okanoue, T., Yotsuyanagi, H. & Iino, S. (2001b).

Acase-control study for clinical and molecular biological differences between hepatitis B viruses of genotypes B and C Japan HBV genotype research group. *Hepatology* 33, 218-223.

Osterhaus, A. D., Vos, M. C., Balk, A. H., de Man, R. A., Mouton, J. W., Rothbarth, P. H., Schalm, S. W., Tomaello, A. M., Niesters, H. G. & Verbrugh, H. A. (1998).

Transmission of hepatitis B virus among heart transplant recipients during endomyocardial biopsy procedures. *Journal of Heart and Lung Transplantation* 17:158-166.

Owiredu, W. K., Kramvis, A. & Kew, M. C. (2001). Hepatitis B virus DNA in serum of healthy black African adults positive for hepatitis B surface antibody alone: possible association with recombination between genotypes A and D. *Journal of medical virology* 64, 441-454.

P:

Petzold, D. R., Tautz, B., Wolf, F. & Drescher, J. (1999).

Infection chains and evolution rates of hepatitis B virus in cardiac transplant recipients infected nosocomially. *Journal of Medical Virology* 58:1-10.

Prince A. M., Fuji H., Gershon R. K. (1964).

Immunohistochemical studies on the etiology of anicteric hepatitis in Korea. *AMJ Hug.* 79,365-81.

Pult, I., Abbott, N., Zhang, Y. Y. & Summers, J. (2001a).

Frequency of Spontaneous Mutations in an Avian Hepadnavirus Infection. *Journal of Virology* 75, 9623-9632.

Pult, I. Netter, H. J., Bruns, M., Prassolov, A., Sirma, H., Hohenberg, H., Chang, S. F., Frolich, K., Krone, O., Kaleta, E. F. & will, H. (2001b).

Identification and analysis of anew hepadnavirus in white storks.

Virology 289, 114-128.

Purcell R. H. (1993). The discovery of the hepatitis viruses.

Gastroenterology. 104, 955-963.

Q:

Qiagen N. (2001).

Quantitative Real-time PCR for molecular diagnostics issue number 3.

R:

Rehermann B., Change K. M., Mchutchinson J., (1996).

Differential cytotoxic T-lymphocyte responsiveness to the hepatitis B and C viruses in chronically infected patients. *J viral*. 70, 7092-7102.

Rizzetto M., Canese M.G., Arico S. (1977).

Immunofluorescence detection of new antigen-antibody to hepatitis B virus in liver and in serum of HBsAg carriers. *Gut*. 18: 997-1003.

Robertson, D. K., Hahn, B. H. & Sharp, P. M. (1995). Recombination

in AIDS viruses. *Journal of molecular evolution* 40, 249-259.

Roche (2000). Molecular biochemicals overview of light cycler

quantification methods. *Technical note no. LC/D*.

Rosmorduc, O., Petit, M. A., Pol, S., Capel, F., Bortolotti, F.,

Berthelot, P., Brechot, C. & Kremsdorf, D. (1995).

In vivo and in vitro expression of defective hepatitis B virus particles generated by spliced hepatitis B virus RNA. *Hepatology* 21, 10-19.

S:

- Sambrook J. and D. Russell (2001).** Molecular cloning laboratory Manual, 3rd edition. *Cold spring Harbor laboratory Press*.
- Sanchez- Tapias J. M., Costa J., Mas A., Bruguera M., Rodes J., (2002).** Influence of hepatitis B virus genotype on the long-term outcome of chronic hepatitis B in western patients. *Gastroenterology*, 123: 1848-1856.
- Saudy N, Sugauchi F, Tanaka Y, Suzuki S, Aal AA, Zaid MA, Agha S, Mizokami M. (2003).** Genotypes and phylogenetic characterization of hepatitis B and delta viruses in Egypt. *J Med Virol.* 70(4):529-536.
- Scharschmidt B.F., Held M.J., Hollander H.H. (1992).**
Hepatitis B in patients with HIV infection: relationship to AIDS and patient survival. *Ann Intern Med.* 117: 837-838.
- Seeger, C. (1991).** Hepadnavirus replaction. In *Molecular Biology of the hepatitis B virus*, PP. 213-226. Edited by A. Mclachlan Boca Raton, FL: CRC Press.
- Shields P.L., Owsiank A., Carman W.F. (1999).**
Selection of hepatitis B surface “escape” mutants during passive immune prophylaxis following liver transplantation: potential impact of genetic changes on polymerase protein function. *Gut* 45, 306-309.
- Shih, J. W., Cheung, L. C., Alter, H. J., Lee, L. M. & Gu, J. R. (1991).**
Strain analysis of hepatitis B virus on the basis of restriction endonuclease endonuclease analysis of polymerase chain reaction products. *Journal of Clinical Microbiology* 29, 1640-1944.
- Shiina, S., Fujino, H., Kawabe, T., Tagawa, K., Unuma, T., Yoneyama, M. & Ohmori, T. (1990).** Relationship of HBSAg subtypes with HBe Ag/anti-HBe status chronic liver disease. II. Evaluation of epidemiological factors and suspected risk factors of liver dysfunction.

American Journal of gastroenterology 86, 872-875.

Sommer, G., van Bommel, F. & Will, H. (2000).

Genotype- specific synthesis and secretion of spliced hepatitis B virus genomes in hepatoma cells. *Virology* 271, 371-381.

Soussan, P., Garreau, F., Zylberberg, H., Ferray, C., Brechot, C. & Kremsdorf, D. (2000).

In vivo expression of a new hepatitis B virus protein encoded by a spliced RNA. *Journal of Clinical Investigation* 105, 55-60.

Sprengel, R., Kaleta, E. F. & Will, H. (1988).

Isolation and characterization of a hepatitis B virus endemic in herons. *Journal of virology* 62, 3832-3839

Sterneck M., Gunther S., Gerlach J. (1997).

Hepatitis B virus sequence changes evolving in liver transplant recipients with fulminant hepatitis. *J Hepatol* 26: 754-764.

Stuyver, L., De Gendt, S., Van Geyt, C., Zoulim, F., Fried, M., Schinazi, R. F. & Rossau, R. (2000).

A new genotype of hepatitis B virus: complete genome and phylogenetic relatedness. *Journal of General Virology* 81, 67-74.

Sugauchi, F., Mizokami, M., Orito, E., Ohno, T., Kato, H., Suzuki, S., Kimura, Y., Ueda, R., Butterworth, L. A. & Cooksley, W. G. E. (2001). A novel variant genotype C of hepatitis B virus identified in

isolates from Australian Aborigines: complete genome sequence and phylogentic relatedness. *Journal of General virology* 82, 883-892.

Sumi H, Yokosuka O, Seki N, Arai M, Imazeki F, Kurihara T, Kanda T, Fukai K, Kato M, Saisho H. (2003).

Influence of hepatitis B virus genotypes on the progression of chronic type B liver disease. *Hepatology*. 37:19-26.

Summers, J., Smolec, J. M. & Snyder, R. (1978). A virus similar to human hepatitis B virus associated with hepatitis and hepatoma in

woodchucks. *Proceedings of the National Academy of Sciences, USA* 75, 4533-4537.

T:

Takahashi, K., Brotman, B., usuda, S., Mishiro, S. & Prince, A. M. (2000). Full- genome sequence analysis of hepatitis B virus (HBV) strain recoreded from chimpanzees infected in the wild: infections for an origin of HBV. *Virology* 267, 58-64.

Teles, S. A., Martins, R. M., Vanderborght, B., Stuyver, L., Gaspar, A. M. & Yoshida, C. F. (1999).

Hepatitis B virus: genotypes and subtypes in Brazilian hemodialysis patients. *Artificial Organs* 23, 1074-1078.

Testut, P., Renard, C. A., Terradillos, O., Vitvitski-Trepo, L., Tekaia, F., Degott, C., Blake, J., Boyer, B. & Buendia, M. A. (1996).

A new hepadnavirus endemic in arctic ground squirrels in Alaska. *Journal of Virology* 70, 4210-4219

Thakur V, Guptan RC, Kazim SN, Malhotra V, Sarin SK. (2002).

Profile, spectrum and significance of HBV genotypes in chronic liver disease patients in the Indian subcontinent. *J Gastroenterol Hepatol.* 17:165-170.

Thelweel N., Millington S., Solinas A., Booth J., and Brown T., (2000). Mode of action and application scorpion primers to mutation detection. *Nucleic Acid Res.* 28: PP 3752-3761.

Theamboonlers, A., Jantaradsamee, P., Kaew-In, N., Tangkijvanich, P., Hirsch, P. & Poovorawan, Y. (1999).

The predominant genotypes of hepatitis B virus in Thailand. *Annals of Tropical Medicine and Parasitology* 93, 737-743.

- Thomas, H.C., Scully, L. J., Lever, A. M. L., Yap, I. & Pignatelli, M.(1987).** A review of the efficacy of adenine arabinoside and lymphoblastoid interferon in the Royal Free Hospital studies of hepatitis B virus carrier treatment: identification of factors influencing response rates. *Infection*. 15, S26-S31.
- Thursz M.R., Kwiotkowski D., Allsopp C.E.M., green wood B.M., Thomas H.C., Hill A.V.S. (1995).** Association between an MHC class II allele and clearance of hepatitis B virus in the Gambia. *N Engl J Med* 332: 1065-1069.
- Tiollais, P., Buendia, M. A., Brechot, C., Dejean, A., Michel, M. C. & Pourcel, C. (1988).** Structure, genetic organization, and transcription of hepadna viruses. *In viral hepatitis and liver disease*, PP. 295-300.
- To do S., Demetris A. J., Van Thiel D., Teperman L., fung J.J., Starzl T.E. (1991).** Orthotopic liver transplantation for patients with hepatitis B virus-related liver disease.
- Tobe, K., Matsuura, K., Ogura, T., Tsuo, Y., Iwasaki, Y., Mizuno, M., Yamamoto, K., Higashi, T. & Tsuji, T. (2000).** Horizontal transmission of hepatitis B virus among players of an American football team. *Archives of Internal Medicine* 160, 2541-2545.
- Tsubota, A., Arase, Y., Ren, F., Tanaka, H., Ikeda, K., & Kumada, H. (2001).** Genotype may correlate with liver carcinogenesis and tumor characteristics in cirrhotic patients infected with hepatitis B virus subtype adw. *Journal of medical virology* 65, 257-265.

U:

- Usuda, S., Okamoto, H., Tanaka, T., Kidd-Ljunggren, K., Holland, P. V., Miyakawa, Y. & Mayumi, M. (2000).** Differentiation of hepatitis B virus genotypes D and E by ELISA using monoclonal antibodies to epitopes on the preS2-region product. *Journal of Virology Methods* 87, 81-89.
- Uy, A., Wunderlich, G., Olsen, D. B., Heermann, K. H., Gerlich, W. H. & Thomssen, R. (1992).** Genomic variability in the preS1 region and determination of routes of transmission of hepatitis B virus. *Journal of General Virology* 73, 3005-3009

V:

- Van regenmortel M.H.V., Fauquet C.M., Bishop D.H.C. et al (2000).** Virus taxonomy seventh report of the international committee on taxonomy viruses. *San Diego: Academic press.*
- Vaudin, M., Wolstenholme, A., J, Tsiquaye, K. V., Zuckerman, A. J, and Harrison, T. J. (1988).** The complete nucleotide sequence of the genome of hepatitis B virus isolated from a naturally infected chimpanzee. *Journal of general virology* 69, 1383-1389.
- Verschoor, E. J., Warren, K. S., langenhuijzen, S., Heriyanto, Swan, R. A. & Heeney, J. L. (2001).** Analysis of two genomic variants of orangutan hepadnavirus and their relationship to other primate hepatitis B-like virus. *Journal of general virology* 82, 893-897.
- Vonweizsacker, F., Pult, I., Geiss, K., Wirth, S., & Blum, H. E. (1995).** Selective transmission of variant genome from mother to infant in neonatal fulminant hepatitis B. *Hepatolog* 21, 8-13.

W:

- Wai C.T., Chu C.J., Hussain M., Lok A.S. (2002)** HBV genotype B is associated with better response to interferon therapy in HBeAg(+) chronic hepatitis than genotype C. *Hepatology*.36:1425-1430.
- Warren, K. S., Heeney, J. L., Swan, R. A., Heriyanto & Verschoor, E. J. (1999).** A New Group of Hepadnaviruses Naturally Infecting Orangutans (*Pongo pygmaeus*). *Journal of Virology* 73, 7860-7865.
- Watson J., Gilman M., Witkowski J. and Zoller M. (1992).** Moving signal across membranes. Recombination DNA, 2nd edit. *Scientific American Books: PP* 313.
- Wei Y., Fourel G., Renard C-A., Buendia M-A., Tiollais P. (1994).** Hepatitis B viruses and hepatocellular carcinoma. In: viral hepatitis A to F: an update Chicago: *American Association for the study of liver diseases*.
- Westland C, Delaney W 4th, Yang H, Chen SS, Marcellin P, Hadziyannis S, Gish R, Fry J, Brosgart C, Gibbs C, Miller M, Xiong S. (2003).** Hepatitis B virus genotypes and virologic response in 694 patients in phase III studies of adefovir dipivoxil1.*Gastroenterology*. 125:107-16.
- Wittwer C. T., Rire K.M., Andrew R.V., david D.A., Gundy R.A., and Balis U. J., (1997).** The light cyclor: amicrovolume multisample fluorimeter with rapid temperature control. *Biotechniques*. 22: *PP* 176-181.

Y:

Yassin K, Awad R, Tebi AJ, Queder A, Laaser U. (2002).

Prevalence and risk factors of HBsAg in Gaza: implications for prevention and control. *Journal of Infections*, 44(4):252-256.

Yuasa, R., Takahashi, K., Dien, B. V., Binh, N. H., Morishita, T., Sato, K., Yamamoto, N., Isomura, S., Yoshioka, K., Ishikawa, T., Mishiro, S. & Kakumu, S. (2000).

Properties of hepatitis B virus genome recovered from vietnames patients with fulminant hepatitis in comparison with those of acute hepatitis. *Journal of medical virology* 61, 23-28.

Z:

Zangenberg G., Saiki R.K. and Reynolds R. (1999).

Multiplex PCR: Optimization guidelines in: Inns MA, Gelfand DH, Sininsky JJ (eds): PCR applications : protocols for functional genomics. SanDiego, London, Boston, Academic Press: PP. 73-94.

Zhou, Y. J. (1980). A virus possibly associated with hepatitis and hepatoma in ducks. *Shanghai Medical Journal* 3, 641-644.

Zollner, B., Petersen, J., Schroter, M., Laufs, R., Schoder, V. & Feucht, H.H. (2001). 20-fold increase in risk of lamivudine resistance in hepatitis B virus subtype adw. *Lancet* 357,934-935.

Zukerman J.N. (2000).

Current topics in hepatitis B. *Journal of infections*, 41 (2): 130-136.