

REFERENCES

- Abagy, M.M. and Kamal, M.M. (1992):** Impact of wastewater of microbiological parameters of River Nile at Kafr El-Zayat. J. Egy. Soc. Toxi., 8: 101-106.
- Abbas, H.H. and Mahmoud, H.A. (2003):** The toxicological effects of water pollution on the Nile tilapia fish, collected from sites along the River Nile. J. Egypt. Med. Assoc., 63(5): 307-323.
- Abbas, H.H.; Zaghloul, K.H. and Mousa, M.A. (2002):** Effect of some heavy metal pollutants on some biochemical and histological changes in blue tilapia, *Oreochromis aureus*. Egypt. J. Agric. Res., 80(3): 1395-1411.
- Abd El-Aal, S.I.; Shahin, R.R.; Abdel-Hamid, M.A. and Abdel-Tawab, M.M. (1988):** Impact of liquid wastes of industrial complex at Helwan on water quality of both Nile and Canal streams. J. Egy. Soil. Sci., 28 (4): 421-432.
- Abd El-Aziz, A.; Shuayab, S. and EL-Dali, A. (1989):** Bacteriologic aspects of water sources, fecal pollution. J. New Egy. Med., 3 (2): 377-384.
- Abdel-Bary, M.R.; M.T. Heikal; and M.M. Yousry (1999):** The effect of law enforcement and flow condition on the water quality of the Nile. Int. conf. on integrated management of water resources. Cairo, Egypt. 21-25.
- Abdel-Rassoul, R.A. (1998):** Photovoltaic desalination prospects in the Arab World. 3ed int. water technology conf. IWTC, 93-98.

- Abdel-Meguid, N.E.; Khallaf, E.A.; Alne - nael, A.A.; and Yossif, G.A. (1999):** Electron microscopic study on the effect of lead acetate on the liver of cichlid fish, *Oreochromis niloticus*. (Linnaeus). 9th ed. J. Egypt. Ger.Soc. Zool., P.18-25.
- Abdel-Moati, A.R. (1985):** Studies on the chemistry of Lake Manzalah water, Egypt. Ph.D.Thesis, Faculty of Science, Alexandria University, Egypt, P. 18-22.
- Abdel-Satar, A.M. (1998):** Distribution of some elements in River Nile environment at great Cairo Region. Ph. D. Thesis, Faculty of Science, Cairo University, Egypt, P.32-38.
- Abdel -Tawwa.M.A (2005):** Effect of crowding stress on some physiological functions of Nile Tilapia, fed different dietary protein levels. J. of Fish Biology 28:511-538.
- Adeyemo, O.K.; Agbede, S.A.; Olaniyan, A.O. and Shoaga, A.O. (2003):** The haematological response of *Clarias gariepinus* to changes in acclimation temperature. African Biomed. Res., (6):105-108.
- Ahmed, S.A. (2007):** Impact of use of treated wastewater on some Eco-agricultural characteristics in Bahr El- Bakar areas. M.Sc. Thesis, Faculty of Agriculture, Ain Shams University, Egypt, P.93-125.
- Alabaster, J.S. and Liloyd, R. (1982):** Water Quality Criteria for Freshwater Fish. 2nd ed. FAO, by Butterworth Scientific, London, P. 361.

- Ali, E.A. (2000):** Impact of environmental pollution on accumulation of heavy metals in fish at Lake Qauroun. M.Sc. Thesis, Faculty of Science, Zagzig University, Banha Branch, Egypt.P.103-106.
- Alloway, B.J. and Ayres, D.C. (1997):** Inorganic pollutants In: "Chemical principles of environmental pollution". P. 157-264. Published by Blackie Academic and Professional, an imprint of Chapman & Hall, 2-6 Boundary Row, London SE 18HN.
- Al-Zahaby, A.S.; Hemmaid, K.Z.; Gamal, A.M. and Ghonemy, O.I. (1998):** The pollutant effects of copper, zinc, and lead on the histological patterns of fish kidney. Egypt. J. Aquat. Fish. Biol., 2(3): 15-41.
- American Puplic Health Association (APHA) (2005):** Standard Methods for Examination of Water and Wastewater. 20th ed.Washington, D.C., P. 1193-2950.
- Arillo, A.; Margioco, C.; Melodia, F.; Mensi, P. and Schemone, G. (1981):** Biochemical aspects of water quality criteria: the case of ammonia pollution. Environ. Technol. Lett., 2 :285–92.
- Awadallah, R.M.; El-Haty, M.T.; Soltan, M.E. and Ahmed, I.A. (1991):** Characterization of the Nile water quality in the zone from Aswan to Giza. J. Sci., 15(1): 84-104.
- Awad, F.K. (1993):** Distribution of some trace elements in the River Nile from Esna to El- Kanatar El-Khayria, Egypt. M.Sc. Thesis, Faculty of Science, Alexandria University, Egypt, P. 22-27.

- Baker, J.T.P. (1969):** Histological and electron microscopical observations on copper poisoning in the winter flounder (*Pseudopleuronectes americanus*). J.Fish. Res. Bd. Can., 26: 2785-2793.
- Baker and Silverton (1976):** Clinical haematology, 4th ed. Lea & Febiger. Philadelphia, P.217-219.
- Balfry, S. K.; Shariff, M. and Iwama, G. K. (1997):** Strain differences in non-specific immunity of tilapia (*Oreochromis niloticus*) following challenge with *Vibrio parahaemolytica*. Diseases of Aquat. Organisms 30:77-80.
- Beadle, L.C. (1981):** The inland water of the tropical Africa, an introduction to tropical Limnology, 2nd ed. Longman, London, P. 475.
- Beamish, R.J. (1976):** Acidification of lakes in Canada by acid precipitation and the resulting effect on fishes. Water Air and Soil pollut., 6: 501-514.
- Beamish, F.W.H. and Tandler (1990):** Ambient and ammonia diet and growth in lake trout. Aquat Toxicol., 17:155–66.
- Birge, W.J.; Black, J.A.; Westerman, A.G.; Short, T.M.; Taylor, S.B.; Bruser, D.M. and Wallingford, E.D. (1985):** Recommendations of numerical values for regulating iron and chloride concentration for the purpose of protecting warm water species of aquatic life J. of Fish Biology 9: 25-40.
- Biswas, A.K. (1994):** River water quality management for developing countries. Ingenieria Hidraulica Mexico. 9: 19-25.

- Blaxhall, P.C. and Daisley, K.W. (1973):** Routine haematological methods for use with fish blood. *J. Fish Biol.*, 5: 771–781.
- Boutilier, R.G.; Heming, T.A. and Iwama, G.K. (1984):** Physiochemical parameters for use in fish respiratory physiology. In *Fish Physiology*, edited by Hoar WS, and Randall DJ. New York: Academic, 1984, vol. XA, P. 403-430.
- Cameron, J.N. (1978):** Chloride shift in fish blood. *J. Exp. Zool.*; 206: 289-295.
- Cameron, J.N. and Polhemus, J.A (1974):** Theory of CO₂ exchange in trout gills. *J. Exp. Biol.*; 60: 183-194.
- Cole, G.A. (1979):** Text book of limnology. 2th ed. The C.V. Mosby Company, London, P. 401.
- Cruywagen, J.J.; Heyns, J.J.B.; Raubenheimer, H.G. and Vanberge, P.C. (1981):** In leiding to die Andganiese en Fisiese Chemie. Butter-worth and Co. Ltd., Durban, South Africa, P. 403.
- Davies, C.A.; Tomljnson, K. and Stephenson, T. (1991):** Heavy metals in River estuary sediments. *J. Environ. Technol.*, 12; 961- 972.
- David, J. M.; Gaia, P. and Andrew, F. (1999):** Effects of plasma total ammonia content and pH on urea excretion in Nile Tilapia. *Physiol. and Bioche. Zool.* 72(1):116–125.
- Desforges, P.R.; Gilmour, K.M.; Perry, S.F. (2002):** The effects of exogenous extracellular carbonic anhydrase on CO₂ excretion in rainbow trout (*Oncorhynchus mykiss*) role of plasma buffering capacity. *J. Comp. Physiol.* 282(2): 501- 508.

- Doudoroff, P. and Shumway, D.L. (1970):** Dissolved oxygen requirements of freshwater fishes. FAO united, Fish. Tech. Paper, 86: P.291.
- Duffus, J.H. (1980):** Environmental Toxicology.4th ed. Edward Arnold Publishers. Ltd., London, Great Britain, P.164.
- Eisler, R. (1965):** Erythrocyte counts and hemoglobin contents in nine species of marine teleosts Chesapeake Science, 6: 119-120.
- Eissa, S. M.; Ziada, G.A.; Marrie, M.S.; El-Shafey, A.A.M. and Hasheesh,W.S. (1988a):** Regulation of acid-base status of blood of two rodent in relation to adaptation to desert habitat. Proc. Zool. Soc. AR. Egypt.4th. Sci. Conf., 16: 313-324.
- Eissa, S.M.;Ziada, G.A.; Haggag, A.M.; El-Shafey, A.A.M. and Hasheesh,W.S. (1988):** Factors affecting oxygen loading of blood of two Egyptian rodents inhabiting different habitats. Temperature and pH. Proc. Zool. Soc. ARE. 16: 301–11.
- Elewa, A.A. (1976):** Chemical analysis for Lake Nasser. M.Sc. Thesis, Faculty of Science, Al-Azhar University, Egypt. P.58-67.
- Elewa, A.A.; Shehata, M.B.; Issa, Y.M. and Abdo, M.H. (2001):** Effect of thermal pollution of Shoubra El-Khima Electric Station on the River Nile water quality. The Second International Conference and Exhibition for life and Environment. 3-5 April. 308-318.
- El-Gaar, D.K. (2008):** Physiological alternations induced in fish *Claris gariepinus* by water pollutants in sabal drain M.Sc. Thesis, Faculty of Science, Menoufiya University, Egypt. P.132-159.

- El-Gamel, A. and Shafik, Y. (1985):** A study on the monitoring of pollutants discharging to the River Nile and their effect on River water quality. Water Qual. Bull., VI., 111-115.
- El-Gohary, F.A. (1995):** Oxygen consuming organic compound. Working paper submitted to National Water Quality Conservation Unit (NWQCU)-National Water Res. Center. Int. Report. P. 23-28.
- El-Nabawi, A.; Heinzow, B. and Kruse, H. (1987):** As, Cd, Cu, Pb, Hg and Zn in fish from the Alexandria region, Egypt. Bull. Environ. Contam. Toxicol., 39: 889-903.
- El-Saesser, C. F. and Clem, L. W. (1986):** Hematological and immunological changes in channel catfish stressed by handling and transport. J. Fish Biology 28:511-521.
- El-Shafey, A.A.M. (1998):** Effect of ammonia on respiratory functions of blood of *Tilapia zilli*. Comp. bioch. and physiol. A 121: 305-313.
- El-Shafey, A.A.M. (1994):** Effect of praziquantel on the blood gases and oxygen equilibrium curve of the rat. J. Egypt Ger. Soc. Zool. A 13: 223-36.
- El-Shebly, A.A. (1994):** Effect of drainage water on fish farms at lake Manzalah- Egypt. Ph.D. Thesis, Faculty of Science, El-Mansoura University, Egypt. P.41-44.
- El-Sherbini A.M. (2006)** studied the classification of agricultural drains disposing in the Nile as regarding their water quality. 3rd Arab Water Regional Conference, 9-11 December, Cairo, Egypt. P.68.

- El-Sherbini, A.M.; Bary, M.R.A.; Heikal, M.T. and Hamdy, A. (1997):** Environmental impacts of pollution sources on Rosetta Branch water quality, Volume II. Water quality and pollution control. Water management, salinity and pollution control towards sustainable irrigation in the Mediterranean region. CIHEAM International conference, Valenzano, Bari, Italy, 22-26 September, 65-85.
- El-Sokkary, I.H., (1994):** Contamination of the western area of the Nile Delta by cadmium, lead and mercury. Egypt. J. Soil Sci., 36: 219-232.
- El-Sokkary, I.H. (1992):** Trace metals in sediments and waters. In Impact of heavy metals on the environment, Elsevier Sci., Publishers, Amsterdam, Netherlands. Vernet. J. 355-379.
- Egyptian Organization for Standarization and Quality Control "EOSQC" (1993):** Maximum level for heavy metals contamination in food. Bull. of Ministry of Industry, No. 2360. P. 5. Cairo – Egypt.
- Fayed, D.B. (2004):** Aspects of Manzalah Lake pollution on Mugil Species. M. Sc. Thesis, Faculty of Science. Ain Shams University, Egypt. P.68-70.
- Figueiredo, F.A. and Fontaínhas, F.A. (2007):** Histopathological changes in liver and gill epithelium of Nile tilapia, exposed to waterborne copper. Pesq. Vet. Bra., 27(3):103-109.
- Figueiredo, F.A.; Fontaínhas, F.A.; Monteiro, R.A.F.; Reis H.M.A. and Rocha, E. (2006a).** Effects of the fungicide mancozeb in the liver

- structure of Nile tilapia. Assessment and quantification of induced cytological changes using qualitative histopathology and the stereological point-sampled intercept method. Bull. Environ. Contam.Toxicol. 76(2):249-255.
- Fishbein, L. (1974):** Water pollution by pesticides, J. Fish Biol., 56: 269-279.
- Fleck, H. (1976):** Introduction of nutrition. 3rd ed. MacMillan Publishing. Co., Inc., New York, P. 552.
- Forstner, U. and Prosi, F. (1979):** Heavy metal pollution in freshwater ecosystem. In: Biological aspects of freshwater pollution, Pergamon, New York, P. 129-161.
- Fravola, L. (1960):** The effect of inorganic cobalt on the morphological picture of the blood of *cyprinus carpio* L. Dokl. Akad. Ncuk . S.R., 131, 983.
- Gaballah, M.M. (1990):** Ecological studies on phytoplankton in Lake Manzalah. Ph.D. Thesis, Faculty of Science, Suz Canal University. Egypt. P.124-126.
- Gadagbui B.K.M.; Addy, M. and Goksøyr, A. (1996):** Species characteristics of hepatic biotransformation enzymes in two tropical freshwater teleosts, tilapia (*Oreochromis niloticus*) and mudfish (*Clarias anguillaris*). Comp. Biochem. Physiol. C 114: 201-211.
- Gahin, H.S. (2002):** Analytical estimation and chemical treatment and some organic and inorganic pollution in surface water. M.Sc. Thesis, Faculty of Agriculture, Zagazig University, Egypt. P.110.

- Galvez, F.; Webb, N.; Hogstrand, C. and Wood, C.M. (1998):** Zinc binding to the gills of rainbow trout: The effect of long-term exposure to sub lethal zinc. *J. Fish. Biol.*, 52: 1089-1104.
- Gameh, M.A. (2000):** Recycling the drainage water for irrigation. *J.Agric.Sci.*, 25: 573-593.
- Garcia, S.S.; Fontáinhas, F.A.; and Wilson, J.M. (2006):** Cadmium tolerance in the Nile tilapia (*Oreochromis niloticus*) following acute exposure: Assessment of some ion regulatory parameters. *Environ. Toxicol.* 21(6):33- 46.
- Gerbe, E.E. (1996):** Toxicologie, Ecotoxicologie des pesticides et des métaux lourds, P.39. In: Premier rapport d'activité, Programme de Research Europol'Agro (Ed.), Faculté de Sciences, Université de Reims Champagne-Ardenne, Reims, France.234-235.
- Ghallab, M.H.M. (2000):** Some physical and chemical changes on River Nile down stream of Delta Barrage at El-Rahawy drain. M.Sc. Thesis, Faculty of Science, Ain Shams University, Egypt.P.25-31.
- Gilmour, K.M. (1998a):** Causes and consequences of acid–base disequilibria. In: Perry, S.F., Tufts, B.L. (Eds.), *Fish Respiration*. Academic Press, San Diego, pp. 321–348.
- Gilmour, K.M. (1998b):** The disequilibrium pH: a tool for the localization of carbonic anhydrase. *Comp. Biochem. Physiol.*, 119A, 243–254
- Gilmour, KM. (1997):** Gas exchange. In: *The Physiology of Fishes*, edited by Evans DH. Boca Raton, FL: CRC Press, P. 101-127.

- Gilmour, K.M.; Randall, D. J.; and Perry S. F. (2003):** Acid-base disequilibrium in the arterial blood of rainbow trout. *Resp. Physiol.* 96 (2-3) 259-272.
- Gilmour, K.M.; Desforbes, P.R.; and Perry S.F. (2003):** Buffering limits plasma HCO_3^- dehydration when red blood cell anion exchange is inhibited *Resp. Physiol. & Neurobiolo.* 140 : 173-187.
- Gilmour, K.M.; Shah, B. and Szebedinszky, C. (2002):** An investigation of carbonic anhydrase activity in the gills and blood plasma of brown bullhead (*Ameiurus nebulosus*), longnose skate (*Raja rhina*), and spotted ratfish (*Hydrolagus colliei*). *J. Comp. Physiol.* 172 : 77–86.
- Gilmour, K.M. and Desforbes, P.R. (2000):** HCO_3^- dehydration in the plasma of rainbow trout: the role of buffering capacity. In: Randall, D.J., Eddy, F.B., MacKinlay, D.D. (Eds.), *Ion transfer across fish gills. Proceedings of an international fish physiology symposium*, July 23–27, 2000. American Fisheries Society, Vancouver, P. 61–76.
- Gilmour, K.M.; Randall, D.J and Perry, S.F. (1994):** Acid – base disequilibrium in the arterial blood of rainbow trout. *Respir. Physiol.* 96, 259–272.
- Goel, P. K. (Ed). (1997):** Water pollution. Causes effects and control. New age international Limited, Publishers, Inc. NeDelhi, India. P. 235-348.
- Goodman, L.S. and Gilman, A. (1992):** *The Pharmacological Basis of the Therapeutics.* (Editors Gilman, A.G.; Rall, T.W.; Nies, A.S. and Taylor, P) 8th ed. McGraw- Hill. P. 1592-1614.

- Grosell, M.; Boetius, I.; Hansen, H.J.M. and Rosenkilde, P. (1996):** Influence of preexposure to sub lethal levels of copper on Cu-64 uptake and distribution among tissues of the European eel (*Anguilla anguilla*). *Comp. Biochem. Physiol. C* 114: 229-235.
- Guarise, G.; Kramer, C.; Whittington, D. and Abdel Samie, M.E. (1978):** A salt balance model of lake Nasser and River Nile project, *J.Agric. Sci.*, 25: 33-53.
- Harader, R.R. and Allen, G.H. (1983):** Ammonia toxicity to Chinook Salmon Parr: Reduction in saline water. *Transactions of the American Fisheries society*, 112: 834-837.
- Hattingh, J. (1972):** Observation on the blood physiology of five South African freshwater fish. *Journal of Fish Biology* 4: 555-460.
- Heath, A.G. (1987):** Water pollution and fish physiology. CRC Pr. Inc. Florida, U.S.A., P. 245.
- Heikal, M. (1994):** Studies on bioindicators for water pollution in the River Nile. M.Sc . Thesis, Institute of Environmental Studies and Researches, Ain Shams Univ., Cairo, Egypt. 106-135.
- Helal, H.A. (1981):** Studies on the zooplankton of Damietta Branch of the River Nile North of El-Mansoura. M.Sc. Thesis, Faculty of Science, El-Mansoura University, Egypt.P.35-38.
- Hem, I.D. (1989):** Study and international of the chemicals characteristics of natural water. 3rd edi United States Geological Survey Water Supply Paper 2254. United States Government Printing office, Washington DC, U.S.A., P. 264.

- Hem, V.D.; White, D.E. and Waring, G.A. (1963):** Water quality factors. Geol. Surv. Prof., U.S.A., P. 440.
- Henry, R.P.; Tufts, B.L. and Boutilier, R.G. (1993):** The distribution of carbonic anhydrase type-I and type-II isozymes in lamprey and trout - possible co-evolution with erythrocyte chloride bicarbonate exchange. J. Comp. Physiol. 163: 380-388.
- Henry, R.P.; Smatresk, N.J. and Cameron, J.N. (1988):** The distribution of branchial carbonic anhydrase and the effects of gill and erythrocyte carbonic anhydrase inhibition in the channel catfish *Ictalurus punctatus*. J. Exp. Biol. 134: 201-218
- Hilmy, A.M.; El Domiaty, N.A.; Daabees, A.Y. and Abdel Latife, H.A. (1987a):** Some physiological and biochemical indices of zinc toxicity in two freshwater fishes, *Clarias lazera* and *Tilapia zilli*, seasonally. Comp. Biochem. Physiol., 87(2): 297-302.
- Hilmy, A.M.; El Domiaty, A.Y.; Daabees, A.Y. and Alsarha, A. (1987b):** The toxicity of copper and zinc applied jointly. Comp. Biochem. Physiol., 87(2): 309-314.
- Hodson, P.V.; Whittel, D.M.; Wong, P.T.; Borgmann, U.; Thomass, R.H.; Cham, T.K.; Nriagu, J.D. and Hwlett, D.J.(1984):** Toxic contaminations in the Great lakes. Niragh J.O. and Simmone, M.S. (eds). John Wiley and Sons, New York, P. 335-340.
- Howerton, R. (2001):** Best management practices for Hawaiian aquaculture. Center for tropical and subtropical aquaculture, publication, 148: 7-31.

- Hrubinko V.V.; Smol's'kyi O.S. and Iavonenko O.F. (1996):** Changes in the blood morphofunctional characteristics of cyprinid fishes in ammonia poisoning Fiziol Zh. 42(1-2):40-6 (Abstract).
- Khalaf-Allah, S.S (1999):** Effect of pesticide water pollution on some hematological, biochemical and immunological parameters in *Tilapia nilotica* fish. . Egypt. Ger. Soc. Zool., 106: 67-71.
- Knoph, M.B. (1992):** Acute toxicity of ammonia and cadmium on growth of green sunfish .Ph.D. Thesis. Michigan State University, East Lansing. P. 193.
- Kock, G.; Triendl, M. and Hofer, R. (1996):** Seasonal patterns of metal accumulation in Arctic char (*Salvelinus alpinus*) from an oligotrophic Alpine lake related into temperature. Cantam. J. Fish. Aquat. Sci. 53:780-786.
- Lappivaara, J. and Marttin, S. (2005):** Effects of waterborne iron overload and simulated winter conditions on acute physiological stress response of whitefish, *Coregonus lavaretus*. Ecotoxicol. Environ. Saf., 60(2): 157-168.
- Larsson, A.; Johansson, S.M.L and Fänge, R. (1976):** Comparative study of some hematological and biochemical blood parameters in fishes from the Skagerrak. J. of Fish Biology 9: 425-40.
- Lebelo, S. L.; Saunders, D. K. and Crawford, T. G. (2001):** Observations on the blood viscosity in striped bass, *Morone saxatilis* (Walbaum) associated with fish hatchery conditions. Transaction of the Kansas Academy of Science, 104(3/4): 183-194.

- Li, J.; Quabius, S.E.; Wendelaar, B.S.; Flick, G. and Lock, R.A.C. (1998):** Effects of water-borne copper on branchial chloride cells and Na⁺/K⁺-ATPase activities in Mozambique tilapia (*Oreochromis mossambicus*). *Aquat. Toxicol.* 43:1-11
- Lloyd, R. (1960):** Toxicity of zinc sulphate to rainbow trout. *Ann. Appl. Biol.*, 12: 48-84.
- Loigu, E. and Leisk, U. (1996):** Water quality of rivers in the drainage basin of Lake Peipsi. *Hydrobiol.*, 338: 25-35.
- Lucky, Z. and Hoffman, G.L. (1977):** Methods for the Diagnosis of Fish Diseases. New Delhi: Amerind Publishing Co. 25: 129–137.
- Luskova, V. (1998):** Factors affecting hematological indices of free living fish populations. *Acta. Veterinary Brno.* 67: 249-255.
- Mahrous, Y.M. (1997):** Sources of River Nile water pollution from Assuit to Cairo and the evaluation of its effect on the water quality. *J. of environ. Sciences.* 13: 45:- 65.
- Mahida, U.N. (1983):** Water pollution and disposal of wastewater on land. Tata McGraw-Hill Publishing Co. Limited. NewDelhi, India.P.211-225.
- Mahmoud, S.A. (1995):** Seasonal variation in the histology of *Tilapia zillii* due to the effect of aquatic environmental pollution in Lake Quarun. M. Sc. Thesis, Faculty of Science, Menoufiya University, Egypt.P.33-38.

- Magouz, F.I.; El-Gamal, A.A.; El-Telbany, M.M.; Hammad, E.D. and Salem, F.M. (1996):** Effects of some heavy metals on growth performance and chromosomal behavior of blue tilapia, *oreochromis aureus*. Food borne contamination and Egyptian's health. Mansoura University (Nov. 26-27) P.181-196.
- Mark, J. H. (1986):** Water and wastewater technology, USA. 3^{ed} ed. P 216-228.
- Mazon, A.F.; Cerqueira, C.C.C. and Fernandes, M.N. (2002):** Gill cellular changes induced by copper exposure in the South American tropical freshwater fish prochilodus scrofa. Environ. Res. 88: 52-63.
- McKim, J. and Benott, D. (1971):** Effects of long term exposure to copper on survival, growth and reproduction of brook trout, *Salvelinus fontinalis*. J. Fish. Res. Bd., Canada, 28: 6 - 55.
- Meier P G, Fook D C and Lagler K F (1983):** Organochlorine pesticide residues in rice paddies in Malaysia 1981 Bulletin of Environment Contaminants and Toxicology 30: 351-357.
- Michael, P. (1986):** Ecological methods for field and laboratory investigation TATA. McGraw Comp. Ltd., New Delhi, P. 404.
- Ministry of Water Resources and Irrigation (1982):** Protection of water ways from pollution Law 48/1982.
- Misbah,A.A.; Donia, N.; Yehia, M.M. and Mohamed, H.(2007):** Evaluation of agricultural drains and related impacts on the suitability of Rosetta branch water for irrigation. In 1st Arab conference "Present and future environmental issues in Arab

region" Institute of Environmental Studies and Research, Ain Shams University. February 24 – 26. P.38-42.

Mohammad, M.M. (1998): A study on Freshwater pollution and its effects on zooplankton and Fish *Oreochromis niloticus* in Shanawan drainage canal at Almay, Al- Menoufiya Province, Egypt. Ph. D. Thesis, Faculty of Sience, Menoufiya University, Egypt.P.135-148.

Monteiro, S.M.; Mancera, J.M.; Fontáinhas, F.A. and Sousa, M. (2005): Copper induced alterations of biochemical parameters in the gill and plasma of *Oreochromis niloticus*. Comp. Biochem. Physiol. C. 141: 375-383.

Murad, A.; Everill, S. and Houston, A. (1993): Division of goldfish erythrocytes in circulation. Canadian Journal of Zoology, 71: 2190-2198.

Nagiub, M.A. (1975): Studies on the ecology of Lake Qqarun Fayium, Egypt. Part I., 14: 187-222.

Nather Khan, I.S.A. and Limb, R.P. (1991): Distribution of metals in the Linggi River Basin, Malaysia, with reference to pollution .Ast. J.Mar. Freshwater Res., 42: 435-449.

Obaid, A.L.; Critz, A.M. and Crandall, E.D (1979): Kinetics of bicarbonate/chloride exchange in dogfish erythrocytes. Am. J. Physiol. Regulatory Integrative Comp. Physiol. 237: 132-138.

Peavy, H.S.; Dona, R. and Tchobanoglous, G. (1986): Environmental Engineering. McGraw-Hill Book Co., Singapore. 4: 31-35.

- Pelgrom, S.; Lamers, L.; Lock, R.; Balm, P. and Wendelaar B.S. (1995):** Integrated physiological response of tilapia, *Oreochromis mossambicus*, to sublethal copper exposure. *Aquat. Toxicol.* 32:303-320.
- Perry, S.F.; Brauner, C.J.; Tufts, B.L. and Gilmour, K.M. (1997):** Acid–base disequilibrium in the venous blood of rainbow trout (*Oncorhynchus mykiss*). *Exp. Biol.* 2:1.
- Perry, S.F. and Laurent, P. (1990):** The role of carbonic anhydrase in carbon dioxide excretion, acid-base balance and ionic regulation in aquatic gill breathers. In: Truchot, J.P., Lahlou, B. (eds) *Transport, respiration and excretion: comparative and environmental aspects.* Karger, Basel, P. 39-57.
- Quality Criteria for Water, U.S. Environmental Protection Agency (QCWU.S.EPA) (1976):** Important water quality factors.
- Rahim, S.M.; Delaunoy, J.P. and Laurent, P. (1988):** Identification and immunocytochemical localization of two different carbonic anhydrase isozymes in teleostean fish erythrocytes and gill epithelia. *Histochemistry* 89:451-459.
- Rehulka, J. (2003):** Haematological and biochemical analyses in rainbow trout, *Oncorhynchus mykiss* affected by viral haemorrhagic septicaemia (VHS). *Dis. Aquat. Org.*, 56: 185-193.
- Rehulka, J.; Minařík, B. and Rehulková, E. (2004).** Red blood cell indices of rainbow trout *Oncorhynchus mykiss* (Walbaum) in aquaculture. *Aquac. Res.*, 35: 529-546.

- Roesijadi, G. and Robinson, W.E. (1994):** Metal regulation in aquatic animals : Mechanism of uptake, accumulation and release In Aquatic toxicology, molecular, biochemical and cellular Perspectives. (Eds. Malins, D.C, Ostrander, G.K) Lewis publishers, London, P. 539.
- Russo, R.C. and Thurston, R.V. (1991):** Toxicity of ammonia, nitrite and nitrate to fishes. In aquaculture and water Quality Brune, D.E. & Tomasse, J. R. eds, P. 58 – 89.
- Saad, M.A.H. (1976):** Some limnological investigations of Lake Edku, Egypt. Arch. Hydrobiol., 77: 411-430.
- Saeed, S.M. (1999):** A study on factors affecting fish production from certain fish farm in the Delta. M.Sc. Thesis, Ain Shams University, Egypt. P. 46-55.
- Saleh, R. (1993):** Egyptian environment an overview, Canadian Embassy, Cairo. P 15.
- Sastry, K.; Sachdeva, V. and Rathee, P. (1997):** Chronic toxic effects of cadmium and copper and their combination on some enzymological and biochemical parameters in *Channa punctatus*. J. Environ. Biol., 18(3): 291-303.
- Shafik, Y. (1986):** Monitoring of pollutants discharging to the River Nile and their effect on River water quality. Water quality pollution, 10 (3): 45-53.
- Shalaby, A. M. (2006):** Effect of EDTA on reduction of cadmium toxicity on growth, some hematological and biochemical profiles of Nile tilapia (*Oreochromis niloticus*). Fish Physiology Department,

Central Laboratory for Aquaculture Research, Abbassa, Abo-Hammad, Sharkia, Egypt. J. Egypt. Med. Assoc., 63(5): 307-323

Shoukry, A.F.; Siliem, T.A.; Abdel-Ghani, N.T. and Sayed, M.F. (2003): The level of heavy metals pollutants and major cations in tissues of *Oreochromis niloticus* and *Bagrus docmak* in Rosetta Branch, River Nile. Egypt. J. Anal. Chem., 12: 31-37.

Shuman, M. and Woodward, G. (1977): Stability constants of copper organic chelates in aquatic samples. Environ. Sci. Technol., 11: 809-813.

Siliem T.A.E. (1984): Chemical studies on pollution in the Damietta Nile branch between Faraskour Dam and Ras El-Bar outlet. Ph.D. Thesis, Faculty of Science, Alexandria University, Egypt. P.122-130.

Siliem, T.A.E. (1974): The chemical changes of the water of the Manzalah fish ponds. M.Sc. Thesis, Faculty of science, Alexandria University, Egypt, P. 106.

Skidmore, J.F. and Tovell, P.W.A. (1972): Toxic effect of zinc sulphate on the gill of rainbow trout. Wat. Res., 6: 217-230.

Smart, G.R. (1978): Investigation of the toxic mechanism of ammonia to fish-gas exchange in rainbow trout (*Salmo gairdneri*) exposed to acutely lethal concentrations. J. Fish Biol. 1978; 12:93–104.

Spry, D.J. and Wood, C.M. (1989): A kinetic method for the measurement of zinc influx in vivo in the rainbow trout, and the effects of water borne calcium on flux rates. J. Exp. Biol., 142: 425-446.

- Spry, D.J. and Wood, C.M. (1984):** Acid base plasma ion and blood gas change in rainbow trout during short term zinc exposure J. Comp. Physiol. (B) 154: 149 – 158.
- SPSS, INC. (1997):** Systat version 7.0.1 copyright (C) 1997.
- Stroomberg, G.J.; Freriks, F. S. and Colino, W.P. (1995):** Quality assurance in environment monitoring, 3^{ed} ed. P. Quevauviller. VCF. Birmingham Univ., U.K.P.245-247.
- Stumm, W. and Morgam, J.J. (1970):** Introduction emphasizing chemical equilibria in natural water. Aquatic Chemistry Wiley Interscience, 56: 185-193.
- Sultana, R. and Rao, D.P. (1998):** Bioaccumulation patterns of zinc, copper, lead and cadmium in grey mullet, *Mugil cephalus L.* from Harbour water of Visakhapatnam, India, Bull. Environ. Contam. Toxicol., 60: 949-955.
- Sweilum.M.A (2007):** Effect of sublethal toxicity of some pesticides on growth parameters, haematological properties and total production of Nile tilapia (*Oreochromis niloticus*) and water quality of ponds. National Institute of Oceanography and Fisheries, Cairo, Egypt Aquaculture Research 37 (11): 1079–1089
- Swift, DJ. (1981):** Changes in selected blood component concentrations of rainbow trout, (*Salmo gairdneri*) Richardson, exposed to hypoxia or sublethal concentrations of phenol or ammonia. J. Fish Biol. 1981; 19: 45–61.

- Swingle, H.S. (1969):** Methods of analysis for water, organic matter and pond bottom soils used in fisheries research. Auburn University, Auburn, Ala., P. 119.
- Tawfic, T.A.; and Yehia, M.M. (2006):** Negative impact of Rosetta branch water quality during closure period. Abo Qir Fertilizer conference No. 24th, Alexandria, May 23-25.P.42-48.
- Tebbut, T. (1982):** Principles of Water Quality Control Birmingham 3rd ed. UK. P.13-25.
- Teisseire, H. (1999):** Toxicologie et écotoxicologie des pesticides et des métaux lourds susceptibles d'être présents dans le vignoble champenois: étude de leur impact physiologique et biochimique sur Lemna minor. Université de Reims Champagne-Ardenne, Reims, France. P. 272.
- Thurston, R.V.; Russo, R.C.; Luedtke, R.J.; Smith, C.E.; Meyn, E.L.; Chakaumakos, C.; Wang, K.C. and Brown, C.J.D. (1984):** Chronic toxicity of ammonia to rainbow trout. Transactions of the American fisheries Society. 113: 56-73.
- Trieff, N.M. (1980):** Environmental and health. Ann- Arbor. Science publishers. Inc., Michigan. P.81-96.
- Tulasi, S. J and Ramana. Rao. J.V. (1988):** Acid base balance and blood gas changes in the fresh water carb, *arytelphusa guerini*, on exposure to organic and inorganic lead. Bull. Environ. Contam. Toxicol., 40 : 198-203.

- Van Vuren, J.H.; Merwa, V. M. and Preez, H.H. (1994):** The effect of copper on the blood chemistry of *Clarias gariepinus* (Clariidae). Ectotoxicol. Environ. Saf., 29(2): 187-199.
- Varanka, Z.; Rojik, I.; Varanka, I.; Nemcsók, J. and Ábrahám, M. (2001):** Biochemical and morphological changes in carp (*Cyprinus carpio* L.) liver following exposure to copper sulfate and tannic acid. Comp. Biochem. Physiol. C 128:467-478.
- Wendelaar, B. S. E. (1997):** The stress response in fish physiology Review 77: 591- 625.
- WHO (1998):** Copper. Environmental Health Criteria 200. IPCS-International Programme on Chemical Safety, World Health Organization, Geneva.P.235.
- Witeska, M. (2005):** Stress in fish - hematological and immunological effects of heavy metals Electronic Journal of Ichthyology July 2005 1: 35-41.
- Wood (2003):** HCO_3^- dehydration by the blood of rainbow trout following exhaustive exercise. Resp. physiol. 98(3): 305-318.
- Wood (1991):** acid-base and Ion balance, metabolism, and their Interactions, after Exhaustive Exercise in Fish. Resp. physiol. 72: 25-40.
- Yehia, M.M and A. S. Hakim, (2006):** Microbiological and Chemical Impacts of Pollution Sources on Rosetta Branch Water Quality; transaction of the Egyptian society of chemical engineering. 28:511-521.

Zaky, D. F. A (2008): Comparative chemical study of soil in the delta valley and Toshica. M.Sc. Thesis. Department of Chemistry. Helwan University. Egypt. P.60-63.

Zaky, S. F. A (2007): Environmental impacts of drainage water on some agricultural components an applied study on El-Rahawy drain, Rosetta Branch. M.Sc. Thesis. Department of Agricultural Environmental Science Institute of Environmental Studies and Research. Ain Shams University. Egypt. P.40-42.