

References

- **Abdollahi, M.; Minaiee, B.; Yaaghoubi, A.A. (2003)** : Structural and functional changes by ciprofloxacin of rat submandibular gland. Human & Experimental Toxicology, 22(4):177–181.
- **Alberts, B.M.; Johnson, A.; Lewis, J.; Raff, M.; Roberts, K. and Walter, P. (2002)** : The mechanics of cell division, Ch: 18, in the molecular biology of the cell , 4th edition, Garland publishing, Inc. New York and London, P : 911.
- **Aljanabi, S.M. and Martinez, I. (1997)**: Universal and rapid salt extraction of high quality genomic DNA for PCR based techniques. Nucleic Acids Research, 25:4692-4693.
- **Avers, C.J. (1980)**: Genetics, ch: 11, Van Nostrand and Company, New York, P:417-418.
- **Ayala, F.J. and Kiger, J.A. (1984)**: Modern genetics, Ch: 21, 2nd edition, The Benjamin / Cummings, London, P:688-729.
- **Bagel-Simone ; Huellen-Volker; Wiedemann-Bernd and Heisig-Peter (1999)**: Impact of gyra and parC mutations on quinolone resistance, doubling time, and supercoiling degree of Escherichia coli. Antimicrobial Agents and Chemotherapy, 43 (4) : 868-875.
- **Bown, D. (1995)** : "Encyclopedia of Herbs and their uses" . The Herbs Society of America, Dorling Kindersley, London, New York, Stuttgart, Moscow.
- **Brogger, A. (1974)**: Chromosomes damage in human mitotic cells after in vivo and in vitro exposure to mutagens. Mutation Res, 23:353.

- **Burikhanov, R.B., Wakame, K.; Igarashi, Y.; wang, S. and Matsuzaki, S.(2000):** Suppressive effect of active hexose correlated compound (AHCC) on thymic apoptosis induced by dexazmethasone in the rat. *Endocrine Regulation*, 34: 181-188.
- **Buttike, T.and sandstorm, P.A. (1994):** Oxidative stress as mediator of apoptosis. *Immunol Today*, 15: 7-10.
- **Compton, M.M.; Caron, L.A. and Cidlowski, J.A. (1987):** Glucocorticoid action on the immune system. *J. Steroid Biochem.*, 27: 201-208.
- **Cormack, D.H. (2001):** Cell nucleus, Ch:2, in *Essential Histology*, J.B. Lippincott Company, Philadelphia, P:24-52.
- **Dai-Li; Qu-Xiaohuan; Li-zhen and Li-Guozhong (2000):** Choice of antibacterial agents in the treatment of lower respiratory tract infection due to inducible enterobacteriaceae. *Zhongguo Aanjshengsu Zazhi* ,25 (1) : 24 – 27.
- **De-Hondt, H.A.; El-Laithy, A.F. and Ali, S.M. (1981):** Biochemical and chromosomal studies on rats injected with captan Egypt. *J.Genet Cytol*, 11:245-253.
- **El-Garawani, I.M. (2005):**" the possible role of certain natural polyphenolic compound of plant origin in treatment of mutagenic effects induced by azathioprine: an immunosup-pressive drug". M.Sci Thesis- Department of Zoology- Faculty of Science- Menoufia university.

- **Enari, M.; Sakahira, H.; Yokoyama, H.; Okawa, K.; Imamatsu, A. and Nagata, S. (1998):** A caspase – actived DNase that degrades DNA during apoptosis and its inhibitor ICAD. *Nature*, 391 : 43-50.
- **Erhardt, P. and Cooper, G.M. (1996):** Activation of Caspase-3 apoptotic protease by distinct signaling pathways with differential sensitivity to Bcl.xl. *J. Biol. Chem*, 271:17601-17604.
- **Evan, H.J. (1977):** Molecular mechanisms in the induction of chromosome aberration. Scott, D. Bridges, B.A.North Holland, Amsterdam, P: 57-74.
- **Fearon, E.R.and Vogelstein, B. (1990):** A genetic model for colorectal tumorigenesis. *Cell*, 61:759-767.
- **Ferguson, L. R. and Pearson, A.E. (1996):** the clinical use of mutagenic anticancer drugs. *Mutat. Res.*, 355 : 1-12.
- **Gaido, M.L. and Cidlowski, J.A. (1991):** Identification, Purification and characterization of a calcium – dependent endo-nuclease (NUC 18) from apoptotic rat thymocytes. *J.Biol. Chem.*, 266:580-585.
- **Gartner , L.P. and Hiatt, J.L. (2001):** Nucleus, Ch:3, in color Textbook of Histology, W.B.Sunders Company, Philadelphia, London, Tronto, Montreal, Sydney, Tokyo, P:51-70.
- **Gorla, N.; Garcia Ovando, H. and Larripa, L. (1999):** Chromosomal aberrations in human lymphocytes exposed in vitro to enrofloxacin and ciprofloxacin. *Toxicology Letters*, 104 :43 -48 .

- **Griffiths, A.J.F.; Gelbart, W.M.; Miller, J.H. and Lewontin, R.C. (1999):** Modern Genetic Analysis, W.H. Freeman and Company, New York, P: 23.
- **Gurbay, A.; Gonthier, B.; Signorini Allibe, N.; Barret, L.; Favier, A. and Hncal, F. (2006):** Ciprofloxacin induced DNA damage in primary culture of rat astrocytes and protection by vitamin E. NeuroToxicology, 27 (1) : 6-10.
- **Hara, Y.; Asai, H. and Nakamura, K. (1986):** In shankel, D.M.; Hartman, P.H.; Kada, T. and Hollaender, A. (eds). Antimutagensis and Anticarcinogenesis. Mechanisms, Plenum Press, New York: 556.
- **Harper, P.S. (1993):** Chromosomal abnormalities, Ch:4, in Parctical Genetic Counseling, 4th edition Butter worth Heinemann, P:55.
- **Hartl, D.L.; Ferifelder, D. and Snyder, L.A., (1987):** Basic Genetics, Ch:6, Jones and Bartlett Boston, P:155-178.
- **Hartwell, L.; Hood, L.; Goldberg, M.I.; Renolds, A.E.; Silver, L.M. and Veres, R.C. (2000):** Genetics and cellular function, Ch:5; in Genetics from genes to genomes, MC Graw Hill, Boston, London, P:152-153.
- **Hassab El-Nabi, S.E. (2004(a)):** Molecular and cytogenetic studies on the antimutagenic potential of eugenol in human lymphocytes culture treated with depakine and apetryl drugs. J. Egypt. Ger. Soc. Zoology, (43c): 171-196.
- **Hassab El-Nabi, S.E. (2004(b)):** Molecular studies on the relationship between apoptosis and DNA damage induced by dexamethasone

and flumox in liver and spleen of rat and human lymphocytes culture. J. Egypt. Ger. Soc. Zoology, (45c): 175-202.

- **Herbold-Bernd, A.; Brendler- Schwaab –Susanne, Y. and Ahr-Hans-Juergen (2001):** Ciprofloxacin in Vivo Genoto-xicity Studies. Mutation Research, 498 (1-2) : 193 – 205.
- **Herold, C.; Ocker, M.; Ganslmayer, M.; Gerauer, H.; Hahn, E.G and Schuppan, D. (2002):** Ciprofloxacin induces apoptosis and inhibits proliferation of human colorectal carcinoma cells. Britich Journal of Cancer, 86 (3): 443-448.
- **Hongyu, Y. and Zili, Z. (1992):** Some factors affecting sister chromatid differentiation (SCD) and sister chromatid exchanges (SCE) in hordeum vulgare. Muta. Res. 272: 125-131.
- **Horton, H.R.; Moran, L.A.; Scrimgeour, K.G.; Perry, M.D. and Rawn J.D. (2006) :** Nuclie acid, Ch:19, Principles of Biochemistry, 4th edition, P: 583-584.
- **Hour, T.C.; Liang, Y.C.; and Chu, I.S. (1999):** Inhibition of eleven Mutagens by Various Tea Extracts, (-) Epigallocatechin-3- gallate, Gallic acid and caffeine. Food Chemical Toxicology, 37 (6) : 569-579.
- **Ishida, Hiroko; Ishida, Yoshihisa; Kurosaka, Yuichi; Otani, Tsuyoshi; sato, Kenichi; Kobayashi, Hiroyuki (1998):** In vitro and in vivo activities levofloxacin against biofilm producing Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 42(7) : 1641-1645.
- **Jacobs, J. (1997):** "The Encyclopedia of Alternative Medicine"; carlton Book publications, Boston, Massachusetts.

- **Junqueira, L.C. and Carneiro, J. (2005):** The cell Nucleus, ch:3, in Basic Histology, text and atlas, 11th edition, Mc Graw-Hill, P:57-60.
- **Kada, T. (1983):** Environmental and biological factors suppressing induction of mutagens, Toxicol. Forum, 6 : 580 – 589.
- **Kada, T.; Kaneko, K.; MatsuZaki, S.; MatsuZaki, T. and Hara, Y. (1985):** Detection and chemical identification of natural bioantimutagens A case of the green tea factor. Mutation Research fundamental and Molecular Mechanisms of Mutagenesis, 150 (1-2): 127-132.
- **Kelly D. Kaita; Nimar Assy; Tony Gauthier; Manna Zhang; Adrienne F. Meyers and Gerald Y.Minuk , M.D. (2003):** The beneficial effects of ciprofloxacin on survival and hepatic regenerative activity in a rat model of fulminante hepatic failure. Hepatology 27 (2) : 533-536.
- **Khater, (1991) :** Cytogentic study on the effect of some drugs on albino rat. M.Sci. Thesis- Department of Zoology – Faculty of Science – Benha University, P: 95-96.
- **Kowalchik, C.H. and Hylton, W. (1986):** "Encyclopedia of Herbs"; Rdale press, Emmaus, Pennsylvania.
- **Kumazawa, S.; Taniguchi, M.; Suzuki, Y.; Shimura, Y.; Kwon, M-S. and Nakayama, T. (2002):** Antioxident activity of polyphenols in carob pods. J. Agric. Food Chem., 50:373-377.
- **Kurada, Y.; Jain, A.K.; Tezuka, H. and kada, T. (1992):** Antimutagenicity in cultured mammalian cells. Mutation Res. 267: 201-209.

- **Labieniec, M.; Gabryelak, T. and Falcioni, G. (2003):**
Antioxidant and Pro-oxidant effects of tannins in digestive cells of the freshwater mussel *unio tumidus* mutation . Genetic Toxicology and Environmental Mutagenesis, 539 (1-2) : 19-28.
- **Lim, S.; Hossain, M.A.; Park, J.; Choi, S.H. and Kim, G. (2007):** The effects of enrofloxacin on canine tendon cells and chondrocytes proliferation in Vitro. Veterinary Research Communications, 32 (3) : 243-253.
- **Liu, X.; Zou, H.; Slaughter, C. and wang, X. (1997):** DDF, aheterodimeric protein that functions downstream of casepase – 3 to trigger DNA fragmentation during apoptosis. Cell, 89:175-184.
- **Mann, C.L; Hughes, F.M.JR. and Cidlowski, J.A. (2000):** Delineation of signaling pathways involved in gluecocorticoid induced and spontaneous apoptosis of rat thymocytes. Endocrinology, 141: 528-538.
- **Mason, D.J.; Power, E.G.; Talsania, H.; Phillips, I. and Gant, A.V. (1995):** Antibacterial action of ciprofloxacin. Antimicrobial Agents and Chemotherapy, 39: 2752-2758.
- **MC Gowan, A.J. ; Fernnandes, R.S. ; Samali, A. and Cotter, T.G. (1996):** Anti-oxidants and apoptosis. Biochem. Soc. Trans, 24: 229-233.
- **Morita, K.; Hara, M. and Kada, T. (1978):** Studies on natural desmutagens, screening for vegetable and fruit factors active in

activation of mutagenic pyrolysis products from amino acids.
Agric. Biol. Chem., 42: 1235-1238.

- **Mueller, R.F. and Young, I.D. (1998):** Chromosomes, ch:3, in Elements of Medical Genetics, Cellular and Molecular Basis of inheritance, 3rd edition, Churchill Livingstone, London, P:29.
- **Munoz-Sanz, A. (1996):** Visceral leishmaniasis and ciprofloxacin . Medicina Clinica Barcelona, 107 (14) : 556.
- **Nelson, D.L. and Cox, M.M. (2000):** Cells, Ch:2, Lehninger principles of Biochemistry, Third edition, Worth Publisher, New York, P: 20.
- **Nepka, C.; Sivridis, E.; Antonoglou, O.; Kortsaris, A.; Georgellis, A.; Taitzoglou, I.; Hytioglou, P.; Papadimitriou, C.; Zintzaras, I. and Kouretas, D. (1999):** Chemopreventive activity of very low dose dietary tannic acid administration in hepatoma bearing C₃H male mice. Cancer Letters, 141 (1-2) : 57-62.
- **Nicholson, D.W.; All, A.; Thornberry, N.A.; Vaillancourt, J.P.; Ding, C.K.; Gallant, M.; Gareau, Y.; Griffin, P.R.; Labelle, M.; Lazebnik, Y.A.; Munday N.A.; Raju, S.M.; Smulson, M.E.; Yamin, T.; Yu, V.L. and Miller, D.K. (1995):** Identification and inhibition of ICE/CED-3 protease necessary for mammalian apoptosis. Nature, 376 : 37 – 43.
- **Ogawa, N.; Dang, H. and Tatal, N. (1995) :** Apoptosis and autoimmunity. J. Autoimmunity, 8: 1-20.
- **Rasko, I. and Downess, S. (1996):** DNA and Chromosomes, Ch: 3, in Genes in Medicine, Chapman and Hall, London, Tokyo, Melbourne, P: 68-71.

- **Rosen, J.E.; Schluter, G. and Williams, G.M.; (1996):** Lack of effects of ciprofloxacin and the topoisomerase II inhibitors, m-AMSA acid, on DNA repair in cultured rat liver cells. *Toxicology and Applied Pharmacology* 140 (2) : 254-263.
- **Ross, M.H. and Pawlina, W. (2006):** The cell Nucleus, Ch:3, in *Histology text and Atlas with correlated cell and molecular biology*, 5th edition, Lippincott, Williams & Wilkins, P: 71-91.
- **Sakahira, H.; Enari, M. and Nagata, S. (1998):** Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis. *Nature* , 391: 96-99.
- **SchedletZky-Holger; Wiedemann-Bernd and Heisig-Peter (1999):** The effect of moxifloxacin on its target topoisomerases from Escherichia coli and Staphylococcus aureus. *Antimicrobial Chemotherapy*, 43 (suppl.8): 31-37.
- **Shimoda-Kohji and Kato – Michiyuki (1999):** Apoptotic photoreceptor cell death induced by quinolone phototoxicity in mice *Drug. Toxicology Letters*, 105(1): 9-15.
- **Simon, J. E.; Chadwick, A.F. and craker, L.E. (1984):** *Herbs An indexed Bibliography 1971-1980*.
- **Singh, N.P. (2000):** A simple method for accurate estimation of apoptotic cells. *Exper. Cell Res.*, 256 : 328-337.
- **Snedecor, G.W. (1946) :** *Statistical methods*, 4th edition. Iowa State, College Press, Amer. Iowa.
- **Steinmetz, K.A. and Potter, J.D. (1991):** Vegetables, fruits and cancer. *Epidemiology Cancer Causes Contro*, 2: 325-357.

- **Stoian, V. and Raicu, P. (1975):** Morphological Characteristics and the nature of gaps (achromatic lesions) induced by 4-Aminouracil in chromosomes of Vicia Faba. Mutation Research, 200-217.
- **Tewari, M.; Quan, L.T.; O'Rourke, K.; Desnoyers, S.; Zeng, Z.; Beilder, D.R.; Poirier, G.G.; Salvesen, G.S.; and Dixtt, V.M. (1995):** Yama / CCP 32 beta, a mammalian homology of CED-3, is a CrmA – inhibitable protease that cleaves the death substrate poly (ADP – ribose) Polymerase. Cell, 81: 801 – 809.
- **Vanparys, P.H.; Dekok, M.C. and Van Schooten, F.J. (1996):** Genetic toxicology, Ch:11, in Neisink, R.J.M.; Devries, J. and Hollinger, M. A. (eds), Toxicology principles and Applications, CRC Press, New york, London, Toronto, P:314.
- **Wagner, R.P.; Judd, B.H.; sanders, B.G.; and Richradson, R.H. (1980):** Introduction to modern genetics. John Willy and Sons. New York.
- **Walker, N.I.; Harmon, B.V.; Gobe, G.C. and Kerr, J.F.R. (1988):** Patterns of cell death, Methods Acheiv.Exp.Pathol.; 13: 18-54.
- **Wang, Ge.; Wilson-Trevor, J.M.; Jiang–Qin and Taylor- Diane, E. (2001):** Spontaneous mutations that confer antibiotic resistance in Helicobacter Pylori. Antimicrobial Agents and Chemotherapy ,45(3) : 727 – 733.
- **Wenling – Cao; Xibao – Zhang; Shi-Fei; Minchangwu; Ping – Li; Debiao-Wu and Jinlan- Yan (2000):** Analysis of the antibiotic Sensitivity of Neisseria gonorrhoeae in GuangZhou, Peoples Republic of China. Sexually Transmitted Diseases, 27 (8) : 480-482.

- **Winter, P.C.; Hickey, G.I. and Fletcher, H.L. (1998):** Molecular genetics and Genome, in Instant notes in Genetics, Bios scientific publisher, New york, P:2 ; 44-46 and 70.
- **Wolfe, J.T.; Ross, D. and Cohen, G.M. (1994):** A role for metals and free radicals in the induction of apoptosis in thymocytes. FEBS Lett, 352:58-62.
- **Wyllie, A.H.; Kerr, J.F.R.; and currie, A.R. (1980):** Cell death, the significance of apoptosis. Int. Rev. Cytol., 68: 251-306.
- **Wyllie, A.H. (1987):** Apoptosis cell death under homeostatic control, Arch Toxicol. (suppl.), 11:3-10.
- **Wyllie, A.H. (1995):** The genetic regulation of apoptosis. Curr.Opin. Genet. Dev., 5:97-104.
- **Yoshida, A.; Pourquier, P. and Pommier, Y. (1998):** Cell death, the significance of apoptosis. Cancer Res., 58: 2576-2582.
- **Yosida, T.M.; and Amano, K. (1965):** Autosomal Polymorphism in laboratory bred and wild Norway rats. Rattus norvegicus found in Misima chromosoma 16: 658-667.
- **Zubay, G. (1987):** Genetics, Ch:9, The Benjamin / Cummings, Menlopark, California, P: 308-357.