
*
* REFERENCES *
*

- 6) Bluestone, C.D. and Shurin, P.A. (1974).
Middle ear disease in children. Pathogenesis,
diagnosis and management.
Pediatr. Clin. North. Am. 21, 379-400.
- 7) Bluestone, C.D. (1975).
Obstructive adenoids in relation to otitis media.
Ann. Otol. Rhinol. Laryngol. 84, 44-48.
- 8) Bluestone, C.D. and Beery, Q.C. (1976).
Adenoidectomy in relation to otitis media.
Ann. Otol. Rhinol. Laryngol. 85, 280-284.
- 9) Bioes, L.R. and Younger, L.Y. (1952).
Abnormal pneumatization of temporal bone.
Ann. Otol. Rhinol. Laryngol. 61, 836-849.
- 10) Bolme, P. and Eriksson, M. (1976).
The bioavailability of oral penicillin-V.
Acta Pediatr. 65, 253-256.
- 11) Branefares, Helander P.; Dahlberg T.; Nylen O, (1975).
Acute otitis media: A clinical bacteriological and
serological study of children with frequent episodes
of acute otitis media.
Acta otolaryngol 80: 399-409

- 12) Brownlee, R.C.; De Loache, w.R.; Cowan, C.C. and Jakson, H.P. (1969).
Otitis media in children. Incidence, treatment and prognosis in pediatric practice.
J. Pediatr. 75, 363-642.
- 13) Bryan, M.P. and Bryan, W.T.K. (1970).
The use of aural cytology in the diagnosis of various inflammation and malignant tumours.
Acta Cytol. 14, 411-417.
- 14) Bryan, M.P. and Bryan, W.T.K. (1974).
Cytologic diagnosis in allergic disorders,
Otolaryngol. Clin. North. Am. 7, 637-660.
- 15) Bryan, M.P. and Bryan, W.T.K. (1976).
Cytologic and immunologic response revealed in middle ear effusion.
Ann. Otol. Rhinol. Laryngol. 85, 238-244.
- 16) Burton, B.T. (1976).
The Heinz Handbook of Nutrition 3rd ed.
New York Blakiston Division Mc Graw-Hill.
- 17) Coffey, J.D. (1966).
Otitis media in the practice of pediatrics.
Pediatrics. 38, 25-34.

- 18) Dadswell J.V. (1967).
Bacteriological findings in acute otitis media.
Lancet. 1:243-245.
- 19) David, W.; Teele; Stephon, I.; Pelton, Jerome, O. and
Kleion (1981).
Bacteriology of acute otitis media unresponsive to
initial antimicrobial therapy.
Pediatrics. 98, 4-7.
- 20) Diamant, M. and Diamant, B. (1974).
Abuse and timing of use of antibiotics in
acute otitis media.
Arch. Otolaryngol. 100, 226-232.
- 21) El-Mazni, A.; Fatt-hi, A. and Eissa, H. (1985).
Adenoids and otitis media in children.
Gazette of Egypt; Pediatric. Assoc.
- 22) Fatt-hi, A. and El-Ashmawy, S. (1980).
A recent immunological concept of some nasal
Diseases.
J. Laryngol and Otol. 94, 291-299.
- 23) Feingold, M.; Klein, J.O.; Haslam, G.E.; Tilles, J.G.;
Finland, M. and Gellis, S.S. (1966).
Acute otitis media in children.

Am. J. Dis. Child. 111, 361-365.

- 24) Frank, R. Venezio; Thomas, P. Naidich and Stanford, T.
Shulman (1982).
complications of mastoiditis with special emphasis
On venous sinus thrombosis.
J. Pediatr. 10, 509-513.
- 25) Freidmann, I. (1956).
The pathology of otitis media.
J. Clin. Pathol. 9, 229-236.
- 26) Frolund Thomsen V.; Sederberg Olsen J. and
Sorensen H. (1976).
Bacteriology and antibiotics in acute suppurative
Otitis media.
J. Otolaryngal 5:289.
- 27) Fulghum, R.S.; Daniel, H.J. and Yarborough, J.G.
(1977).
Anaerobic bacteria in otitis media.
Ann. Otol. Rhinol. Laryngol. 86, 196-203.
- 28) George, E. Shambaugh (1967).
Surgery of ear.
2nd ed. Philadelphia, W.B. Saunders, 203.

- 29) Giebink, G.S.; Mills, E.L.; Huff, J.S.; Edelman, C.K.;
Weber, M.L.; Juhn, S.K. and Quie, P.G. (1979).
The microbiology of serous and mucoid otitis media.
Pediatrics. 63,915-919.
- 30) Hattori, Y. (1975).
Tubing, as a treatment for recurrent infant.
suppurative otitis media.
Acta Otolaryngol. 330, 144-146.
- 31) Hazzard, A.J. (1970).
Symptoms associated with acute otitis media in
children.
Practitioner. 205, 636-686.
- 32) Healy, B.G. and Teele, D.W. (1977).
The microbiology of chronic middle ear
effusions in children.
Laryngoscope, 87, 1472-1475.
- 33) Holmqvist J, Larsson G. (1976).
Eustachian tube dysfunction
Scand Andiol 5:107.
- 34) Howard, A.J.; Hince, C.J. and Williams, J.D. (1978).
Antibiotic resistance.
Br. Med. J. 1, 1657-1660.

- 35) Howard. J.E.; Nelson, J.D.; Clahsen, J. and Jackson, L.H. (1976).
Otitis media of infancy and early childhood.
Am. J. Dis. Child. 130, 965-970.
- 36) Howie, V.M., Ploussard, J.H. and Sloyer, J.L. (1975).
The "Otitis Prone" condition
Am. J. Dis. Child. 129. 676-678
- 37) Howie, V.M., Ploussard, J.H. and Sloyer, J.L. (1976).
Natural history of otitis media
Ann Otol. Rhinol. Laryngol. 84, 67-72.
- 38) Jerger, S.; Jerger. J.; Mauldin, L. and Segal, P. (1967).
Studies on impedance audiometry.
Arch. Otolaryngol. 99, 1-9.
- 39) Johnson, W.W. (1961).
A survey of middle ears: 101 autopsies of infants.
Ann. Otolaryngol. 70, 377-383.
- 40) Jones, M. (1974).
Comparison of bacteria from ear and upper
respiratory tract in otitis media.
Arch. Otolaryngol. 72, 329-336.

- 41) Kamme, C.; Lundgren, K. and Mardth, P.A. (1971).
The etiology of acute otitis media in children
Scand. J. Infect. Dis. 3, 217-223.
- 42) Karma. P. (1976).
Otitis media.
Br. Med. J. 1, 1018-1023.
- 43) Karin Sandelin. Judit Mckinen and Jorman, R. (1979).
Adenoid and otitis media with effusion
Ann. otolaryngol 88,166-171.
- 44) Keith, R.W. (1973).
Impedence audiometry with neonates.
Arch. Otolaryngol. 97, 465-467.
- 45) Kessner, d., Snow, C.K., and Singer, T. (1974).
Assment of medical care for children
Vol. 3 Washington D.C., Institute of medicine
National Academy of Sciences.
- 46) Lahikainen, E.A. (1953).
Clinico-bacteriologic studies on acute otitis media.
Acta Otolaryngol. 107, 1-8.
- 47) Laxdal, O.E.; Blake, R.M.; Cartmill, T. and Robertson,
H.E. (1966).
Etiology of acute otitis media in infants and children.

Can. Med. Assoc. J. 94, 159-163.

- 48) Lim, D.J. (1976).

Functional morphology of the mucosa of the
middle ear and eustachian tube.

Ann. Otol. Rhinol. Laryngol. 85, 36-43.

- 49) Liu, Y.S.; Lim, D.J.; Lang, R.W. and Birk, H.G (1975).

Chronic middle ear effusion.

Arch. Otolaryngol. 101, 278-282.

- 50) Lundgren, K. and Runderantz, H. (1976).

Microbiologic serous otitis media.

Ann. Otol. Rhinol. Laryngol. 85, 152-155.

- 51) Maynard, J.E.; Fleshman, J.K. and Tschopp, C.F. (1972).

Otitis media.

JAMA. 219, 597-599.

- 52) Mc Lellan, M.S.; Strong, J.P.; Vautier, T. and Blatt,

I.M. (1967).

Otitis media in newborn.

Arch. Otolaryngol. 85, 380-382.

- 53) Meurman, O.M.; Sarkkinen, H.K.; Puhakka, H.J.;

Virolainen, E. and Neurman, O.H. (1980).

Local Ig. A. antibodies against respiratory viruses

in middle ear and nasopharyngeal secretions of
children with secretory otitis media.

Laryngoscope. 90, 304-311.

- 54) Mibe, T. (1975).

Antibiotic treatment for otolaryngological
diseases.

Shonika 16:1401-1406.

- 55) Moon, C.N. And Hahn, M.(1978).

Pneumatic otoscopy and impedance studies
in middle ear diagnosis.

Laryngoscope. 88, 1439-1448.

- 56) Mortimer, E.A. and Watterson, R.L. (1965).

A bacteriologic investigation of otitis media in
infancy.

Pediatrics 17, 359-366.

- 57) Mourad, K.A.H.; Hablas, R.; Abd-El-Fattah, S.M.,

El-Sakary, S.; Abd-El-Khaled, G. and
fawzi, M. (1977).

Bacteriology of diarrhea in Egyptian Children.

Gazette. Egypt Ped. Assoc. 26, 83-87.

- 58) Myerhoff W.H., Shea, D. and Faster, C.A. 91980).

Otitis media, Cleft palate and middle ear

ventilation otolaryngeal.

Head and neck Surg., 88: 606-612.

- 59) Mygind N, Meistrup-farsen K-I, and Thompson J.

et. al. (1979).

Pencillin in acute otitis media.

Acta Otolaryngol 80: 100-102.

- 60) Nilsen B.W., Poland R.L. and Thompson R.S. et. al.

(1969).

Acute otitis media treatment results in
relation to bacterial etiology.

Pediatrics 43: 29-35.

- 61) Ojala, L. and Palva, T. (1955).

Macrophages in aural secretions and their
clinical significance.

Laryngoscope 65, 670-692.

- 62) Palatsi, I. and Kaipainen, W. (1971).

A comparative study of blood concentrations
after peroral benzathine penicillin-V and
potassium penicillin-V.

Scand. J. Infect. Dis. 3, 71-74.

- 63) Palva, T. and Holopainen, E. (1978).

Management of noncholesteatomatous

suppurative middle ear disease in children.

Adv. Otorhinolaryngol. 23, 45-57.

- 64) Palva, T. and Kokko, E. (1976).

Middle ear effusion-complications of disease
and treatment.

J. Otolaryngol. 5, 459-462.

- 65) Palva, T. and Hallstrom, O. (1965).

Bacteriology of chronic otitis media. Results
of analysis from the ear canal and from the operative
cavity.

Arch. Otolaryngol. 82, 359-264.

- 66) Palva, T.; Freidman, I. and Palva, A. (1964).

Mastoiditis in children.

J. Laryngol. Otol. 88, 977-991.

- 67) Paradise, J.L. (1981).

Otitis media during early life. How hazardous.

Ped. 68, 869-873.

- 68) Paradise, J.L. and Bluestone, C.D. (1974).

Early treatment of universal otitis media of
infants with cleft palate.

Pediatrics. 53, 48-54.

- 69) Perrin, J.M.; Charney, E.; Mac Whinney, J.B., Mc
Inerny, T.K.; Miller, R.L. and Nazarian,
L.F. (1974).
Sulfisoxazole as chemoprophylaxis for recurrent
otitis media.
N. Engl. J. Med. 291, 664-668.
- 70) Puhakka, H.; Virolainen, E.; Aantaa, E.; Tuohimaa, P.;
Eskola, J. and Ruskanen, O. (1971).
Myringectomy in the treatment of acute otitis media
in children.
Acta. Otolaryngol. 88, 122-126.
- 71) Puhander, J., Puotonen J., Sipila M. et. al. (1982).
Incidence of acute otitis media
Acta otolaryngology 93: 447-453.
- 72) Roddey Of. Jr., Earle R.T.Y., and Haggarty R. (1966).
Myringectomy in acute otitis media
Jama 199: 849.
- 73) Rubenstein, A.D. and Foley, G.E. (1947).
Epidemic diarrhea of newborn.
N. Engl. J. Med. 236, 87-97.

- 74) Rudberg, R. (1954).
Acute otitis media.
Acta Otolaryngol. 113, 1-79.
- 75) Ruokonen, J.; Sandelin, K. and Makinen, JI (1979).
Adenoids and otitis media.
Ann. Otol. Rhinol. Laryngol. 88, 166-171.
- 76) Sanyal, M.A.; Henderson, F.W. and Stempel, E.C. (1980).
Effect of upper respiratory infection on eustachian
tube ventilatory function in the preschool children.
J. Ped. 97, 11-15.
- 77) Schwartz, D.M. and Schwartz, R.H. (1978).
Acoustic impedance and otoscopic findings in young
children.
Arch. Otolaryngol. 104, 652-659.
- 78) Schwartz, R.; William, J.; and Rodrigner, (1979).
The nasopharyngeal culture in acute otitis media
Jama 241: 2170:2173.
- 79) Shambough, G.E. and Quie, P.G. (1973).
Acute otitis media and mastoiditis in otolaryngology.
Saunders Co., Philadelphia. 2, 113-120.

- 80) Shurin, P.A.; Pelton, S.I. and Klein, J.O. (1970).
Otitis media in newborn infants.
Ann. otol. Rhinol. Laryngol. 85, 216-222.
- 81) Soriana, H.; Navarrete, M. and Nichols, B.L. (1975).
Diarrheal syndrome mortality in childhood
Magnitude of the problem throughout the world.
Congress pediatrics, San Pablo, Brasil.
- 82) Sprinkle, P.M. and Veltri, R.W. (1971).
Microbiology of the middle ear and nasopharynx.
Ann. Otol. Rhinol. Laryngol. 80, 854-864.
- 83) Stickler, G.B.; Rubenstein, M.M.; Mc Bean, J.B.;
Hedgecock, L.D.; Hugstad, J.A. and Griffing,
T. (1967).
Treatment of acute otitis media in children.
Am. J. Dis. Child. 114, 123-130.
- 84) Sugita R., Kawa Mura, S. and Fujimaki (1982).
Microorganisms and their seasonal characteristics
in nasopharynx.
Journal of otolaryngology 82:751-757.
- 85) Sugita R., Kawa Mura, S. and Hareda, K. (1983).
Chemotherapy of acute otitis media
Journal of otolaryngology 1381-1387.

- 86) Teele, D.W.; Klein, J.O. and Rosner, B.A. (1980).
Epidemiology of otitis media in children.
Ann. Otol. Rhinol. Laryngol. 89(supply 68) 5-6
- 87) Tetzlaff, T.R.; Ashwrth, C. and Nelson, D. (1977).
Otitis media in children less than 12 weeks
of age.
Pediatrics 59: 827-832.
- 88) Tumarkin, A. (1959).
On the nature and significance of hypocellularity
of the mastoid.
J. Laryngol. Otlo. 73, 34-44.
- 89) Van Buchen, F.L.; dunk, J.H. and Vanthof, M.A. (1981).
Therapy of acute otitis media. Myringotomy
antibiotic or neither.
Lancet. 2, 883-887.
- 90) Virgil, M.; Howie, J.H.; Ploussard and Richard, L. (1970).
Otitis media: a clinical and bacteriological
correlation.
Ped. 45, 29-35.
- 91) Warren, W.S. and Stool, S.E. (1971).
Otitis media in low birth weight infants.
J. Pediatr. 79, 740-743.

- 92) Zalin, H. (1963).

On the etiology of the pre-epidermosis with
special reference to the role of exudative
otitis media.

J. Laryngol. Otol. 77, 543-461.

- 93) Zizmor, J. and Noyek, A.M. (1974).

Inflammatory diseases of the temporal bone.

Radial. Clin. North. Am. 12, 491-504.