

REFERENCES

REFERENCES

- Abdel Masi, W.; Allam, S.A.; Fayoumi, S.A.; Fouad, B. and Walli, H. (1989): Benha Medical Journal. 6 (3) 53 - 58.
- Albiin, N. (1984): The anatomy of the eustachian tube: Acta Otolaryngol (stockh) suppl. 414: 34 - 37.
- Albiin, N.; Hellström, S.; Salén, B.; Stenfors, L.E. and Söderberg, O. (1983): The anatomy of the eustachian tube in rat: A macro and microscopical study. Anat. Rec. 207: 513 - 521.
- Albiin, N.; Hellström, S.; Stenfors, L.E. and Crene, A. (1986): Middle ear mucosa in rats and human Annals of Otology, Rhinology and laryngology. Suppl. 126 - 95: 2 - 15.
- Albiin, N.; Hellstrom, S.; Salen, B.; Stenfors, L.E. and Wirll, S. (1985): The vascular supply of the rat tympanic membrane. Annals. Rec. 22: 17 - 22.

Arnold, W. and Vosteen, K. (1975): Quoted by portmann (1984). The aetiology and pathogenesis of otitis media with effusion. Acta Otolaryngol (stockh) suppl. 414: 41 - 44.

Bendek, G.A. (1963): Histopathology of transudatory otitis media. Arch Otolaryngol 78: 33 - 38.

Bernstein, J.M.; Hayes, E.R. (1971): Middle ear mucosa in health and disease Arch. Otolaryngol. 94: 30 - 35.

Bluestone, C.D.; Paradise, J.L. and Beery, Q.C. (1972): Physiology of eustachian tube in the pathogenesis and managment of middle ear effusion. Laryngoscope 82: 1654 - 1670.

Bluestone, C.D.; Cantekin, E.I. and EL-Beery, Q.C. (1975): Eustachian tube ventillatory function in relation to cleft palate. Ann. Otol. (St. Louis) 84: 333.

Bluestone, C.D. and Cantekin, E.I. (1981): Penal on experiences with testing eustachian tube function. Ann. Otol. Rhinol. Laryngol, 90. 552 - 561.

Bluestone, C.D. (1985): The role of eustachian tube function in otitis media: Current concepts and relation to management. Ann. Otol. Rhinol Laryngol, 94 (Suppl 120): 48 - 49.

Bojsen - Møller, F. (1964): Topography of the nasal glands in rats and some other mammals. Anat Rec. 150: 11 - 24.

Bonding, P. and Tos, M. (1981): Middle ear pressure during brief pathological conditions of the nose and throat. Acta Otolaryngol. 92: 63 - 69.

Bridger, G.P. and Proctor, D.P. (1970): Maximum nasal inspiratory flow and nasal resistance. Annals of Otology. 79: 481 -488.

Bylander, A. and Tjernstrom, O. (1983): Changes of eustachian tube function with age in children with normal ears. Acta Otolaryngol (stockh) 96: 467-477.

Cole, P. (1982): Modification of inspired air In the Nose: Upper Airway Physiology and the Atmospheric Environment, edited by Proctor, D. and Andresson, I. PP. 351 - 375. Amsterdam Elsevier.

Cormack, D.H. (1987): In Ham's Histology 9th edit. PP. 543.
J.B. Lippincott company. Philadelphia London.
Mexico City New York St. Louis Sao. Paulo. Sydney.

Daws, J.D.K. (1970): The aetiology and sequelae of exudative
otitis media. Journal of Laryngology and Otology.
84: 583 - 610.

Dixon, F.W.; Hoerr McCall, J.W. (1949): The nasal mucosa in
the laryngectomized patients. Ann. Otol. Rhinol.
Laryngol. 58: 535 - 547.

Douek, E. (1979): Scott Brown's Diseases of ENT. Physiology
of the nose and paranasal sinuses. 4th edit. Vol I.
PP. 159. Butterworth, London. Boston.

Ewart, G. (1965): The mucus flow rate in the human nose.
Acta Otolaryngology (stockh) Suppl. 200.

Fairbank, D.N.F (1986): In Otolaryngology, Head and Neck
Surgery. Vol. I. PP. 667. Edited by Cumming, G.W.
and Krause, C.J. The C.V. Mosby Company St. Louis
Toronto.

Flisberg, K.; Ingelstedt, S. and Ortegren, W. (1963): On middle ear pressure Acta Otolaryngologica (stockh), Sweden Suppl. 182: 43 - 56.

Forbes, A.R. (1973): Humidification and mucosa flow in the intubated trachea. British. J. Anaesthesia, 45: 874 - 878.

Good, R.L. (1986): In Otolaryngology Head and Neck Surgery Vol. 1. PP. 547. edited by Cumming, G.W. and Krause, C.J. The C.V. Mosby Company st. Louis Toronto.

Grote, J.J. and Kuijers, W. (1980): Middle ear effusion and sinusitis. The Journal of Laryngology and Otology. 94: 177 - 183.

Ham, A.W. (1969): In Ham's Histology 6th edit. PP. 742 - 744. J.B. Lippincott Company. Philadelphia Toronto.

Hebel, R. and Stromberg, M.W. (1976): Anatomy of the laboratory rat, PP. 55-57 and 145-149 edited by the Williams and Wilkins Company, Baltimore.

Helstrom, S.; Salen, B. and Stenfors, L.E. (1982): Anatomy of the rat middle ear. A study under dissection microscope. Acta Anat. (Basel). 112: 346 - 352.

Hilding, A. (1932): Experimental Surgery of the nose and sinuses. Changes in the morphology of the epithelium following variation in the ventilation. Arch. Otolaryngol. 16: 9 - 18.

Hilding, D.A. and Hilding, A.C. (1970): Electron microscopic observation of nasal epithelium after experimental alteration of air flow. Annals of Otology, Rhinology and Laryngology. 79: 451 - 460.

Honjo, I. (1985): Clearance function of the eustachian tube. Annals of Otology, Rhinology and Laryngology. 94, Suppl. 120: 29-30.

Honjo, I.; Ushiro, K.; Okazaki, N. and Kumazawa, T. (1981): Evaluation of eustachian tube function by contrast roentgenography. Arch. Otolaryngol. 107: 350 - 352.

Hormann, K. (1987): Pathogenesis and pathophysiology of middle ear effusion. Acta Otolaryngologica. Suppl. 440: 42 - 52.

Kelemen, G. (1962): Histology of the nasal and paranasal cavities in germfree reared and ex - germfree rats. Acta Anat. 48: 108 - 113.

Kokko, E. (1974): Chronic secretory otitis media in children Acta Otolaryngol (stockh) Suppl. 327: 1 - 44.

Kuijpers, W.; Van der Beek, M.H. and Willart, E.C.T. (1979): The effect of experimental tubal obstruction on the middle ear. Acta Otolaryngol. 87: 345 - 352.

Larsen, P.L. and Tos, M. (1991): Polyp formation by experimental tubal occlusion in the rats. Acta Otolaryngol (stockh). 111: 926 - 933.

Lim, D.J. (1984): Functional morphology of tubotympanum Acta Otolaryngol (stockh). Suppl. 414: 13 - 18.

Lippmann, M. (1970): Disposition and clearance of inhaled particles in the human nose. Annals of Otology Rhinology and Laryngology. 79: 519 - 528.

Mawson, S.R.; Adlington, P. and Evans, M. (1967): A controlled study evaluation of adenoidotonsillectomy in children. *Journal of Laryngology and Otology*. 81: 777 - 790.

Maw, A.R. and Parker, A. (1988): A surgery of tonsils and adenoids in relation to secretory otitis media in children. *Acta Otolaryngol (stockh)*. Suppl. 454: 202 - 207.

McCurdy, M.J.A. (1977): Effects of nasal packing on eustachian tube function. *Arch. Otolaryngol*. 103: 521 - 523.

McNicoll, W.D. and Scanlen, S.G. (1975): The nose - Ear distress syndrome *Journal of Royal Naval Medicine Service*. Spring Edition. 27 - 29.

McNicoll, W.D. and Scanlen, S.G. (1979): Submucous resection: The treatment of choice in the Nose - Ear Distress syndrome. *The Journal of Laryngology and Otology*. 93: 357 - 367.

Mercke, U. (1975): The influence of varying air humidity on mucociliary activity. *Acta Otolaryngol*. 79: 133-139.

Moe, H. and Bojsen. Moller, F. (1971): The fine structure of the lateral nasal gland. *J. Ultrastructure Res.* 36: 127 - 148.

Mogensen, C.H.R. and Tos, M. (1978): Changes of the nasal mucosa in altered airflow illustrated by blind quantitative histology. *The journal of laryngology and Otology.* 92: 668 - 680.

Moscona, A.A. (1964): Quoted by Hormann, K. (1987). Pathogenesis and physiology of middle ear effusion *Acta Otolaryngologic Suppl.* 440: 42 - 52.

Negus, V.E. (1949): Quoted by Sara, C. (1965). The management of patients with a tracheostomy. *Med. J. of Aust.* I: 99 - 103.

Negus, V. (1956): The air conditioning mechanism of the nose. *British Medical Journal Part I:* 367 - 371.

Palva, T.; Palva, A. and Dammert, K. (1968): Middle ear mucosa and chronic ear disease. *Arch. Otolaryngol.* 87: 21 - 29.

Paparella, M.M.; Hiraide, F.; Juhn, S.K. and Kaneko, Y.
(1970): Cellular events involved in middle ear
fluid production. Ann. Otol. Rhinol. Laryngol. 79:
766 - 779.

Paparella, A. and Shumrick, I. (1980): Physiology of the
nose and paranasal sinuses 2nd edition, Vol. 1. 11:
300. W.B. Saunders Company. Philadelphia, London
and Toronto.

Robison, J.M. and Nicholas, H.O. (1951): Catarrhal otitis
media with effusion. A disease of retropharyngeal
lymphatic system. South Med. J. 44: 1002 - 1015.

Romanes, G.J. (1964): In cunningham's Text Book of anatomy
9th edition. PP. 828 - 832. London Oxford
University Press. New York Toronto.

Sadè, J. (1966): Pathology and Pathogenesis of serous otitis
media. Arch. Otolaryngol. 84: 297 - 305.

Sadè, J. and Berco, E. (1976): Atelectasis and secretory
otitis media Ann. Otol. Rhinol. Laryngol 85 (Suppl.
25): 66 - 72.

*Sadè, J. and Luntz, M. (1991): Adenoidectomy in otitis
• media. Ann. Otol. Rhinol. Laryngol. 100: 226 - 231.*

*Sadè, J. and Weinberg, J. (1969): Mucus production in the
chronically infected middle ear. Ann. Otol. Rhinol.
Laryngol. 78: 148 - 153.*

*Sternberg, H. (1924): Quoted by Dixon, F.W. Hoerr, N.L. and
McCall, J.W. (1949). The nasal mucosa in the
laryngectomized patient. Ann. Otol. Rhinol.
Laryngol. 58: 535 - 547.*

*Stenfors, L.E.; Hellstrom, S. and Albin, N. (1985):
Eustachian tube function. Middle ear clearance.
Ann. Otol. Rhinol. Laryngol. Suppl. 120. 94: 30-31.*

*Tappozada, H.H. and Gaafar, H.A. (1974): Human nasal
seromucinous glands after permanent tracheostomy.
Electron Microscopic Study. O.R.L. 36: 299 - 305.*

*Toremalm, N.G. (1960): A heat and moisture exchanger for
post tracheostomy care, an experimental study. Acta
Otolaryngol. 52: 461 - 472.*

Tos, M. (1971): Development of mucous glands in the human eustachian tube. Acta Otolaryngol (stockh). 70: 340.

Tos, M. (1981): Experimental tubal obstruction. Changes in middle ear mucosa elucidated by quantitative histology. Acta Otolaryngol (stockh). 92: 51 - 61.

Tos, M. and Bak-Pedersen, K. (1972): The pathogenesis of chronic secretory otitis media. Arch Otolaryngol. 95: 511 - 522.

Tos, M. and Mogensen, C. (1978): Changes of the nasal mucosa in altered airflow illustrated by blind quantitative histology. The journal of laryngology and Otology. 92: 667 - 680.

Vidic, B. and Greditzer, H.G. (1971): The histochemical and microscopical differentiation of the respiratory glands around the maxillary sinuses of the rat Am. J. Anat. 132: 491 - 513.

Virtanen, H. and Martilla, T. (1982): Middle ear pressure and eustachian tube function. Archives Otolaryngol. 108: 766 - 769.

Warszawsky, H. (1963): Investigations on the lateral nasal glands of the rat. Anat. Rec. 147: 443 - 445.

Watanabe, K.; Watanabe, I.; Saito, Y. and Mazuhir, V. (1980): Characteristics of capillary permeability in nasal mucosa. Ann. Otol. Rhinol. Laryngol. 89: 377 - 382.

Watson, C.C. (1989): Chronic otitis media: The significance of nasal obstruction. Clinical Otolaryngol. 15 (5): 435 - 438.

Williams, H. (1973): Quoted by Leopold, D.A. (1986) in Otolaryngology. Head and Neck Surgery. Vol. 1. PP. 527 - 545 Edited by Cumming, G.W. and Krause, C.J. The C.V. Mosby Company. St. Louis Toronto.

Williams, P.L.; Warwick, R.; Dyson, M. and Bannistor, I.H. (1989): In Gray's anatomy 37th edit. PP. 365 - 369. Churchill Livingstone Edinburgh. London Melbourne and New York.

Young, A. (1967): Closure of the nostrils in atrophic rhinitis. Journal Laryngol. and Otology. 80: 524.