

REFERENCES

REFERENCES

- Atzeius, B.A. (1979):
"The immobile cilia syndrome and other ciliary diseases.
Int. Rev. Exp. Pathol, 19, 1.
- Alexander, L.W. (1956):
"Adenoids and its relation to the ear".
Laryngoscope 66: 711-721.
- Alt, A. (1978):
"After Balketal in E.T. Closing failure.
Arch. Otolaryngeal Jan 1984 Vol. 100, pp. 10-14.
- Arborella, J.L.G.; Alonson, H.B. (1977):
"Antibiotica-Mucolytica en infecciones de traco respiratorio
superiore inferior.
Invest. Int. Med. 4: 466-72.
- Arenberg, I.K. and Bayer, R.F. (1977):
Therapeutic options in Meniere's disease.
Archives of otolaryngology, 103, 589: 593.

- Aschan, G. (1954):
 "Eustachian tube' histological findings under normal conditions in otosal pingitis.
 Acta otolaryngol (Stock) 44: 295-311.
- Ballenger, J. (1977):
 "Acute otitis media in diseases of the nose, throat and ear".
 12th edition chapter 4.
 Edited by Lea & Febiger Philadelphia.
- Banovetz, D. (1980):
 Topical drugs-Basic and applied.
 Vol. I, Ch. (16), 2nd edition.
 Paparella and Shumrick, W.B.; Saunders's Company.
- Berry, G.C.; Doyle, W.; Canteikin, E.I.; Bluestone, C.D. & Weit, R.J.
 (1980):
 "Eustachian tube function in American Indian Population"
 Ann. O.R.L. 89 (Sup. 68): 28-33.
- Bende, M.; Andersson, K.E.; Johansson, C.J.; Sjogren, C. and
 Svensson, G. (1984):
 "Dose response relationship of a topical nasal decongestant
 phenylpropylamine".
 Acta Otolaryngol., 98: 543-547.

- Bluestone, C.D.; Paradise, J.L.; Beery, Q. (1972)
 "Physiology of the eustachian tube in the pathogenesis and
 management of middle ear effusions.
 Laryngoscope 1972; 82: 1654-9.
- Bluestone, C.D.; Beery, Q.; Paradise, J. (1973):
 "Audiometry & Tympanometry in relation to middle ear in
 children.
 Laryngoscope Vol. XXXIII No. 4 April.
- Bluestone, C.D.; Canteikin, E.L.; Beery, Q.C. Paradise, J.L. (1975):
 "Eustachian tube ventilatory function in relation to cleft palate.
 Ann. Otol. Rhinol Laryngol. 84: 333-8.
- Bluestone, C.D.; Canteikin, E. & Beery, Q. (1975):
 "Effects of adenoidectomy on E.T.F."
 The laryngoscope, 85: 113-127.
- Bluestone, C.D. & Beery, Q.C. (1976):
 "Concepts on the pathogenesis of M.E.E."
 Ann. Otol. Rhinol Laryngol 85, Suppl. 25, 182.

- Bluestone, C.D.; Cantekin, E.I.; Berry Q.C. (1977):
 "Effect of inflammation on the ventilatory function of the
 eustachian tube".
 Laryngoscope: 87: 493-507.
- Bluestone, C.D. (1987):
 "Eustachian tube and nasopharynx".
 1st edition Ch.2.
 Bernstein & Ogra, Raven Press, New York.
- Bocube, J.; Freche, C.H. (1961):
 "Les indications et les abus des instillations nasales
 therapeutiques"
 Rev. Prat (Paris) XI, 28.
- Bourne, H.R.; Lichtenstein, L.M.; Melmonk, L. (1974):
 Modulation of inflammation and immunity by cyclic AMP.
 Science. 184: 19-20.
- Brian, A. & Hills, B. (1984):
 "Analysis of eustachian surfactant and its function as a release
 agent.
 Arch Otolaryngol-Vol 110, Jan 1: 3-9.

- Braken, E.A.; Brookler, K.H. (1972):
 "Surface tension lowering substance of canine E.T."
 Ann. Otolarhinology, 81: 268-76.
- Braken, E.A.; Brookler, K.H. (1973):
 "Surface tension lowering substance of the eustachian tube" in
 non suppurative O.M.
 Laryngoscope, 83: 255-258.
- Brooker, K.H. & Braken, E.A. (1972):
 "S.T.L.S. of the canine E.T."
 Laryngoscope, 81: 1671-73.
- Brown David, T.; William, P. Postic, Roger, R. Marsh and Mitchell
 (1985):
 "Drugs affecting clearance of middle ear secretions: A
 prospective for the management of otitis media with effusion"
 Ann. Otol. Rhinol and Laryngol, Supp 125, 94 (5).
- Bylander, A. (1980):
 "Comparison of eustachian tube function in children and
 adults with normal ears".
 Annals of Otolary, Rhinology & Laryngology, 89, Suppl. 68, 20-
 24.

- Bylander, A.; Ivarsson, O.; Tjernstrom, O. (1981):
 "Eustachian tube function in normal children & adults"
 Acta Otolaryngol (Stock H) 92: 481-91.
- Bylander, A.; Tjernstrom, O.; Ivarsson, O. (1983):
 "A pressure opening and closing functions of the E.T. by
 inflation and deflation in children and adults with normal
 ears.
 Acta Otolaryngol (Stockh), 96: 255-68.
- Bylander, A.; Tjernstrom, O. (1983):
 "Changes in eustachian tube function with age in children
 with normal ears. A longitudinal study.
 Acta Otolaryngol (Stockh), 96: 467-477.
- Cantekin, E. (1984):
 State of the art: Physiology and pathophysiology of the E.T.
 In: Lim et al. eds.
 Recent advances in O.M.E.
 Proceedings of the third international symposium burlington,
 Ontario: BC Docker Inc, 45-8.

- Cantekin, E.T.; Bluestom, C.D.; Rochette, H.F. and Beery, Q.C. (1980):
 "Effects of decongestant with or without antihistamine on
 eustachian tube function".
 Ann. Otol., Rhinol and Laryngol., Supp. 68, 89:290.
- Clairmont, A.; Jackson, R. (1978):
 "Effect of bradykinin on eustachian tube and nasal patency"
 Acta Otolaryngol 75: 432-435.
- Cohn, A.M. (1977):
 "Clinical assessment of eustachian tube ventilatory function"
 Laryngoscope, 87: 1336-58.
- Commodore, P.F. King (1979):
 "Eustachian tube & its significance in flying"
 Journal of laryngology and otology. July Vol. 93 pp. 659-678.
- Cooper, A. (1801):
 "A philosophical transactions of the royal society of London"
 Part III, pp. 435-451.
- Compere, W.E. (1958):
 "Tympanic cavity clearance study"
 Trans Am. Acad. Ophthalmol Otolaryngol. 62: 444-454.

- Compere, W.E. (1960):
"The radiologic evaluation of eustachian tube function"
Arch Otolaryngol 71, 386.
- Davies, D.M. (1981):
"Systemic effects of sympathomimetics"
Text book of adverse drug reactions second ed. p. 471.
Oxford University Press.
- Davis, L.; Sheffield, Jackson, R.T. (1970):
"Drug induced patency changes in the eustachian tube".
Arch Otolaryngol, 92: 325-8.
- Deweese, D. and Saunders, W. (1968):
"Diseases of the middle ear and mastoid"
Textbook of otolaryngology chap 24 .
Third edition, Saint Louis C.V. Mosby Comp.
- Dickson, W.M. (1977):
"Cleft lip & Palate noselarch"
Anuplate state of the art Section II anatomy and physiology"
Cleft Palate J. 14, 270.

Falk, B. (1982):

Sniff-induced negative middle ear pressures: Study of a consecutive series of children with otitis media effusion.

Am. J. Otolaryngology, 3: 155-62.

Falk, B.; magnusson, B. (1984):

"Eustachian tube closing failure"

Arch Otolaryngol, Vol. 110, 10-14.

Featherstone, R.L. and Church, M.K. (1991):

"Respective Roles of Mediators"

All & Cl. Immunology Vol 3, No.3.

Feinberg, A.R. & Feinberg, S. (1971):

The nose drop nose: due to oxymetazoline (Afrin) and other topical vasoconstrictors.

III Med. J. 140, 50.

Feldman, A.S. (1967):

Journal of speech and hearing research 10 (3) 616.

The Journal of Lary & Otology, ET and its significance in flows.

Fledman, A.S. (1974):

"Ear drum Abnormality and the Meaurement of Middle Ear function".

Archives of Otolar yngology, 99, 211-17.

Feldman, A.S. (1976):

"Tympanometry-procedures, interpretations and variables"

Acoustic Impedance and Admittance, eeds. A.

Feldman and I. Wilbur, Baltimore, Ed.; Williams & Wilkins.

Feldman, A.S. (1980):

The E.T. its significance in middle ear physiology, In: Munker G, Arnold eds. Physiology and pathophysioilogy of E.T. & M.E. New York: Thieme starton Inc.: 4-8.

Flisberg, K. (1966):

"Ventilatory studies on the eustachian tube.

Acta Otolar yngol (stockh) supp. 219.

Flisberg, K.; Ingelsted, Ortegien (1963):

"The valve and locking mechansims of the E.T."

Acta Otolar yngol (stockh) supp 82, 57.

Foster, W.U.; Lange back, E.; Bergofsky, E. (1980):

"Measurement of tracheal and bronchial mucus velocities in man: relation to lung clearance".

J. Appl. Physiol., 49, 965.

Frady, R.P.; parker, W.A.; Jackson, R.T. (1977):

"Studies in the permeability of the middle ear mucosa"

Arch. Otolaryngol, 1977; 103: 47-56.

Frosonolo, M.F.; Chaims, B.L.; Paculoski, R. (1970):

"Isolation, characterization and surface chemistry of a surface-active fraction from dog lung. J. Pipid Res.

11: 439-457.

Fuchamachi, M. (1952):

"Clinical observation of the evacuating function of the human eustachian tube. Jotolaryngol JPN. 57, 114.

Gates, G.; Christine, A.; Thomas, J. & San Antonio (1988):

"Effect of adenoidectomy upon children with chronic otitis media with effusion laryngoscope 98: 58-63 .

Gebhart, D.E. (1981):

"Tympanostomy tubes in the otitis media prone child"
Laryngoscope. 91: 849-866.

Graves, G. and Edwards, C. (1944):

"The eustachian tube: review of its descriptive microscopic, topographic and clinical anatomy.
Arch. Otolaryngol., 63: 357-397.

Gray, H. (1967):

Gray's Anatomy descriptive and applied 34th. edition Ed.D.V.
Davies & R.E. Coupland Longman's London, p. 1324.

Groothuis, J.R. (1979):

"Otitis media in infancy: Tympanometric findings.
Pediatrics 63: 435-442.

Grossweiler, B. (1982):

"Intoxication with nasal drops"
Swiss toxicol. Inform Switzerland, 120 (19): 418-22.

Groth, P.; Ivarsson, A.; Tjernstrom O. (1982):

"Reliability in tests of the E.T.F. .
Acta Otolaryngol (stockh), 93: 261-7.

Guild, S.R. (1955):

"Elastic tissue of the eustachian tube.
Ann. Otol Rhinol Laryngol. 64: 537-545.

Guillerm, R. (1972):

"Les methods actuelle d'evaluation de la tolerance par la
maqueuse cilieé respiratoire des medicaments aviseé nasale.
II Farmaco, 27,1.

Guyton, A.C. (1976):

"Textbook of medical physiology"
Philadelphia: WB Saunders, 589.

Hagan, W.E. (1977):

Surface tension loweirng substance in E.T. function.
Laryngoscope, 87, 1033.

Harada,Y. (1977):

"Scanning electron microscopic study on the distribution of
epithelial cells in the eustachian tube".
Acta Otolaryngol., 83: 284-290.

Harford, E. (1975):

"Tympanometry", in Handbook of clinical Impedance Audiometry, ed. J. Jerger. Dobbs Ferry, N.Y.: Morgan Press.

Marker, L. and van Wagoner (1974):

"Application of impedance audiometry as a screening instrument".

Acta Otolaryngol (Stockh) 77, 198.

Harsten, G.; Prellner, K.; Lofgren, B.; Kalm, O. (1991):

"Serum antibodies against respiratory viruses in A.O.M."

J. Laryngol-Otol. 105 (5): 337-40.

Henderson, P.E. & Baldone, S. (1989):

"Facial nerve Palsy Secondary to acute otitis media"

J. Am. Osteopath. assoc. (2): 207.

Hermansson, A.; prellner, K.; Hellstrom, S. (1990):

"Prevention of experimental acute otitis media with penicillin"

Acta Otolaryngol-(Stockh), 109 (1-2): 119-23.

Hills, B.A. (1981):

What is the true role of surfactant in the lung.

thorox, 36: 1-4.

Hill, B.A.; Butler, B.O. and Lichtenberg, L.M. (1983):

Gastric mucosa barrier: The hydrophobic lining to the humans of the stomach".

Amj. Physiol., 7: 501-568.

Hiraide, F. & Inouye, T. (1983):

"The fine surface view of the human adult eustachian tube"

Journal of Laryngol & Otol., 97: 149-157.

Hirsch, S.R. (1975):

The role of mucus in asthma.

Am. College Chest Physicians, Ch. 22.

Holborow, C. (1962):

"Deafness associated with cleft palate.

J. Laryng. 76, 762-773.

Holborow, C. (1975):

"Eustachian tube function: Changes throughout childhood and neuro-muscular control".

J. Laryng and otolog.Vol. L. 34 (No. 1) 7: 55.

Hol Borowe, C. (1976):

Eustachian tube function: Changes throughout childhood and neuromuscular control"

The Journal of laryngology and otology .

vol L XXXIX No.; 1.

Holmquist, J. (1976):

"Auditory tube function"

Scientific foundations of otolaryngology.

London, p. 254.

Holmquist, J.; Olen, L. (1980):

"Evaluation of eustachian tube function"

J. Laryngol otol, 94: 15-23.

Holt, G.R. & Gates, G.A. (1980):

"Managing middle ear infections".

Comp. Ther. 6: 59-65.

Holt, G.; Parel, S. and Shuler, S. (1983):

"Decision making in otolaryngology"

Otolaryngol head neck surg. 91: 333-35.

Honjo, I; Okazaki, N. and Kumazawa (1979):

"Experimental study of the eustachian tube function with regard to its related muscles"

Acta Otolaryngol (Stoch) 87, 84.

Honjo, I; Okazaki, N. and Kumazawa, T. (1980):

"Opening mechanism of the eustachian tube. A clinical and experimental study"

Annals of otology, Rhinology and laryngology, 89 (Suppl. 68), 25-30.

Honjo, I; Okazaki, N.; Nozoe, T. Uskiro, K. and Kumazawa, T. (1981):

"Experimental study of the pumping function of the eustachian tube"

Acta Otolaryngol 91:(85-89).

Howe, V.M. (1975):

"Natural history of otitis media".

Ann. Otol Rhinol Laryngol 84, Suppl. 19, 67.

Howie, V.; Owne, M. (1987):

"Bacteriology and clinical efficacy of cefixime compared with amoxicillin in acute otitis media".

| Pediatr. Infect. Dis. J.;Oct; 6 (10); 989-91.

Howie, V.; Ploussard, J. and Sloyer, J. (1976):

"Natural history of otitis media".

Ann. Otol Rhinol Laryngol, 85 Supp. 25: 18-29.

Howie, V.; Schwartz, R. (1983):

"Acute otitis media. One year in general pediatric practice"

Am. J. Dis. Child. Feb.; 137 (2); P. 155-8.

Hutcheson, D.E.; Schianbiny, A.; Ling, J.S.; Pan, S.Y. & Bloom (1964):

"The effect of amphetamine on mice".

Arch. Int. Pharmacodyn, 147: 146-9.

Hybinette, J.C. (1981 b):

"Effects of parasympathomimetic drug metacholine and its antagonist atropine on the M.C.A.

Accepted for publication in Acta Otolaryngol (Stockh).

Hybinette, J.C. & Merke, U. (1981 a):

"A method for evaluating the effects of pharmacological substances on mucociliary activity in vivo".

Accepted for Publication in Acta Otolaryngol (Stockh).

Ingelstedt, I. (1978):

"Physiology and pathophysiology of the middle ear-Eustachian tube system.

University of Lund, Lumedw (Merm-3004).

Ingelstedt, S. (1981):

"Physiology and pathophysiology of the middle ear-eustachian tube system. In; Beagly H.A, ed. Audiology and audiological medicine Vol. 2. Oxford, England: Oxford University Press, 723-51.

Ingelstedt, S.; Ivansson, A.; Jonson, B. (1957):

"Mechanics of human middle ear"
Acta Otolaryngology Supp. 228 1-58.

Ingvarson (1982):

"Acute otalgia in children-finding and diagnosis"
Acta paediatrica Scandinavica, 71, 705-710.

Ingvarsoon, L.; Lundegren, K.; Olsson, B. and Walls, S. (1983):

"Epidemiology of A.O.M. in children"
Acta Otolaryngologica supplement, 388.

Innesir, Nickerson, M. (1975):

"Drugs acting at synaptic and neuroeffectors junctional sites".
Chap. 24 J. the Pharmacological basis of therapeutics eds. L.S. Goodman and Gillman, 5th ed. pp. 477-513. Macmillan Publ. Co. In. New York.

Invarsson, A.; Tjernström, O.; Bylander, A. and Bennrup, S. (1983):

High speech tympanometry and ipsilateral middle ear reflex measurements using a computerized impedance meter.
Sacnd audiol, 12: 157-163.

Jackson, R.T. (1971):

Pharmacological mechanisms in E.T."

Ann. Otol Rhinol Laryngol. 88-313-318.

James, E.F. (1989):

"Matrinodle (text book) the extra pharmacopeia 29th edition.

London Pharmaceutical press. single volume, 989, p. 1243.

Jerger, J. (1970):

"Clinical experience with impedance audiometry"

Acta otolaryngol. 92, 311.

Jerger, J. (1975):

"Diagnostic use of impedance measures", Handbook of clinical impedance audiometry, ed. J. Jerger./ Dobbs Ferry N.Y.; Morgan Press.

Karma, P.; Kouvalainen, K.; Karja, J.; Makela, P.,; Ruskanen, O.;

Launiala, K. (1987):

"Finish approach to the treatment of A.O.M. Report of the finish consensus conference".

Otol. Rhinol Laryngol. Mar-Apr., 129 (2 pt 1); p. 19.

Khaleida, P.; Cassel Brant, M.; Rockette, H.; Paradise, J.; Bluostone,

C.D.; Blatter, M.; Wald, E. (1991):

"Amoxicillin or myringotomy or both for A.O.M. results of

randomized clinical trial.
 Pediatrics Apr. 87 (4): 466-74.

Klein, J.O. (1981):

"Microbiology and antimicrobial treatment of otitis media"
 Ann. Otol. Rhinol. Laryngol. 90 (Supp. 84): 30-6.

Kwamzawa, T. (1970):

"Chronic otitis media and eustachian tube function.
 Pract. Otol Kyoto 63, 59.

Lamp, C. (1973):

"Chronic secretory otitis media: etiologic factors and pathologic mechanisms".
 Laryngoscope, 50:276-291.

Lampe, R.M.; Weir, M.R.; McLeod, H.L. (1981):

"A clinical trial of antihistamine, decongestant drops or placebo in antibiotic treated A.O.M. followed with pneumatic otoscopy and impedance audiometry".
 Milit./ Med. Apr., 146 (4): 259.

Lampe-R.M.; Weir, M.R.; McLeod, H.; Aspinall, K. (1981):

"Tympanometry in acute otitis media: Prognostic implications:.
 Am. J. Dis. Child. Mar; 135 (3): 233-5.

Lee, C.W.; Lewis, R.A.; Corey, E.J.; Austgn, K.F. (1984):

"Human biology and immunoreactivity of leukoterines". In":
Rainsford, K.D.; eds.
Advances in inflammation research. New York: Raven Press,
219-25.

Liden, M.; Foldstrom, A.; Thore, M. (1988):

"Treatment of acute purulent otitis media, value of
myringotomy".
Acta Otolaryngol (Stockh); Nov.-Dec.; 166 (5-56); p. 441-7.

Lim, D. J. (1973):

"Distribution of Mucus-secreting cells in normal middle ear
mucosa".
Arch. Otolaryngol/Vol. 98, p. 2-9.

Lim, D.J. (1974):

"Functional morphology of the lining membrane of the middle
ear and the eustachian tube" (An over-review).
Ann. Otol. Rhinol and Laryngol., Supp.' 11, 83: 5-29.

Lim, D.J. (1976):

"Functional morphology of the mucosa of the middle ear and
the eustachian tube.
O.R.L., 85 (25): 103-109.

Lim, D. J. (1979):

"Normal and pathological mucosa of the middle ear and eustachian tube".

Clinical otolaryngology, 4, 213-234.

Lim, D. J; Thomas, F. and Columbus, O. (1982):

"Panel discussion: Pathogenesis of otitis media"

Laryngoscope: 92, (3): 278.

Lim, D. (1987):

"Middle ear inner ear structure and biological function.

Immunology of the ear, textbook of otolaryngology.

Bernstein and Ogra (eds) Raven Press, N.Y. Ch. (1): 1-39.

List, S.J.; Findlay, B.P.; Frostner, G.G. and Frostner, J.F. (1978):

"Enhancement of the viscosity of mucin by serum albumin"

Biochem. J.: Mol. Aspects; 175: 565-71.

Lopez-Vidriero, M.T.; Reid, L. (1978):

Chemical markers of mucus and serum glycoproteins and their relation to viscosity in mucoid and purulent sputum from various hypersecretory diseases".

Am. Rev. Respir. Dis. 117: 465-77.

Lorentzen, P. and Hangsten, P. (1977):

"Treatment of acute suppurative otitis media.

J. Laryngol., 91: 331-340.

Lowel, S.H.; Juhn, S.K. (1979):

"The role of bacterial enzymes in inducing inflammation in the middle ear cavity".

Otolaryngol Head neck surgery; 87: 859-70.

Ludwig, A. (1983):

"Nose drops"

Farm. Tijdschr. Belg. 60, 357-373.

Lupovich, M. and Harkins, M. (1972):

Prophylaxis and treatment in the middle ear.

"The laryngoscope Vol. LXXXII. No. 9, 1647-1653.

Lutman, M.E. (1986):

"Acoustic Impedance audiometry" In physics in medicine and Biology Encyclopedia, Edited by T.F. McAinsh. Oxford. Pergamon Press, p. 25.

Macbeth, R. (1960):

"Some Thoughts on the eustachian tube:

Proc. R. Soc. Med. 53: 151-61.

Magnuson, B. (1978):

"Tubal closing failure in retraction type choletseateoma and adhesive middle ear disease.

Acta Otolaryngol (Stockh) 86: 408-17.

Magnusson, B. (1981):

"The origin of the high negative pressure in the middle ear. space".

Am. J. Otolaryngol, 2: 1-12.

Mandel, E.; Bluestome, C.; Rockette, H.; Blatter, M.; Reisinger, K.;

Wucher, F.; Harper, J. (1982):

"Duration of effusion after antibiotic treatment for acute otitis media: comparison of cefaclor and amoxicillin.

Pediatr Infect. Dis.; Sep-Oct; 1 (5); P. 310-316.

Martin, F. (1975):

Introduction to Audiology.

Englewood Cliffs, N.J.: Prentice-Hall.

Mawson, S. (1974):

"Tympanic effusion in children"

Journal of Laryngology, 80, 105.

Mawson, S.R. (1979):

"Acute inflammation of the middle ear cleft.

In Scott-Brown's diseases of the ear, nose and throat 4th ed. vol.

2. Edited by J. Ballan Type and J. Grooves, p. 189-190.

London, Butter mouth.

Marriott, C.; Brown, D.T. (1979):

"The contribution of aded proteins to mucus viscoelasticity"
J. Pharm. Pharmacol. 31: 88, p.

McMyn, J. (1940):

Anatomy of the salpingopharyngeus muscle.
J. laryng. 55,1.

Medici, R. & Chodosha, M. (1975):

"Mucosal exudation "
Allergy and immunology news Vol. 3 NO.5.

**Meistrup, L.; Mygind, N.; Thomsen, J.; Sorensen,H.; Vesterhauge, S.
(1980):**

"Acute otitis media and the per oral norephedrine"
Ugeskr-Laeger 13; 142 (42): 2773-5.

Meyerhoff, W.; Giebink, G. and Shea, D. (1982):

"Effect of tympanostomy tubes on the pathogenesis of A.O.M."
Am. J. Otolaryngol. 3 (3): 189-95.

Misurya, V.K. (1976):

"Tensor tympani, atunrr of tensopalati muscle".
Acta otolaryngol (stockh); 82: 410-5.

Morgna, W.; (1977):

"Tympamosclerosis"
The Laryngoscope, 87, 1821-25.

Pattle, R.E. (1965):

Surface lining of lung alveoli.

Physiol. Rev. 1965; 46: 48-79.

Pavia, D.; Bateman, J.R.; Clarke, S.W. (1980):

"Deposition and clearance of inhaled particles"

Bull. Physiopath. Respir. 16: 335-66.

Peerless, S.N. & Neiman, A.H. (1980):

"Etiology of O.M. with effusion: Antihistamines-decongestants.

Laryngoscope, 90, 1852.

Perlman, H.B. (1951):

"Observation on the eustachian tube.

Arch. Otolaryngol. 53: 370-385.

Perlman, H.B. (1967):

"Normal tubal function.

Arch. Otolaryngol (chicago) 86, 632.

Petruson, B. (1981):

Langtids behandling med nasdropper som innehåller xylome
tazoline. (English abstract)

Lakertidningen 78, 114.

Pierse, G.A. (1930):

"Human Anatomy"

J.B. Cippincott, Philadelphia.

Politzer, A. (1963):

"Textbook of diseases of the ear.
Edition (3) translated by O. Dodd.
Philadelphia, Sea Brothess and Co.

Proctor, B. (1964):

"The development of the middle ear spaces and their surgical
significance.
J. Laryngo Otol. 78: 631-648.

Proctor, B. (1967):

"Embryology and anatomy of the eustachain tube"
Arch. Otolaryngol. 86: 503-526.

Proctor, B. (1973):

"Anatomy of the E.T." 4th workshop on microsurgery of
temporal bone.
Archives otolaryngol. Vo. 97, 1-8.

Proctor, D. and Adams (1976):

"Physiology and pharmacology of nasal function and mucus
secretion".
Pharmacol. Ther, B2, 493.

Pukander, J.; Sipila, M. and Karma, P. (1984):

"Occurrence of and risk factors in acute otitis media. In recent

advances in O.M., Proceedings of the 3rd international conference, Edited by D.J.Lim, Bluestone, D.; Klein, S. and Nelson, S., pp. 9-13. Ontario: Decker and Mosby.

Ransome, J. (1987):

"Acute suppurative otitis media acute mastoiditis"

In Scott-Boon's otolaryngology Fifth edition Vol. 3, Chapter 9
ed. John B. Booth. Butterworths.

Rapport, P.N.; Liom, D.J. & Weiss, H.S. (1975):

"Evidence of surface active agent in the eustachian tube."
Arch. Otolaryngol. 101: 305-311.

Reiner, C.D.; Pulec, J.L. (1969):

"Experimental production of serous otitis media"
Ann. Otol. Rhinol. Laryngol 78: 880-7.

Rich, A. R. (1970):

"A physiological study of eustachian tube and its related muscles."
Bull. Johns Hopkins Hosp., 31, 206-214.

Rich, A.R. (1920):

"A physiological study of the eustachian tube and its related muscles"
Otolaryngol clinic of North America.
3: 147-162.

Richard, L. (1989):

"Drugs control of the eustachian tube"

Malmo, Sweden: University of Lund.

Road, S.R.; Doyle, W.J. (1973):

"The morphology of the tensor veli palatini.

Am. J. Anat., 138: 196-6.

Road, S.R.; Doyle, W.J. (1982):

"The nasopharyngeal orifice of the auditory tube: implications for tubal dynamics-anatomy".

Cleft. Palate J. 192; 19:119-28.

Rosen, L.M. (1970):

"The morphology of the salpingopharyngeus muscles [thesis].

Pittsburgh: University of Pittsburgh.

Rundcrantz, H. (1969):

"Postue and E.T. Function"

Acta otolaryngol 68: 279-292.

Sade, J. (1966):

"Pathology and pathogenesis in S.O.M."

Arch. Otolaryngol. 84, 297.

Saint clair Thomson, (1955):

"Hypertrophy of the nasopharyngeal tonsil"
diseases of the nose and throat 6th edition, p. 341.
Gaskell and Company Ltd. London.

Saketkhoo, K.; Yergin, Kovitz, Sackner (1978):

"The effect of nasal decongestants on nasal mucous velocity."
Am. Rev. Respir. Dis. 118, 251.

Samuel, J.; Grosen and Yvered, (1979):

Use of middle ear ventilation tubes in recurrent acute otitis
media"
Journal of Laryngology and otology Vol. 93, pp. 979-981.

Scherler, M. (1963):

"Pour ou contre les instillation nasales therapeutiques"
Rev. Med. Suisse 83, 1007.

Schuknecht, H.F. (1974):

"Pathology of the ear"
Cambridge, Massachusetts": Harvard University Press.

Schwartz, R.H.; Schwartz, D.M. (1980):

"Acute otitis media: diagnosis and drug therapy"
Drugs Mars, 19 (2): 107-18.

Schwartz, R.; Rodriguez, W. (1981):

Acute otitis media in children eight years old and older: a reappraisal of the role of *haemophilus influenzae*".
Am. J. Otolaryngol. Feb.; 2 (1): 19.

Schawrtz, R.H.; Rodriguez, W.J.; Schawrtz, D.M. (1981):

"Office myringotomy for acute otitis media:
Its value in preventing M.E.E."
Laryngoscope; 91 (4): 616.

Shurin, P.; Van Hare, G. (1986):

"Therapy of acute otitis media. Preliminary report and
Branhamella catarrhalis"
Drugs; 31 Suppl. 3 (6); p. 122-4.

Shimada, T.; Lim, D.J. (1972):

"Distribution of ciliated cells in the human middle ear"
Ann. Otol. Rhinol. Laryngol. 21: 203-11.

Shotts, R.F.; Jackson, R.T. (1972):

"Changes in the patency of the dog's eustachian tube induced
by histamine and antihistamines"
Arch Otolaryngol, 96: 57-61.

Shurin, P.A.; Pelton, S.I. and Klein, J.O. (1979):

Persistence of middle ear effusion after acute otitis media in
children.
N. Engl. J. Med., 300:L 1121-1123.

Simkins, C.S. (1943):

"Descriptive anatomy of the human eustachian tube"
Arch-otlaryngol., 38, 476.

Snow, J., Jr., (1977):

Complications of acute and chronic otitis media.
Otorhino laryngology, ed. G.English.Hagerstown,. Md. Harper
and Row.

Starke, K. (1981):

Alpha-adrenoceptor subclassification"
Rev. Physiol. Biochem. Pharmacol., 88: 199-236.

Starke,K; Docherty, (1982):

Types and function of peripheral alpha adrenoceptors"
J. Caridoves. Pharmacol. 4: 51-57.

Sturgess, J.; Reid, L. (1972):

"Secretory activity of human bronchial mucus of land in vitro".
Exp.Mol. Pathol. 16: 362-81.

Sturgess, J.; Reid, L. (1972):

"An organ culture study of the effects of drugs on secretory
activity of the human bronchial submucosal gland"
Clin. Sci., 43: 533-43.

Talat, M.; Belal, A.; Aziz, T. and Mandour, M. (1981):

"Rhinitis Medicamentosa: Electron Microscopy study"
The Journal of Laryngology and otology. Vol. 95, 125-131.

Terkildsen, K. (1976):

"Pathologies and Their Effect on Middle Ear Function"
Acoustic Impedance and Admittance, eds. A. Feldman and L.
Wilbur. Baltimore, Md. Williams & Wilkins.

Terracol, A.; Coroni, A.; Cuerrier (1949):

"La trompe déstachée".
Paris: Masson et cie.

Thomson, M. (1974):

"Mucus synthesis and secretion In:
The Pharmacological basis of the therapeutics, ed. by A.G.
Gilman, L.S. Goodman.
6th edition, MacMillan Co., N.Y. pp. 1090.

Thomsen, J. (1980):

Acute otitis: Short and long term results Ann.Otol.Rhinol.
Laryngol., 89 (Suppl 68): 271-274.

Tos, M. & Pederson, K. (1976):

"Goblet cell population in normal middle ear and eustachian
tube of children and adults"
Ann. Otol., Rhinol and Laryngol., suppl. 25, 85:44-50.

Tos, M. & Poulson & Borch (1978):

"Tympanometry in two-year-old children. Changes of the tympanograms at the re-evaluation.
O.R.L.; 40: 206-15.

Tos, M. (1979):

"Frequency of secretory otitis and histology of normal middle ear mucosa"
Int. J. Pediatric otolaryngol., 1: 241-248.

Tos, M. (1980):

"Spontaneous improvement of M.E.E. and impedance screening"
Arch. Otolaryngol 106, 345.

Tos, M. (1981):

"Changes in middle ear mucosa elucidated by quantitative histology"
Acta Otolaryngol, 92: 51-61.

Tos, M. (1984):

"Pathology of acute otitis media and chronic secretory otitis media"
Clin. Review allergy, 2: 285-302.

Tos, M. (1985):

"Histologic anatomy of the eustachian tube and middle ear"
Ann. Otol., Rhinol and Laryngol. Supp. 120, 94 (5): 10-13.

Toynbee, J. (1863):

On the functions of the membrane tympani, the ossicles and muscles of the tympanum, and the eustachian tube in the human ear".
Proc., R. Soc., Med. 6: 217.

Uddman, R.; Hakanson, R.; Sundler, F. (1980):

"Immunoreactive avian pancreatic poly peptide occurs in nerves of the mammalian nasla mucosa and eustachian tube".
O.R.L.; 42: 242-8.

Uddman, R.; Moghimazdeh, E.; Sundler, F. (1984):

"Occurrence and distribution of GRP-immunoreactive nerve fibres in the rospiratoyr tract".
Arch. Otorhinolaryngol, 239: 145-51.

Van Buchem, F.L.; Dun, K.; Van;t H.M. (1981):

"Therapy of acute otitis media"
Lancet Oct. 24; 2 (8252): 883-7.

Vanoss, Gillman, F; Neumann (1978):

"Contact angles, in PaddayJ.F. (ed): wetting, spreading radhosion".
New York, Academic Press Inc., pp. 26-30.

Varsano, I.; Fiydman, M.; Amir, J.; Alpert, G. (1988):

"Single intramuscular dose of ceptriaxone as compared to 7 day amoxicillin therpay for acute otitis media in children.

Chemoterhapy; 34 Supp. 1 (15); 39-46.

Waldron-Edweard, D.; Decans, C; Robert, A.; Bader, J.P.; Robert,L. and Labat-Robet, J. (1978):

"The effect of drugs and secretagogues"

Bioch. Pharmacol. 27: 2775-80.

Wanner, A. (1977):

"Clinical aspects on mucociliary transport"

Am. Rev. Respir. Dis. 116, 73.

Webbr, (Quoted by terrcol, J.; Corone, A.) (1949):

La trompe D'Eustache"

Masson Paris.

Weiner, N. (1980):

"Norepindephrine, epinephrine nd the sympathomimetic amines"

The pharmacologicla basis of therapeutics.

Gilman & Goodman (Eds.) 6th ed: 138-175 Macmillina, New ORK.

Weir, N. (1979):

"Nasal cycle" - in scotco-Brown's disease of the ear nose and throat. 4th ed. Vol. 3.

Edited by J. Ballantyne & J. Grooves.

London, Butterworth.

Wolff, D. (1931):

"Microscopic observations of the eustachian tube"

Ann.Otol.Rhinol Laryngol 40: 1055-69.

Wolff, D. (1934):

"Microscopic anatomy of the eustachian tube"

Ann. Otol Rhinol Laryngol 43: 483-94.

Wyet, R.; Doyle, W.; Gest, T.R.; Jumer, M.M. (1982):

"An interracial study of the morphometrics of the skull base with reference to the eustachian tube. Ir.

Amsterdam: Kugler Publications, 81-96.

Zechner, G. (1981):

"Histomorphological data on human auditory tube dysfunction:

The Journal of otology and laryngology, Vol 95: pp. 229-237.

Ziment, I. (1978):

"Respiratory pharmacology and therapeutics"

Philadelphia: WB Saunders : 60.

Zollner, F. (1942):

"Ohrtrompete. Springer-Verlag, Berlin.