

REFERENCES

- A.O.A.C. (1984).** Official methods of analysis. Association of official analytical chemists. Ed: Helrich K. 7th Ed. Washin- gton 4, D.C., USA.
- Abu,G.O., Ogbonda, K. H. and Aminigo, R. E. (2007).** Optimization studies of biomass production and protein biosynthesis in a *spirulina* sp. Isolated from an oil-polluted flame pit in the Niger Delta. *Afric. J. Biotechnol.* 6 (22), 2550-2554 .
- Abu-Shanab, B., Adwan, G., Abu Safiya, D., Adwan, K. and Abu-Shanab, M. (2005).** Antibacterial activity of *Rhus coriaria* extracts growing in Palestine. *J. Islam, Univ. Gaza* 13(2), 147-153.
- Ahmed, M.S. (1990).** Production of some antibiotics by certain microorganisms, Ph.D Thesis, Fac. Sci. Al-Azhar Univ.
- Aiba, S., and Ogawa, T. (1977).** Assessment of growth yield of a blue-green. alga, *Spirulina platensis*, in axenic and continuous culture. *J. Gen. Microbiol.*102, 179.
- Ali-Shtayet, M.S., Yagmour, R.M., Faidi, Y.R., Salem, K. and Al-Nuri, M.A. (1998).** Antimicrobial activity of 20 plants used in folkloric medicine in the Palestinian area. *J. Ethnopharmac.* 60, 265.
- Anaga, A. and Abu, G. (1996).** A laboratory scale cultivation of *Chlorella* and *Spirulina* using waste effluent from a fertilizer company in Niger. *Biores.Technol.* 58, 93-95.

- Andrade, M. R. and Costa, J.A.V. (2007).** Mixotrophic cultivation of microalga *Spirulina platensis* using molasses as organic substrate. *Aquaculture* 264, 130–134
- Becker, E.W. (1994).** Microalgae, biotechnology and microbiology. Cambridge, Cambridge University Press.
- Becker, E., Jakober, B., Luft, D., and Schmülling, R.M. (1986).** Clinical and biochemical evaluations of the alga *Spirulina* with regard to its application in the treatment obesity. A double blind crossover study. *Nutr. Rep Internal.* 33, 565-574.
- Belay, A., Otta, Y., Miyakawa, K. and Shimamatsu, H. (2002).** The potential application of *Spirulina (Arthrospira)* as a nutritional and therapeutic supplement in health management. *J. A.N.A.* 5(2), 27-48.
- Belkin,S. and Boussiba, S. (1991).** Resistance of *Spirulina platensis* to ammonia at high pH values. *Oxford Journals. Plant and cell Physiology* .32 (7), .953-958.
- Bhat, V.B., and Madyastha, K.M. (2001).** Scavenging of peroxynitrite by phycocyanin and phycocyanobilin from *Spirulina platensis*: protection against oxidative damage to DNA. *Biochem.. Biophys. Res. Commun.* 285, 262-6.
- Bhatia, R. and Srivastava, P. (1995).** Optimization of cultural conditions for *Spirulina labyrinthiformis*, 11. Light and Temperature. *J. Phytol. Res.* 8(2), 185-189.
- Bilgrami, K.S. and Verma, R.N. (1981).** Biofixation of carbon dioxide by *Spirulina* sp. and *Scenedesmus*. *Physiology of fungi*. Second Edition, Vikas Publishing House PVT Ltd., New Delhi, p. 194.

- Borowitzka, A.M. (1995).** Microalgae as source of pharmaceuticals and biologically active compounds. *J. Appl. Phycol.* 7, 3-15.
- Borowitzka, M.A. and Borowitzka, L.J. (1992).** Microalgal Biotechnology, Cambridge University Press. USA.
- Chamorro, G., Salazar, M., Gomez de lima Araujo, K., Pereira dos Santos, C., Ceballos, G. And Fabila-Castillo, L. (2002).** Actualization en la farmacologia de *Spirulina (Arthrospira)* un alimento no convencional. *Arch. Latinoam. Nutr.* 52(3), 232-239.
- Choudhury, S., Sree, A., Mukher Jee, S.C., Pathnaik, P. and Bapuji, M. (2005).** In vitro antibacterial activity of extracts of selected marine algae and mangroves against fish pathogens. *Asian Fisheries Science*.18, 285-294.
- Cingi, C., Conk-Dalay, M., Cakli, H. and Bal, C. (2008).** The effects of spirulina on allergic rhinitis. *Eur Arch Otorhinolaryngol.* Mar 15.
- Cole, J.O. and Parks, C.K. (1946).** Semi-microkijeldahl procedure for laboratories. *Indust. Eng. Chem. Anal.* 8, 61.
- Colla, L. M. , Reinehr, C. O. Reichert, C. and Costa, J. A. V. (2007).** Production of biomass and nutraceutical compounds by *Spirulina platensis* under different temperature and nitrogen regimes. *Bioresource Technology* (98) 1489–1493
- Cooper, K.E. (1972).** In "Analytical Microbiology", F.W. Cavan- ageh, (Ed.), Vol. I, II. Academic Press, New York and London.
- Costa, J. A. V., Colla, L. M. and Filho, P. D. (2003).** *Spirulina platensis* Growth in Open Raceway Ponds Using Fresh Water Supplemented with Carbon, Nitrogen and Metal Ions. *Z. Naturforsch.* 58c, 76 -80.

- Costa, J. A. V., Colla, L. M. and Filho, P. D. (2004).** Improving *Spirulina platensis* biomass yield using a fed-batch process. (Sd5) Bioresource Technology 92, 237–24
- Cross, T., Maciver, A. and Laof, J. (1968).** The thermophilic actinomycetes in mouldy hay *Micropholyspora feoni*, Sp. Nov. J. Gen. Microbiol. 50, 351-359.
- Daboor, S.M. (2001).** Pathological and biochemical studies on microorganisms isolated from Faba bean. M.Sc. Thesis Fac. Sci. Benha Univ. Egypt. pp.1-159.
- Danesi, E.D.G., Rangel, C.O., Pilizer, L.H., Carvalho, J.C.M., Salto, S. and Moraes, I.O. (2001).** Production of *Spirulina platensis* under different temperature and urea feeding regimes for chlorophyll at a urea feeding regions for chlorophyll at attainment. In: Proceedings of the Eighth International Congress on Engineering and Food.2, 1978-1982.
- Dartsch, P.C. (2008).** Antioxidant potential of selected *Spirulina platensis* preparations Phytotherapy Research. (22) 5,627-633.
- Demule, M.C.Z., Decaire, G.Z. and Decano, M.S. (1996).** Bioactive substances from *Spirulina platensis* (Cyanobacteria) Int. J. Exper. Bot. 58, 93-96.
- Dillon, J.C., Phuc, A.P. and Dubacq, J.P. (1995).** Nutritional value of the algae *Spirulina*. World Rev. Nutr. Diet. 77, 32-46.
- Dubey, R.C. (2006).** A textbook of Biotechnology. Fourth revised and enlarged edition, S. Hand and Company Limited, pp. 419-421
- Dubois, M., Gilles, K.A., Hmilton, J.K., Repers, P.A. and Smith, F. (1956).** Colorimetric method of determination of sugars and related substances. Analyt. Chem. 18, 350-356.

- El-Baroty, G., Shallan, M., Ali, M.A., Abd El-Baky, H.H., El-Baz, F.K. and Shalaby, E.A. (2006).** Antiviral activity of different extracts from *Spirulina maxima*. The 2nd International conference of Environmental Division, NRC.
- El-Sheekh, M. M., Osman, M. E.H., Dyab, M. A. and Amer, M. S. (2006).** Production and characterization of antimicrobial active substance from the cyanobacterium *Nostoc muscorum* Environ. Toxicol. Pharmacol. 21, 42–50.
- El-Sheekh, M. M., Dawah, A. M., Abd El- Rahman, A. M., El-Adel, H. M. and Abd El-Hady R. A. (2008).** Antimicrobial activity of the cyanobacteria *Anabaena wisconsinense* and *Oscillatoria curviceps* against pathogens of fish in aquaculture Annals of Microbiology, 58 (3) 527-534.
- Elizabeth, K. and Gunnel, A. (1996).** Optimum growth conditions and light utilization efficiency of *Spirulina platensis* (*Arthrospira fusiformis*) (Cyanophyta) from Lake Chitu, Ethiopia. Hydrobiologia, 332(2) 99-120
- Ergene, A., Guler, P., Tan, S., Mirici, S., Hamzaoglu, E. and Duran, A. (2006).** Antibacterial and antifungal activity of *Heracleum sphondylium* subsp. *Artvinense*. African J. Biotech. 5(11), 1087-1089.
- Famelart, M., K., Bouillamne, A. and Desmazeaud, C. M.J. (1987).** Influence of temperature, pH and dissolved oxygen on growth of *Brevibacterium linum* in a fermentor. Appl. Microbiol. Biotechnol. 25, 442-448.
- Febles, C.I., Arias, A. and Gil-Rodriguez, M.C. (1995).** *In vitro* study of antimicrobial activity in algae (chlorophyta, phaeophyta and

Rhodophyta) collected from the coast of tenerife (in spanish).
Anuario del Estudios canaries 34: 181-182.

Golterman, H.I. and Clymo, R.S. (1971). Methods for chemical analysis of fresh water. Blackwell Scientific Publication, Oxford, pp. 166.

González, R., Romay , C., and Ledón, N. (1999). Phycocyanin extract reduces leukotriene B₄ levels in arachidonic acid-induced mouse-ear inflammation test. J. Pharmacol. 51, 641-642.

Gorban, E.M., Orynychak, M.A., Virstiuk, N.G., Kuprash, L.P., Panteleimonova, T.M. and Sharabura, L.B. (2000) .Clinical and experimental study of *Spirulina* efficacy in chronic diffuse liver diseases. Lik Sprava.; 6, 89-93

Harper, H.A., Rodwell, V.W. and Maves, P.A. (1979). Review of physiological chemistry, Hand Book, 17th ed. 570 p.

Hayashi, K., Hayashi, T., and Kojima, I. (1996). A natural sulfated polysaccharide, Calcium-Spirulan, isolated from *Spirulina platensis*: *in vitro* and *in vivo* evaluation of anti-herpes simples virus and anti-human immunodeficiency virus activities. *AIDS Res. Hum. Retroviruses* 12,1463-1471.

Henrikson, R. (1994). Microalga *Spirulina*, superalimento del futuro. Ronore Enterprises. 2^a ed. Ediciones Urano, Barcelona, España. 222 p.

Heritage, J., Evan, S., E.G.V. and Killington, R.A. (1996) Introduction microbiology. Cambridge Univ. Press. PP. 103-104

Hernandez-Corona, A., Meckes, M., Chamorro, G. and Barron, M.L. (2002). Antiviral activity of *Spirulina maxima* against herpes simplex virus type 2. *Antivir. Res.* 56(3), 279-285.

- Hirahashi, T., Matsumoto, M., Hazeki, K., Saeki, Y., Ui, M. and Seya, T. (2002).** Activation of the human innate immune system by *Spirulina*: augmentation of interferon production and NK cytotoxicity by oral administration of hot water extract of *Spirulina platensis*. *International immunopharmacology*. 2 (4), pp. 423-434 .
- Hsiao, G., Chou, P.H., Shen, M.Y., Chou, D.S., Lin, Ch. And Cheu, J.R. (2005).** C. phycocyanin, a very potent and novel platelet aggregation inhibitor from *Spirulina platensis*. *J. Agric. Food Chem.* 53 (20), 7734-7740.
- Hu, Q. (2004).** Industrial production of microalgal cell-mass and secondary products, major industrial species. In: Richmond, A. (Ed.), *Handbook of microalgal culture: biotechnology and applied phycology*. Blackwell Science, Oxford, England, pp. 264-272.
- Jorge A.V.C., Karla L. C., Lucielen O. and Glênio M. (2001)** Different nitrogen sources and growth responses of *Spirulina platensis* in microenvironments. *World J. Microbiol. Biotechnol.* 17(5) 439-442.
- Katircioglu, H., Beyatli, Y., Aslim, B., Yuksekdağ, Z. and Atici, T. (2006).** Screening for antimicrobial agent production of some microalgae in freshwater. *The internet J. Microbiol.* 2, 2.
- Karadeniz, A., Cemec, M. and N.Simsek(2009).** The effects of Panax ginseng and *Spirulina platensis* on hepatotoxicity induced by cadmium in rats. *Ecotoxicol. environ. safety*, 72 (1), pp. 231-235.

- Khan, N.H, Rahman, M. and Kamal Nur-E. (1988).** Antibacterial activity of *Euphorbia Thymifolia*. Linn Indian. J. Med. Res.87, 395-397.
- Khan, M., Shobha, J.C., Mohan, I.K., Naidu, M.U., Sundaram, C., Singh, S., Kuppusamy, P. and Kutala, B.K. (2005).** Effect of *Spirulina* against doxorubicin-reduced cardiotoxicity. *Phyther. Res.* 19 (12), 1030-1037.
- Khan, M., Shobha, J.C., Mohan, I.K., Rao Naidu, M.U., Prayag, A. and Kutala, V.K. (2006).** *Spirulina attenuates* cyclosporine-induced nephrotoxicity in rats. *J. Appl. Toxicol.* 26(5), 444-451.
- Kobayashi, I., Muroaka, H. Saika, T., Nishida, M., Fujioka, T. and Nasu, M. (2004).** Micro-broth dilution method with air-dried microplate for determining MICs of clarithromycin and amoxicillin for *Helicobacter pylori* isolates. *J. Medical Microbiol.* 53, 403-406.
- Kulik, M.M. (1995).** The potential for using cyanobacteria (blue green algae) and alga in the biological control of plant pathogenic bacteria and fungi. *Eur. J. Plant Path.*, 101(6), 585-599.
- Leganes, F., Sanchez- Maeso, E., and Fernandez- Valinte, E. (1987)**
Effect of indole acetic acid on growth and dinitrogen fixation by blue green algae. *Sven. Bot. Tidskr.* 64, 460 – 461.
- Leifert, C.H., Li, S. C., Hampson, S., Workman, S., Sigee, D., Epton, H.A.S. and Harbour, A. (1995).** Antibiotic production and biocontrol activity by *Bacillus subtilis* Cl and *Bacillus Pumilus* CL45, *J. Appl. Bacteriol.* 78, 97-108.
- Lima-Filho, J.V.M., Carvalho, Aff. U,4 Freitas, S.M. and Melo, V.M.M. (2002).** Antibacterial activity of extracts of six

- macroalgae from the Northeastern Brazilian Coast Brazilian J. of Microbiology, 33, 311-313.
- Liu, Y., Xu, L., Cheng, N., Lin, L. and Zhang, C. (2000).** Inhibitory effect of phycocyanin from *Spirulina platensis* on the growth of human leukemia K 562 cells. J. Appl. Phycol. 12(2), 125– 130.
- Lorian, V. and Atkinson, B. (1976).** Effect of subinhibitory concentration of antibiotics on cross wall of *cocci*, J. Antimicrobial Agent and Chemother.,9,1043-1055.
- Lu, H.K., Hsieh, C., Hsu, J.J., Yang, Y.K. and Chou, H.N. (2006).** Preventive effects of *Spirulina platensis* on Skeletal muscle damage under exercise-induced oxidative stress. Eur. J. Appl. Physiol. 98(2), 220-226.
- Mario, R. T., Teresa, P. and Luisa, T. (1986).** Outdoor mass culture of *Spirulina maxima* in sea-water. Appl. Microbiol. Biotechnol. 24(1),47-50
- Mendes, R.L., Nobre, B.P., Cardoso, M.T., Peveira, A. and Palavra, A.F. (2003).** Supercritical carbon dioxide extraction of compounds with pharmaceutical importance from microalgae. Inorganica Chim. Acta 356, 328-334.
- Mendiola, J.A., Jaime, L., Santoyo, S., Reglero, G., Cifuentes, A., Ibanez, E. and Senorans, F.J. (2007).** Screening of functional compounds in supercritical fluid extracts from *Spirulina platensis*. Food Chemistry, 102, 1357-1367.
- Miguel, O. and Eirik, O. D.(1990).** Effects of light intensity and quality on the growth rate and photosynthetic pigment content of *Spirulina platensis*. J. Appl. Phycol.2(2), 97-104.

- Mohan, I.K., Khan, M., Shobha, J.C., Naidu, M.U., Prayag, A., Kuppusamy, P. and Kutala, V.K. (2006).** Protection against cisplatin-induced nephrotoxicity by *Spirulina* in rats. *Cancer chemother. Pharmacol.* 58(6), 802-808 .
- Morais, M. G. and Costa, J. A. V. (2007).** *obliquus* cultivated in a three-stage serial tubular photobioreactor. *Journal of Biotechnology* (129) 439– 445.
- Mani, U. and Iyer, S. U. (2001).** Role of *Spirulina* in the Control of Glycemia and Lipidemia in Type 2 Diabetes Mellitus. *Journal of Medicinal Food.* 4 (4), 193 –199.
- Myklested, S. and Haug, A. (1972).** Production of carbohydrate by the marine diatom *Chaetoceros affinis* var. *Willei* (Gran) Hustedt. Effect of the concentration of nutrient in the culture medium. *J. Exp. Mar. Biol. Ecol.* 9, 125-136.
- Nagaoka, S., Shimizu, K., Kaneko, H., Shibayama, F., Morikawa, K., Kanamaru, Y., Otsuka, A., Hirahashi, T. and Kato, T. (2005).** A novel protein *C.phycocyanin* plays a crucial role in the hypocholesterolemic action of *Spirulina platensis* concentrate in rats. *J. Nutr.* 135 (10), 2425-2430.
- Nagayama, K., Yoshitoshi, I., Toshiyuki, S., Izumi, H. and Takashi, N. (2002).** Bactericidal activity of phlorotannins from the brown alga *Ecklonia kurome*. *J. Antimicrobial Chemotherapy.* 50,(6):889-893.
- Noaman, N.H., Fattah, A., Khaleafa, M. and Zaky, S.H. (2004).** Factors affecting antimicrobial activity of *Synechococcus leopoliensis*. *Microbiological Research*, 159, 395-402.

- Ogbanda, K.H., Rebecca, E.A. and Gideon, O.A. (2007a).** Influence of temperature and pH on biomass production and protein biosynthesis in a putative *Spirulina* sp. Biosource technology 98, 2207-2211.
- Ogbonda, K. H., Rebecca E. A. and Gideon O. A. (2007b).** Influence of aeration and lighting on biomass production and protein biosynthesis in a *Spirulina* sp. isolated from an oil-polluted brackish water marsh in the Niger Delta, Nigeria. African J. Biotechnol. 6 (22), 2596-2600.
- Olguín, E. J., Hernández, B., Araus, A., Camacho, R., González, R. Ramírez, M. E., Galicia, S. and Mercado, G. (1994).** Simultaneous high-biomass protein production and nutrient removal using *Spirulina maxima* in sea water supplemented with anaerobic effluents. World J. Microbiol. Biotechnol. 10 (5), 576-578
- Oliveira, M., Monteiro, M., Robbs, P., and Leite, S.G.F. (1999).** Growth and Chemical Composition of *Spirulina Maxima* and *Spirulina Platensis* Biomass at Different Temperatures. Aquaculture International, 7 (4),. 261-275.
- Özdemir, G., Karabay, N.U., Dalay, M. and Pazarbasi, B. (2004).** Antibacterial activity of volatile component and various extracts of *Spirulina platensis*. Phytother. Res. 18(9), 754-757.
- Pascaud, M. (1993).** The essential polyunsaturated fatty acids of *Spirulina* and our Immune Response, Bulletin de l' Institute Oceanographique, Monaco. pp. 49-57.

- Plummer, D.T. (1978):** An introduction to practical bio-chemistry. David T. Plummer (Ed.) Mc Grow-Hill Book Company (UK) Limited.
- Powls, S.B. (1985).** Photo-inhibition of photosynthesis induced by visible light. *Ann. Rev. Plant Physiol.* 35, 15-44.
- Prashantkumar, P., Angadi, S.B and Vidyasagar GM. (2006).** Antimicrobial activity of blue-green and green algae. *Ind. J. Pharmaceut. Sci.* 68(5), 647-648.
- Rafiqul, I.M., Jalal, K.C.A. and Alam, M.Z. (2005).** Environmental factors for optimization of *Spirulina* biomass in laboratory culture. *Biotechnology*, 4, 19722.
- Rania, M.A. and Hala, M.T. (2008).** Antibacterial and antifungal activity of cyanobacteria and green microalgae. Evaluation of medium components by Placket-Burman design for antimicrobial activity of *Spirulina platensis*. *Global J. Biotech. Biochem.* 3(1), 22-31.
- Raoofa, B., Kaushika, B.D. and Prasanna, R. (2006).** Formulation of a low-cost medium for mass production of *Spirulina*. *Biomass and Bioenergy* (30), 537–542.
- Ray, S., Roy, K. and Sengupta. C. (2007).** Evaluation of protective effects of water extract of *Spirulina platensis* (blue green algae) on cisplatin-induced lipid peroxidation. *Ind. J. Pharmaceut. Sci.* (69).3, 378-383.
- Richmond, A. (1986).** *Spirulina*. In Borowitzka M, Borowitzka L (eds). *Microalgal Biotechnology*. Cambridge University Press, London, and New York.

- Richmond, A. (1987).** Handbook of algal mass culture CRC Press, Boca Raton, Florida pp. 101-132. Sciences Publishers pp. 365-370.
- Richmond, A. (1992).** Open systems for the mass production of photoautotrophic microalgae outdoors. Physiological principles. J. Appl. Phycol. 4, 281-286.
- Riker, A.J. and Riker, R.S. (1936).** Introduction to research on plant diseases. John Swift and Co. st. Louis Mo.
- Robin, G.W. (1981).** Light, algal pigmentation and photosynthesis. In George J. Halasi-kun (ed.) Pollution and Water Resources. Columbia University Seminar series. Vol. xiv, part 2. Pollution, Coastal Biology and Water Resources Selected Reports. Pergamon Press, New York, pp. 135-143.
- Sánchez-Luna, L.D., Bezerra, R. P., Matsudo, M. C., Sato, S., Converti, A. and Carvalho, J.C.(2006)** Influence of pH, temperature, and urea molar flowrate on *Arthrospira platensis* fed-batch cultivation: A kinetic and thermodynamic approach. Biotechnology and Bioengineering .96 (4),702-711.
- Santoyo, S., Herrero, S., Señorans, M. Cifuentes, F. and Ibáñez. A. (2006).** Functional characterization of pressurized liquid extracts of *Spirulina platensis* . European Food Research and Technology, 224 (1) , 75-81.
- SAS (1996):** Statistical Analysis system, SAS Users Guide: Statistics. SAS Institute Inc. Editors, Cary, NC.
- Sastry, V.M.V.S. and Rao, G.R.K. (1994).** Antibacterial substances from marine algae: successive extraction using benzene, chloroform and methanol. Botanica Marina. 37, 357-360.

- Sassano, C. E. N., Gioielli I, A., Almeidak, A., Sato, S., Perego, P., Converti, A. and Carvalho, J. C. M. (2007).** Cultivation of *Spirulina platensis* by continuous process using ammonium chloride as nitrogen source Biomass & Bioenergy. 31 (8), 593-598.
- Schwartz, J.L., Sklar, G., Reid, S. and Trickler, D. (1988).** Prevention of experimental oral cancer by extracts of *Spirulina dunaliella* algae. Nutr. Cancer. 11, 127-134.
- Smith, G.D. and Doan, N.T. (1999).** Cyanobacterial metabolites with bioactivity against photosynthesis in cyanobacteria, algae and higher plants. J. Appl. Phycol. 11, 337-344.
- Sorokin, C. and Krauss, R.W. (1965).** The dependence of cell division in *Chlorella* on temperature and light intensity. Am. J. Bot. 52: 331-339.
- Tefera, G. (2009).** *SPIRULINA: The Magic Food*. PhD. Microbial Genetic Resources Department, Institute of Biodiversity Conservation Addis Ababa, Ethiopia.
- Thom, C. and Raper, K.B. (1945).** An annual of the Aspergilli Williams and Williams Co. Baltimore Lmd.
- Torre, P. a, Carlos, E.N., Sassano, b., Sunao, S. b, A, C. a, (2003).** Fed-batch addition of urea for *Spirulina platensis* cultivation Thermodynamics and material and energy balances. (sd1)Enzyme and Microbial Technology 33, 698–707 .
- Torzillo, G., Sacchi, A., Materassi, R. and Richmond, A. (1991).** Effect of temperature on yield and night biomass loss in *Spirulina platensis* grown outdoors in tubular photobioreactors J. Appl. Phycol. 3 (2)103-109

- Tuney, I., Cadirci, B., Unal, D. and Sukatar, A. (2006).** Antimicrobial activities of the extracts of marine algae from the coast of Urla (Izmir, Turkey). *Turk. J. Biol.* 30, 171-175.
- Ülhan, S., savaroğlu, F., Olak, F., FÜLÜK ÜP.EN, C. and erdemgöl, F. Z. (2006)** Antimicrobial Activity of *Palustriella commutata* (Hedw.) Ochyra Extracts (Bryophyta) *Turk. J. Biol.* 30 .149-152.
- Venkataraman, L.V. and Becker, E.W. (1985).** Biotechnology & Utilization of Algae: The Indian Experience. Sharada Press, Mangalore, India.
- Vlachos, V., Critchley, A.T. and vonHoly, A. (1996).** Establishment of a protocol for testing antimicrobial activity in southern African macroalgae. *Microbios.* 88, 115-123.
- Volk, R.B. and Furkert, F.H. (2006).** Antifungal, antibacterial and antifungal activity of two metabolites produced and extracted by cyanobacteria during growth. *Microbial Res.* 161, 180-186.
- Volkman, H., Imianovsky, U., Oliveira, J.L.B. and Sant'Anna E.S. (2008).** Cultivation of *Arthrospira (Spirulina) platensis* in desalinator wastewater and salinated synthetic medium: protein content and amino-acid profile *Braz. J. Microbiol.* 39 (1) .
- Vonshak, A. (1987).** Biological limitation in developing the biotechnology for algal mass cultivation. *Sci. Lett.* 6: 99-103.
- Vonshak, A., (1997).** *Spirulina: growth, physiology and biochemistry.* In: Vonshak A, editor, *Spirulina platensis (Arthrospira): physiology, cell-biology and biotechnology.* London: Taylor and Francis; 43–65.

- Vonshak, A. and Guy, R. (1987).** Photo-inhibition as a limiting factor in outdoor cultivation of *Spirulina platensis*. In Stadler T (Ed), Algal Biotechnology. Elsevier Applied Science Publishers pp. 365-370.
- Vonshak, A. and Tomaselli, L. (2000).** *Arthrospira (Spirulina): Systematics and ecophysiology*. In: Whitton B.A., Potts M., editors. The ecology of Cyanobacteria The Netherlands: Kluwer Academic Publishers.
- Vonshak, A., Abeliovich, A., Boussiba, S., Arad, S. and Rhcmond,A. (1982).** Production of *Spirulina* biomass: effect of environmental factors and population density. Biomass 2, 175-185.
- Wei, L.S.; Musa, N.; Sengm, C.T.; Wee, W. and Shazii, N.A.M. (2008).** Antimicrobial properties of tropical plants against 12 pathogenic bacteria isolated from aquatic organisms. African J. Biotech. 7(13), 2275-2278.
- Xue, C., Hu, Y., Saito, H., Zhang, Z., Li, Z. and Cai, Y. (2002).** Molecular species composition of glycolipids from *Spirulina platensis*. Food Chemistry, 77, 9-13.
- Yoa, J. and Moellering, R. (1995).** Antibacterial agents: Manual of Clinical Microbiology, ASM, Washington, DC, pp. 1281-1290.
- Zarrouk, C. (1966).** Contribution à l'étude d'une cyanophycée influence de divers facteurs physiques et chimiques sur la croissance et la photosynthèse de *Spirulina maxima* (Setch. et Gardner) Geitler (Ph. D. thèse). Université de Paris.
- Zhang , H.Q., Lin , A.P., Sun, Y., and Deng, Y.M. (2001).** Chemo- and radio-protective effects of polysaccharide of *Spirulina platensis*

on hemopoietic system of mice and dogs. Acta Pharmacol. Sin
22, 1121-4.
