

REFERENCES

REFERENCES

- Abdel Fattah, A.; Bahgat N.; Imam I.: The virus etiology of Behcet's syndrome. Gaz. Egypt Soc. Dermat. and Venereol., Vol. 2, No. 2, July 1967.
- Abell, E.; Presbury, D.G.; Marks, R. and Ramnarain, D.: Diagnostic significance of immunoglobulin and fibrin deposition in lichen planus. Br. J. Derm., 93:17, 1975.
- Abramova, E.I.: Lichen planus in the buccal cavity and on the vermillion border of the lips. Excerpta Med. Derm. Venereol., 21:471, 1967.
- Ackerman, A.B.: Histologic Diagnosis of Inflammatory skin Diseases. pp. 524:534, Lea and Febiger, Philadelphia, 1978.
- Ackerman, A.B. et al: Br. J. Derm. 84, 554, 1977.
- Alexander, J.O.: Dermatitis herpetiformis, pp: 135 - 141. W.B. Saunders Company, Philadelphia, London, Toronto, 1975.
- Andreasen J.O.: Oral lichen planus II-A histologic evaluation of ninety-seven cases. Oral Surg., 25:158-166, 1968.
- Aplas, V.: Study of histopathology and pathogenesis of lichen ruber planus. Excerpta Med. Derm. Venereol., 12:152, 1958.

- Baart de La Faille-Kuyper, E.H.: Lupus erythematosus. An immunohistochemical and clinical study of 485 patients (Thesis) (Urech: Jens NV) Abstr., 1969.
- Baart de la Faille - Kuyper, E.H.: Immunohistochemisch onderzoek bij lichen ruber (abstr.). Neder Landsch Tedschrift Voor Genees, J. Kurde, 117, 733, 1972.
- Baart de la Faille, H. and Baart de la Faille Kuyper, E.H.: An immunohistochemical study of the skin of healthy individuals. Acta. Derm. Venereol., 17:473, 1974.
- Bahgat, N., Fattah, A.A., and Imam, Z.I.: Behcet's syndrome with arthritis (a clinical, pathological and serological study with virus isolation), Gaz. Egypt. Soc. Derm. Venereol, Vol. 2, No.1, January 1967.
- Barthelmes, H. and Haustein, U.F.: Nachweis Von Fibrinoblagerungen beim lichen ruber planus mit Hilfe der immunofluoreszenz histologie (Abstr.). Dermatology Monats Choitt, 158, 85, 1970.
- Baumal, A.; Kantor, I.; and Sachs, P.: Psoriasis of the lips, Arch. Derm., 84: 669, 1961.
- Beutner, E.H.; Jordon, R.E.: Proceeding of socety for experimental Biology and Medicine 117, 505, 1964.

- Block, L.J.; Cablarell, D.D.; Halinger, P.H.
and Pearson, R.W.: Ann. Otol., 86,
584, 1977.
- Blank, H. and Burgoon, C.F.: Abnormal cytology in
pemphigus vulgaris: A diagnostic aid,
J. Invest. Derm., 18:213-221, 1952.
- Bory (1951): Cited by Midana and Ormea 1958.
- Boutiello, M.; Kaliphat, S.R. and Delarue, J.:
Ultrastructural variations of nuclear
bodies in human diseases. J. Ultra-
struct. Res., 19, 474, 1967.
- Brayshaw, H.A. and Orban, B.: Psoriasis Gingival,
J. periodont., 24:156, 1953.
- Burnier, H.M. 1946: Cited from Midana and Ormea
1958.
- Chajeck, T.; and Fainaru, M.: Behcet's disease.
Report of 41 cases and a review of
literature. Medicine, 54:179, 1975.
- Chaundhry, I.A.: Lichen planus of the buccal
mucosa. Excerpta Med. Derm. Venereol.
21:224, 1969.
- Cooke, B.E.D.: The oral manifestations of lichen
planus. Br. Dent. J., 96:1, 1953.
- Copman, P.W.M.; Schroeter, A.L. and Kierland,
R.R.: An unusual variant of lupus
erythematosus and lichen planus.
Brit. J. Derm., 82, 269, 1970.

- Curth, H.O.: Recurrent genito-oral aphthosis and uveitis with hypopyon Behcet's syndrome. Arch. Derm. Syph., 50:179, 1946.
- Dalen A.B.; Hellgren L.; Jversen O.J. and Vincent J.: A virus like particle associated with psoriasis, Acta Path. Microbiol. Immunol. Scand. Section B., 91:221-229, 1983.
- Darier, J. (1909): Cited by Samman 1969.
- Dechaume, M., Payen, J. and Pirio, U.: Isolated lichen planus of the oral mucosa, Anatomico-clinical considerations based on fifty cases, thirty of them also examined histologically. Excerpta Med. Derm. Venereol., 13:456, 1959.
- DeGregori, G.; Pippen, R., and Davis, E.: Psoriasis of the gingiva and the tongue: Report of a case; J. Periodont ., 42:97, 1971.
- Dore, S.E. and Scheer, A.: Psoriasis of the lower lip. Proc. R. Soc. Med., 17:84, 1924.
- Dowling, G.B.: Discussion on Behcet's disease Proc. Roy. Soc. Med., 54:179, 1961.
- El-Labban, N.G. and Kramer, R.H.: Civatte bodies and the actively dividing epithelial cells in oral lichen planus. Br. J. Derm., 90:13, 1974.

- Ellis, F.A.: Histopathology of lichen planus based on analysis of one hundred biopsy specimens. J. Invest. Derm., 48:143, 1967.
- Erasmus Wilson (1869): Cited from Fitzpatrick(1979).
- Evans, A.D.; Pallis, C.A. and Spidance, J.D.: Involvement of the nervous system in Behcet's syndrome. Report of 3 cases and isolation of virus. Lancet, 2:249, 1957..
- Fadly, M.E., and Youssef, M.M.: Neuro-Behcet's syndrome in United Arab Republic Europ. Neuro., 1,9, 76, 1973.
- Farber, E.M. and Van Scott, E.J.: Psoriasis in dermatology in general medicine 2nd edition, p. 233. Fitzpatrick, T.B.; Eisen, A.Z.; Woff.K. Freedberb, I. and Austen K.F., McGrow-Hill book Company, New York, London, Paris, Tokyo, 1979.
- Fischman S.L., Barnett, M.L., and Nisengard, R.J.: Histopathological ultrastructural, and immunologic findings in an oral psoriatic lesion, Oral Surg., 44:253, 1977.

- Fitzpatrick, T.B.; Eisen, A.Z.; Woof, K.; Freechberb, I. and Austen K.F., Dermatology in General Medicine 2nd edition, McGraw-Hill book Company, New York - London - Paris - Tokyo, 1979.

- Forman, L. and Whitewell, G.P.R.:
The association of Herpes Catarrhalis with Erythema Multiforme (Hebra),
Brit. J. Derm., 46: 309 - 311,
1934.

- Fry, L. and Withers, M.:
Lichen planus: failure to cultivate virus or mycoplasma.
Br. J. Derm., 80 : 384, 1968.

- Goldman, H.M. and Bloom J.:
Oral manifestations of psoriasis:
Case Report.
Oral Surg., 4:48, 1951.

- Goldman, L., McCabe, R.M. and Sawyer, J.:
The importance of cytology technic for Dermatologist in Office Practice.
Arch. Derm., 81:359-368,1960.

- Goltz, R.W. and Hault, A.M. (1963): Cited by Ellis, 1967.
- Gordon, M. and Johnson, W.: Histopathology and histochemistry of psoriasis. Arch. Derm., 95:402, 1967.
- Gordon, A.N. and Lyell A.: Br. J. Derm., 82, 414, 1970.
- Gougerot, H. and Civatte, A. (1953): Cited by Lever 1967.
- Graham, J.H. and Burgoon, C.F.: Cytodiagnosis of vesicular inflammatory dermatoses In Dermal Pathology by Graham, J.H; Johnson, W.C. and Helwig, E.B. p:361. Harper and Row Publisher. Maryland, New York, London, 1972.
- Graykowiski, E.A.; Barile, M.F.; Lee, W.B., and Stanley, H.R.: Recurrent aphthous stomatitis, clinical, therapeutic histopathological and hypersensitivity aspect. J.A.M.A., 196:637, 1966.
- Grinspan, D.; Diaz, J.; Abulafia, J.; Villapol, L.; Schneiderman, J.; Palese, D. and Perdechesky, R.: Survey of cases of lichen ruber planus of the buccal mucosa. Excerpta Med. Derm. Venereol, 21:471, 1967.

- Guilhou, J.J.; Vanneran, H.; Theunynck, D.; Bergoin M. and Blanchard J.M.: Virological studies on psoriatic lymphocytes
In: Farber E.M. Cox. A.J. Nall. L. and Jacobs, P.H. (eds) Psoriasis, Crune and Stratton Inc., pp. 251-252, 1982.
- Haber, H.: Cytodiagnosis in Dermatology. Brit. J. Derm., 66:79 - 94, 1954.
- Hadro, S. and Holmberg, P.: Penicillin treatment of lichen ruber planus. Acta Dermatovenereol, 34:72, 1954.
- Haim, S., Sobel, J.D.; Friedman, R. and Lichfig, C.: Histological and direct immunofluorescence study of cutaneous hyperreactivity on Behcet's disease. Ibid, 95:631, 1976.
- Hills, E.A.: Behcet's syndrome with aortic aneurism Br. Med. J., 4:152, 1967.
- Haung S; Minassien H. and More J.D.: Application of immunofluorescent staining on paraffin sections improved by trypsin digestion. Laboratory investigations, 35:383, 1976.
- Hubler, W.R.: Lingual lesions of generalized pustular psoriasis. J. Am. Acad. Dermatol., 11:1069 - 1076, 1984.

- Johnson, F.R. and Fry, L.: Ultrastructural observation on lichen planus. Arch. Dermat. (Chicago), 95:596, 1967.
- Jones, E.W.: Cytodiagnosis, In: Textbook of dermatology. By Rook, A., Wilkinson, D.S. and Ebling, F.J.G. Vol. I, pp.72-75, 3rd Ed., Blackwell Scientific Publications. Oxford. Edinburgh. Melbourne, 1979.
- Joost, T.H., Cormane, R.H. and Pordman, K.W.: Brit. J. Derm., 87, 466, 1972.
- Jordan, E.A. (1922): Cited from Fitzpatrick, 1979.
- Jordon, R.E., Triftshaver, C.T. and Schroeter, A.L.: Arch. Derm., 103, 480, 1971.
- Keller, P. (1922): Ueber psoriasis der Mundschleimhaut. Dermat. Wchnsch., 75:917: Cited by De Gregori G.; Pipper, R. and Davis E. 1971.
- Krain, L.S.: Pemphigus-Arch. Dermatol, 110:862 - 865, 1974.
- Kwapis, B.W.: Erythema Multiforme Exudativum, Oral Surg., 10:363 - 369, 1957.
- Lehner, T.: Behcet's syndrome and autoimmunity. Br. Med. J., 1:465, 1967.

- Lehner, T.: Pathology of recurrent oral ulceration and oral ulceration in Behcet's syndrome. J. Pathol., 97:481-494, 1969a.
- Lehner, T.: Immunologic aspect of recurrent oral ulcers. Oral Surg., 33:80, 1972.
- Lever, W.F. 1949: Cited from Blank, H. and Burgoon C.F., 1952.
- Lever, W.F.: Histopathology of the skin ^{//}4th edition, J.P. Lippincot Company, Philadelphia, P. 153, 1967.
- Lever, W.F. and Lever, G.S.: Histopathology of the skin, 5th edition, J.P. Lippincot Company, Philadelphia, p. 147, 1975.
- Lever, W.F. and Lever, G.S.: Histopathology of the skin, 6th edition, J.P. Lippincot Company, Philadelphia, p. 151, 1983.
- Lewis (1965): Cited from Shelley W., 1967.
- Ligresti, D.J., Neff, J.G. and Lowney, E.D.: Increased helper suppressor T. cell ratio in psoriasis. Arch. Derm., 118: 966, 1982.
- Lozada F., and Silverman, S.J.: Erythema multiforme, Oral Surg., 46: 628, 1978.
- MacCarthy, L.: Histopathology of Skin Diseases, St.Louis, C.V. Mosby, P. 138, 1931.

- MacCarthy, P.L., and Shklar, G.: Diseases of the Oral Mucosa, New York· McGraw Hill, p. 165, 1964.
- Malkinson, E.D. and Pearson, C.E.: Ultrastructural localization and differentiation of membrane bound A.T.P. utilising enzymes including adenylcyclase in normal and psoriatic epidermis. Br. J. Derm. 93: 495, 1975.
- Marchionini, A. and NaSemamn, T.H.: J. Invest. Derm., 24, 267, 1955.
- Marley, W.M.; Spitzer, R.E.; Below, P.W.; Stitzel, A.F. and Rosenberg, R.W.: Serial studies of complement proteins in psoriasis, J. Invest. Derm., 78:346, 1982.
- McClatchey, K.D. et al: Studies on oral lichen planus III, Clinical and Histologic correlation in 213 patients. Oral Surg., 39, 122 - 129, 1975.
- McMenemy, W.H., and Lawrance, B.J.: Encephalomyelopathy in Behcet's disease. Report of necropsy findings in two cases. Lancet, 2: 353, 1957.
- Medak, H.; McGrew, E.A.; Cohen, L. and Tieckle, R.: Cytopathogenic study as an aid to the diagnosis of vesicular dermatoses. J. of Oral Surg., Medicine and Pathology, 32, 204-220, 1971.

- Midana, A., and Ormean, F.: Modern views on the aetiology and pathogenesis of lichen planus. Excerpta Med. Derm. Venerol., 12:3, 1958
- Naib, Z.M.: Exfoliative cytopathology pp. 457-476. 2nd Ed. Little, Brown and Co. Boston, 1976.
- Naseman, T. (1964): Cited from Shelley 1967.
- Nazzaro, P.: Cutaneous manifestations of Behcet's disease: Clinical and histological findings. Proc. Intern. Symp. on Behcet's disease, p. 15, 1966.
- Newman, C.W.: Electron Microscopic study of Erythema Multiforme, Oral Surg., 9: 962 - 969, 1956.
- O'Duffy, J.D.; Carney, J.A. and Deodhar, S.: Behcet's disease. Report of ten cases, three with new manifestations. Annals of Internal Medicine, 75:561, 1971.
- Ones, U., Urgaciogh, M.; Yakacikli, S.; and Yalcin, I.: Behcet's disease and Austrilia antigen. Cited from: Istanbul Med. Conv. Intern. Symposium on Behcet's Disease, p. 50, 1977.

- Oppenheim, M. (1903): Psoriasis Mucosae Oris, Monatsschr. Prakt. Dermatol., 37: 481. Cited by Salmon, T.S. and Robertson, G.R., 1974.
- Ormea, F.; Angela, G.C. and Apra, A.A.: Experimental study on the supposed virus of the lichen ruber planus. Excerpta Med. Dermatol. Venereol., 11, 322, 1957.
- Ormsby, O.S. and Montgomery H. (1954): Cited from Shklar 1965.
- Oshima, Y.; Shimizu, T.; Yokahari, R.; Matsumoto, T.; Kano, K.; Kugaimi, T.; and Nogaya, M.: Clinical studies on Behcet's syndrome. Ann. Rheum. Dis, 22:36, 1963.
- Pashkov, B.M. and Belyaeva, E.F.: Lichen planus of the oral mucous membrane. Excerpta Med. Derm. Venereol., 16:67, 1962.
- Pinkus, H. and Mehregan, A.H.: "A guide to dermatohistopathology", 2nd edition, Appleton Century Crofts, New York, A publishing division of prentice-Hall, Inc., P.141, 1966.
- Pindborg, J.J.: "Erythema multiforme" in Text Book of Dermatology Edited by Rook, A.; Wilkinson, D.S. and Ebling, F.J.G. 3rd Ed., pp. 1857. Blackwell Scientific Publication. Oxford. Edinburgh. Melbourne, 1979.

- Pisanti, S., Sharav, Y.; Kaufman, E. and Posner, L.N.: Pemphigus Vulgaris. Incidence in Jews of different Ethnic groups, according to Age, Sex, and Initial lesions, Oral Surg., 38:382-387, 1974.
- Ragaz, A. and Ackerman, A.B.: Evolution, Maturation and Regression of lesions of Psoriasis Am. J. Dermatopathol., 1:199, 1979.
- Reynold, C.W.; Chales N.E. and Lewis, A.D.: Behcet's disease. International Journal of Dermatology, Vol. 23, 1984.
- Rook, A.J. and Whimster, I.W.: The histopathological diagnosis of pemphigus. Brit. J. Derm., 62:443-446, 1950.
- Rubinstein, L.J. and Urich, H.: Meningoencephalitis of Behcet's disease. Case Report with Patho. findings. Brain, 86:151, 1963.
- Ruocco, V.: Cytodiagnosis in Dermatology pp.:11, 44, 84, 90, 100. Cooperative Libreria Universitaria. Napoly. Italy, 1980.
- Ryan, F.G.: Pemphigus, Arch. Dermatol., 104:14-20, 1971.
- Salmon, T.N.; Robertson, G.R.; Tracy, N.H.; and Hiatt, W.R.: Oral Psoriasis. Oral Surg., 38:48, 1974.

- Same, W.M. and Jordon R.E.: Brit. J. Derm., 84, 7, 1971.
- Samman, P.D.: 'Textbook of Dermatology', Vol.11, First, edition, Blackwell Scientific Publications, Oxford, Edinburgh, p. 1194, 1968.
- Sarkany, I. and Gaylarde, P.M.: The pathogenesis of lichen planus. Correspondance, Br. J. Derm., 87:81, 1972.
- Saurate, J.H., Didier Jean, L.; Gluckman, E. and Bussel, A.: Graft versus host reaction and lichen planus like eruption in man. Br. Jr. Derm., 92: 591, 1975.
- Schotland, D.; Wolf, S.; White, H.; and Dubin, H.: Neurologic Aspects of Behcet's disease. Case report and review of literature, Am. J. Med., 34:544, 1963.
- Sehgal, V.N.: Cytology. A clue to Clinical Diagnosis in Dermatology (A review). Indian J. Derm., 11:5-9, 1965.
- Sezer, N.: Isolation of virus as a cause of Behcet's disease. Am. J. Ophthal., 36: 301, 1953.

- Shelley, W.B.: Herpes Simplex Virus as a Cause of Erythema Multiforme. The Journal of the American Med. Association Vol. 201, No.3, 71:74, 1967
- Shelley, W.B. and Crisey, J.T.: Classics in Clinical Dermatology, Springfield III, Chalers C. Thomas Publisher, p. 10, 1970.
- Shklar, G.: Oral lesions of Erythema Multiforme. Arch. Dermat., Vol. 92, 495:500, 1965.
- Shklar, G. and Cataldo, E.: Histopathology and cytology of oral lesions of pemphigus. Arch. Derm. 101:631-634, 1970.
- Shklar, G. et al: Basement membrane alterations in oral lichen planus J. Invest. Dermat. 70:45-50, 1972.
- Sigel, N. and Larnson, R.: Behcet's syndrome. A case with benign pericarditis and recurrent neurologic involvement treated with adrenal steroids. Arch. Int. Med., 115:203, 1965.
- Silverman, S.S. Jr. and Griffith, M.: Studies on oral lichen planus II. Follow up on 200 patients, clinical characteristics, and associated malignancy. Oral Surg., 37: 705 - 710, 1974.

- Soltz-Szölts (1963): Cited from Shelley 1967.
- Stanker, L.: Deficiency of circulating IgA and IgM in adult patients of lichen planus. Br. J. Derm., 93:25, 1975.
- Thyresson, M. and Moberger, G.: Cytologic studies in lichen ruber planus. Acta dermatovenereol., 37, 191, 1957.
- Tokuda, T. (1974): Virological studies on etiology of Behcet's disease in Japan. Cited from Istanbul Med. Conv., Intern. Symposium on Behcet's disease, p. 8, 1974.
- Tzank, A. (1948): Cited from Rook, A.J., and Whimster, I. W. 1950.
- Ulman, S.; Gorlin R.J.: Recurrent aphthous stomatitis Arch. Dermatol., 114:955-955, 1978.
- Unna, P.G. (1894): Cited from Shklar 1965.
- Unna, P.G. (1910): Cited from Shklar 1965.
- Urbach, E. (1933): Herpes labialis, Erythema exudativum multiforme. Zbl Haut Geschlechtskr 46:413, Cited from Shelley 1967.
- Usher, B.: Psoriasis of Mucous Membranes; a report of two cases with review of literature. Arch. Derm., 28:488, 1933.

- Van Scott, E.J. and Ekel, T.W.: Kinetics of Hyperplasia in Psoriasis Arch. Derm., 88:373, 1963 .
- Vasass, J.; Abraham, S. and Incze, G.: Data of aetiopathogenesis and treatment of lichen ruber planus. Excerpta Med. Dermato-venereol., 14:139, 1960.
- Von Hebra, F.: "Erythema Exudativum Multiforme", in Diseases of the Skin, London: New sydenham Society, 1866, Vol.1, p. 285. Cited from Shklar 1965.
- Wadia, N; and Williams, E.: Behcet's syndrome with neurological complications, Brain, 80; 59, 1957.
- Warin, R.P.; Smith, P.H. and Daunt, F.O.U: Lichen planus of the alimentary canal and tympanic membranes. Br.J. Derm., 60:249, 1948.
- Warin, R.P. et al (1958): Quoted from Samman 1972.
- Weathers D.R. et al: Psoriasiform lesions of the oral mucosa (with emphasis on ectopic geographic tongue) Oral Surg., 37: 872 - 888, 1974.
- Weedon, G.E.: "Lichen Planus" in Dermatology in General Medicine, 2nd edition, p. 889 Fitzpatrick, T.B.; Eisen, A.Z.; Woff, K.; Freedberd, I and Austen, K.F., Mc Grow-Hill Book Company, New York London, Paris , Tokyo, 1979.

- Wellstein, V.D.; Lagerholm B., and Zech, H.:
Cellular changes in the psoriatic
epidermis Acta. Dermatovenereologica,
Vol. 41, P. 115-134, 1961.
- White, D.K.; Leis, H.J., and Miller, A.S.: Intra-
oral psoriasis with Widespread Dermal
Psoriasis. Oral Surg., 41:174, 1976.
- Winer, L.W. and Lipschultz C.E.: Comparative
study of histology and cytology in
vesiculating eruption. Arch. Derm.
Syph., 65: 27-287, 1952.
- Wong, R.C., Ellis C.N., Diaz, L.A.: Behcet's
disease. International Journal of Der-
matology, Vol. 23, 25:31, 1984.
- Yaffee (1966): Cited from Shelley 1967.
- Zavarini, G. and Rubbini, C.: Chlortetracycline
in the treatment of lichen planus.
Report of 4 cases. Excerpta Med. Derm.
Venereol, 10:326, 1956.
- Zeavin, B.H.; King, M.J., and Gohd, R.S.: A case
of Behcet's disease. Am. J. Ophth., 41:
55, 1956.
- Zegarelli, D.J. and Zegarelli, E.V.: Intra-Oral
pemphigus vulgaris. Oral Surg., 44,
Number 3: 384-393, 1977.