

REFERENCES.

REFERENCES

- Abdel Aziz, M.T., Abdel Kader, M.M. and Shawki M.A.(1975):
Kekkaku, 51, 12, 575.
- Andersen V & Bro-Rasmussen F (1968) :
Autoradiographic studies of the kinetic of
eosinophils, series - Haematal 1, 33.
- ~ Anderson I & Lundquist GR (1973):
Human nasal mucosal function in a controlled
climate. Arch, environm Hlth 23, 408.
- Andrew Saxon (1981) :
Allergy and immunology. Diagnosis and therapy.
Little brown and company Bosten, P. 15.
- Angell, M and Joumer, S (1967):
Hypothyroidism with coexistent asthma South-
Med. J 1967 Mar, Vol : 77 (3) P; 401-2.
ISSN : 0038-4348.
- Assen E.S.K. (1975) :
Circulating IgE levels in patients with cancer
Lancet 2 , 34.
- Austen K.F. , Lewis R.A., Wassermans. I & Goetzi E.J.
(1974):
Generation and release of chemical mediators
of immediate hypersensitivity.
North-Holland Publishing Company.

Austen K.K. & Orange R.P. (1975):

Bronchial asthma, the possible role of the chemical mediators of the immediate hypersensitivity in the pathogenesis of subacute chronic disease.

Amer. Rev. Resp. Dis. 112, 423.

Aypres I. and Clark T.I. (1981):

Asthma and the thyroid.

Lancet 1981 May 14 Vol. 2 (8255) P : 1110-1.

Azizi F. (1978) :

Effect of dietary composition on fasting induced changes in serum thyroid hormone and thyrotropin. Metabolism 27 : 935.

Azukizawa M, Moris, Yoshimoto H, & Miyai K (1979) :

Effect of single dose of glucocorticoid on the diurnal variations of TSH, Thyroxine 3,5,3 triiodothyronine and cortisol in normal men. Endocrinology 26 : 719.

Balow J.E. & Rosenthal A.S. (1972) :

Mechanisms of steroid suppression of cellular immunity. Clin. Resp. 20, 506.

Becker K.E., Ishizaka T., Ishizaka K. and Grimley P.M. (1973) :

Surface IgE on human basophils during histamine release. J., Exp. Med. 138, 324.

Berdal. P. (1979):

Nasal polypi . In Nasal Allergy edited by Mygind, N., London Black Well P. 233.

- Berrens L (1979) :
Complement, IgE and IgG. 4 antibodies in the
diagnosis of atopic diseases.
Bronchopneumologie 29 , 308.
- Berridge M.I. (1975):
The interaction of cyclic nucleotides and
calcium in the control of cellular activity.
Raven Pres, New York.
- Black P.L., Marsh D.G., Jarrett E & Bias W.B. (1976):
Family study of association between HLA and
specific immune responses to highly purified
pollen allergens. Immunogenetics 3, 349.
- \ Blue J.A. (1968):
Rhinitis medicamentosa.
Ann Allergy 26, 425.
- Boat T.F. & Matthews L.W. (1973) :
Chemical composition of human tracheo bron-
chial secretions.
In Dulfano M. J. (ed) sputum P 204 Charles
C. Thomas Springfield.
- \ Bojsen Moller F. (1965) :
Glandulae nasales anteriores in the human nose.
Ann. Otol (St Louis) 24, 363.
- Brandtzaeg P. (1979) :
The immune system. In Nasal Allergy, edited
by Mygind, N., Black well Scientific Publica-
tions London : Blackwell P. 59, (1979).

- Brandtzaeg P., Fjellanger I & Gjeruldsen S.T.(1977):
Localization of immunoglobulin in human
mucosa. *Immunochemistry* 4 , 57.
- Bryan, M.P. and Bryan W.T. (1974) :
Cytologic diagnosis in allergic disorders
otolaryngal. Clin, N. America, 7 (3), 637.
- Buckle F.G. and Cohen A.B. (1975) :
Nasal mucosal hyperpermeability to macromole-
cules in atopic rhinitis and extrinsic asthma
J. allergy 55, 213.
- Burghi H., Weismann U & Medict , T. (1968):
New objective criteria for inflammation in
bronchial secretions.
Brit. med. J. 2, 654.
- Burnet, M. and Fenner S. (1977) :
Immune response essential Immunology.
Ed. by Roitt 1, 1980.
- Bush R.K. (1977) :
Thyroid disease and asthma.
J. allergy clin Immunol. 59; 398-401.
- Butcher B.T., Salvaggio J.E., and Leslie G.A.(1979):
Secretory and humoral immunologic response of
atopic and non atopic individuals to intra
nasally administered antigen.
Clin-Allergy 5, 33.
- Butler W.T. & Rossen R.D. (1973) :
Effects of corticosteroid on immunity in man.
J. Clin. Invest. 52, 2629.
-

Cauna N. (1970) :

Fine structure of nasal polypis.
Ann. Otol (St. Louis) 81, 41.

Cauna N. & Manzetti, G.W. (1971) :

Electron microscopy of the nasal vascular bed
and its nerve supply.
Ann. Otol (St. Louis) 79, 443.

Cauna N., Cauna D. & Hinderer H. (1972) :

Innervation of human nasal glands.
J., Neurocytol 1, 49.

Clark G. (1981) :

Staining procedures, 4th ed.
Williams & Wilkins, Baltimore/london, pp.
173-174.

Clemmensen O., Andersen V., Karié, H. and Weeke B.
(1976) :

Sequential studies of lymphocytes neutrophils
and serum proteins during prednisone treatment.
Acta. Med. Scand 199, 105.

Coca, A.T. and Cooke R.A (1923) :

On classification of the phenomenon of hyper-
sensitivity. J. Immunol. 8; 163.

Cockraft D.W. (1978) :

Decrease in nonspecific bronchial reactivity in
an asthmatic following treatment of hyperthy-
roidism. Ann. Allergy 41, 160-163.

- Coombs, R.R.A. & Gell P.G.H. (1975) :
Classification of allergic reactions responsible
for clinical hypersensitivity & disease. In
P.G.H. Gell, R.R.A. Coombs & P.J. Lachmann (eds.).
Clinical Aspects of immunology. Black well
scientific publications Oxford.
- Chan B.S.T. (1972) :
Ultrastructural changes in guinea pig bone marrow
basophils during anaphylaxis Immunology 23,215.
- Chapman M.D. & Plattis-Mills T.A.F. (1980) :
Purification and characterization of the major
allergen from derratophagoides pteromyssinus
antigen P₁. J. Immunol, 125, 587.
- Chandra R.K., and Abrol B.M. (1974) :
Immunopathology of nasal polypi.
J. Laryngal. Otol, 88; 1019 - 24.
- Chan V., Jones A., & Besser G.M. (1978) :
The relation between circadin variation in cir-
culating thyrotropin, thyroid hormones and prolac-
tin. Clin Endocrinol (Oxf) 9 : 337.
- Danforth E., Harton E.S., O'Connell M. & Bravernan L.
(1979) :
Dietary-induced alterations in thyroid hormone
during overnutrition.
J. Clin. Invest 64 : 1336.
- De Costre P., Buhler V., De Groot L.J. & Refetoff S.
(1971) :
Diurnal rhythm in total serum thyroxine levels.
Metabolism 20 , 782.

Deusch H. (1976) :

Immunoglobulins in nasal secretion with special reference to IgE.
Int. Arch. Allergy Appl. Immunol 52:376-363.

Diamont. B. : (1979) :

Mast cell degranulation. In Nasal Allergy.
edited by Myging, N., London Blackwell P.,
116. (1979).

Donovan R., Johansson S.G.O. & Soothhil J.F. (1972) :

Immunoglobulins in nasal polypi fluid.
Int. Arch. Allergy 37, 15 A.

Eyerman C.H. (1927) :

Nasal manifestations of allergy.
Ann. Otal (St. Louis) 36, 608.

Faraman J.C., Mongar J.L. & Gomperts B.D. (1973) :

Calcium ionophores and movements of calcium ions following the physiological stimulus to a secretory process. Nature (London) 245,249.

Feher K.O. (1983) :

Adrenocortical function in bronchial asthma
Acta. Med. Hung 1983 Vol. 40 (2-3) P:125-310.

Fisher B. & Fisher E.R. (1951):

Human IgE biosynthesis in vitro studies with atopic and normal blood mononuclear cells and subpopulations. J. Immunol., 123, 1788.

✓ Foxen E.H.M. (1971) :

Nasal allergy and vasomotor instability in disease of E.N.T.

Eds. Ball., J. and Grone, Page 153-181.

Franklind E.C. (1976) :

Some impacts of clinical investigations of immunology. New Engl. J. Med. 294, 531.

Freedman So, (1976) :

Asthma and allergic rhinitis Immunophysiology. In clinical immunology.

Gleich, J. (1982) :

The late phase of the immunoglobulin E mediated reaction, a link between anapylaxis and common allergic disease.

J. Al. Clin. Immunol. 70 : 160-169.

Gleich G.L., Jacob G.L. and Yunginer J.W. (1977) :

Measurement of the absolute levels of IgE antibodies in patients with ragweed hay fever. J. Allergy Clin. Immunol. 60:188-198.

Gleich G.I., Adolphson G.R. and Yunginger J.W.(1980):

The mini. RAST : comparison with other varieties of the radio allerge sorbent test for the measurement of immunoglobulin E antibodies.

J. Allergy Clin. Immunol. 65, 20-28.

Glynin A.A. (1967) :

Studies with antibody to rat lysozyme

Immunolog. 47, 724.

Goadby P & Smith W.G. (1964) :

Observations on the anti-anaphylactic activity
of hydrocortisone and released steroids.
J. Pharm. Pharmacol. 16. 108.

Good M & Fisher W.D. (1971) :

Immunology. Sinauer Ass., Stamford.

Grove D.I., Burston T.O. & Farbes I.J. (1974)

Immunoglobulin E and eosinophil levels in
atopic and non-atopic populations infested with
hookworm. Clin. Allergy 4, 295.

Grundbacher J.W. (1975) :

Local intranasal immunotherapy for grass allergic
rhinitis. J. allergy, Clin. Immunol 71 : 71-76.

Hansel F.K. (1975) :

Allergy and immunity. In otolaryngology, ed.,
3., Rochester, Mich, American Academy of ophtha-
lmalogy and otolaryngology, pp 52-64.

Hanson, I.A. & Brandtzaeg P. (1973) :

Secretory antibody systems. In steihm, R.E., &
Fulginiti, V.A. (eds).
Immunological disorders in infants and children,
P. 107. Saunders, Philadelphia.

Higgins K.G., Brostoff J. (1975) :

Local production of specific IgE antibodies in
allergic rhinitis patients with negative skin
tests. Lancet 2, 148-150.

Hinderer K.H. (1972) :

Innervation of human nasal glands.
J. Neurocytol 1, 49.

Holmes, T.H., Goodell, H. Wolf S. and Wolf G. (1950):
The Nose Springfield III, Thomas PP 215-17
oxford.

Hoult J R.S., Moore P. (1978) :
Thyroid disease asthma and prostaglandins.
Br. Med. J. 1978, P. 366.

Hubscher T. (1975) :
Role of eosinophil in allergic reactions 1 :
EDI - an eosinophil-derived inhibitor of his-
tamine release. J. Immunol 114, 1389.

Ishizaka K., Newcomb R.W. (1970) :
Presence of α E in nasal washing and sputum
from asthmatic patients.
J. Allergy, 46 ; 197-204.

Ishizaka, K. & Ishizaka, T. (1973) :
Role of IgE and IgG antibodies in reagenic
hypersensitivity in the respiratory tract.
In Austen K.F. & Lichtenstein L.M. (eds)
Asthma ; physiology, Immunopharmacology and
treatment P. 55 Academic Press, New York.

Ishizaka K., Ishizaka T., Kishimoto T. & Okudaira, H.
(1976):
Biology of immunoglobulin E : molecular bases
of reagenic hypersensitivity Prog. Allergy, 19;60.

Ishizaka, K. & Sandberg K. (1981) :
Formation of IgE binding factors by human T.
lymphocytes. J. immunol, 126 ; 1692.

Ismail A.A., Shalahy-E., & Gadalla - I (1977):

Effect of T_3 on bronchial asthma.

Vol. 17 (4). 157-164. April 1977 vol. 14
(3) 111-18.

Jackson R.T. (1971) :

The acid mucopolysaccharide and collagen content
of human nasal polyps human and animal nasal
mucosa. Ann. Otol (St. Louis) 80, 586.

Jahnke V. (1972) :

Altrastructure of the nose. Laryng. Rhinol 51,30.

Jerne N.K. (1973) :

Immune system. Scientific American 229, 52.

Kaufman, H.S. (1982) :

Nasal eosinophilia. Annals of Allergy 49: 270-271.

Kishimoto J., Hira, Y., Suemura M. and Yamamura Y.(1976):

Regulation of antibody response in different im-
munoglobulin classes. I. Selective suppression
of anti DNP IgE Antibody response by pre-adminis-
tration of DNP. coupled mycobacterium.
J. Immunol 117, 396.

Kjellman NJT and Johansson SGO (1976) :

IgE and atopic disease in new borns and infants
with a family history of atopic disease.
Acta Paediat. Scand. 65 : 601.

Komoto, M., Kishimoto T., Watamabe T. and Yamamora Y.

(1977) :

Regulation of antibody response in different im-
munoglobulin classes. J. Immunol 118 : 480.

Krafina Z., Harvey J.E. & Oajura J.H. (1972) :

Experimental vasomotor rhinitis .
Laryngoscope (St. Louis) 82, 1068.

Larsen P.R. (1975) :

Thyroidal triiodothyronine and thyroxine in
Graves disease : correlation with presurgical
treatment, thyroid status and iodine content.
J. Clin Endocrinol Metals 41 : 1098.

Leuinson AI, (1978) :

Evaluation of the adverse effects of longterm
hyposensitization.
J. Allergy Clin. Immunol., 62 : 104 - 114.

Leung DY, Rhodes AR, Geha RS, (1981) :

Enumeration of T-cell subsets in atopic derma-
titis using monoclonal antibodies.
J. Allergy Clin. Immunol., 67 : 450-455.

Levine BB, Redmand's, (1968) :

The nature of antigen antibody complex initia-
ting the specific wheal and flare reaction in
sensitized man.
J. Clin. Invest. 47 : 556.

Liarte-Ruano I, Fontan-Dominguez M., Olive Perez A.,
(1983) :

Humoral immunity in nasal allergy.
Allergol-Immunopathol (Madr), 11 : 229-31.

Lichtenstein LM, (1968) :

Mechanism of allergic histamine release from
human leukocytes in KF austen and El Backer
(eds.): Biochemistry of acute allergic reaction.
Oxford : Blackwell, p 153.

Lichtenstein LM, Hartzman MA, Burnett LS, (1968):

A quantitative in vitro study of a chromatographic distribution and immunoglobulin.

Lichtenstein LM. & Bourne HR. (1971) :

Inhibition of allergic histamine release by histamine and other agents which stimulate adenylyl cyclase. In Austen. K.F. & Becker EL. (ed). Biochemistry of acute Allergic reactions P 161. Blackwell scientific Publications Oxford.

Lichtenstein L.M. & Henney C.S. (1974) :

Adenylate cyclase linked hormone receptors : an important mechanism for immunoregulation of leucocytes . In Brent L & Holbarrow J. (eds) Progress in immunology 112, 73. North Holland Publishing Company Amsterdam.

Lichtenstein LM, Norman PS, (1978) :

Pathogenesis of allergic rhinitis. In Immunologic disease. Max Samter (ed.) Vol. II, 3rd. edition, p 840-857. Little Brown Company.

Lichtenstein LM, Norman PS, (1978) :

The clinical immunologic specificity of immunotherapy. J. Allergy Clin. Immunol., 61 : 370.

Liddle, G.W. and Helman, KL. (1974) :

In Williams R.H. textbook of Endocrinology. Edited by W.B. Saunders Company. Philadelphia London, Toronto, Chapter 5. fifth edition.

Lindblad JH, Farr RS, (1961) :

The incidence of positive intradermal reactions and the demonstration of skin sensitizing antibody to extracts of ragweed and dust humans without a history of rhinitis or asthma.
J. Allergy, Clin. Immunol., 32 : 392-401.

Linford Rees L. (1964) :

Physiogenic and psychogenic factors in vasomotor rhinitis.
Journal of Psychosomatic Research 8, 101.

Lorenz W. (1975) :

Histamine release in man.
Agents and Actions 5, 402.

Lucke G, Herrhrmann R., & Von M.K. (1979) :

Studies on circadian variations of plasma TSH, thyroxine and triiodothyronine in man.
Acta Endocrinol (capenh) 86 : 81.

Luoma R., Koivikko A., Viander M., (1983) :

Development of asthma, allergic rhinitis and atopic dermatitis by the age of five years .
A prospective study of 543 new-borns.
J. Allergy, 38 : 339 - 346.

Malcomson G. (1959) :

J. Laryng. 73, 73.

Malolepszy J, Kraus Filarska M, Panaszek B, Liebhart E,

Szeliga W., Litwa M. (1980) :

T and B lymphocytes in patients with hay fever.
Arch-Immunol. Ther. Exp. (Warsz), 28 : 589-592.

Malone, D.N.S., Grant, I.W.B. and Reray, I.W. (1970):
Lancet 11 : 733.

Mathov E., & Misenta J. (1963) :
Rhinitis induced by ranwolfia a cholinergic
entity. Ann. Allergy 21, 481.

\ Haran AGD and Stell PM., (1979) :
Allergic and vasomotor rhinitis.
In clinical otolaryngology. Maran A & Stell.
L (Eds.) Blackwell Scientific Publications,
226-238.

Marks M., (1967):
Physical signs of allergy of the respiratory
tract in children.
Ann. Allergy, 25 : 310.

\ Marks MB, (1973) :
Unusual signs of respiratory tract allergy.
Ann. Allergy, 31 : 611.

Martinez JD, Santos J. Stechschulte DJ, Abdon N.I. (1979):
Nonspecific suppressor cell function in atopic
subjects. J. Allergy Clin. Immunol., 64 : 485.

Masson P.L. & Heremans J.F. (1973) :
Sputum proteins. In Dulfano M.J. (ed)
Sputum, P 404. Chales C. Thomas, Springfield.

\ Mathe, A.A. and Knopp. P.H. (1971) :
Psychosom Med. 33 (4) : 323.

- Mathe A.A., Hedquist P., Holmgner A. & Svanborg N.(1973):
Bronchial hyper-reactivity to prostaglandin F
and histamine in patients with asthma.
Brit. Med. J. 1, 193.
- Mathew KP. (1968) :
Immediate type hypersensitivity to phenylmercuric
compounds. Am. J. Med., 44 : 310.
- Mc Fadden S.M. (1981) :
Asthma and thyroid. Lacet 1981 P.
- Mc Geady SJ, Buckley RH. (1975) :
Depression of cell mediated immunity in atopic
dermatitis. J. Allergy Clin. Immunol., 56 :393.
- Melon J. (1969) :
Composition of chemical secretion in case of
hypersensitivity in nose.
Acta otolaryng (stockh) 67, 158.
- Merimee T.J. & Fineberg E.S. (1976) :
Starvation induced alternations in circulating
thyroid hormone concentration in man.
Metabolism 25 : 191.
- Messerklinger W. (1958) :
The fine structure of lateral nasal gland of the
rat. J. Ultrastructure Res. 36, 127.
- Miller M.E. (1971) :
Uses and abuses of gamma globulin. In Good RA &
Fisher DW (eds.). Immunobiology, P 280.

Moe H. & Bojsen Moller F. (1971) :

A reconstruction of the duct system and secretory tubules of the human bronchial submucosal gland. Thorax 24, 729.

✓ Mogenson C. & Tos M. (1979) :

Density of goblet cells in normal adult human nasal septum. Anat. Avz. 141, 237.

Monger I. (1956) :

Measurement of histamine releasing activity. In Ciba Foundation Symposium Histamine, p. 74, Churchill, London.

✓ Murray A.B. (1971) :

Nasal secretion eosinophilia with grass pollen, hay fever. Canad. Med. Ass. J. 104, 599.

Murray M., Jarrett W.F.H. and Jennings F.W. (1971) :
Mast cells and macromolecular leak in intestinal immunological reactions. Immunology 21, 17.

✓ Mygind N. & Bretlau P. (1974) :

Histology of nasal mucosa in normals and in patients with perennial rhinitis. A blind study of plastic embedded specimens. Rhinology 12, 131.

✓ Mygind, N. (1975) :

Nasal allergy 2nd ed.
Blackwell scientific public, Oxford.

✓ Mygind N. & Bretlan P. (1975) :

Scanning electron microscope studies of human nasal mucosa in normal persons and in patients with perennial rhinitis 11: Secretion, Acta allergy (Kbh) 29, 261.

Nemoto T., Aoki H., Ike A., Kondo T. and Inagawa T.
(1976) :

Serum prostaglandin levels in asthmatic patients. J. allergy 57, 89.

Newcomb R.W. & Ishizaka K. (1969) :

Skin reaction to anti-IgE antibodies in atopic and non atopic and immunologically deficient children and adults of allergy 43, 292.

Nimalasuriya, N., Spencer, C.A., Lin, S.C., Tse, J.K.,
and Nicoloff, J.T., (1986):

Studies on the diurnal pattern of serum 3,5,3-Triiodothyronine .

J. Clin. Endocrinol Metabolism 62 : 153.

Novak, S.R. (1972) :

Asthma and hyperthyroidism .

J. Allergy Clin Immunol 59, 398.

Okuda M. (1975) :

Response of the human nasal mucus membrane to anti-human IgE serum second edition of Nasal allergy. Blackwell scientific publication.

O' Neill D. and Malcomson K. (1954) :

Results of treatment of vasomotor rhinitis, British medical journal 1, 554.

Orgel HA (1975) :

Development of IgE and allergy in infancy
J. allergy Clin. Immunol 56, 296, 307.

Parish, P. (1970) :

Immunoglobulins in nasal secretions and nasal mucosa in perennial rhinitis.

Acta Otolaryngol 86 : 135-141.

Parish P. (1975) :

Serum proteins and antibody activity in human nasal secretions.

J. Clin. Invest. 43 : 1613-1624.

Pedersen H. (1976) :

Absence of oxonemal arms in nasal mucosa cilia in kartagener's syndrome. Nature (Lond)262,494.

Pelikan Z. (1981) :

The eosinophils in nasal secretions and nasal provocations tests with allergens

Pelikan Z. (1983) :

The change in the nasal secretions of eosinophils during the immediate nasal response to allergen challenge.

J. allergy Clin. Immunol 72, 657, 662.

Pepys , J. (1969) :

Immunopathology of allergic lung disease

Clin. Allergy 3, 1.

Pepysl J. (1973) :

Atopy & clinical aspects of immunology P. 877

Ed by G.H. Gell and R.R.A. Conibs.

Blackwell scientific Public, Oxford.

Plelts Mills T.A., Von-Maur R.K., Ishizaka K., Norman PS, and Lichtenstein L.M. (1976) :

IgA, and IgA anti-ragweed antibodies in nasal secretions Quantitative measurements of antibodies and correlation with inhibition of histamine release. J. Clin. Invest, 57, 1041-1051.

Plettis-Mills, T.A.E., Snajdr J., Ishizaka K., and Frankland A.W. (1978) :

Measurement of IgE antibody by an antigen - binding radioimmunoassay correlation with PK activity and IgG and IgA antibodies to allergens J. Immunol, 120 : 1201.

Pulido V., Garcia-Calchron P.A. (1983) :

Some Immunological Parameters in serum and nasal secretion in subjects with vasomotor and allergic rhinitis and nasal polypi a comparative study. Rhinology 21, 29-37.

Relter M.S. (1962) :

Thyroid disease and asthma.

J. Allergy Clin. Immunol May Vol :59(5) P: 398-401.

Rhandni M. & Maldague M.P. (1977) :

Some Immunological Parameters in serum and nasal secretion in subjects with vasomotor and allergic rhinitis and nasal polyps - a comparative study. Rhinology 21 : 29-37.

Richardson A.J. (1973) :

Selective IgA deficiency, presentation of 30 cases and review of literature . Medicine, Vol. 60, No. 3-223-236.

Ritter, M.B. (1967) :

Laryngoscope 77, 1427.

Plumbers M.J. & Buckley (1975) :

The total eosinophil count and adrenal function
in asthmatic. Ann-allergy 1975 Dec. Vol.35 P 377.

Roitt IM, (1978) :

Essential immunology 2nd ed.
Black well scientific public Oxford.

Roitt IM. (1982) :

Identification of B and T lymphocytes .
In essential Immunology Roitt IV (ed.) 4th
edition. The English language book society and
black well scientific publications p. 57-56.

Rud, F. (1947) :

The eosinophil count in health and in mental
disease. Acta psykiat. scand. suppl. 40.

Rush, RK. (1977) :

Thyroid disease and asthma.
J. allergy Clin. Immunol 1977 May Vol. 59
(5) P. 398-401.

Salvaggio, J.; Manuel, L., Pierr, A. Robert, W. (1973):

Salivary, nasal wash and sputum IgA concentra-
tions in atopic and non atopic individuals.
J. Allergy Clin. Immunol, V. 51 No. 6: 335-343.

Sarenson H., Mygind N. & Prytz. S. (1976) :

Long term treatment of nasal polyps with
corticosteroids.
Acta-Oto-Laryng (Stockh) 82, 260.

Seiden, G. and Brodish A. (1972) :
Endocrinology 90, 1401, 1.

Settipane G., Lessof. M.H., & MacDonal DM. (1972):
Asthma and hyperthyroidism.
J. allergy Clin Immunol 49-348.

Sherman W.B. and Kessler J. (1957) :
Reaginic and blocking antibodies.
J. allergy 38, 62.

Shil H. & Tary W.M. (1976) :
Electron microscopy of the nasal vascular bed
and its nerve supply.
Ann Otol (St. Louis) 78, 865.

Sinnall R.S., Goetzi E.J. and Davies A.J. (1982):
Mechanisms for eosinophils and neutrophils
leucocytes. Brit. med. J. 3, 157.

Smith JA, Goetzl EI. (1980) :
Cellular properties of eosinophils.
In Weissmann G editor. The cell biology of
inflammation Amsterdam pp. 189-216.

Soothill J.F.(1973) :
Immunodeficiency and allergy.
Clin-Allergy Suppl. 1,21.

Spaner, E., Balaz, V. and Adamce, O. (1973) :
Acta Allergol (Kbh) 15 : 328.

Spencer C.A., Lum S.M.C. & Nicoloff J.T. (1983):
Dynamics of serum thyrotropin and thyroid hormones
changes in lactating. J. Clin. Endocrinol Metab.
56 : 883.

Stanwarth D.R. (1973) :

Immediate hypersensitivity.
North-America JP. 110-1120.

Stenius. S., Balaz. V and Ademec, O. (1971) :
Acta Allergol (KbhJ 15; 328, 1971) .

Sundberg, M. and Jakobson, T. (1969) :
Acta Allergol. 24 : 11.

Tada. T. & Ishizaka K. (1971) :
Distribution of E-forming cells in lymphoid
tissues of human and monkey .
J. Immunol 107, 1189.

✓ Takasaka, B. (1971) :
Goblet cells in the human developing nose.
Acta otolaryng (stockh) 80, 434.

Takebe, K., Sakakura M and Mashina, (1972) :
Endocrinology, 90 : 1515.

Taylor M. (1963) :
Histochemical studies on nasal polypi.
J. Laryngol Otol 77 : 326-41.

✓ Terrahe K. (1970) :
Fine structure of the infiltrative cells in
the lamina propria of the human nasal mucosa
in allergy. Tohoku J. exp. Med. 105, 281.

✓ Thomsen J (1973) :
Epithelium in allergic rhinitis.
Acta oto-laryng (stockh) 79, 400.

Tos. M. (1976) :

Mucous elements in the nose.

Rhinology 14, 155.

Tos M. & Poulsen J. (1975) :

Mucous glands in the developing human nose.

Arch. Otolaryng 101,, 367.

Vaccarezza, J.R. (1971) :

Dis. Chest 40 : 121, 1.

Van der Giessen, A.S. (1976) :

Retrospective survey of 1, 271 patients diagnosed as perennial rhinitis.

Clin. Allergy, 6 : 251.

Van Doorm J., & Roelfsema F. (1984) :

The influence of partial food deprivation on the quantity and source of triiodothyronine in several tissues of athyreotic thyroxine maintained rats. Endocrinology 115 : 705.

Vane JR. (1975) :

The contribution of prostaglandins and other mediators to the allergic state. Congress of allergology and clinical Immunology P. 79

Pitman Medical London.

Van Lier L.A.J. (1960) :

Vasomotor rhinitis and eosinophil level

Ann Allergy 21, 481.

Viander M. (1980) :

Humoral and cell mediated immune responses to fractions of birth pollen extract. Allergy 35,57.

Von Pirquet, C. (1906) :

Allergic, Munchen med. Wchschn., 53 : 1457.
Translation by Prausnitz, C. Allergy, in
clinical aspects of immunology, Blackwell ,
Oxford (1963).

Walter J. B. and Israel M.S. (1981) :

General pathology 4th edition.
Hypersensitivity p. 177-179.

Wartman, R.J. (1966) :

Endocrinology 79 : 608.

Weeke J. (1973) :

Circadian and variations of the serum thyrot-
ropin level in normal subjects. Scand. J.
Clin Lab. Invest 31 : 337.

\\ Weeke L. (1975) :

Fine structure of nasal mucosa.
Ann. Otal, (St. Louis) 78, 865.

\\ Weir N. (1979) :

Vasomotor rhinitis allergic and non allergic
In : Diseases of the Ear, Nose and Throat
edited by Ballantyne, J and Groves J, London :
Butterwarths, P. 209, 1979.

Whiteside T.L., Rabin B.S., Jetterberg J. and Orieip L.
(1975) :

The presence of IgE on the surface of lympho-
cytes in nasal polyps.
J. Allergy Clin. Immunol 55, 186-194.

Williams and Gwaltmey (1972) :

Allergic rhinitis or virus cold nasal smear
eosinophilia in differential diagnosis.
Ann. allergy 30 : 189.

Williams R.H. (1981) :

Textbook of endocrinology. Edited by W.B.
Saunders Company. Philadelphia London,
Toronto Chapter 5. fifth edition.

Wootten (1964) :

Microanalysis in medical biochemistry 1th
ed J and A churchil, London.

Yu D.T.Y., Clements P.J. & Paulis H.E. (1974) :

Human lymphocytes subpopulations. effects of
corticosteroids. J. Clin. invest 53, 565.

Yunginger J.W., and Gleich G.J. (1973) :

Seasonal changes in serum and nasal IgE con-
centration. J. Allergy Clin. Immunol 51-174.

Zeiger R.S. & Colten H.R. (1974) :

Histamine metabolism in cells of the allergic
response. Pediat. Resp. 8, 147.

Zielins K. (1979) :

The surface immunoglobulin receptors of human
lymphocytes in pollinosis.
Acta otorhinolorynal, Belg, 33, 516-521.

Zurier B.W. and Weissmann G. (1975) :

Anti-immunologic and anti-inflammatory effects
of steroid therapy. In Azarmaff DL. (ed.)
steroid therapy P. 223.