

REFERENCES

- Andersson et al. (1982): Eustachian tube function pneumatization, cholesteatoma and mastoid surgery (Kugler Publication) Amsterdam, pp. 201 - 209.
- Bennett, M.; Ward, R.H.; Tait, C.A. (1968): Otological and audiological study of cleft palate children. *Laryngoscope* 78; 1001 - 19.
- Bluestone, C.D. (1971): Eustachian tube obstruction in the infant with cleft palate. *Ann. Otol. Rhinol. Supp.* 2. 1 - 30.
- Bluestone, C.D.; Paradise, J.L. and Beery, Q.C. (1972 a): Physiology of the Eustachian tube obstruction in the pathogenesis and management of middle ear effusion. *Laryngoscope*, 82; 1654 - 1670.
- Bluestone, C.D.; Wittel, R.A.; Paradise, J.L. (1972 b): Eustachian tube as relation to adenoidectomy for otitis media. *TAAOO*, 76, 1325 - 1339.
- Bluestone, C.D. Paradise, J.L.; Wittel, R.A. (1972): Roentgenographic evaluation of the Eustachian tube function in infants with cleft and normal palate. *Cleft palate J.* 9; 93 - 100.

Bluestone, C.D.; Beery, Q.C.; Cantekin, E.I. (1975): Eustachian tube ventilatory function in relation to cleft palate. *Ann. Otol. Rhinol. Suppl.* 84; 333 - 9.

Bluestone, C.D. (1975 a): Assessment of Eustachian tube function in Jerger (Ed). *Handbook of Clinical Impedance Audiometry*. New York, American Elecromedics Corp., pp. 127 - 148.

Bluestone, C.D.; Beery, Q.C.; Paradise, J.L. (1977): Audiometry and tympanometry in relation to middle ear effusion in children. *Laryngoscope*, 85; 113 - 27.

Bluestone, C.D.; Beery, Q.C.; Cantekin, E.I. (1977 a): Effect of inflammation on the ventilatory function of the Eustachian tube. *Laryngoscope*, 87 : 493 - 507.

Bluestone, C.D. (1981): Recent advances in the pathogenesis, diagnosis and managment of otitis media. *Ped. Clini. North. Amer.*, Nov. 28 (4), 727 - 55.

Bluestone, C.D.; Cantekin, E.I. (1981 a): Pannel on experiences with testing Eustachian tube function. *Ann. Otol. Rhin.* 90 : 552 - 562.

- Brookeler, K.H.; Pulec, J.L. (1969): Auditory tube function in normal children and adults. *Acta. Otolaryngologica.* 92 : 481 : 491.
- Bylander, A. (1980): Comparison of Eustachian tube function in children and adults with normal ears. *Ann. Otol. Rhin.,* 89 (68); 20 - 24.
- Cálan, J.S. (1954): *British. J. Plastic. Surg.* 5 : 286, *Plast. Reconst. Surg.* 13 : 275.
- Cantekin, E.I.; Bluestone, C.D.; Doyle, J.W. (1977): Normal and abnormal middle ear ventilation. *Ann. Otol. Rhinol.* 86 (Supp. 41) 11 - 15.
- Cantekin, D.I.; Doyle, W.J. and Bluestone, C.D. (1979): Dilatation of the Eustachian tube by electric stimulation of the mandibular nerve. *Ann. Otol. Rhinol.,* 88 : 40 - 51.
- Cantenkin, E.I.; Saez, C.A. et al. (1979 b): Air flow through the Eustachian tube. *Ann. Otol. Rhinol.,* 88 : 40 - 51.
- Cantekin, E.I.; Kines, K.K.; Philip, D.C. (1980): Effect of surgical alteration of the tensor veli palati muscle on the Eustachian tube function. *Ann. Otol. Rhinol.:* V. 89 Suppl. 68, p. 47 - 53.

- Cantekin, E.I.; Bluestone, C.D. et al. (1982): The effect of decongestant with or without antihistamine on the Eustachian tube function. *Ann. Otol. Rhinol.* 89 (68) - 290 - 295.
- Choa, G. (1981): Cancer of nasopharynx. In Suen, J.Y.; Myers, E.H. eds. *Cancer of Head & Neck*. New York, Churchill, Livingstone, 317 - 414.
- Cohn, A.M. (1977): Clinical assessment of Eustachian tube ventilatory function. *Laryngoscope*, 87 : 1336 - 1358.
- Crowe, S.J.; Wakins, S.S. et al. (1917): Relation of tonsillar & nasopharyngeal infections to general systemic disorders. *Bull Johns Hopkins Hosp.* 28 : 2 - 3.
- Creddick, J.W. (1976): Adapting/PSRO model screening criteria to PEP; tonsillectomy with adenoidectomy. *Qual. Rev. Bull.* 2; 21 - 5.
- Dickson, D.R. (1976): Anatomy of the normal and cleft palate Eustachian tube. *Ann. Otol. Rhinol.*, V. 85, Suppl. 25, p. 25.
- Doyle, W.J.; Cantekin, E.I. and Bluestone, C.D. (1980 a): Eustachian tube in cleft palate children. *Ann. Otol. Rhinol. Laryngol.*, V. 89. Suppl. 68, p. 34.

- Doyle, W.J.; Cantekin, E.I.; Philips, D.C. et al. (1980): Non-human primate model of cleft palate and its implication for middle pathology. *Ann. Otol. Rhinol.* 89, Suppl. (68) 41 - 6.
- Elnér, A.; Ingelstedt, S. and Ivarsson, A. (1971 a): A method for studies of middle ear mechanics. *Acta Otolaryngol. (Stokh.)* 72 : 191 - 200.
- Elnér, A.; Ingelstedt, S. and Ivarsson, A. (1971 b): Indirect determination of middle ear pressure. *Acta Otolaryngol. (Stokh.)* 72 : 255 - 261.
- Elnér, A.; Ingelstedt, S. and Ivarsson, A. (1971 c): The elastic properties of the tympanic membrane system. *Acta Otolaryngol. (Stokh.)* 72 : 397 - 403.
- Eichenwald, H.F.; McCracken, G.H. Jr. (1975): Tonsils and adenoids. In: Vaughan VCII. McKay, R.I. Text book of pediatrics 10th ed. Philadelphia, W.B. Saunders, 950.
- Eugene, N.M.; Quinter, C.B.; Bluestone, C.D. et al. (1984): Effect of certain head & neck tumours and their management on the ventilatory function of the Eustachian tube. *Ann. Otol. Rhinol. Supp.* 114, Nov. Dec. Vol. 93 No. 6 part 2, 1 - 16.

Fathi, A., Azza, A.M.; El Hawal, A. (1983): Lysozyme in middle ear effusion. Egypt. J. of Otolaryngol.

Fletcher, G.H.; Healey, J.E. et al. (1967): In cancer of the head and neck. Mac Comb, W.S.; Fletcher, G.H. eds. Baltimore, Williams and Wilkins, 152 - 3.

Holborow, C.A. (1969): The assessment of the Eustachian tube. J. Otolaryngol. Soc. Aust. 2 : 18 - 20.

Holborow, C.A. (1962): Deafness associated with cleft palate. J. Laryngol. Otol.; 762 - 73.

Holmquist, J. (1969b): Eustachian tube function assessed with tympanometry. Acta. Otol. (Stokh.) 68 : 501 - 508.

Holmquist, J. (1972): Tympanometry in testing auditory tubal function. Audiology, 11 : 209 - 212.

Hsieh-Chih Kaung et al. (1965): Early diagnosis and clinical type of late cases of nasopharyngeal carcinoma. Literature of nasopharyngeal carcinoma, edited by Lie-Chan-Chaun and Chaung-Onpee, Publisher WHO, Cancer Institute tumour hospital of Ahongshan, China.

- Howie, V.M. & Ploussard, J.H. (1971): Simultaneous nasopharyngeal and middle ear exudates, cultures in otitis media *Pediatric Drg.* 13 - 31.
- Ivarsson, A.; Bylander, A. (1983): Pressure opening and closing function of the Eustachian tube in children and adults with normal ears. *Acta Otolaryngol. (Stokh.)* Jan. - Feb.; 95 (1 - 2) 55 - 62.
- Jerger, J. (1970): Clinical experience with impedance audiometry. *Arch. Otolaryngol.*, 92 : 311 - 324.
- Konoko, Y.; Okitsu, T.; Sakuma, M. (1983): Incidence of secretory otitis media after acute inflammation of the middle ear cleft and upper respiratory tract infection. *Recent advances of O.M.E.*, May 1983. Publisher D.C. Decker, Philadelphia, Toronto, U.S.A.
- Kaiser, A.D. (1930): Results of tonsillectomy a comparative study of 2,000 tonsillectomized children with an equal number of controls three and ten years after operation. *JAMA*, 95 : 837 - 42.
- Liu, Y.S. and Jim, D.J. (1975): Chronic middle ear effusions. *Archives of Otolaryngol.*, 101, 278.

Li-Chen-Chaun et al. (1965): Clinical analysis of 1,000 cases of nasopharyngeal carcinoma. Literature of nasopharyngeal carcinoma, edited by Licten-Chaun and Chaung Onpee, Publisher WHO. Cancer Institute tumour hospital of Ahongshan, China.

Masters, F.W.; Bingham, H.G.; Ribinson (1960): The prevention and treatment of hearing loss in the cleft palate child. *Plest. Recon. Surg.*, 25 : 403 - 509.

Mau-Dickson and W. Dickson, D.R. (1976): Anatomy of the Eustachian tube and related structures in aged matched human featuses with and without cleft palate. *Transections of the American Academy of Optholmology and Otolaryngology*, 82, 159.

Mawson, S.R. and Harlod, (1979): Diseases of the ear, 4th edition.

Mawson, S.R.; Adlington, P.; Evans, M. (1967): Aa controlled study evaluation of adeno-tonsillectomy in children. *J. Laryngol. Otol.*, 81 : 777 - 90.

McKee, W.J.E. (1963): A controlled study of the effects of tonsillectomy and adenoidectomy in children. *Br. J. Prev. Soc. Med. M*; 49 - 69.

McKee, W.J.E. (1963): The part played by adenoidectomy in the combined operation of tonsillectomy with adenoidectomy, second part of a controlled study in children. Br. J. Prev. So. Med., 17 : 133 - 140.

Mc Gibbon, J.E.G. (1942): J. Laryngology, 57 : 14.

McCurdy, J.A. (1977): Effects of nasal packing on Eustachian tube function. Arch. Otol. Vol. 103, p. 521.

Messidy, S.E.; A. Fadl; M. Mahfouz (1985): A clinical epidemiological study of nasopharyngeal neoplasms. A paper introduced in the 1st national symposium on head and neck cancer.

Murti, K.G.; Stren, R.M.; Cantekin, E.I. (1980): Sonometric evaluation of Eustachian tube function using broad band stimuli. Ann. Otol. Rhinol, 89 (68) 178 - 184.

Odoi, H.; Prored, G.O.; Toledo, P.S. (1971): Effects of pterygoid hamulotomy upon Eustachian tube function. Laryngoscope 81 : 1241 - 4.

O'Niel, J.V.; Katz, A.H. et al. (1979): Otological complications of radiation therapy. Otolaryngol. head & neck surgery. 87 : 359 - 363 (May - June).

Paradise, J.L.; Bluestone, C.D. and Felder, H. (1969): The university of otitis media in infants with cleft palate. *Pediatrics* V. 44, p. 35.

Palva, T. and Roundi (1974): Secretory otitis media protein and enzyme analysis. *Annal. of Otol. Rh. Lary.* 83, Supp. 11, 35.

Paparella, M.; Hiraide, F. and Koneko, Y. (1970): Cellular events involved in middle ear fluid production. *Ann. Otol. Rhinol. Laryngol.* 79 : 766 - 779.

Paparella, M.M.; Shumrick, D.A. (1980): *Otolaryngology*, 2nd edit. Vol. III, p. 2085.

Perlman, H.B. (1939): The Eustachian tube abnormal patency and normal physiologic state. *Arch Otol. Rhinol.* 30 : 212 - 238.

Perlman, H.B. (1943): Quantitative tubal function. *Arch. Otol. Laryngol.* 38 : 453 - 465.

Perlman, H.B. (1951): Mouth of the Eustachian tube. *Arch. Otolaryngol.* 53 : 353 - 369.

- Petter, E. and Marry, A.W. (1981): Physiological basis for hypernasality during connected speech in cleft palate patients, a nasoendoscopic study. *Plast. Reconst. Surg.* Vol. 67 : 1.
- Politzer, A. (1865), (1869): *Lehibuch der Ohrenheilkunde 5-Auflage* Vol. I Stuttgart. F. Enke.
- Rood, S.R. and Stool, S.E. (1981): Current concepts of etiology, diagnosis and managment of cleft palate related otopathologic disease. *The otolaryngologic clinics of North America.* 14 : 865.
- Ross, M.A. (1971): Functional anatomy of tensor palati. *Arch. Otolaryngol.* 93 : 1 - 8.
- Roydhouse, N.A. (1920): A controlled study of adenotonsillectomy. *Arch. Otolaryngol.* 92 : 611 - 6.
- Rich, A.R. (1920): Physiological study of Eustachian tube and its related muscles. *Bull. Johns Hopkins. Hosp.* 31 : 206 - 14.
- Rynnel-Dagoö, B.; Ahlbom, A. et al. (1978): Effects of adenoidec-tomy, a controlled 2 year follow up. *Ann. Otol. Rhinol.* 87 : 272 - 8.

Sanyal, M.A.; Fredreick, W.H. et al. (1980): Effect of upper respiratory tract infection on Eustachian tube ventilatory function in the preschool children. Journal of Ped., July, p. 11 - 15.

Shchilling, C.W. and Everly, J.A. (1942): U.S. Navy Bulletin, 40 : 664.

Skolnick, E.M. (1958): Otological evaluation in cleft palate patients. Laryngoscope, 68 : 1908 - 49.

Soliman, S.M. (1976): Speech discrimination audiometry using arabic phonatically-balanced words. Ain Shams Med. Jour. 27, No. 27 - 30.

Siedentop, K.H. Loewy, A.; Corrigan, R.A. (1978): Eustachian tube function assessed with tympanometry. Ann. Otol. Rhinol. 87 : 163 - 169.

Subtently, J.D. (1955): Width of nasopharynx and related structures in normal and unoperated cleft palate children. American Journal of Orthodontics, 41 : 889.

Summers, G.W. (1974): Physiologic problems following ablative surgery of the head and neck. Otol. Laryngol. Clin. North. Am. 7 : 217 - 50.

- Stevenson, R.S. and Lycotherie, D. (1949): A history of otolaryngol. Edinburgh. E. & S. Livingstone.
- Stool, S.E.; Randal, P. (1967): Unexpected ear disease infants with cleft palate. Cleft Palate J. 4 : 99 - 106.
- Strong, M.S. (1972): The Eustachian tube basic consideration. Otolaryngol. Clin. N. America, V. 5, p. 19.
- Too-Chung, M.A. (1983): The assessment of middle ear function and hearing by tympanometry in children before and after early cleft palate repair. Br. J. Plast. Surg. Jul., 36 (3) : 295 - 9.
- Veltri, R.N. and Sprinkle, P.M. (1973): Serous otitis media immunoglobins and lysozyme levels. Annals of Otol. Rhinol. 82 : 297.
- Virtanen, H. (1982): The effect of an oral combined preparation (antihistamine and decongestant) on Eustachian tube function in the common cold. ORL. J. Otol. Related Spec. 1982 Sep., Oct. 44 (5) 268 - 76.

Virtanen, H. (1977): Eustachian tube sound - conduction sonotubometry. An Acoustical Method for Objective Measurement of Auditory Tubal Opening. Thesis Department of Otolaryngology University of Helsinki, Finland.

Yules, R.B. (1970): Hearing in cleft palate patients. Arch. Otolaryngol. 91 : 319 - 23.