

REFERENCES

REFERENCES

- Aggar, S.K.; Broomhead, J.A.; Fairlie, D.P. and Whitehouse, M.W. (1980):*
Platinum drugs; combined anti-lymphoproliferative and nephrotoxicity assay in rats.
Cancer Chemother. Pharmacol., 4: 249.
- Aguilar-Markulis, N.V.; Beckley, S.; Priore, R. and Mettlin, C. (1981):*
Auditory toxicity effects of long term Cis-Diamminedichloroplatinum (II) therapy in genitourinary cancer patients.
J. Surg. Oncol., 16: 111.
- Algarra, M.J.; Basterra, J. and Marco, J. (1985):*
Cis-Diamindichloroplatinum/ototoxicity: An experimental study. Acta Otolaryngol. (Stockh.), 99: 343-347.
- Angelborg, C. and Engstrom, H. (1972):*
Supporting elements in the organ of corti. Acta. Otolaryngologica Suppl., 301: 49.
- Anniko, M. (1981):*
Elemental analysis of the early postnatal tectorial membrane.
Hearing Research, 3:1.
- Anniko, M. and Wroblewski, R. (1980):*
Elemental composition of the mature inner ear. Acta. Otolaryngologica, 90: 425.
- Antoli-Candela, F.Jr. and Kiang, N. (1978):*
Unit activity underlying the N1 potential of the cochlea. In "Evoked Electrical Activity in the Auditory Nervous System". R.F. Naunton and C. fernandez (eds.). Academic Press, New York and London. PP. 165.
- Barron, S.E.; Daigneault, E.A. (1987):*
Effect of cisplatin on hair cell morphology and lateral wall Na,K- ATPase activity. Hear Res., 26: 131-137.

Beckstead, J.H. (1980):

Enzyme histochemistry on bone marrow biopsies: reaction useful in the differential diagnosis of leukemia and lymphoma applied to 2-micron plastic sections. *Blood*, 55: 386-394.

Belt, R.J.; Himmelstein, K.J.; Patton, J.F.; Bannister, S.J.; Sternson, L.A. and Repta, A.J. (1979):

Pharmacokinetics of non-protein bound platinum species following administration of Cis-Dichlorodiammine-platinum (II).

Cancer Treat. Rep., 63: 1515-1521.

Benny Nageris, M.D.; Dan Gazit, Ph.D. (1995):

Method for embedding temporal bones of rats in methylmethacrylate.

Ann. Otol. Rhinol., 104: 783-785.

Boheim, K.; Brichler, E. (1985):

Cisplatin-induced ototoxicity: Audiometric findings and experimental cochlear pathology. *Arch. Otolaryngol.*, 242: 1-6.

Borch, R.F. (1987):

The platinum antitumor drug in pous G, Prough RA (eds): *Metabolism and action of anti-cancer drugs*. London, Taylor and Francis, PP. 163-193.

Borch, R.F.; Katz, J.C.; Lieder, P.H. and Pleasants, M.E. (1980):

Effect of diethyl dithiocarbamate rescue on tumour response to Cisplantium in a rat model.

Proc. Nat., Acad. Sci., USA, 77, 5441.

Broomhead, J.A.; Fairlie, D.P. and Whitehouse, M.W. (1980):

Cis-platinum (II) amine complexes: some structure activity relationships for immunosuppressive, nephrotoxic and gastrointestinal (side) effects in rats.

Chem. Biol. Interactions., 31: 113.

Buhrer, C.; Weinel, P.; Sauter, S.; Reiter, A.; Riehm, H. and Lazig, R. (1990):

Acute onset of Deafness in a 4-year old girl after a single infusion of Cisplatinum.

Pediatric Hematol. Oncol., 7(2): 145-148.

Burkhardt, R. (1971):

Bone marrow and bone tissue. Colour atlas of clinical histopathology. Springer, Berlin Heidelberg New York.

Campbell, K.C.; Rybak, L.P.; Meech, R.P.; Hughes, L. (1996):

D-methionine provide excellent protection from cisplatin ototoxicity in rat.

Hear. Res. Dec., 1: 102 (1-2):90-8.

Carlemalm, E.; Garavito, R.M.; Villiger, W. (1982):

Resin development for electron microscopy and an analysis of embedding at low temperature. J. Microsc., 126:123-143.

Chapman, P. (1982):

Clinical records. Rapid onset H.L. after Cisplatinum therapy. Case reports and literature review.

J. Laryngol. Otol., 96: 159-162.

Chappard, D.; Alexander, C.; Camps, M.; Montheard, P.; Riffat, G. (1983):

Embedding iliac bone biopsies at low temperature using glycol and methyl methacrylate. Stain Technol., 58: 299-308.

Chiuten, D.; Vogl, S.E.; Kaplan, B.H. et al. (1981):

Is there cumulative or delayed toxicity from Cis-Diamminedichloroplatinum II (DDP)?

Pro. Am. Assoc. Cancer Res., 22: 163-1981.

Cole, W.C. and Wolf, W. (1980):

Preparation and metabolism of a Cisplatinum/serum protein complex.

Chem. Biol. Interactions, 30: 223.

Comis, R.L. (1980):

Cisplatinum nephrotoxicity: The effect of dose, schedule and hydration scheme. In. Prestayko, A.W.; Crooke, S.T.; Carter, S.K.; eds. Cisplatinum: Current status and new developments.

New York: Academic press. Inc., 485: 94.

Dallos, P. (1973):

Cochlear potentials and cochlear mechanics. In "Basic Mechanics in Hearing". A Moller (ed.). Academic Press, New York and London, PP. 335.

Dallos, P. and Wang, C. (1974):

Bioelectric correlates of kanamycin intoxication. Audiology, 13, 277.

Damon, L.E. and Cadman, E.C. (1989):

The metabolic basis for combination chemotherapy. Pharmac. Ther., 38: 73-127.

Densert, O. and Flock, A. (1974):

An electron-microscopic study of adrenergic innervation in the cochlea. Acta. Oto. Laryngologica., 77: 185.

De Rosier, D.J.; Tilney, L.G. and Egelman, E. (1980):

Actin in the inner ear: The remarkable structure of the stereocilium. Nature, 287: 291.

Dini, G.; Lanino, E.; Rogers, D. (1987):

Resistant and relapsing neuroblastoma: improved response rate with a new multiagent regimens (OC-HOP) including high-dose cisplatinum. Med. Pediatr. Oncol., 15, 18.

Dobyan, D.C.; Levi, J.; Jacobs, C.; Kosek, J. and Weiner, M.W. (1980):

Mechanism of Cisplatinum nephrotoxicity: II. Moorphologic observations. J. Pharmacol. Exp. Ther., 213: 551.

Drasga, R.E.; Einhorn, L.H. and Williams, S.D. (1982):

The chemotherapy of testicular cancer. Cancer., 32: 66-77.

Drasga, R.E.; Einhorn, L.H.; Williams, S.D. and Patel, D.N. (1983):

Fertility after chemotherapy for testicular cancer. J. Clin. Oncol., 1: 179-83.

Drobnik, J. (1983):

Antitumour activity of platinum complexes. Cancer chemother. Pharmacol., 10: 145-149.

Dublin, W.B. (1976):

Dundamentals of sensorineural auditory pathology. C. Thomas (Pub.), Springfield, U.S.A.

Eilber, F.R.; Giulano, A.E. and Eckhardt, J. (1987):

Arandomized prospective trial of adjuvant chemotherapy for osteosarcoma. In salon: Adjuvant therapy cancer V. Orlando, FL: Grune & Stratton, PP. 691-699.

Einstein, A.; Soloway, M.; Corder, M.; Bonney, W. and Coombs, J. (1981):

Dichlorodiammineplatinum (DDP) versus DDP plus cyclophosphamide for metastatic bladder carcinoma: A national bladder cancer cooperative group. A study (Abstract). Proc. Am. Sec. Clin. Oncol., 21:461.

Engstrom, H.; Ades, H. and Hawkins, J.E.Jr. (1962):

Structure and functions of the sensory hairs of the inner ear. Journal of Acoustical Society of America 34; 1356.

Engstrom, H. and Engstrom, B. (1978):

Structure of the hairs on cochlear sensory cells. Hearing Research 1, 49.

Fausti, S.A.; Schenchter, M.A.; Rappaport, B.Z.; Fery, R.H. and Mars, R.E. (1984):

Early detection of Cisplatinum ototoxicity. Cancer, 53, 224-231.

Filipski, J.; Khan, K.W. and Bonner, W.M. (1980):

The nature of inactivating lesions produced by Platinum (II) complex in phage of DNA. Chem. Biol. Interactions, 32: 321.

Filipski, J.; Kohn, K.W. and Bonner, W.M. (1982):

The nature of inactivating lesions produced by Platinum (II) complexes in phage of DNA. Chemo. Biol. Interact., Submitted for publication.

Fisher, W.B.; Herbst, K.D.; Sims, J.E. and Critchfield, D.F. (1978):

Metastatic cloacogenic carcinoma of the anus: Sequential response to adriamycin and Cis-Diamminedichlorophlatinum (II). Cancer Treat. Rep., 62: 91-7.

Flock, A. (1977a):

Physiological properties of sensory hairs in the ear. In "Psychophysics and phyology of hearing". E.F. Evans and J.P. Wilson (eds.). Academic Press, New York and London, PP. 15.

Flock, A. (1977b):

Electron probe determination of relative ion distribution in the inner ear.

Acta. Oto. Laryngologica, 83: 239.

Flock, A.; Kimura, R.; Lundquist, P. and Wersall, J. (1962):

Morphological basis of directional sensitivity of the outer hair cells in the organ of Corti. Journal of Acoustical Society of America 34: 1351.

Flock, A. and Cheung, H. (1977):

Actin filaments in sensory hairs of the inner ear receptor cells. Journal of cell Biology, 75: 339.

Flock, A. and Strelieff, D. (1984a):

Studies on hair cells in isolated coils from the guinea pig cochlea. Hearing research, 15:11.

Flock, A. and Strelieff, D. (1984b):

Graded and non linear mechanical properties of sensory hairs in the mammalian hearing organ.

Nature 310: 597.

Forge, A. (1976):

Observations on the stria vascularis of the guinea pig cochlea and the changes resulting from the administration of the diuretic furosemide. Clinical Otolaryngology, 1:211.

Forge, A. (1981a):

Electron microscopy of the stria vascularis and its response to ethacrynic acid-A study using electron-dense tracers and extracellular surface markers. Audiology, 20: 273.

Forge, A. (1984):

Gap junctions in the stria vascularis and effects of ethacrynic acid. Hearing Research, 13: 189.

- Franklin, R.M.; Martin, M.T. (1980):**
Staining and histochemistry of undecalcified bone embedded in water-miscible plastic. *Stain Technol.*, 55: 313-321.
- Fuen, L.G.; Stewart, D.J.; Maor, M. (1983):**
Pilot study of Cis-Diamminedichloroplatinum and radiation therapy in patients with high grade astrocytomas. *J. Neurooncol.*, 1: 109-113.
- Gatter, K.C.; Heryet, A.; Brown, D.C.; Mason, D.Y. (1987):**
Is it necessary to embed bone marrow biopsies in plastic for hematological diagnosis?
Histopathology, 11:1-7.
- Goebel, U.; Lamprecht, A. and Beron, B. (1986):**
Aktus Horeverlust bei Kindern mit vorbestrahlten intrakraniellen tumoren nach einmaliger hochdosierter Cis-Platinum (Abstract). Gabe.
Klin. Padiatr., 198: 277-280.
- Gormely, P.E.; Bull, J.M.; LeRay, A.F. and Cysyk, R. (1979):**
Kinetic of Cis-dichlorodiammineplatinum.
Clin. Pharmacol., Ther., 25 (3): 351-356.
- Griffin, J.D. and Garnick, M.B. (1981):**
Eye toxicity of cancer chemotherapy: A review of the literature.
Cancer., 48: 1439-49.
- Guthrie, T.H. and Lawrence, C. (1985):**
Acute deafness. A complication of high dose Cisplatinium.
Acta. Tolaryngol., 111: 345.
- Hahn, M.; Vogel, M. and Delling, G. (1991):**
Undecalcified preparation of bone tissue-report of experiences and development of new techniques.
Virchows Arch. (A) 418: 1-7.
- Hamilton, R.M.; Matheson, L.M. and Keay, D.G. (1991):**
Ototoxicity of Cisplatinium and its relationship to eye colour.
The Journal of laryngology and Otology, January, Vol. 105, PP. 7-11.

Helmholtz, H.L. (1863):

Die lehre von den Tonempfindungen als physiologische grundlage fur die theorie der musik. English translation of 3rd edition by A.J. Ellis, on the sensations of tone, 1875. Longmans, Green, London.

Hinojosa, R. (1972):

Electron microscope studies of the stria vascularis and spiral ligament after ferritin injections. Acta. Otol. Laryngologica, 74: 1.

Hogan, M.W. and Young, R.C. (1982):

Gynaecologic malignancies. In: Pinedo, H.M. (ed). Cancer Chemotherapy. Amesterdam. Expectra medica: 309-38.

Hoshino, T. (1974):

Relationship of the tectorial membrane to the organ of Corti. A scanning electron microscope study of cats and guinea pigs. Arch. Histol. Jap., 37: 25.

Hoshino, T. (1976):

Attachement of the inner sensory cell hairs to the tectorial membrane: A scanning electron microscopic study. ORL 38:11.

Hoshino, T. (1977):

Contact between the tectorial membrane and the cochlear sensory hairs in the human and the monkey, Archives of Otology, Rhinology and Laryngology, 217: 53.

Hoshino, T. (1981):

Imprints of the inner sensory cell hairs on the human tectorial membrane. Archives of Otology, Rhinology and Laryngology, 232: 65.

Hoshino, T. and Kodarma, A. (1977):

The contact between the cochlear sensory cell hairs and the tectorial membrane. Scanning Electron Microscope II, 409.

Howell, S.B. and Taatle, R. (1980):

Effect of sodium thiosulphate on Cis-dichlorodiammine-platinum (II) toxicity and antitumour activity in L1210 Leukemia.

Cancer Treat. Rep., 64: 611.

Huang, M.Y.; Schacht, J. (1990):

Formation of a cytotoxic metabolic from gentamicin by liver. Biochem. Pharmacol., 40: R11-14.

Hudspeth, A.J. (1982):

Extracellular current flow and the site of transduction by vertebrate hair cells. Journal of Neuroscience 2:1.

Hudspeth, A.J. (1983):

Mechanoelectrical transduction by hair cells in the acousticolateralis sensory system. Annual Review of Neuroscience, 5: 187.

Hulst, Van Der; Drechler, W.A. and Urbanus, N.A. (1988):

High frequency audiometry in prospective clinical research of ototoxicity due to Platinum derivatives.

Ann. Otol. Rhinol. Laryngol., 97: 133-137.

Hunter-Duver, I.M.; Landolt, J. and Cameron, R. (1981):

X-ray micro-analysis of fluid spaces in the forzen cochlea. Archives of Otology, Rhinology and Laryngology, 230: 245.

Iurato, S. (1967):

Submicroscopic structure of the inner ear. Pergamon Press, London.

Jehnke, K. (1975):

The fine structure of freeze-fractured intercellular junctions in the guinea pig inner ear. Acta. Oto. Laryngologica. Suppl. 336.

Johnstone, B.M. and Sellick, P.M. (1972):

The peripheral auditory apparatus. Quart. Revs. Biophys., 5:1.

- Kamalaker, P.; Freeman, A.L.; HiGBY, D.G.; Wallace, J.H.Jr. and Sinks, L.F. (1977):**
Clinical response and toxicity with Cis-Diamminedichloro-platinum (II) in children.
Cancer Treat. Rep., 61: 835-839.
- Kawabata, I. and Nomura, Y. (1981):**
The imprints of the human tectorial membrane. Acta. Oto. Laryngologica., 91: 29.
- Kelsen, D. (1982):**
Treatment of advanced oesophageal cancer.
Cancer, 50: 2576-2581.
- Kennedy, W.; Clarabresi, P.; Carabone, PP. (1977):**
American Board of internal medicine: Medical oncology training. Cancer Treat. Rev., 4: 143-149.
- Kikushi, K. and Hilding, D. (1965):**
The development of the organ of Corti in the mouse.
Acta. Oto. Laryngologica, 60: 207.
- Kimitsuki, T.; Nakagawa, T.; Hisa, K.; Komunes (1993):**
Blocking mechanism of cisplatin on transducer current of cochlear hair cells of click.
Otol. Jpn., 3: 125.
- Kimura, R.S. (1966):**
Hairs of the cochlear sensory cells and their attachment to the tectorial membrane.
Acta.Oto. Laryngologica, 61: 55.
- Kimura, R.S. (1975):**
The ultrastructure of the organ of Corti. Reprinted from: International review of Cytology, Vol. 42. Academic Press, London and New York.
- Kohn, S.A.; Fradis, M.; Paratt, H.; Zidan, J.; Podoshin, L.; Robinson, E. and Nir, I. (1988):**
Cisplatinum ototoxicity in guinea pigs with special reference to toxic effects in the Stria Vascularis.
Laryngoscope, 98: 865-871.

- Kohn, S.; Fradis, M.; Podoshin, L.; David, Y.; Zidan, J.; Robinson, E. and Nir, I. (1991):**
Toxic effects of Cisplatin alone and in combination with Gentamicin in stria vascularis of guinea pigs.
Laryngoscope, 101: 709-716.
- Komune, S.; Snow, J.B. (1981):**
Potentiating effects of Cisplatinum and ethacrynic acid in ototoxicity.
Arch. Otolaryngol., 107: 594-597.
- Kopelman, J.; Budnick, A.; Kramer, M.B.; Sessions, R.B. and Wong, G.Y. (1988):**
Ototoxicity of high-dose Cisplatinum by Bolus Administration in patients with advanced cancers and normal hearing.
Laryngoscope, 98: 858-863.
- Kretschmar, C.S.; Warren, M.P.; Lavally, B.L.; Dyer, S. and Tarbell, N.J. (1990):**
Ototoxicity of preradiation cisplatinum for children with central nervous system tumors.
Journal of Clinical Oncology, Vol. 8, No. 7: 1191-1198.
- Kujpers, W. and Bonting, S.L. (1969):**
Studies on the (Na^+/K^+) activated ATPase. XXIV. Localization and properties of ATPase in the inner ear of the guinea pig. Biochem. Biophys. Acta., 173: 447.
- Kujansuu, E.; Rahko, T.; Punnonen, R. and Karma, P. (1989):**
Evaluation of the hearing loss associated with Cisplatinum treatment by high frequency audiometry.
Gynecologic Oncology, 33: 321-327.
- Laurell, G. and Borg, E. (1986):**
Cisplatinum ototoxicity in previously noise-exposed guinea pigs.
Acta. Otolaryngol. (Stockh), 101: 66-74.
- Laurell, G. and Jungelius, U.L.F. (1990):**
High dose Cisplatinum treatment. Hearing loss and plasma concentration.
Laryngoscope, 100: 724-734.

Laurell, G. and Sjoback, D.B. (1991):

Degeneration of the organ of Corti following intravenous administration of Cisplatinum.

Acta Otolaryngology (Stockh), 111: 891-898.

LeRoy, A.F.; Lutz, R.J.; Dedrick, R.I.; Litterst, C.L. and Guarino, A.M. (1979):

Pharmacokinetic study of cis-dichlorodiammine platinum (II) (DDP) in the beagle dog: Thermodynamic and Kinetics behavior of DDP in a biologic milieu.

Cancer Treat. Rep., 63: 59-71.

Levi, J.; Jacobs, C.; Kalman, S.M.; McTigue, M. and Werner, M.W. (1980):

Mechanism of cis-platinum nephrotoxicity. I. Effects of sulphhydryl groups in rat kidneys.

J. Pharmacol., Exp. Ther., 213: 545.

Lim, D.J. (1972):

Fine morphology of the tectorial membrane. Its relationship to the organ of Corti. Archives of Otolaryngology 96: 199.

Lim, D.J. (1976):

Morphological and physiological correlates in cochlear and vestibular sensory epithelia. Scanning Electron Microscope, V. 269.

Lim, D.J. (1980):

Cochlear anatomy related to cochlear micromechanics. A review. Journal of acoustical Society of America 67, 1686.

Lindeman, H.; Ades, H.; Bredberg, G. and Engstrom, H. (1971):

The sensory hairs and the tectorial membrane in the development of the cats organ of corti-A scanning electron microscopic study. Acta. Oto. Laryngologica, 72: 229.

Lippard, S.J. (1982):

New chemistry of an old molecule: Cis - (Pt- (NH₃)₂ Cl₂). Science: 218: 1975-82.

- Litterst, C.L.; LeRoy, A.F.; Guarin, A.M. (1979):**
The disposition and distribution of platinum following parenteral administration to animals of cis-dichlorodiammine platinum (II).
Cancer Treat. Rep., 3: 1485-1492.
- Loehrer, P.J. and Einhorn, L.H. (1984):**
Cisplatinum.
Ann. Intern. Med., 100: 704-713.
- Low, M. and Federspil, P. (1992):**
Histocochleographic studies of the late toxicity of Cisplatinum. Abstract.
HNO, 40 (7): 271-276.
- Madias, N.E. and Harrington, J.T. (1978):**
Platinum nephrotoxicity.
Am. J. Med., 65: 307-314.
- Mahoney, D.H.; Weaver, T.; Steuber, C.P. and Starling, K.A. (1982):**
Cisplatinum ototoxicity in Pediatric patients.
Proc. Am. Soc. Clin. Oncol., 1: 26.
- Mahoney, D.H.; Weaver, T.; Steuber, C.P. and Starling, K.A. (1983):**
Ototoxicity with Cisplatinum therapy.
J. Pediatr., 103: 1006.
- Marco-Algarra, J.; Basterra, J. and Marco, J. (1985):**
Cis- Diamminedichloroplatinum (II) ototoxicity. An experimental study.
Acta. Otolaryngol. (Stockm) 99: 343-347.
- Mawson, S. and Ludman, H. (1979):**
Physiology of hearing and balance. In "Diseases of the ear- A text book of otology". 4th ed. Edward Arnold, London (Pub.).
- McHaney, V.A.; Thibadoux, G.; Hayes, F.A. and Green, A.A. (1983):**
Hearing loss in children receiving cisplatinum chemotherapy.
J. Pediatr., 102: 314-317.

- Melamed, L.B.; Salem, M.A. and Schuchman, D. (1985):**
Cisplatin ototoxicity in Gynaecologic cancer patients.
Cancer Vol. 55, PP. 41-43.
- Misrahy, G.A.; Shinaberger, E.W. and Arnold, J.E. (1958):**
Cochlear function.
J. Acoust. Soc. Amer., 30: 701.
- Moroso, M.J. and Blair, R.L. (1983):**
A review of Cisplatin ototoxicity.
J. Otolaryngol., 12: 365.
- Marrison, D.; Schindler, R. and Wersall, J. (1975):**
A quantitative analysis of the afferent innervation of the organ of Corti in guinea pig. Acta. Oto. Laryngologica, 79: 11.
- Nakai, Y.; Konishi, K.; Change, K.C.; Ohashi, K.; Marisaki, M.; Minowa, Y. and Marimoto, A. (1982):**
Ototoxicity of the anticancer drug Cisplatin (An experimental study).
Acta. Otolaryngol., 93: 227-232.
- Needles, B.; Kemeny, N. and Urmacher, C. (1982):**
Malignant thymoma: Renal metastasis responding to Cisplatin.
Cancer, 42: 223-6.
- Nowrovsian, M.R. and Schmidt, C.G. (1982):**
Effects of Cisplatin in different haemopoietic progenitor cells in mice.
Br. J. Cancer., 46: 397-402.
- Ostrow, S.; Egori, M.J.; Hahan, D. (1980):**
Cis-dichlorodiammine platinum and adriamycin therapy for advanced gynecological and genitourinary neoplasms.
Cancer, 46: 1715-1721.
- Pasic, T.R. and Dobie, R.A. (1991):**
Cisplatin ototoxicity in children.
Laryngoscope. 101, 985-991.

- Patton, T.F.; Himmelsein, K.J.; Belt, R. (1979):**
Plasma levels and urinary excretion of filterable platinum species following bolus injection and I.V. infusion of Cis-dichlorodiammineplatinum II.
Cancer Treat. Rep., 63: 1359-1361.
- Paulson, D.F.; Perez, C.A. and Anderson, T. (1982):**
Genitourinary malignancies in: De Vita, V.T.; Hellman, S.; and Rosenberg, S.A.; (eds).
- Pickles, J.O. (1979):**
An investigation of sympathetic effects on hearing. Acta. Oto. Laryngologica, 87: 69.
- Pickles, J.O.; Comis, S.D. and Osborne, M.P. (1984):**
Cross links between stereocilia in the guinea pig organ of coti, and their possible relation to sensory transduction. Hearing Research, 15: 103.
- Pinkerton, C.R.; Pritchard, J. and Spitz, L. (1986):**
High complete response rates in children with advanced germ cell tumours using cisplatin containing combination chemotherapy.
J. Clin. Oncol., 4: 194.
- Pinkerton, C.R.; Zucker, J.M.; Hartmann, O.; Pritchard, J.; Broadbent, V. and Marris-Jones (1990):**
Short duration, high-dose, alternating chemotherapy in metastatic neuroblastoma.
Br. J. Cancer, 62: 319-323.
- Pratt, C.B.; Hayes, A.; Green, A.A. (1981):**
Pharmacokinetic evaluation of Cisplatin in children with malignant solid tumours: A phase II study.
Cancer Treat. Rep., 65: 1021-1026.
- Reale, E.; Lucinao, L.; Franke, K.; Pannese, E.; Wermbter, G. and Iurato, S. (1975):**
Intracellular junctions in the vascular stria and spiral ligament. Journal of ultrastructure research, 53: 284.

- Reddel, R.K.; Kefford, R.F.; Grant, J.M.; Coates, A.S.; Fox, R.M. and Tattersall, H.N. (1982):**
Otototoxicity in patients receiving Cisplatin: Importance of dose and method of drug administration.
Cancer Treat. Resp., 66: 19-23.
- Reimer, R.R.; Gahbauer, R.; Bukowsk, R.; Hewlett, J.; Groppe, C. and Weick, J. (1980):**
Simultaneous radiation therapy (RT) and Cisplatin (CDDP) chemotherapy for human solid tumours: A pilot Study.
Proc. Amer. Soc. Clin. Oncol., 21: 397.
- Riggs, L.C.; Brumett, R.E.; Guitjeno, S.K. and Matz, G.J. (1996):**
Otoxicity resulting from combined administration of cisplatin and gentamicin. Laryngoscope, Apr., 106(4): 401-6.
- Roberts, J.J. and Thomson, A.J. (1979):**
The mechanism of action of antitumour platinum compounds.
Prog. Nucleic Acid. Res. Mol. Biol., 22: 71-133.
- Rosenberg, B. (1980):**
Cisplatin: Its history and possible mechanisms of action.
In: Cisplatin current status and new developments, Chapter 2, PP. 9-20. Editors: A.W. Prestayko, S.T. Crooke and S.K. Carter.
Academic Press, New York.
- Rosenberg, V.; Van Camp, L. and Kirgan, T. (1965):**
Inhibition of cell division in *E. coli* by electrolysis produced from a platinum electrode.
Nature, 205: 698-699.
- Rosenberg, S.A.; Suit, H.D.; Baker, L.H. and Rosen, G. (1982):**
Sarcomas of the soft tissue and bone. In: De Vita, V.T.; Hellman, S.; Rosenberg, S.A. (eds). Cancer Principles and Practice of Oncology. Philadelphia: Lippincott. PP. 1036-1093.
- Ross, M.D. (1974):**
The tectorial membrane of the rat.
American Journal of Anatomy 139: 449.

- Rothman, S.A. and Weick, J.K. (1981):**
Cisplatin toxicity for erythroid precursors (Letter).
N. Engl. J. Med. PP. 304: 360.
- Rozenzweig, M.; Von Hoff, D.D.; Abele, R. and Muggia, F.F. (1980):**
Cisplatin, its history and possible mechanism of action in
Cisplatin current status and new development, Editors
A.W. Prestayko, S.T., Crook and S.K.
Carter Academic Press New York. Chapter 2 PP. 9-20.
- Russell, I.J. and Sellick, P.M. (1978):**
Intra-cellular studies of hair cells in the mammalian cochlea.
Journal of physiology (London) 284: 261.
- Ryan, A.; Wickham, M. and Bone, R. (1980):**
Studies of ion distribution in the inner ear-Scanning electron
microscopy and X-ray microanalysis of freeze-dried cochlear
specimens. Hearing Research 2, 1.
- Saito, T.; Moataz, R.; Dulon, D. (1991):**
Cisplatin Blcosk depolarization-induced calcium entry in
isolated cochlear outer hair cells.
Hear Res., 56: 143-147.
- Saito, T.; Yamada, T.; Yamamoto, T.; Saito, F. (1993):**
Ototoxicity of cisplatin and diaminoglycoside on isolated
outer hair cells. Otolaryngologica. (Kyoto); Suppl. 63: 47-52.
- Saito, T.; Aran, M. (1994):**
Comparative ototoxicity of cisplatin during acute and
chronic treatment. ORL, 56: 315-320.
- Saito, T.; Manabe, Y. and Saito, H. (1995):**
Ototoxicity of the new platinum in comparison with
cisplatin.
ORL. J. Otorhinolaryngol- Relat. Spec. Sep. Oct., 57 (5):
250-5.
- Salem, D.; Khaly, M.; Tobboury, K. and Hashimi, L. (1984):**
Cis-Diamminedichloroplatinum treatment by 5 day
continuous infusion.
Cancer, 53 837-839.

- Schaefer, S.D.; Post, J.D.; Close, L.G. and Wright, C.G. (1985):*
Ototoxicity of low and moderate dose Cisplatin.
Cancer 56: 1934-1939.
- Schroder, S.; Delling, G. (1986):*
Bone metastases of differentiated and medullary thyroid
gland carcinomas. Virchows Arch [A] 409: 767-776.
- Schuknecht, H.F. (1993):*
Pathology of the ear 2nd ed. Philadelphia, Pa: Ca & Febiger,
1-20.
- Schewitzer, V.G.; Hawknis, J.E.; Lilley, D.J. (1984):*
Ototoxic and nephrotoxic effects of combined treatment with
Diamminedichloro-platinum and kanamycin in guinea pig.
Otolaryngol. Head Neck Surg., 92: 38-49.
- Schweitzer, V.G.; Dolan, D.F.; Abrams, G.E.; Davidson, T. (1986):*
Amelioration of Cisplatin induced ototoxicity by
Fosfomycin.
Laryngoscope, 96: 948-958.
- Schewitzer, V.G. (1993):*
Cisplatin-induced ototoxicity laryngoscope. AP: 103 (4 ptz):
1-52.
- Scott, E.A.; Babin, R.W.; Ryu, J.A. (1981):*
Cid diaminedichloroplatinum (II) ototoxicity in the guinea
pig. Otolaryngology head neck surg., 89: 638-645.
- Scovell, W.M.; O'Connor, T. (1977):*
Interaction of aquate Cis [(NH₃)₂ Pt II] with nucleic acid
constituents 1-Rinbonucleosides.
J. Am. Chem. Soc., 99: 120-126.
- Sexauer, C.L.; Khan, A.; Burger, P.C. (1985):*
Cisplatin in recurrent pediatric brain tumours A POG
phase II study, A pediatric Oncology group study.
Cancer Treat. Rep., 68: 1157-1158.
- Seigel, L.J. and Longo, D.L. (1981):*
The control of chemotherapy-induced emesis.
Ann. Intern. Med., 95: 352-359.

- Skinner, R.; Pearson, A.D.; Amineddine, H.A.; Mathias, D.B. and Craft, A.W. (1990):*
Ototoxicity of Cisplatin in children and adolescents.
Br. J. Cancer., 61: 927-931.
- Soudijn, E.R. (1976):*
Scanning electron microscopic study of the organ of Corti in normal and sound-damaged guinea pigs. Annals of Otolology, Rhinology and Laryngology suppl. 24, Vol. 85, 4.
- Spoendlin, H. (1972):*
Innervation densities of the cochlea. Acta. Otol. Laryngologica, 73: 235.
- Standnicki, S.W.; Fleishman, R.W.; Schanepfi, U. and Merriam, P. (1975):*
Cis- dichlorodiamine platinum (II) (NSC - 119875). Hearing loss and other toxic effect in rhesus monkeys.
Cancer Chemother Rep., 59: 467.
- Steel, K.P. (1983):*
The tectorial membrane of mammals-Review. Hearing Research., 9: 327.
- Stewart, D.J.; Leavens, M.; Maor, M. (1982):*
Human central nervous system distribution of Cis-Diamminedichloroplatinum and use as a radio sensitizer in malignant brain tumour.
Cancer Res., 42: 2474-2479.
- Stratford, I.J.; Williamson, C. and Adams, G.E. (1980):*
Combination studies with misonidazole and a Cisplatin complex; Cytotoxicity and radiosensitization in vitro.
Br. J. Cancer, 41: 517.
- Strauss, M.; Towfighi, J.; Lord, S.; Lipton, A.; Harvey, H.A. and Brown, B. (1983):*
Cisplatin ototoxicity: Clinical experience and temporal bone histopathology.
Laryngoscope, 93: 1554-1559.

- Tallersal, M.H.; Lander, H.; Bain, B. (1980):**
Cisplatinum Treatment of metastatic adrenal carcinoma.
Med. J. 1: 419-422.
- Tanaka, T.; Kosaka, N.; Takiguchi, T.; Aoki, T. and Takahara, S. (1973):**
Observation on the cochlea with SEM. Scanning electron Microscope III, 427.
- Tanaka, Y.; Anasuma, A. and Yanagisawa, K. (1980):**
Potentials of outer hair cells and their membrane properties in cationic environments.
Hearing Research 2: 431.
- Tange, R.A.; Vuzeveski, V.D. (1984):**
Changes in the stria vascularis of the guinea pig due to Cisplatinum. Arch Otolaryngol., 239: 41-47.
- Tasaki, I.,; Davis, H. and Eldredge, D. (1954):**
Exploration of cochlear potentials in guinea pig with a microelectrode. Journal of Acoustical Society of America 26: 765.
- Taudy, M.; Syka, J.; Popelar, J. and Ulehlova, L. (1992):**
Carboplatin and Cisplatin ototoxicity in guinea pigs. Audiology, 31: 293-299.
- Tilchen, E.; Barlogie, B. and Corry, P. (1980):**
Thermochemotherapy of cutaneous human neoplasms. Proc. Amer. Ass. Cancer Res., 21: 142.
- Tilney, L.G.; De Rosier, D.J. and Mulroy, M.J. (1980):**
The organization of actin filaments in the stereocilia of cochlear hair cells. Journal of cell Biology 84: 244.
- Veldge, J.; Burkharda, K.; Leenheers-Binendijk, L.; Sommerfeld, W. (1977):**
Methyl methacrylate as an embedding medium in histopathology. Histopathology 1: 319-330.
- Vermorken, J.B.; Kapteijn, T.S.; Hart, A.A. and Pidea, H.M. (1983):**
Ototoxicity of Cisdiammine dischloride platinum 11 influence of dose. Schedule and mode of administration. Eur. J. Clin. Oncol., 19: 53-58.

- Vodvorka, P.; Foukalova, J.; Marzek, J.; Philippova, J. (1985):**
Ototoxicity of Cisdiammindichloro platinum.
Neoplasia, 32 (2): 229-238.
- Von Hoff, D.D.; Schilsky, R.; Reichest, C.M. (1979):**
Ototoxic effects of Cis-Dichlorodiammine Platinum II in man.
Cancer Treat. Rep., 63: 1527-31.
- Vykoupil, K.F.; Thiele, J.; Georgu, A. (1976):**
Histochemical and immunohistochemical techniques on acrylate embedded bone biopsies. Blut. 32: 215-218.
- Walker, D.A.; Pillow, J.; Waters, K.D. and Keri, E. (1989):**
Enhanced cisplatinum ototoxicity in children with brain tumours who have received simultaneous or prior cranial irradiation.
Medical and Pediatric Oncology, 17: 48-52.
- Warr, W.B. (1978):**
The olivo cochlear bundle-its origin and termination in the cat. In "Evoked electrical activity in the Auditory Nervous System". R.F. Naunton and C. Fernandez (eds.). Academic Press, New York and London, PP. 43.
- Waterz, G.S.; Ahmad, M.; Katsarkas, A.; Staninir, G. and McKay, J. (1991):**
Ototoxicity due to Cisdiammine dichloro platinum in the treatment of ovarian cancer: Influence of dosage and schedule of administration.
Ear. Hear, 12 (2): 91-102.
- Weatherly, R.A.; Owens, J.J.; Catlin, F.I. and Mahoney, D.H. (1991):**
Cisplatin ototoxicity in children.
Laryngoscope 101: 917-924.
- Weiss, R.B.; Poster, D.S. (1982):**
The renal toxicity of cancer chemotherapeutic agents.
Cancer Treat. Rev. 9: 37-56.
- Williams, S.D. and Einhorn, L.H. (1982):**
Etoposide salvage therapy for refractory germ cell tumours. An update.
Cancer Treat. Rev., 9A: 67-71.

- Wolf, E.; Roser, K.; Hahn, M.; Welkerling, H.; Delling, G. (1992):**
Enzyme and immunohistochemistry on undecalcified bone and bone marrow biopsies after embedding in plastic: a new embedding method for routine application. Virchows Arch [A] Pathol. Anat., 420: 17-24.
- Wooley, P.; Smith, F.; Estevez, R. (1981):**
A phase (II) trial of 5-FU adriamycin and cisplatin (FAP) in advanced gastric cancer (Abstract).
Proc. Am. Soc. Clin. Oncol., 22: 455.
- Wright, A. (1984):**
Dimensions of the cochlear stereocilia in man and the guinea pig. Hearing Research, 13: 89.
- Wright, C.G. and Schaefer, S.D. (1982):**
Inner ear histopathology in patients treated with cisplatin. Laryngoscope 92: 1408-1413, (Dec.).
- Zwelling, L.A. and Kohn, K.W. (1979):**
Mechanism of action of Cis-dichlorodiammineplatinum (II). Cancer Treat. Rep., 63: 1439-44.