



References



REFERENCES

**Abbate C, Buceti R, Munao F, Giorgianni C, and Ferreri G (1995):
Neurotoxicity induced by lead levels: an electrophysiological
study. Int Arch Occup Environ Health . 66: 389 - 92.**

**Ades H.W and Engström H (1972): Inner ear studies. Acta
Otolaryngol, Suppl. 301:1.**

**Anania T. L and Seta J (1975): lead exposure and design
considerations for indoor firing ranges. NIOSH Pub. 76 - 130.**

**Angelborg C and Engström H (1972): Supporting elements in the
organ of Corti .I. Fibrillar structures in the supporting cells of
the organ of Corti of mammals . Acta Otolaryngol Suppl Stokh
301:49 - 60 .**

**Anttila A, Heikkila P and Nykyri E (1996): Risk of nervous system
cancer among workers exposed to lead. J Occup Environ Med.
38/2: 131-136.**

**Assenato G, Paci C and Baser M (1987): Sperm count suppression
without endocrine dysfunction in lead exposed Men. Arch
Environ Health 42 : 124 - 127.**

- Bagger S.D, Engström B , Steinholtz L and Hillerdal M (1987): Freeze fracturing of the human stria vascularis. Acta Otolaryngol Stockh. 103 : 64 - 72.**
- Bailey F.R (1984): Cells, tissues and microscopes. Bailey's text book of microscopic anatomy. 18th ed. Edit Kelly D. E, Wood R.L and Enders A.C. William & Wilkins, London. 3 - 7.**
- Baxter P. J, Samuel A.M and Holkham M.P.E (1985) : lead hazard in British stained glass workers. Br Med J 291 : 383.**
- Beijer K and Jernelov A (1986) : Sources, transport and transformation of metals in the environment : Hand book on the toxicology of metals, 2nd ed. general aspects. Edit Friberg L, Bordberg G.F and Vouk V.B. Amsterdam : Elsevier, 1: 68 - 74.**
- Békésy G Von (1944) : über die mechanische frequenzanalyse in der schnecke verschiedener tiere. Akustische Z 9:3 - 11.**
- Békésy G Von (1947): The variation of phase along the basilar membrane with sinusoidal variations . J Acoust Soc Am. 19 : 452 - 460.**
- Berant M (1984) : Lead over exposure in children . J Israel Med Assoc, 106 : 28 - 31.**

- Beritic T (1984) : Lead neuropathy . *Grit Rev Toxicol.* 12 : 149 - 213 .
- Beulter E (1995): Erythrocyte protoporphyrin: *Williams hematology.*
5th ed. Edit Beulter E, Lichtman M. A, Collor B.S and Kipps
T.J .ch L.20 Mc Graw, Hill, Inc. L. 55
- Bloom W and Fawcett W.D (1975) : The ear: ear Text book of
histology. 10th ed. Edit Bloom W and Fawcett W.D. Saunders
W.D company, Philadelphia. London, Toronto P , 969.
- Bolla K.I, Schwartz B. S and Stewart W (1995) : Comparison of
neurobehavioral function in workers exposed to a mixture of
organic and inorganic lead and in workers exposed to solvents.
Baltimore Am JND MED. 27/2 : 231 - 246.
- Borghesan E (1950) : Zona vascolo-epitheliale della benderella
diconiglio considerata probabile sorgente di perilinf. *Atti Clin
Otolaryngol (Univ Palarmo)* 3 : 31.
- Börjesson J, Matisson S, Strömberg U, Gerhardsson L, Schütz A and
Serfving S (1997): Lead in fingerbone : A tool for retrospective
exposure assessment. *Archives Of Environm Health.* 52. 2.
- Bosher S.K and Warren R.L (1968) : Observations on the
electrochemistry of the cochlear endolymph of the rat : A
quantitative study of its electrical potential and ionic
composition as determined by means of flame
spectrophotometry. *Proc Soc Lond. Biol* 171 : 227 - 247.

- Bourgoin B.P, Evans D.R, Comett J.R, Lingard S.M and Quattrone A.J (1993): Lead content in 70 brands of dietary calcium supplements. Am. J of Public Health . 83 : 8.**
- Brookes N (1988) : Specificity and reversibility of the inhibition by Hg cl_2 of glutamate transport in astrocyte cultures. J Neurochem. 50 : 1117 - 1122.**
- Buckland M.D (1981) : The guinea pig : Aguide to laboratory animal technology-Edit Buckland M.D, Hall L, Mowlem A and Whatley B.F. ch , 3 . Robert Hartnoll Ltd, Bodmin, Cornwall. 105 - 109.**
- Bush B, Doran D.R and Jackson K.W (1982): Evaluation of erythrocyte protoporphyrin and zinc protoporphyrin as micro screening procedures for lead poisoning detection. Ann. Clin . Biochem. 19-71.**
- Cabezudo L.M (1978): The ultrastructure of the basilar membrane in the cat . Acta Otolaryngol Stockh. 86 : 160 - 175.**
- Carleton H.M (1980) : Theory and practice of histological techniques : Carleton's histological technique, 5th ed. Edit by Drury R.A.B and Wallington E.A. Oxford University Press. 365.**

- Chalkley S.R, Richmond J and Barltrop D(1998) : Measurement of vitamin D₃ metabolites in smelter workers exposed to lead and cadmium. Occup Environ Med, 55 : 446 - 452.**
- Chia S.E, Chia H.P, Ong C.N and Jeyara Inam J (1996) : Cumulative concentrations of blood lead and postural stability. Occup Environ Med, 53 : 264 - 268.**
- Coria F and Monton F (1988) : Recovery of the early cellular changes induced by lead in rat peripheral nerves after withdrawal of the toxin. J Neuropathol Exp Neurol 3 : 282 - 290.**
- Corti A (1851) : Recherches sur L'orange de L'ouie des mammiferes. Z Wiss Zool 3 : 109 - 169.**
- Costa P, Benna P, and Bianco C (1990): Aging effects of brainstem auditory potenfials. Electromyogr Clin Neurophysiol. 30 : 495 - 500.**
- Crosby W.H (1977): Lead contaminated health food : The tip of an iceberg. JAMA 238 : 1544.**
- Cullen M.R, Robins J.M and Eskenazi B (1983) : Adult inorganic lead intoxication : Presentation of 31 new cases and a review of recent advances in the literature. Williams & Wilkins. Med 62 : 231 .**

Daniel W.W (1991): Biostatistics: A foundation for analysis in the health science. 5th ed. Wiley and Sons. London, 3 : 70.

Davis H (1960) : Mechanism of excitation of auditory nerve impulse . In neural mechanisms of the auditory and vestibular systems. Edit Rasmussen G.L and Windle W.F. Charles C, Springfield, Illinois, 7621 - 39.

Discalzi G.L, Capellaro F, Bottalo L, Fabbro D and Mocellini A (1992) : Auditory brainstem evoked potentials (B A E P) in lead - exposed workers. Neurotoxicol. 13 (1) : 207 -9

Dunn D.E and Marenbery M.E (1994): Noise : Text book of clinical occupational and environmental medicine . Edit Rosenstock L and Cullen M.R. W.B Saunders Company . 26 : 673.

Ehrlich R, Robins T, Jordaan E, Miller S, Mbuli S, Selby P, Wynchank S, Cantrell A , De Broe M, D' Haese P, Todd A and Landrigan P (1998) : Lead absorption and renal dysfunction in a South African battery factory. Occup Environ Med, 55: 453 - 460.

Ellenhorn M.J (1988) : Metals and related compounds: Medical toxicology : diagnosis and treatment of human poisoning. Edit Ellenhorn M .J and Barceloux D.G. 37 : 1031 - 1033.

- El-Samra G.H, Emara A.M and Sobky M (1992) : The extend of environmental pollution from motor vehicles and its biological indicies. M.D thesis. Occupational Medicine department. Cairo University.**
- Engström H and Wersäll (1953) : Structure of the organ of Corti . Outer hair cells. Acta Otoloryngol Stockh,43 : 1 - 10**
- Ennever F.K (1994): Metals : Principles and methods of toxicology . 3rd ed. Edit Hayes A.W . Raven press ,Ltd, New York. 12 : 432.**
- Farahat T.M, Abdel-Rasoul G.M, El-Assy A.R, Kandil S. H, and Kabil M.K (1997) : Hearing thresholds of workers in a printing facility . Environ Res. 73 (1-2) : 189 - 92 .**
- Felix H, Johnsson L.G, Gleeson M.J, De Fraissinette A and Conen V (1992) : Morphometric analysis of the cochlear nerve in man .Acta Otoloryngol Stockh 112 : 284 - 287.**
- Ferguson M.O, Cook R.D, Hall J.W, Grose J.H and Pillsbury H.C (1998) : Chronic conductive hearing loss in adults . ARCH Otolaryngol Head and Neck Surg . 124 : 678 - 85.**
- Fischbein A , Andreson K.E and Sassa S (1981) : Lead poisoning from do - it yourself heat guns for removing lead based paint : Report of two cases . Environ Res 24 : 425 - 431.**

- Flock A, Kimura R, Lundquist P.G and Wersäll J (1962) : Morphological basis of directional sensitivity of the outer hair cells in the organ of Corti - J Acoust Soc Am 34 : 1351 - 1355.**
- Flock A, Flock B and Murray E (1977) : Studies on the sensory hairs of receptor cells in the inner ear . Acta Otolaryngol. Stokh, 83 : 85- 91.**
- Flock A, flock B and Ulfendahl M (1986): Mechanismus of movement in outer hair cells and a possible structural basis . Arch Otolaryngol 243 : 83 - 90 .**
- Forst L.S, Freels S and Persky V (1997): Occupational lead exposure and hearing loss. J Occup Environ Med . 39 (7) : 658-60.**
- Fructuoso A.I, Torralbo A, Arroyo M, Luque M, Ruilope L.M, Santos J.L, Cruceyra A and Barrientos A(1996) : Occult lead intoxication as a cause of hypertension and renal failure. Nephrol - Dial - Transplant . 11 (9): 1775-80.**
- Fu H. and Boffetta P (1995): Cancer and occupational exposure to inorganic lead compounds a meta - analysis of published data. Occup. Environ Med . 52: 73 - 81.**
- Gabrial B.L (1982) : Biological electron microscopy . Van Nostrand Reinhold Co.**

- Gacek R.R and Rasmussen G.L (1961) :Fiber analysis of the stato acoustic nerve of guinea pig, cat and monkey - Anat Rec 139 : 455 - 463.**
- Galan P, Mekki N and Hercberg S (1987): Effect of sample storage on the assay of erythrocyte protoporphyrin by the hemato fluorometer method. Acta Heamatol. 78 : 57.**
- Gerhardsson L, Hagmar L, Rylander L and Skerfving S (1995): Mortality and cancer incidence among secondary lead smelter workers . Occup Environ Med. 52: 667 - 672 .**
- Gibb A.C, Robson J.G and Whitfield I.G (1976) : Hearing : Text book of physiology and biochemistry. 9th ed , Edit George H.B, Donald E . Smith B and Colin R: Paterson : 591 -604.**
- Goldman R.H, Baker E.L and Hannan M (1987): Lead poisoning in automobile radiator mechanics . N Engl J Med . 317 : 214 - 218.**
- Gompertz D (1981): Assessment of risk by biological monitoring . Br J ind Med. 38 : 198.**
- Goyer R.A (1971) : Current topics in pathology , vol . 55. Springer - verlag, Heidelberg. 147 - 176.**
- Goyer R.A (1990a) : Transplacental transport of lead Environ Health Perspect. 89 : 101 - 108.**

- Goyer R.A (1990b) . Environmentally related disease of the urinary tract . Med Clinic of North America, 74 (2) : 381 - 389.
- Goyer R.A (1996) : Toxic effects of metal : Casarett and Doull's toxicology, the basic science of poisons . 5th ed . Edit Curtis D.K, Mary O. A and - John D. Mc Graw - Hill, 23 : 703 - 708.
- Goyer R.A and Rhyne B (1973) : Pathological effects of lead . Int Rev Exp pathol 12: 1 - 77.
- Gozdzik-Zolierkiewicz T and Moszynski B (1969) :VIII nerve in experimental lead poisoning . Acta Otolaryngol. 68 : 85 -89.
- Hall J.T and Ball G.V (1982): Saturnine gout : A review of 42 patients. Semin Arthritis Rheum 11 : 307 - 314.
- Hänninen H, Aitio A, Kovala T, Luukkonen R, Matikainen E, Mannelin T, Erkkila J and Riihimaki V (1998) : Occupational exposure to lead and neurosychological dysfunction. Occup Environ Med . 55: 202 - 209.
- Hawkins J. E. Jr (1976) : Drug ototoxicity : Hand book of sensoryphysiology. Vol V auditory system , part 3 : clinical and special topics. Berlin Springer Verlag 707 - 784.

Hayran M and Surucu H.S (1996): Morphological features of the rat spiral ganglion cells investigated by electron microscopy. Okajimas Folia Anat Jpn, 73(2 - 3): 109 - 11.

Hilding D.A and Ginzberg R.D (1977): Pigmentation of the stria vascularis. The contribution of neural crest melanocytes. Acta Otolaryngol Stockh 84: 24 - 37.

Holdstein Y, pratt H , Goldsher M , Rosen G, Shenhav R, Linn S, Mor A and Barkai A (1986) : Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. J Otolaryngol, 100: 1031 - 1036.

Holtzman D, Olson J.E, Devries C and Bensch K (1987): lead toxicity in primary cultured cerebral astrocytes and cerebellar granular neurons. Toxicol Appl Pharmacol . 89: 211 - 215.

Hotta S, Sugisawa T , Matsui T, Itoh T and Yamamura K (1996): Combined effects of acute lead acetate exposure and tone exposure of the guinea pig cochlea. Eur Arch Otolaryngol. 253 (8): 488 - 93.

Huschke E (1824): über die Hörwerkzeuge. Beitr Physiol, p 35.

Ishiyama E, Keels E.W and Weible J (1970): New anatomical aspects of the vasculo epithelial zone of the spiral limbus in mammals. Acta Otolaryngol Stockh 70 : 319 - 328.

- Iurato S (1960): Submicroscopic structure of the membranous labyrinth -I- The tectorial membrane. Zellforsch Z.51: 105 - 128**
- Iurato S, Bock G and Bredberg G (1985) : Human auditory and vestibular pathology. The european concerned action project. Acta Otolaryngol Suppl Stockh 423: 1 - 69.**
- Kaufman A and Wiese W (1978): Gasoline sniffing leading to increased lead absorption in children. Clin Pediat. 17: 475 - 477.**
- Kawabata I and Nomura Y (1981): The imprints of the human tectorial membrane. A SEM study . Acta Otolaryngol Stockh. 91 : 29-35.**
- Kemp D.T, Bray P, Alexander L and Brown A.M (1986) : Acoustic emission cochleaography - practical aspects. Scand Audiol Suppl. 25: 71 - 95.**
- Kim Y, Harada K , Ohmori S , Kooklee B, Miura H and Ueda A (1995) : Evaluation of lead exposure in workers at a lead - acid battery factor in korea : with focus on , activity of erythrocyte pyrimidine 5 - nucleotidase (P 5 N). Occup Environ Med . 52: 484 - 488.**

- Kimura R.S (1984) : Sensory and accessory epithelia of the cochlea :
Ultrastructural atlas of the inner ear. Edit friedmann I, and
Ballantyne I . Butterwoth : 101 - 130.**
- Kimura R.S ,and Wersall (1962): Termination of the olivo - cochlear
bundle in relation to the outer hair cells of the organ of Corti in
guinea pig . Acta Otolaryngol. 55: 1.**
- Kimura R.S, Schuknecht H.F and Samdo I (1964): Fine morphology
of the sensory cells in the organ of Corti of man .Acta
Otolaryngol. Stockh 58: 390 - 408.**
- Kimura R.S and Schuknecht H.F (1970): The ultrastructure of the
human stria vascularis. Part 1. Acta Otolaryngol Stockh . 69:
415 - 427.**
- Klaasen C.D (1980) :Heavy metals and heavy metal antagonists : The
pharmacological basis of therapeutics. Edit Gilman A.G,
Goodman L.S and Gilman A. Mc Millan Publishing Company
Inc. New York. 1616 - 1620.**
- Kolmer W (1927): Gehörorgan. in: Handbuch der Mikroskopischen
Anatomie des Menschen . Dritter Band. Haut und
Sinnesorgane. Möllendorf F.E.W [ed] . J Springer, Berlin, 250
- 478.**

- Kovala T, Matikainen E, Mannelin T, Erkkilä J, Riihimäki V, Hänninen H and Aitio A (1997): Effects of low level exposure to lead on neurophysiological functions among lead battery workers . Occup Environ Med; 54: 487 - 493.**
- Lecos C.W (1987) : Pretty poison : Lead and ceramic ware. FDA Consumer . 6 - 9.**
- Liberman M.C (1982) : Simple neuron labelling in the cat auditory nerve. Science 216: 1239 - 1241.**
- Lille F, Hazemann P, Garnier R and Dally S (1988): Effects of lead and mercury intoxications on evoked potentials. Clin Toxicol. 26: 103 - 116.**
- Lim D.J (1972) : Fine morphology of the tectorial membrane. Its relationship to the organ of Corti - Arch Otolaryngol. 96: 199 - 215.**
- Magos L (1991) : Epidemiological and experimental aspects of metal carcinogenesis: Physicochemical properties, kinetics and the active species. Environ Health Perspect . 95:157 - 89.**

- Maizlish N.A, Parra G and Feo O (1995): Neurobehavioural evaluation of Venezuelan workers exposed to inorganic lead. Occup Environ Med. 52: 408 - 414.**
- Manton W. I and Cook J.D (1984): High accuracy (stable isotope dilution) measurements of lead in serum and cerebrospinal fluid. Br J Ind Med, 41: 313 - 9.**
- Martin M.C (1976): In scientific foundations of otolaryngology. Edit Hinchcliffe R and Harrison D.F.N. London , Heinemann. 56.**
- Martin M.B, Suran M.S and Lawrence H.B (1995): Nervous system: Gray's anatomy: The anatomical basis of medicine and surgery. 38th ed. Edit Williams P.L, Bannister L.H, Berry M.M, Collins P , Dyson M, Dussek J.E and Freguson M.W.J. Churchill Livingstone. 8 : 1393 - 1395.**
- Matschinsky F.M and Thalmann R (1967): Quantitative histochemistry of microscopic structures of the cochlea.II. Ischemic alterations of levels of glycolytic intermediates and cofactors in the organ of Corti and stria vascularis . Ann Otol Rhinol Laryngol .76 : 638 - 646.**
- Meyer R and Reid W.A (1995): Electron microscopy in Jamaica: Applications and techniques . West Indian Med J. 44(2): 44- 50.**

- Michael A. J, Baghurst P.A and Robertson E.F (1985): The Portpirie Cohort study : Blood lead concentrations in early childhood. Med J Aust. 143 : 499 - 503.
- Moel D.L, Sachs H.K and Cohen R.A (1985): Renal function 9 to 17 years after childhood lead poisoning. J Ped . 106 : 729 - 733.
- Moller A.R (1972): Coding of sounds in lower level of the auditroy system. Q Rev Biophys . 5 : 59 - 155.
- Moore M.R Goldberg A and Pocock (1982): Some studies of maternal and infant lead exposure in Glasgow . Scot Med J. 27: 113 - 22.
- Morb M. W (1996): Occupational blood lead survey - Armenia, 1991 and 1993. MMWR. 45 (4) : 85 - 8.
- Morb M.W (1997): Blood lead levels - United States , 1991 - 1994. MMWR. 46 (7) : 141 - 6 .
- Nasr A.B, Hanan S, Gamal E and Ahmed R.E (1997) : Contribution of heavy metals in kidney dysfunction. Benha M.J .14 : 297 - 305 .
- Needleman H.L, Robinowitz M and Leviton A (1984) : The relationship between prenatal exposure to lead and congenital anomalies. IAMA 251 : 2956 - 2959.

- Nogueira E (1987): Rart carcionogenesis after chronic simultaneous exposure to lead acetate and N - nitrosodiethylamine . Virchows Arch B . 53: 365 - 74**
- Ostiguy G, Vailancourt C and Bégin R (1995): Respiratory health of workers exposed to metal dusts and foundry fumes in a copper refinery. Occup Environ Med. 52: 204- 210.**
- Ota C.Y and kimura R.S (1980): Ultrastructural study of the human spiral ganglion. Acta Otolaryngol Stockh 89: 53 - 62.**
- Perazella M.A (1996): Lead and the kidney: nephropathy, hypertension, and gout, Conn Med. 60 (9) : 521 - 6.**
- Piomelli S (1973): A micromethod for free erythrocyte porphyrins. The FEP test. J Lab Clin Med. 81: 932.**
- Piomelli S (1977): Free erythrocyte porphyrins in the detection of undue absorption of pb and of Fe deficiency. Clin Chem . 23: 264.**
- Prento P (1995) : Glutaraldehyde for electron microscopy : a Practical investigation of commercial glutaraldehydes and glutaraldehyde - storage conditions . Histochem . J. 27 (11): 906-13.**

- Pylypas S .P, Schurath R. M and Johnson R.B (1990) : Preparation of bone for high - voltage electron microscopic radioautography . J Electron Microscop Tech, 14 (4) : 324 - 8 .**
- Rees T and Duchert L (1994): Hearing loss and other otic disorders: Textbook of clinical occupational and environmental medicine. Edit Rosenstock L and Cullen M.R.W.B Saunders Company, 3: 305 - 315.**
- Rodamilans M, Martinez-Osaba M. T and To-Figueras J (1988): Lead toxicity on endocrine testicular function in occupationally exposed population. Hum Toxicol . 125 - 128.**
- Samarzija N (1996): Chronic lead poisoning, renal function and immune response. Arh. Hig Rada Toksikol. 47(1): 1 - 8.**
- Sawyer M , Kearny T and Spector S (1985): Lead intoxication in Children - Interdepart - Mental Conference. West J Med. 143: 363.**
- Schell L.M Stark A.D, Gomez M.I and Grattan W.A (1997): Blood lead level by year and season among poor pregnant women. Archives of Environmental Health. Vol. 52 No 4 .**
- Schuknecht H.F (1993): Pathology of the ear. 2nd ed. Edit Schuknecht H.F. Lea and Febiger. 47 - 67.**

- Schuknecht H.F and Sutton S (1953) : Hearing losses after experimental lesions in basal coil of cochlea. Arch Otolaryngol .57: 129 - 142.
- Schütz A, Bergdahl I.A, Ekholm A and Skerfving S (1996) : Measurement by ICP - MS of lead in plasma and whole blood of lead workers and controls. Occup. Environ Med. 53: 736 - 740.
- Schwartz L and Levin R (1991): The risk of lead toxicity in homes with lead paint hazard. Environ Res, 54: 1 - 7 .
- Schwartz J and Otto D (1987): Blood lead hearing thresholds and neurobehavioral developement in children. Arch Environ Health. 42(3) 153 - 60.
- Schwartz J and Otto D (1991): Lead and minor hearing impairment. Archievs of Environ Health . 46: 300 - 305.
- Seppäläinen A.M and Hernberg S (1980): Subclinical lead neuropathy . Am J Ind Med. 1 : 413 - 20.
- Shaper A.G, Pocock S. J, and Walter M (1982): Effects of alcohol and smoking on blood lead in middle - aged British men. Br Med J. 284: 299 - 302.

- Simons T (1993): Lead transport and binding by human erythrocytes in vitro. Pflugers Arch, 423: 307 - 13.**
- Skerfving S, Nilsson U and Sckütz A (1993): Biological monitoring of inorganic lead. Scan J WorkEnviron Health , 19 : 59 - 64.**
- Sokas R. K, Simmens S, Sophar K , Welch L.S and Liziewski T (1997): Lead levels in Maryland construction workers. Am J Ind Med . 31(2) : 188 - 94.**
- Spoendlin H (1966): The Organization of the cochlear receptor . Adv Otolaryngol. 13: (1) - 227.**
- Spoendlin H(1984): Primary neurons and synapses in : Ultrastructural atlas of the inner ear. Edit Freidman I and Ballantyne J. Butterworths : London : 133 - 164.**
- Spoendlin H (1985): Anatomy of cochlear innervation. Am J Otol 6: 453 - 467.**
- Spoendlin H and Schrott A (1990): Analysis of the human auditory nerve. Hear Res 43: 25 - 38.**
- Stark A.D, Quah R.F and Meigs J.W(1980): Season as a factor in variability of blood lead levels in children. Conn Med , 44: 410 - 13.**

- Stokinger H.E (1981): The metals :Patty's industrial hygiene and toxicology . 3rd ed. Edit Clayton G.D and Clayton F.E. John Wiley & Sons. 29: 1687 - 1724.
- Takahashi T (1971): The ultrastructure of the pathologic stria vascularis and spiral prominence in man. Ann Otol Rhinol Laryngol 80: 721 - 735 .
- Thalmann I, Matschinsky F.M and Thalmann R (1970): Quantitative study of selected enzymes involved in energy metabolism of the cochlear duct . Ann Otol Rhinol Laryngol 79: 12- 29.
- Thalmann I, Thallinger G, Crouch E.C, Comegys T.H, Barrett N and Thalmann R(1987) : Composition and supramolecular organization of the tectorial membrane. Laryngoscope 97: 357- 367 .
- Tiffany E, Mudzki J and Bratton G.B.(1986): Cellular targets of lead neurotoxicity: in vitro models. Toxicol. 42: 303 - 315.
- Tilton R.C (1992) : Heavy metal analysis: Clinical laboratory medicine. Edit Tilton R.C, Balows A, Hohnadel D.C and Reiss R.F. Mosby year book. 365 - 367.

- Triebig G, Wetle D and Valentin H (1984): Investigations on neurotoxicity of chemical substances at the workplace. V. Determination of the motor and sensory nerve conduction velocity in persons occupationally exposed to lead . Int Arch Occup Environ Health. 53: 189 - 204.**
- Vander A.J (1988): Chronic effects of lead on renin - angiotensin system. Environ Health Perspect 78: 77 - 83.**
- Walby A.P (1985): Scala tympani measurment. Ann Otol Rhinol Laryngol, 94: 393 - 397.**
- Wangtang H, Linyan H, Hong Hu X, Xin liang Y and Ya shen X (1996): Lead cytotoxicity in primary cultured rat Astrocytes and Schwann cells . J Appl Toxicol, 16(3): 187 - 196.**
- Watanuki K, Sato M , Kaku Y, Shinkawa S, shibahara T, Miyoshi A and Kawamoto k (1981): Reissner's membrane in human ears. Acta Otolaryngol Stockh 91: 65 - 74.**
- Weeden R.P (1985): Blood lead levels, dietary calcium and hypertension . Ann Intern Med, 102: 403 - 404.**
- Wever E.G and Bray C.W (1936): The nature of acoustic response : The relation between sound intensity and the magnitude of responses in the cochlea. J Exp Psychol 19: 129 - 143.**

- Weyermann M and Brenner H (1997): Alcohol consumption and smoking habits as determinants of blood lead levels in a national population sample from Germany.. Ulm, Germany. 52: 233 - 238.**
- White R.E, Feldman R.G and Travers P.H (1990): Neurobehavioral effects of toxicity due to metals, solvents and insecticides. Clin . Neuropharmacol. 13: 392 - 412.**
- Wietlisbach V, Rickenbach M and Berodo M (1995): Time trend and determinants of blood lead levels in a Swiss population over a transition period (1984 - 1993) from leaded to unleaded gasoline Use. Environ Res 68: 82 - 90 .**
- Williams W.I (1991): Laboratory techniques haematology textbook. 4th ed. Edit Williams W. J, Beutler E, Erslev A. J and Lichtman M.A. Mc Graw - Hill publishing Company. 20: 1740 - 41.**
- Winkel R, Kuln W and Przuntek H (1995): Chronic intoxication with lead and sulphur compound may produce parkinson's disease. J Neural Transm Suppl . 46: 183 - 7.**
- Wright L.F, Taylor R.P and Cecere F.A (1984): Occult lead intoxication in patients with gout and kidney disease . J Rheumatol, 11: 517 - 520.**

- Wright C.G and Lee D.H (1989):** Pigmented cells of the stria vascularis and spiral ligament of the chinchilla. *Acta Otolaryngol Stockh.* 108: 190 - 200.
- Yamamura K, Kishi R, Maehara N, Sadamoto T and Uchino E (1984):** An experimental study of the effects of lead acetate on hearing. *Toxicol Lett.* 21: 41 - 47.
- Yamamura K, Maehara N, Terayama K, Ueno N, Kohyama A, Sawada Y and Kishi R (1987):** Effects of lead acetate on guinea pig cochlear microphonics, action potential and motor nerve conduction velocity. *Bull Environ Contam Toxicol*, 38: 571 - 579.
- Zenner H.P (1988):** Motility of outer hair cells as an active actin-mediated process. *Acta Otolaryngol Stockh.* 105: 39 - 44.
- Zidanic M and Brownell W.E (1990):** Fine structure of the intracochlear potential field .I. The silent current. *Biophys J.* 57: 1253 - 1268.