

REFERENCES

- A.O.A.C. (1984):** Natural poisons. Official Methods of Analysis of the Association of Official Analytical Chemists, pp. 447–484.
- Abbas, H.K.; Miroch Kmmedahl, T.; Burnes, P.M.; Meronuch, R.A. and Gunter, R. (1988):** Toxigenicity of *Fusarium proliferatus* and other fusarium species isolates from corn ears in Minnesota. *Phytopathol.* 89(9): 1258-1260.
- Abbes, S.; Ben Salah-Abbes, J.; Ouanes, Z.; Houas, Z.; Othman, O.; Bacha, H.; Abdel-Wahhab, M.A. and Oueslati, R. (2006):** Preventive role of phyllosilicate clay on the immunological and biochemical toxicity of zearalenone in balb/c mice. *Inter. Immunopharm.* 6, 1251–1258.
- Abdel-Aziz, M.T.; Salama, H.; Abdel-Aziz, M.; Fouad, H.H.; Rashed, L. A.; Abd-Alla, S.; Abdel-Wahhab, M.A. and Ahmed, T. (2005):** Interferon- α gene therapy prevents aflatoxin and carbon tetrachloride promoted hepatic carcinogenesis in rats. *Int. J. Mol. Med.* 15, 21-26.
- Abdel-Wahab, H.A. (1997):** Environmental factors affecting mycotoxins on stored yellow corn and sorghum seeds, and methods of detoxification. M.Sc. Thesis, Ain-Shams Univ.
- Abdel-Wahhab, M.A. (2000):** Antioxidant and Radical scavenging effects of Garlic and Cabbage Extracts in rats fed Ochratoxin-contaminated diet. *J. Egypt. Med. Assoc.* 83(1-6), 1-19.

- Abdel-Wahhab, M.A. and Aly, S.E. (2003):** Antioxidants and Radical Scavenging Properties of Vegetable Extracts in Rats Fed Aflatoxin-Contaminated Diet. *J Agric. Food Chem.* 51(8):2409-14.
- Abdel-Wahhab, M.A. and Aly, S.E. (2005):** Antioxidant Property of *Nagilia Sativa* (Black cumin) and *Syzygium Aromaticum* (Clove) in rats during Aflatoxicosis. *J. Appl. Toxicol.* 25, 218-223.
- Abdel-Wahhab, M.A.; Abdel-Galil, M.M.; Hassan, A.M.; Hassan, N. H.; Nada, S.A.; Saeed, A. and El-Sayed, M. M. (2007):** *Zizyphus spina-christi* extract protects against aflatoxin B₁-initiated hepatic carcinogenicity *Afr. J. Trad. CAM* 4 (3), 248 – 256.
- Abdel-Wahhab, M.A.; Abdel-Galil M.M. and Ellithey M.M. (2005a):** Melatonin counteracts oxidative stress in rats fed Ochratoxin A-contaminated diet. *J. Pineal Res.* 38, 130-135.
- Abdel-Wahhab, M.A.; Ahmed, H.H. and Hagazi, M.M. (2006):** Prevention of aflatoxin B₁-initiated hepatotoxicity in rat by marine algae extracts. *J Appl. Toxicol.* 26(3), 229-238.
- Abdel-Wahhab, M.A.; Amer, H.A.; Hassan, N.S.; Hassan, A.M. and Naguib, K.H. (2002b):** Effects of garlic and cabbage extracts on fumonisin-induced toxicity in rats. *J. Egypt. Soc. Toxicol.* 26, 1-12.
- Abdel-Wahhab, M.A.; Hassan, A.M.; Amer, H.A. and Naguib, K.M. (2004):** Prevention of fumonisin-induced maternal and developmental toxicity in rats by certain plant extracts. *J. Appl. Toxicol.* 24, 469 -474.

- Abdel-Wahhab, M.A.; Nada, S.A. and Amra, H.A. (1999b):** Effect of aluminosilicate and bentonite on aflatoxin-induced developmental toxicity in rats. *J Appl Toxicol* 19: 199–204.
- Abdel-Wahhab, M.A.; Nada, S.A. and Arbid, M.S. (1999a):** Ochratoxicosis: Prevention of Developmental Toxicity by L-methionine in the rats. *J Appl. Toxicol.* 19, 7-12.
- Abdel-Wahhab, M.A.; Nada, S.A. and Khalil, F.A. (2002a):** Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials. *Anim. Feed Sci. Technol.* 97(3-4), 209-219.
- Abdel-Wahhab, M.A.; Nada, S.A.; Farag, I.M.; Abbas, N.F. and Amra H.A. (1998):** Potential of protective effect of HSCAS and bentonite against dietary aflatoxicosis in rat: with special reference to chromosomal aberrations. *Nat Toxins* 6: 211–218.
- Abdel-Wahhab, M.A.; Saeed, A. and Hufner, A. (2005b):** NMR and Radical Scavenging Activities of Patuletin from *Urtica urens* L. against aflatoxin B₁. *Pharmaceutical Biol.* 43(6), 515-525.
- Abel, S. and Gelderblom, W.C. (1998):** Oxidative damage and fumonisin B₁-induced toxicity in primary rat hepatocytes and rat liver in vivo. *Toxicology* 131, 121-131.
- Abramson, D.; Usleber, E. and Marlbauer, E. (2001):** Immunochemical method for citrinin. M. W. Trucksess and A. F.

- Pohland (eds.), Mycotoxin protocols. Humana Press, Totowa, N.J. p. 195–204.
- Adamska, T.; Młynarczyk, W.; Jodynis-Liebert, J.; Bylka, W. and Matlawska, I. (2003):** Hepatoprotective effect of the extract and isocytisoside from *Aquilegia vulgaris*. *Phytother. Res.* 17, 691–696.
- Ahmed, S.M.F. (1971):** Deterioration of corn grains in storage by fungi. Ph. D. Thesis, Fac. Of Agric., Ain-Shams Univ.
- Alvarez, L.; Gil, A.G.; Ezpeleta, O.; Garcia-Jalon, J.A. and Lopez De Cerain, A. (2004):** Immunotoxic effects of ochratoxin A in wistar rats after oral administration. *Food Chem Toxicol.* 42(5), 825-834.
- Anderson, S. J. (1995):** Compositional changes in surface mycoflora during ripening of naturally fermented sausages. *J. Food Protect.* 58:426–429.
- Apple, F. S. (1989):** Diagnostic use of Ck-3 and CK-2 isoforms detecting myocardial infarction. *Clin. Lab. Med.* 9, 643-654.
- Arora, D.S. and Ohlan, D. (1997):** In vitro studies on antifungal activity of tea (*Camellia sinensis*) and coffee (*Coffea arabica*) against wood-rotting fungi. *Journal of Basic Microbiology* 37, 157–165.
- Bafi-Yebo, N.F.; Arnason, J.T.; Baker, J. and Smith M.L. (2005):** Antifungal constituents of northern prickly ash, *Zanthoxylum americanum* mill. *Phytomedicine.* 12(5):370-7.

- Balandrin, M.F.; Klocke, J.A.; Wurtele, E.S. and Bollinger, W.H. (1985):** Natural plant chemicals: sources of industrial and medicinal materials. *Science* **228**, 1154–1160.
- Baldi, A.; Losio, M.N.; Cheli, F.; Rebucci, R.; Sangalli, L.; Fusi, E.; Bertasi, B.; Pavoni, E.; Carli, S. and Politis, I. (2004):** Evaluation of the protective effects of alpha-tocopherol and retinol against ochratoxin A cytotoxicity. *Br. J. Nutr.* **91**(4), 507-512.
- Bamo, Y.O. and Tuite, J. (1989):** The effect of heat treatment and inoculum concentration on growth and sporulation of *Penicillium* spp. on corn genotypes in storage. *Phytopath.* **79**(10):1101-1104.
- Barton, C.C.; Ganey, P.E. and Roth, R.A. (2000):** Lipopolysaccharide augments aflatoxin B1-induced liver injury through neutrophil-dependent and independent mechanisms. *Toxicol Sci* **58**: 208–215.
- Basilico, M.Z. and Basilico, J.C. (1999):** Inhibitory effects of some spice essential oils on *Aspergillus ochraceus* NRRL 3174 growth and ochratoxin A production. *Letters in Applied Microbiology*, **29**, 238–240.
- Batt, C.; Solverg, M. and Ceponis, M. (1980):** Inhibition of aflatoxin production by carrot root extract. *J. Food Sci.* **45**, 1210–1213.
- Bennett, G.A. and Anderson, R. A. (1978):** Distribution of aflatoxin and/or zearalenone in wet-milled corn products: a review. *J. Agri. Food Chem.* **26**, 1055-1060.

- Bennett, G.A. and Richard, J.L. (1996):** Distribution of fumonisins in food and feed products prepared from contaminated corn. In: Jackson LS, Devries JW, Bullerman LB. eds. Fumonisins in Food. Plenum Press, New York. p 317–322.
- Bhat, R.V.; Ramakrishna, Y.; Beedu, S.R. and Munshi, K.L. (1989):** Outbreak of trichothecene mycotoxicosis associated with consumption of mould damaged wheat products in Kashmir Valley, India. Lancet 1, 35–37.
- Bilgrami, K.S. and Choudhary, A.K. (1998):** Mycotoxins in preharvest contamination of agricultural crops. In: Sinha KK, Bhatnagar D. eds. Mycotoxins in agriculture and food safety. Marcel Dekker, New York. p 01-43.
- Bilgrami, K.S.; Misra, R.S.; Sinha, K.K. and Singh, A. (1980):** Effect of some wild and medicinal plant extracts on aflatoxin production and growth of *Aspergillus flavus* in liquid culture. J. Indian Botan. Soci. 59, 123–126.
- Blandino, M.; Reyneri, A.; Vanara, F. and Ferreo, C. (2004):** Control of mycotoxins in corn from harvesting to processing operation. Proceedings of International Quality Grains Conference.
- Bluma, R.; Amaiden, M.R. and Etcheverry, M. (2008):** Screening of Argentine plant extracts: impact on growth parameters and aflatoxin B1 accumulation by *Aspergillus section Flavi*. Int J Food Microbiol.;122(1-2):114-25.

- Bol, J. and Smith, J.E. (1990):** Biotransformation of aflatoxin. Food Biotech.3, 1227-144.
- Booth. C. (1977):** *Fusarium*. Laboratory Guide to the Identification of the Major Species. Commonwealth Mycological Institute. Kew. Surrey. England.
- Boston, R.S. and Payne, G.A. (2008):** Diverse inhibitors of aflatoxin biosynthesis. Appl Microbiol Biotechnol.78(4):559-72.
- Botast, R.J.; Anderson, R.A.; Warner, K. and Kwolek, W.F. (1981):** Effects of moisture and temperature on microbiological and sensory properties wheat flour and corn meal during storage. Cereal chem. 58:309-311.
- Bothast, R.J. and Hesseltine, C.W. (1975):** Bright Greenish-Yellow Fluorescence and aflatoxin in Agricultural commodities. Appl. Microb. 30, 337-338.
- Bressac, B.; Kew, M.; Wands, J. and Ozturk, M. (1991):** Selective G to T mutations of p53 gene in hepatocellular carcinoma from southern Africa. Nature (London) 350: 429–431.
- Bressani, R. and Mertz, E.T. (1958):** Studies on corn protein. IV. Protein and amino acid content of different com varieties. Cereal Chem., 35: 227-235.
- Briggs, E.D. (1978):** Barley 8. The reception and storage of whole plants and grain. Chapman and Hall, A. Halsted Press Book, John Willey

- and Sons. Ew York, 417 pp (c.f. ph. D. Thesis Fac. Agric., Cairo Univ.).
- Broggi, L.E.; Resnik, S.L.; Pacin, A.M.; Gonzalez, H.H.L.; Cano, G. and Taglieri, D. (2002):** Distribution of dry-milled corn fractions in Argentina. Food Addit. Contam.19, 465-469.
- Bullerman, L.B. (1974):** Inhibition of aflatoxin production by cinnamon. J. Food Sci. 39, 1163–1165.
- Bullerman, L.B.; Lieu, F.Y. and Serier, A.S. (1977):** Inhibition of growth and aflatoxin production by cinnamon and clove oils, cinnamic aldehyde and eugenol. J. Food Sci. 42 (1107– 1108), 1116.
- Burge, R.M. and Duensing, W.J. (1989):** Processing and dietary fiber ingredient applications of com bran. Cereal Foods World, 34: 535-538.
- Bylka, W. and Matlawska, I. (1997a):** Flavonoids from *Aquilegia vulgaris* L. Part I. Isocytiside and its derivatives. Acta Pol. Pharm. 54, 331–333.
- Bylka, W. and Matlawska, I. (1997b):** Flavonoids from *Aquilegia vulgaris* L. Part II. Derivatives of apigenin and luteolin. Acta Pol. Pharm. 54, 335 – 337.
- Cairns, V. and Magan, N. (2003):** Impact of essential oils on growth and ochratoxin A production by *Penicillium verrucosum* and *Aspergillus ochraceus* on a wheatbased substrate. In: Credland, P., Armitage,

- D.M., Bell, C.H., Cogan, P.M. (Eds.), *Advances in Stored Product Protection*. CABI International, pp. 479–485.
- Canela, R.; Pujol, R.; Sala, N. and Sanchis, V. (1996):** Fate of fumonisin B1 and B2 in steeped corn kernels. *Food Addit. Contam.* 13: 511-517.
- Cardwell, K.F.; King, J.G.; Maziya-Dixon, B. and Bosque-Perez, N.A. (2000):** Interactions between *Fusarium verticillioides*, *Aspergillus flavus*, and insect infestation in four maize genotypes in Low land Africa. *Phytopath.* 90, 276–284.
- Carlton, W.W. and Tuite, J. (1977):** Metabolites of *P. viridicatum* toxicology, In J. V. Rodricks, C. W. Hesseltine, and M. A. Mehlman (eds.), *Mycotoxins in human and animal health*. Pathotox Publications., Inc., Park Forest South, Ill. p. 525–555.
- Carrillo, E.; Serna, S. and Rouzand, O. (1989):** Effect of storage conditions and packaging materials on the physicochemical microbiological and sensory properties of corn dry mass flour. *J. Food Proc. Pres.*, 13 (5): 335- 354.
- CAST, (2003):** Mycotoxins — risks in plant, animal and human systems, Task Force Report, No. 139. Council for Agricultural Science and Technology, Ames, Iowa, pp. 1–191.

- Cavaleiro, C.; Pinto, E.; Gonçalves, M.J. and Salgueiro, L. (2006):** Antifungal activity of Juniperus essential oils against dermatophyte, Aspergillus and Candida strains. J Appl Microbiol. 100 (6):1333-8.
- Cavret, S. and Lecoœur, S. (2006):** Fusariotoxin transfer in animal. Food Chem Toxicol. 44 (3), 444-53.
- Cetin, Y. and Bullerman, L.B. (2005):** Cyotoxicity of Fusarium mycotoxins to mammalian cell cultures as determined by the MTT bioassay. Food Chem. Toxicol. 43, 755-764.
- Charmley, L.L. and Prelusky, D.B. (1995):** Decontamination of *Fusarium* mycotoxins. Appl. Environ. Microbiol. 1: 421–435.
- Christensen, C.M.; Mirocha, C.J. and Meronuck R.A. (1977):** Molds, Mycotoxins, and Mycotoxicoses. Agricultural Experiment Station Miscellaneous Report 142. University of Minnesota, St. Paul.
- Christensen, C.M. and Kaufman, (1969):** Grain storage, the role of fungi in quality loss. Minneapolis Univ. of Minnesota Press, 1533 pp. (c.f. Seed Pathology, 1: 282-297, 1977).
- Christensen, C.M. (1957):** Deterioration of stored grains by fungi. Botan. Rev., 23: 108-134.
- Chu, F.S. (1991):** Current immunochemical methods for mycotoxin analysis, In M. Vanderlaan, L. H. Stanker, B. E. Watkins, and D. W. Roberts (eds.). Immunoassays for trace chemical analysis:

- monitoring toxic chemicals in humans, food, and the environment. American Chem. Soci. Washington, D.C. p. 140–157.
- Chu, F.S. (1974):** Studies in ochratoxin, CRC Crit. Rev. Toxicol. 2, 499-503.
- Chuang, P.H.; Lee, C.W.; Chou, J.Y.; Murugan, M.; Shieh, B.J. and Chen, H.M. (2007):** Anti-fungal activity of crude extracts and essential oil of *Moringa oleifera* Lam. Bioresour Technol.; 98(1):232-6.
- Chulze, S.N.; Ramirez, M.L.; Farnochi, M.C.; Pascale, M.; Visconti, A. and March, G. (1996):** *Fusarium* and fumonisin occurrence in Argentina corn at different ear maturity stages. J. Agric. Food Chem. 44: 2797–2801.
- Ciacchi-Zanella, J.R. and Jones, C. (1999):** Fumonisin B₁, a mycotoxin contaminant of cereal grains, and inducer of apoptosis via the tumor necrosis factor pathway and caspase activation. Food Chem. Toxicol. 37, 703- 712.
- Cleveland, T.E.; Dowd, P.F.; Desjardins, A.E.; Bhatnagar, D. and Cotty, P.J. (2003):** United States Department of Agriculture – Agricultural Research Service research on pre-harvest prevention of mycotoxins and mycotoxigenic fungi in US crops. Pest Manag. Sci. 59, 629–642.
- Cook, H.A. (1962):** Barely and Malt. I -Biology, Biochemistry and Technology. Academic Press, New York and London, 465 pp.

- Cortez, A. and Wild-Altamirano, C. (1972):** Contributions to the limetreated corn flour technology. In R. Bressani, J.E. Braham & M. Behar, eds. Nutritional improvement of maize. INCAP Pub. L4, p. 99-106.
- Coulombe, R.A. (1993):** Symposium: Biological action of mycotoxins, J. Dairy Sci. 76, 880–891.
- Council for Agricultural Science and Technology (1979):** Aflatoxin and Other Mycotoxins: An Agricultural Perspective. Report No. 80. Council for Agricultural Science and Technology, Ames, Iowa.
- Council for Agricultural Science and Technology (1989):** Mycotoxins. Economic and health risks. Council for Agricultural Science and Technology Task Force Report. No. 116. Council for Agricultural Science and Technology, Ames, Iowa.
- Creppy, E.E. (2002):** Update of survey, regulation and toxic effects of mycotoxins in Europe. Toxicol Lett. 127, 19-28.
- David, B.S. (1991):** Stored grain molds and mycotoxins. USDA, ARS, US. Grain Marketing Research Laboratory, 1515, College Avenue Manhattan, KSU-IGP Short Course September, 27.
- Deepa, M.A.; Narmatha Bai, V. and Basker, S. (2004):** Antifungal properties of *Pseudarthria viscida*. Fitoterapia. 75(6):581-584.
- Demeke, T.; Kidane, Y. and Wyhib, E. (1979):** Ergotism: a report of an epidemic, 1977–78. Ethiopian Med J. 17,107–114.

- Desjardins, A.E. (2006):** *Fusarium Mycotoxins: Chemistry, Genetics and Bio.* APS Press, St. Paul Minnesota, USA.
- Desjardins, A.E.; Gyanu, M.; Plattner, R.D.; Maragos, C.M. and Shroth, K. (2000):** Occurrence of *Fusarium* species and mycotoxins in Nepalese maize and wheat and the effect of trading processing methods on mycotoxin levels. *J. Agric. Food Chem.* 48,1377- 1383.
- Deutch, H.F. (1991):** Chemistry and biology of alpha- fetoprotein. *Adv. Cancer Res.* 56,253-312.
- Dharmaputra, O.S.; Purwadaria, H.K.; Susilo, H. and Ambarwati, S. (1994):** The effects of drying and shelling on *Fusarium* spp. infection and *Fusarium* toxins production in maize. URL: http://library.biotop.org/administrative_report.htm.
- Dowd, P.F. (1998):** Involvement of arthropods in the establishment of mycotoxigenic fungi under field conditions. In: Sinha KK, Bhatnagar D. eds. *Mycotoxins in agriculture and food safety*. Marcel Dekker, New York. p. 307-350.
- Dzoyem, J.P.; Tangmouo, J.G.; Lontsi, D.; Etoa, F.X. and Lohoue, P.J. (2007):** In vitro antifungal activity of extract and plumbagin from the stem bark of *Diospyros crassiflora* Hiern (Ebenaceae). *Phytother Res.* 21(7):671-674.
- Earll, L.; Earll, J.M.; Navjokaitis, S.; Pyle, S.; McFalls, K. and Altschul, A.M. (1988):** Feasibility and metabolic effects of a purified corn fiber food supplement. *J. Am. Diet. Assoc.*, 88: 950-952.

- Eisa, N.A.; Abdel-Reheem, S.K.; Bdr, A.E. and Abol-Ela, M.F. (1996):** Pathological studies on deterioration of yellow corn during storage and its control. I- Associated fungi, percentage of infection and its control. Al-Azhar, J. Agric Res. 24 (12):65-81.
- Elling, F. and Moller, T. (1973):** Mycotoxin nephropathy in pigs, Bull. World Health Org. 49,411-416.
- El-sayed, M.F. (1996):** Mycotoxin pollution in stored corn grains. Ph.D. Thesis, Ain-Shams University.
- Emerson, P.M. and Hunter, R.B. (1980):** Response of maize hybrids to artificially inoculated ear mould incited by *Gibberella zeae*. Can. J. Plant Sci. 60,1463.
- Etienne, M. and Dourmad, J.Y. (1994):** Effects of zearalenone or glucosinolates in the diet on reproduction in sows: a review. Live stock Prod. Sci. 40, 99-113.
- Fadl Allah, E.M. (1997):** Occurrence and toxigenicity of *Fusarium moniliforme* from freshly harvested maize ears with special references to fumonisin production in Egypt. Mycopatho. 140(2):99-103.
- Fandohan, P.; Gbenou, J.D.; Gnonlonfin, B.; Hell, K.; Marasas, W.F. and Wingfield, M.J. (2004):** Effect of essential oils on the growth of *Fusarium verticillioides* and fumonisin contamination in corn. J. Agric. Food Chem. 3;52(22):6824-6829.

- Fandohan, P.; Hell, k.; Marasas, W.F.O. and Wingfield, M.J. (2003):** African Journal of Biotechnology Infection of maize by *Fusarium* species and contamination with fumonisin in Africa. 2(12):570-579.
- Fandohan, P.; Zoumenou, D.; Hounhouigan, D.J.; Marasas, W.F.O.; Wingfield, M.J. and Hell, K. (2005):** Fate of aflatoxins and fumonisins during the processing of maize into food products in Benin. International J. Food Microbiol. 98,249–259.
- Fanelli, C.; Taddei, F.; Trionfetti Nisini, P.; Jestoi, M.; Ricelli, A.; Visconti, A. and Fabbri, A.A. (2003):** Use of resveratrol and BHA to control growth and mycotoxin production in wheat and maize seeds. Aspects of Appl Biolo. 68, 63–71.
- FAO Food and Nutrition Paper No. 81, (2004):** Worldwide Regulations for Mycotoxins in Food and Feed in 2003. p 180.
- FDA, (2000):** Background Paper in Support of Fumonisin Levels in Corn and Corn Products Intended for Human Consumption. USA Food and Drug Administration Centre for Food Safety and Applied Nutrition. URL: <http://vm.cfsan.fda.gov/~dms/fumonbg1.html>.
- FGIS (1994):** Federal Grains Inspection Service, United States Department of Agriculture, Kansas, Missouri, USA.
- Fink-Gremmels, J. (2005):** Ochratoxin A in food: recent developments and significance. Food Addit Contam. 22 Suppl 1, 1-5.

- Foegeding, P.M. and Busta, F.F. (1991):** Chemical food preservatives. In: Disinfection, Sterilisation, and Preservation (Ed. S.S. Block), p. 802–832. Lea & Febiger, Malvern, Pennsylvania.
- Fontenelle, R.O.; Morais, S.M.; Brito, E.H.; Kerntopf, M.R.; Brilhante, R.S.; Cordeiro, R.A.; Tomé, A.R.; Queiroz, M.G.; Nascimento N.R.; Sidrim, J.J. and Rocha, M.F. (2007):** Chemical composition, toxicological aspects and antifungal activity of essential oil from *Lippia sidoides* Cham. *J Antimicrob Chemother.* 59(5):934-40.
- Forman, H.J. and Torres, M. (1999):** Inflammation and overview. In: Davies KJA, ed., *Oxidative Damage and Repair, Chemical Biological Medical Aspects*. Oxford, Pergamon.
- Freiburghaus, F.; Kaminsky, R.; Nkunya, M.H.H. and Burn, R. (1996):** Evaluation of African medicinal plants for their in vitro trypanocidal activity. *J Ethnopharmacol.* 55, 1-11.
- Galvano, F.; Piva, A.; Ritieni, T. and Galvano, G. (2001):** Dietary strategies to counteract the effects of mycotoxins: A 425 review. *J Food Protect* 64: 120–131.
- Garcia, R.P. (1984):** Identification and screening of *Penicillium* isolates from shelled for production of mycotoxins (USA). ASEAN technical seminar on grain harvest technology, Kuala Lumpur (Malaysia), 21-24.

Gelderblom W.C.A., Thiel P.G., and Van der Merwe K.J. (1988b):

The role of rat liver microsomal enzymes in the metabolism of the fungal metabolite, fusarin C. *Food Chem Toxicol* 26:31–36.

Gelderblom, W.C.A.; Marasas, W.F.; Lebepe-Mazur, S.;

Swanevelder, S.; Vessey, C.J. and Hall, L. (2002): Interaction of fumonisin B₁ and aflatoxin B₁ in a short-term carcinogenesis model in rat liver. *Toxicol.* 171(2-3), 161-73.

Gelderblom, W.C.A.; Jaskiewicz, K.; Marasas, W.F.O.; Thiel, P.G.;

Horak, R.M.; Vleggaar, R. and Kriek, N.P.J. (1988a): Fumonisin: Novel mycotoxins with cancer-promoting activity produced by *Fusarium moniliforme*. *Appl Environ Microbiol* 54:1806– 1811.

Goldblatt, L. A. (1971): Control and removal of aflatoxin. *J AOAC Soci.*

48, 605-610.

Guerre, P.; Bailly, J.D.; Bénard, G. and Burgat, V. (2000): Excrétion

lactée des mycotoxines : quels risques pour les consommateurs ?, *Rev. Méd. Vét.* 151, 7–22.

Hadavi, E. (2005): Several physical properties of aflatoxin-contaminated

pistachio nuts: application of BGY fluorescence for separation of aflatoxin-contaminated nuts. *Food Addit. Contam.* 22, 1144-1153.

Haisman, H. and Muller, B.R. (1977): Glossary of clinical chemistry

terms. Butterwoeth, London., P 126.

- Hale, O.M.; Wilson, D.M. and Jay, E.G. (1978):** Acceptability and digestibility of swine diets containing corn stored under different conditions. *J. Anim. Sci.*, 47: 46-50.
- Haliburton, J.C. and Buck, W.B. (1986):** Equine leucoencephalomalacia: An historical review. In J. L. Richard and J. R. Thurston (Eds.). *Diagnosis of Mycotoxicoses*. Pp. 75–79.
- Halliwell, B. and Gutteridge, J.M.C. (1998):** *Free Radicals in Biology and Medicine*. New York, Oxford, Clarendon Press, pp. 416–494.
- Hanika, C. and Carlton, W. W. (1994):** Toxicology and pathology of citrinin, *In* G. C. Llewellyn, W. V. Dashek, and C. E. O’Rear (eds.), *Biodeterio. Resea.*, vol. 4: 41–63.
- Haritha, S.; Farid Waliyar, Veera reddy, S. and Sudharshan reddy, A. (2003):** Science with a Human face survey of aflatoxin contamination from food samples collected from different markets in andhra Pradesh India.
- Hasan, H.A. and Mahmoud, A.L.E. (1993):** Inhibitory effect of spice oils on lipase and mycotoxin production. *Zentralblatt fu¨r Microbiol.* 148, 543–548.
- Hassan, M.N. and Selim, S.A. (1982):** Some toxinogenic fungi associated with stored corn in Egypt. *J the Egyptian Vet Med Assoc.* 42 (4) 5-12.

- Heisey, R.M. and Gorham, B.K. (1992):** Antimicrobial effects of plant extracts on *Streptococcus mutans*, *Candida albicans*, *Trichophyton rubrum* and other micro-organisms. Lett. in Appl. Microb. 14, 136–139.
- Hendrich, S.; Miller, K. A.; Wilson, T. M. and Murphy, P. A. (1993):** Toxicity of *Fusarium proliferatum* fermented nixtamalized corn-based diets fed to rats: effect of nutritional status. J Agri. Food Chem. 41, 1649-1654.
- Hennigen, M.R.; Valente Soares, L.M.; Sanchez, S.; Di Benedetto, N.M.; Longhi, A.; Eyhéribide, G.; Torroba, J. and Zanelli, M. (2000):** Fumonisin in corn hybrids grown in Argentina for two consecutive seasons. Food Addit. Cont. 17, 55-58.
- Henry, R.J. (1974):** Clinical chemistry principles and technics, 2nd ed. Harper and Row p252.
- Hetherington, A.C. and Raistrick, H. (1931):** Studies in the biochemistry of microorganisms. Part XIV. On the production and chemical constitution of a new yellow colouring matter, citrinin, produced from glucose by *Penicillium citrinum* Thom. Phil. Trans. R. Soc. London Ser. B 220B:269–295.
- Hitokoto, H.; Morozumi, S. and Wauke, T. (1977):** Mycotoxin production of fungi on commercial foods. In: Mycotoxins (Ed. By J.V.Rodricks), p. 479–487. Human and animal health. Pathotox Publishers, Inc., Chicago.

- Hitokoto, H.; Morozumi, S. and Wauke, T. (1980):** Inhibitory effects of spices on growth and toxin production of toxicogenic fungi. *Appl. Environ. Microbiol.* 39, 818–822.
- Hocking, A.D.; Holds, K. and Tobin, N.F. (1988):** Intoxication by tremorgenic mycotoxin (Penitrem A) in a dog. *Australian Vet J* 65:82–85.
- Hope, R.; Jestoi, M. and Magan, N. (2003):** Multi-target environmental approach for control of growth and toxin production by *Fusarium culmorum* using essential oils and antioxidants. In: Credland, P., Armitage, D.M., Bell, C.H., Cogan, P.M. (Eds.), *Advances in Stored Product Protection*. CABI International, pp. 486–492.
- Hopmans, E.C. and Murphy, P.A. (1993):** Detection of fumonisin B₁, B₂ and B₃ and hydrolysed fumonisin B₁ in corn containing foods. *J. Agric. Food Chem.* 41: 1655-1658.
- Humpf, H.U. and Voss, K.A. (2004):** Effects of thermal food processing on the chemical structure and toxicity of fumonisin mycotoxins. *Molec Nut Food Res.* 48, 255-269.
- Igathinathane, C.; Womac, A.R.; Pordesimo, L.O. and Sokhansanj, S. (2008):** Mold appearance and modeling on selected corn stover components during moisture sorption. *Bioresour Technol.* 99(14):6365-71.
- International Agency for Research on Cancer (IARC), (2002):** Some Traditional Herbal Medicines, Some Mycotoxins, Naphthalene and

- Styrene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, vol. 82. IARC, Lyon.
- Ito, Y.; Peterson, S.W.; Wicklow, D.T. and Goto, T. (2001):** *Aspergillus pseudotamarii*, a new aflatoxin producing species in *Aspergillus* section *flavi*. Mycological Res. 105:233–239.
- Javasinghe, V.L.; Puvanendran, S.; Hara, N. and Fujimoto, Y. (2004):** Antifungal activities of the essential oils in *Syzygium aromaticum* (L.) Merr. Et Perry and *Leptospermum petersonii* Bailey and their constituents against various dermatophytes Nat. Prod. Res., 18, 571.
- Jean, P.J. (2007):** Methods for preventing, decontaminating and minimizing the toxicity of mycotoxins in feeds. Anim Feed Sci Technol. 137: 342–362.
- Jodynys-Liebert, J.; Matlawska, I.; Bylka, W. and Murias, M. (2006):** Protective effect of *Aquilegia vulgaris* L. on aflatoxin B₁-induced hepatic damage in rats. Env. Tox. Pharm. 22, 58–63.
- Jung, H.A.; Park, J.C.; Chung, H.Y.; Kim, J. and Choi, J.S. (1999):** Antioxidant flavonoids and chlorogenic acid from the leaves of *Eriobotrya japonica*. Arch. Pharm. Res. 22: 213–218.
- Kaplan, M.M. (1987):** Laboratory tests in diseases of the Liver. In: Schiff L, Schiff ER, eds., Philadelphia, J. B. Lippincott Co., pp. 219–237.

- Kim, E.K.; Scott, P.M. and Lau, B.P.Y. (2003):** Hidden fumonisins in corn flakes. *Food Addit. Cont.* 20, 161-169.
- Kim, S.R.; Park, M.J.; Lee, M.K.; Sung, S.H.; Park, E.J.; Kim, J.; Kim, S.Y.; Oh, T.H.; Markelons, G.J. and Kim, Y.C. (2002):** Flavonoids of *Inula Britannica* protect cultured cortical cells from necrotic cell death induced by glutamate. *Free Radic Biol Med* 32: 596–604.
- Kosalec, I.; Pepeljnjak, S. and Kustrak, D. (2005):** Antifungal activity of fluid extract and essential oil from anise fruits (*Pimpinella anisum* L., Apiaceae). *Acta Pharm.*;55(4):377-85.
- Krishnamachari, K.A.V.R. and Bhat, R.V. (1976):** Poisoning by ergoty bajra (pearl millet) in man. *Indian J. Med.Res.* 64, 1624–1628.
- Krogh, P. (1977):** Ochratoxins In J. V. Rodricks, C. W. Hesseltine, and M. A. Mehlman (Eds.). *Mycotoxins in Human and Animal Health*. Pathotox Publishers, Inc, Pp. 489–498.
- Kuiper-Goodman, T.; Scott, P.M. and Watanabe, H. (1989):** Risk assessment of the mycotoxin zearalenone. *Regul. Toxicol. Pharmacol.* 7, 253-306.
- Kurtz, H. J. and Mirocha, C. J. (1978):** Zearalenone (F2) induced estrogenic syndrome in swine. Pp. 1256–1264. In T. D. Wyllie and L. G. Morehouse (Eds.). *Mycotoxic Fungi, Mycotoxins, Mycotoxicoses*. Vol. 2. Marcel Dekker, Inc., New York.

- Kurtzman, C.P.; Horn, B.W. and Hesseltine, V. (1987):** *Aspergillus nomius*, a new aflatoxin-producing species related to *Aspergillus flavus* and *Aspergillus tamaraii*. *Antonie van Leeuwenhoek* 53:147–158.
- Lago, J.H.; Ramos, C.S.; Casanova, D.C.; Morandim, A.A.; Bergamo, D.C.; Cavaleiro, A.J.; Bolzani, V.S.; Furlan, M.; Guimaraes, E. F.; Young, M.C. and Kato, M.J.(2004):** Benzoic acid drevatives from piper species and their fungitoxic activity against *cladosporium cladosporioides* and *C. sphaerospermum*. *J. Nat. Prod.*67.(11), 783-8.
- Lea,T.; Steien, K. and Stormer, F.C. (1989):** Mechanism of ochratoxin A induced immunosuppression, *Mycopathologia* 107, 153-158.
- Leslie, J.F. and Summerell, B.A. (2006):** The *Fusarium* Laboratory Manual. Blackwell Pub., Ames, Iowa, USA.
- Liat, O.; Smadar, E.; David, C. and Amir, S. (2003):** Early Events in the *Fusarium verticillioides*-Maize Interaction Characterized by Using a Green Fluorescent Protein-Expressing Transgenic Isolate 69.3,1695-1707.
- Lillehoj, E.B. and Wall, J.H. (1987):** Decontamination of aflatoxin-contaminated maize grain. In: Zuber, M. S., Lillehoj, S. B., Renfro, B. L. (eds). *Aflatoxin in Maize: A proceedings of the Workshop*. pp. 260-279.

- Lillehoj, E.B. (1987):** The aflatoxin in maize problem : the historical perspective. US Universities, CIMMYT Maize Aflatoxin Workshop. EL-Batan, Mexico, 7-11April, 1986.
- Line, J.E. and Brackett, R.E. (1995a):** Factors affecting the aflatoxin B1 removal by *Flavobacterium aurantiacum*. Journal of Food Protection 58, 91-94.
- Line, J.E. and Brackett, R.E. (1995b):** Role of toxin concentration and second carbon source in microbial transformation of aflatoxin B1 removal by *Flavobacterium aurantiacum*. Journal of Food Protection 58, 1042-1044.
- Line, J.E.; Brackett, R.E. and Wilkinson, R.E. (1994):** Evidence for degradation of aflatoxin B1 by *Flavobacterium aurantiacum*. Journal of Food Protection 57, 788- 791.
- Lipps, P.E. and Deep, I.W. (1991):** Influence of tillage and crop rotation in yield, stalk rot and recovery of *Fusarium* and *Trichoderma* spp. from corn. Plant Dis. 75: 828-833.
- Logrieci, A. and Moretti, A. (1995):** Occurrence and toxigenicity of *Fusarium proliferatum* from preharvest maize earrot, and associated mycotoxins, Italy Plant Dis. 79 (7): 727- 730.
- Lu, Z.; Dantzer, W.R.; Hopmans, E.C.; Prisk, V.; Cunnick, J.E.; Murphy, P.A. and Hendrick, S. (1997):** Reaction with fructose detoxifies fumonisin B1 while stimulating liver associated natural killer cell activity in rats. J. Agri. Food Chem. 45, 803-809.

- Luster, M.I.; Germolec, D.R.; Burleson, G.R.; Jameson, C.W.; Ackermann, M.F., Lamm, K.R. and Hayes, H.T. (1987):** Selective immunosuppression in mice of natural killer cell activity by ochratoxin A, *Cancer Res.* 47, 2259-2262.
- Macdonald, M.V. and Chapman, R. (1997):** *Fusarium moniliforme* on maize from central America Africa and Asia during 1992- 1995. *Plant Pathology*, 46: 112- 125.
- Magan, N. and Aldred, D. (2007):** Why do fungi produce mycotoxins? In: Dijksterhuis, J., Samson, R. (Eds.), *Food Mycology: a multifaceted approach to fungi and food*. CRC Press, Boca Raton FL, USA.
- Mahmoud, A.L.E. (1994):** Antifungal action and antiaflatoxic properties of some essential oil constituents. *Letters in Applied Microbiology* 19, 110–113.
- Manabe, M. (2001):** Fermented foods and mycotoxins. *Mycotoxins* 51:25–28.
- Manninger, (1979):** Resistance of maize to ear rot on the basis of natural infection and inoculation. In: *Proceeding 10th Meeting, Eucarpia, Maize, Sorghum Sec. Varna, Bulgaria*. p 181–184.
- Marasas, W. F. O.; Kellerman, T. S.; Gelderblom, W. C. A.; Coetzer, J. A. W.; Thiel, P. G. and Van der Lugt, J. J. (1988):** Leukoencephalomalacia in a horse induced by fumonisin B₁, isolated from *Fusarium moniliforme*. *Onderstepoort J Vet Res* 55:197– 203.

- Marasas, W. F. O.; Miller, J.D.; Riley, R.T. and Visconti, A. (2001):** Fumonisin – occurrence, toxicology, metabolism and risk assessment. In: Summerell BA, Leslie JF, Backhouse D, Bryden WL, Burgess LW. eds. *Fusarium*. Paul E. Nelson Memorial Symposium. APS PRESS. The American Phytopathol Soci. St. Paul, Minnesota. p 332- 359.
- Marin, S.; Sanchis, V.; Ramos, A.J.; Vinas, I. and Magan, N. (1998a):** Environmental factors, *in vitro* interactions, and niche overlap between *Fusarium moniliforme*, *F. proliferatum*, and *F. graminearum*, *Aspergillus* and *Penicillium* species from maize grain. Mycol. Res. 102: 831–837.
- Marin, S.; Sanchis, V.; Ramos, A.J. and Magan, N. (1998b):** Control of growth and fumonisin B1 production by *F. moniliforme* and *F. proliferatum* isolates in maize grain with propionate formulations. Food Addit Contam. 16, 555–563.
- Marin, S.; Sanchis, V.; Ramos, A.J.; Vinas, I. and Magan, N. (2004):** Fumonisin-producing strains of *Fusarium*: A review of their ecophysiology. J Food Prot. 67, 1792–1805.
- Marin, S.; Sanchis, V.; Sa, D.; Castel, I.; Ramos, A.J.; Canela, R. and Magan, N. (1999):** Control of growth and fumonisin B1 production by *Fusarium verticillioides* and *Fusarium proliferatum* isolates in moist maize with propionate preservatives. Food Addit Contam.;16(12):555-63.

- Marks, B.P. and stroshine, R.L. (1995):** Effects of previous storage history, hybrid and drying method on the storability of maize grain. *J Stored Prod Res.*, 31(4):343-354.
- Marquardt, R.R. and Frohlich, A.A. (1992):** A review of recent advances in understanding ochratoxigenesis, *J. Anim. Sci.* 70, 3968–3988.
- Martinez, A.J.; Weng, C.Y. and Park, D.L. (1994):** Distribution of ammonia/aflatoxin reaction products in corn following exposure to ammonia decontamination procedure. *Food Addit and Contam.* 11, 659-667.
- Maruzzella, J.C. and Henry, P.A. (1958):** The *in vitro* antibacterial activity of essential oils and oil combination. *J. Am. Pharm. Assoc. Sci.*, eds. 47, 294–296.
- Masika, P.J. and Afolayan, A.J. (2002):** Antimicrobial activity of some plants used for the treatment of livestock disease in the Eastern Cape, South Africa. *J Ethnopharmacol.*;83(1-2):129-34.
- Masoko, P.; Picard, J. and Eloff, J.N. (2005):** Antifungal activities of six South African *Terminalia* species (Combretaceae). *J Ethnopharmacol.* 3;99(2):301-8.
- Masood, A. and Ranjan, K.S. (1991):** The effect of aqueous plant extracts on growth and aflatoxin production by *Aspergillus flavus*. *Lett Appl Microbiol.* 13, 32–34.

- Mayura, K.; Abdel-Wahhab, M.A.; McKenzie, K.S.; Sarr, A.B.; Edwards, J.F.; Naguib, K. and Phillips, T.D. (1998):** Prevention of Maternal and Developmental Toxicity in Rats via Dietary Inclusion of Common Aflatoxin Sorbents: Potential for Hidden Risks. *Toxicol. Sci.* 41, 175-182.
- Mazhara, N.V. (1974):** Features of the pathogenesis of stem and root rots of maize on irradiation of seeds. *Byul. VNII Kukuruzny No., 1/2*: 126-128 (*Rev. Plant Pathol.*, 54: 523).
- McKean, C.; Tang, L.; Tang, M.; Billam, M.; Wang, Z.; Theodorakis, C.W.; Kendall, R.J. and Wang, J.S. (2006):** Comparative acute and combinative toxicity of aflatoxin B₁ and fumonisin B₁ in animals and human cells. *Food Chem Toxicol.* 44 (6), 868-876.
- Michial, S.H.; Mathur, S.B. and Neergaard, P. (1977):** Seed health testing for *Rhizoctonia solani* on blotters. *Seed Science and Technology*, 5 (3): 603- 611. (*Rev. Plant Pathol.*, 57: 195).
- Miller, D.M. and Willson, D.M. (1994):** Veterinary diseases related to aflatoxins. In *The Toxicology of Aflatoxins*; Eaton, L. D., Groopman, J. D., Eds.; Academic Press: San Diego, CA, pp 347-364.
- Mohamed, H.A.; Ashour, W.E.; Sirry, A.R. and Fathi, S.M. (1967):** Fungi carried by corn seed their importance causing corn disease in the United Arab Republic. *Plant Dis Rep.*, 51(1):53-56.

- Moss, M.O. (1998):** Recent studies of mycotoxins. J Appl Microbiol. Symposium Supplement 84, 62S-76.
- Munkvold, G.P. and Desjardins, A.E. (1997):** Fumonisin in maize. Can we reduce their occurrence? Plant Dis. 81: 556–564.
- Munoz, L.; Cardelle, M.; Pereiro, M. and Riguera, R. (1990):** Occurrence of corn mycotoxins in Galicia (Northwest Spain). J Agric food Chem. 38 (4): 1004- 1006.
- Muriuki, G.K. And Siboe, G.M. (1995):** Maize flour contaminated with toxigenic fung and mycotoxins in Kenya Africa. J Health Sci., 2 (1): 236- 241.
- Murphy, P.A.; Rice, L.G. and Ross, P.F. (1993):** Fumonisin B1, B2 and B3 content of Iowa, Wisconsin, and Illinois corn and corn screenings. J Agric Food Chem. 41, 263-266.
- Murray, R.K.; Granner, D.K.; Mayes, P.A. and Rodwell, V.W. (1990):** Harper's Biochemistry, 22nd Ed. Appleton and Lange, East Norwalk, CT.
- Naguib, K.; Sahab, A.F.; Metwally, M. and El-Sayed, A.A. (1989):** Fungal flore associated with corn grains with special references to vomitxin prduction. Plant Pathol., 72 (10): 773.
- Navarro, V.; Villarreal, M.L.; Rojas, G. and Lozoya, X. (1996):** Antimicrobial evaluation of some plants used in Mexican traditional

- medicine for the treatment of infectious diseases. *J Ethnopharmacol.* 53, 143– 147.
- Neergard, P. (1977):** Seed pathology. The Macmillan Press Ltd. London and Basingstok Associated Companies in New York, Dublin, Melbourne, Johannesburg and Madran, 1187 pp.
- Nelson, P.E.; Toussoun, T.A. and Marasas, W.F. (1983):** *Fusarium Spp. An illustrated manual for identification.* Published by the Pennsylvania University. Press University Park and London.
- Nesci, A.; Gsponer, N. and Etcheverry, M. (2007):** Natural maize phenolic acids for control of aflatoxigenic fungi on maize. *J Food Sci.* 72(5):M180-5.
- Ni, X.; Gunawan, G.; Brown, S.L.; Sumner, P.E.; Ruberson, J.R.; Buntin, G.D.; Holbrook, C.C.; Lee, R.D.; Streett, D.A.; Throne, J.E. and Campbell, J.F. (2008):** Insect-attracting and antimicrobial properties of antifreeze for monitoring insect pests and natural enemies in stored corn. *J Econ Entomol.* 101(2):631-6.
- Niyo, K.A.; Richard, J.L. and Tiffany, L.H. (1988):** Effect of T-2 mycotoxin ingestion on phagocytosis of *Aspergillus fumigatus* conidia by rabbit alveolar macrophages and on hematologic, serum biochemical, and pathologic changes in rabbits. *American J Vet Res.* 49, 1766–1773.

- Norred, W.P.; Voss, K.A.; Bacon, C.W. and Riley, R.T. (1991):** Effectiveness of ammonia treatment in detoxification of fumonisin contaminated corn. *Food Chem Toxicol* 29, 815-819.
- Northolt, M. D. and Bullerman, L. B. (1982):** Prevention of mold growth and toxin production through control of environmental conditions. *J Food Prot.* 45, 519-526.
- Odyssey, G.N.; Remmers, J.C. and Spencer, N.M. (1990):** Association of kernel splitting with kernel and ear rots of corn in a commercial hybrid grown in the coastal bend of Texas. *Phytopathol.* 80: 1045.
- Ono, E.Y.S.; Sugiura, Y.; Homechin, M.; Kamogae, M.; Vizzoni, E.; Ueno, Y. and Hirooka, E.Y. (1999):** Effect of climatic conditions on natural mycoflora and fumonisins in freshly harvested corn of the State of Parana, Brazil. *Mycopathol.* 147: 139–148.
- Osman, A.R.; Mikhail, M.S.; Aly, H.Y. and Soleman, N.K. (1988):** Sorghum graine-borne fungi and their effect on grain viability under different storage condition. *Egypt. J. of Plant Pathol.*, 20 (1): 47- 61.
- Pang, V.R.; Felsburg, P.J.; Beasley, V.R.; Buck, W.B. and Payne, G.A. (1998):** Process of contamination by aflatoxin-producing fungi and their impact on crops. Pp. 279–306. In K. K. S. Sinha and D. Bhatnagar (Eds.). *Mycotoxins in Agric Food Saf.* Marcel Dekker, Inc., New York.
- Park, D.L.; Lopez-Garcia, R.; Trujillo-Preciado, S. and Price, R.L. (1996):** Reduction of risks associated with fumonisin contamination

- in corn. In: Fumonisin in food. Jackson, L. S., De Vries, J. W., Bullerman, L. B. (eds). Plenum Press, New York. pp. 335-344.
- Park, D.L.; Rua, S.M.; Mirocha, C.J.; Ab-Alla, S.A.M.E. and Weng, C. Y. (1992):** Mutagenic potentials of fumonisin contaminated corn following the ammonia decontamination procedure. *Mycopathol.*, 117, 105-108.
- Passone, M.A.; Resnik, S.L. and Etcheverry, M.G. (2005):** In vitro effect of phenolic antioxidants on germination, growth and aflatoxin B accumulation by peanut *Aspergillus section Flavi*. *J Appl Microbiol.* 99(3):682-91
- Patton, C.J. and Crouch, S.R. (1977):** Relation ship between clinical and biochemical picture of uterine torsion in Egyptian Buffaloes. *Anal. Chem.*, 49:464-469.
- Paul, M.C. and Mishra, R.R. (1992):** Studies on seed mycoflora of maize. I- Seasonal variation in mycoflora. *Crop Research (Hisar)*. 5: 225- 232. (c.f. . *Plant Path.*, 1993, 72 (9): 684).
- Peers, F.G.; Gilman, G.A. and Linsell, C.A. (1976):** Dietary aflatoxins and human liver cancer. A study in Swaziland *Int J Cancer* 17: 167–176.
- Peker, I.; Atakul, S.; Akdogan, O.; Az, D. and Vahapoglu, H. (1994):** The amount of aflatoxin in different food, feedstuffs and feed in Turkey. *Chim. Acta Turcica* 22, 103–109.

- Perez, G.R.; Tuite, J.F. and Baker, k. (1982):** Effect of moisture, temperature and storage time on subsequent storability of shelled corn. American Assoc cereal Chem., 59(3): 205-209.
- Pestka, J.J. and Bondy, G.S. (1994):** Immunotoxic effects of mycotoxins. In: Miller, J.D., Trenholm, H.L. (Eds.), Mycotoxins in Grain-Compounds other than Aflatoxin. Eagan Press, St. Paul, pp. 339–358.
- Peterson, S.W.; Ito, Y.; Horn, B.W. and Goto, T. (2001):** *Aspergillus bombycis*, a new aflatoxicogenic species and genetic variation in its sibling species, *A. nomius*. Mycol. 93, 689–703.
- Pfohl-Leskowicz, A. (2000) :** Écologie des moisissures et des mycotoxines. Situation en France, Cah. Nutr. Diét. 35, 379–388.
- Pier, A.C. (1992):** Major biological consequences of aflatoxicosis in animal production, J. Anim. Sci. 70 12 3964–3967.
- Pier, A.C. and Richard, J.L. (1992):** Mycoses and mycotoxicoses of animals caused by aspergilli. Biotechnol. 23, 233–248.
- Pitt, J.I. (2000):** Toxigenic fungi and mycotoxins. British Med. Bull. 56, 184- 192.
- Pittet, A. (1998):** Natural occurrence of mycotoxins in foods and feeds – an updated review. Rev. Med. Vet. 149: 479–492.

- Placinta, C.M.; D'Mello, J.P.F. and Macdonald, A.M.C. (1999):** A review of the worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins. *Anim. Feed Sci Technol.* 78, 21-37.
- Plamgren, M.S.; Lee, L.S.; Delucca, A.J. and Ciegler, A. (1993):** Preliminary study of mycoflora and mycotoxins in grain dust from New Orleans grain elevators. *American Industrial Hygiene Association J.*, 44 (7): 458- 488.
- Prasad, G.; Sahay, S.S. and Masood, A. (1994):** Inhibition in aflatoxin biosynthesis by the extract of *Amorphophallus campanulatus* (OL) and calcium oxalate. *Lett. Appl Microbiol.* **18**, 203–205
- Prelusky, D.B.; Rotter, B.A. and Rotter, R.G. (1994):** Toxicology of mycotoxins. In: Miller, J.D., Trenholm, H.L. (Eds.), *Mycotoxins in Grain-Compounds other than Aflatoxin*. Eagan Press, St. Paul, pp. 359–403.
- Pujol, R.; Torres, M.; Sanchis, V. and Canela, R. (1999):** Fate of fumonisin B1 in corn kernel steeping water containing SO₂. *J Agric Food Chem.* 47, 276-278.
- Rahman, M.M.; Polfreman, D.; MacGeachan, J. and Gray, A.I. (2005):** Antimicrobial activities of *Barringtonia acutangula*. *Phytother Res.* 19(6):543-5
- Rao, B.L. and Husain, A. (1985):** Presence of cyclopiazonic acid in kodo millet (*Paspalum scrobiculatum*) causing “kodua poisoning” in

- man and its production by associated fungi. *Mycopathol.* 89:177–180.
- Rasooli, I. and Owlia, P. (2005):** Chemoprevention by thyme oils of *Aspergillus parasiticus* growth and aflatoxin production. *Phytochem.* 66(24):2851-6.
- Rasooli, I.; Fakoor, M.H.; Yadegarinia, D.; Gachkar, L.; Allameh, A. and Rezaei, M.B. (2007):** Antimycotoxigenic characteristics of *Rosmarinus officinalis* and *Trachyspermum copticum* L. essential oils. *Int J Food Microbiol.* 29;122(1-2):135-9.
- Reddy, V.K. and Reddy, S.M. (1989):** Seed mycoflora of miasa Indian Seed . *Pathol.*, 1991 (2): 30.
- Reyneri, A. (2006):** The role of climatic conditions on mycotoxin production in cereal. *Vet. Res Commun.* 30, 87–92
- Ribelin, W.E.; Fukushima, K. and Still, P.E. (1978):** The toxicity of ochratoxin A to ruminants, *Can. J. Comp. Med.* 42, 172–176.
- Richard, E.; Heutte, N.; Sage, L.; Pottier, D.; Bouchart, V.; Lebailly, P. and Garon, D. (2007):** Toxigenic fungi and mycotoxins in mature corn silage. *Food Chem. Toxicol.*, 45:2420-2425.
- Richard, J.L. (1991):** Mycotoxins as immunomodulators in animal systems. In: Bray, G.A., Ryan, D.H. (Eds.), *Mycotoxins, Cancer, and Health*, Pennington Center Nutrition Series. Louisiana State University Press, Baton Rouge, Louisiana, pp. 197–220.

- Richard, J.L. (1998):** Mycotoxins, toxicity and metabolism in animals—a systems approach overview. In: Miraglia, M., van Egmond, H.P., Brera, C., Gilbert, J. (Eds.), *Mycotoxins and Phycotoxins—Developments in Chemistry, Toxicol Food Safety*. Alaken, Inc., Fort Collins, pp. 363–397.
- Richard, J.L. (2000):** Mycotoxins—an overview. In: Richard, J.L. (Ed.), *Romer Labs' Guide to Mycotoxins*, vol. 1, pp. 1–48.
- Richard, J.L.; Bennett, G.A.; Ross, P.F. and Nelson, P.E. (1993):** Analysis of naturally occurring mycotoxins in feedstuffs and foods. *J Anim. Sci.* 71, 2563-2574.
- Richard, J.L.; Meerdink, G.; Maragos, C.M.; Tumblesom, M.; Bordson, G.; Rice, L.G. and Ross, P.F. (1996):** Absence of detectable fumonisins in milk of cows fed *Fusarium proliferatum* (Matsushima) Nirenberg culture material. *Mycopathol* 133, 123–126.
- Riley, R.T.; Goeger, D.E. and Norred, W.P. (1995):** Disruption of calcium homeostasis: the cellular mechanism of cyclopiazonic acid toxicity in laboratory animals. In M. Eklund, J. L. Richard, and K. Mise (Eds.). *Mol. Appr Food Saf.* p. 461–480.
- Riley, R.T. (1998):** Mechanistic interactions of mycotoxins: theoretical considerations, in: Sinha K.K., Bhatnagar D. (Eds.), *Mycotoxins in Agric. Food Safety.*, pp. 227–253.
- Riley, R.T. and Norred, W.P. (1999):** Mycotoxin prevention and decontamination. Corn – a case study. Third Joint FAO/WHO/UNEP International Conference on Mycotoxins, 11 p.

- Robledo-Robledo, E. (1991):** Strategies for the prevention and control of fungi and mycotoxins in Central and South America. In: Champ BR, Highley E, Hocking AD, Pitt JI. eds. Fungi and mycotoxins in stored products. Proceedings of an international conference, Bangkok, Thailand, 23–26 April 1991. p 39–46.
- Robrert, A.H.; David, M.W.; William, R.B. and Odette, L.S. (1984):** Viable fungi in corn dust. Appl. Environ. Microbiol., 47 (1): 84- 87.
- Rosca-Casian, O.; Parvu, M.; Vlase, L. and Tamas, M. (2007):** Antifungal activity of Aloe vera leaves. Fitoterapia.; 78(3):219-22.
- Ross, S.A.; Megalla, S.E.; Bishay, D.W. and Awad, A.H. (1980):** Studies for determining antibiotic substances in some Egyptian plants, Part II. Antimicrobial alkaloides from the seeds of *Peganum harmala* L. Fitoterap. 2. 309–312.
- Russo, M.A.; Strounina, E.; Waret, M.; Nicholson, T.; Truss, R. and Halley, P.J. (2007):** A study of water diffusion into a high-amylase starch blend: the effect of moisture content and temperature. Biomacromol. 8(1):296-301.
- Sahanoun, Z.; Jamoussi, K. and Zeghal, K.M. (1998):** Free radicals and antioxidants: Physiology, human pathology and therapeutic aspects. Therapie 53: 315–339.

- Sahay, S.S. and Ranjan, K.S. (1990):** Efficacy of certain chemicals, fungicides, spices and plant extracts in the control of aflatoxin production by *Aspergillus flavus* in mustard. Proceeding Nat Academy of Sci, 60 , 169–172.
- Saito, M.; Enomoto, M. and Tatsuno, T. (1971):** Yellowed rice toxins: luteoskyrin and related compounds, chlorine-containing compounds and citrinin, p. 299–380. In A. Ciegler, S. Kadis, and S. J. Ajl (ed.), Microbial toxins, vol. VI: fungal toxins. Academic Press, New York.
- Samapundo, S.; De Meulenaer, B.; Osei-Nimoh, D.; Lamboni, Y.; Debevere, J. and Devlieghere, F. (2007):** Can phenolic compounds be used for the protection of corn from fungal invasion and mycotoxin contamination during storage? Food Microbiol. (5):465-73.
- Sansing, G.A.; Lillehoj, E.B. and Detroy, R.W. (1976):** Synergistic toxic effect of citrinin, ochratoxin A and penicillic acid in mice. Toxicon **14**:213– 220.
- SAS Institute, Inc. (1982):** SAS User's Guide: statistics. SAS Institute, Cary, N.C.
- Sauer, B.D.; Meronuch, R.A. and Christensen, C.M. (1992):** Storage of cereal grains and their products. 7 Microflore. Am. Ass. Cereal Chem Inc. Paul, MN. USA, 813 pp. (c.f. ph. D, Thesis Fac. Of Agric., Cairo Univ., 1995).

- Saxena, J. and Mathela, C.S. (1996):** Antifungal activity of new compounds from *Nepeta leucophylla* and *Nepeta clarkei*. In: Appl Environ Microbiol 62(2):702-4.
- Sayer, S.T. (1991):** Fusarium infection in some walkale Nw Zealand. J Crop and Horticulture Sci., 19 (2): 149- 156.
- Scherwin, J.E. (2003):** Liver function. Clinical chemistry: Theory, analysis, correlation 4th ed. 492 and appendix.
- Schinella, G.R.; Tournier, H.A.; Prieto, J.M.; Mordujovich de Buschiazzo, P. and Rios, J.L. (2002):** Antioxidant activity of anti-inflammatory plant extracts. Life Sci 70: 1023–1033.
- Schulthess, F.; Ako, M.; Gumedzoe, M.Y.D. and Cardwell, K.F. (2002):** The effect of *Fusarium verticillioides* on oviposition behaviour and bionomics of lepidopteran and coleopteran pests attacking the stem and cobs of maize in West Africa. Entomol. Exper. Appl. 106: 201-210.
- Scott, P. M. (1994):** *Penicillium* and *Aspergillus* toxins. Pp. 261– 285. In J. D. Miller and H. L. Trenholm (Eds.). Mycotoxins in Grain: Compounds Other Than Aflatoxin. Eagan Press, St. Paul, Minnesota.
- Scott, P. M.; Kanhere, S. R.; Lawrence, G. A.; Daley, E. F. and Farber, J. M. (1995):** Fermentation of wort containing added ochratoxin A and fumonisin B1 and B2. Food Addit Contam. 12, 31-40.

- Sell, S.; Xy, K.L.; Huff, W.E.; Kubena, L.F.; Harvey R.B. and Dunsford, H.A.A. (1998):** Aflatoxin exposure produces serum alphafetoprotein elevations and marked oval cell proliferation in young male pekin ducklings. *Pathol.* 30: 34–39
- S'etamou, K.F.; Cardweel, F.S. and Hell, K. (1997):** *Aspergillus flavus* infection and aflatoxin contamination of pre-harvest maize in Benin *Plant Dis.*, 81 (11): 1323- 1327.
- Shaily, A.L.R.; Tahie, M. and Farage, F. (1984):** Mycotoxins and fungle contenys of corn stored under different storing condition Iraqi *J Sci.*, 25 (1-2): 1-6.
- Sharma, O. P.; Raj, D. and Garg, R. (1986):** Toxicity of nectar of tea (*Camellia thea*) to honeybees. – *J. Apicult. Res.* 25: 106–108.
- Shelby, R.A.; White, D.G. and Bauske, E.M. (1994):** Differential fumonisin production in maize hybrids. *Plant Dis.* 78: 582–584.
- Shephard, G.S.; Thiel, P.G.; Stockenstrom, S. and Sydenham, E.W. (1996):** Worldwide survey of fumonisin contamination of corn and corn-based products. *J. AOAC Int.* 79: 671–687.
- Shetty, P.H. and Bhat, R.V. (1999):** A physical method for segregation of fumonisin-contaminated maize. *Food Chem.* 66: 371–374.
- Shin, K.S.; Lee, S. and Cha, B.J. (2007):** Suppression of phytopathogenic fungi by hexane extract of *Nepenthes ventricosa* x *maxima* leaf. *Fitoterapia.*;78(7-8):585-6.

- Sies, H. (1991):** Oxidants and antioxidants: In: *Oxidative Stress*, London, Academic Press, pp. XV–XXII.
- Singh, P. (1983):** Control of aflatoxin through natural plant extracts. In the *Proceeding of Symposium on Mycotoxin in Food and Feed* (Ed. by Bilgranii, K.S.Prasad, T. and Sinha, K.K.), pp. 307–315 Bhagalpur. Allied Press.
- Smith, J. E. and Moss, M.O. (1985):** *Mycotoxins: Formation, Analysis, and Significance*. John Wiley and Sons, New York.
- Smith, J.E.; Solomons, G.L.; Lewis, C.W. and Anderson, J.G. (1994):** *Mycotoxins in Human Nutrition and Health*. Brussels: European Commission CG XII. Steyn, P.S., 1995. Mycotoxins, general view, chemistry and structure. *Toxicol. Lett.*, 843–851.
- Solovey, M.M.S.; Somoza, C.; Cano, G.; Pacin, A. and Resnik, S. (1999):** A survey of fumonisin, deoxynivalenol, zearalenone and aflatoxins contamination in corn-based food products in Argentina. *Food. Addit. Contam.* 16 (8), 325–329.
- Spicher, G. (1989):** Fungi and cereals and their effect on quality with special consideration of brewing barely. *Brauwissenschaft*, 42(2):68-77.
- Steyn, P.S. and Vleggaar, R. (1985):** Tremorgenic mycotoxins, In W. Herz, H. Griseback, G. W. Kirby, and Ch. Tamm (ed.), *Progress in the chemistry of organic natural products*, vol. 48. p. 1–80.

- Stroshine, R.L. and Yang, X. (1990):** Effects of hybrid and grain damage on estimated dry matter loss for high-moisture shelled corn. American Society of Agricultural Engineers. 33(4):1291-1298.
- Stubblefield, R.D.; Shotwell, O.L.; Hesseltine, C.W.; Smith, M.L.; Hall, H.H. (1967):** Production of Aflatoxin on wheat and oats: Measurement with a recording densitometer .Applied microbiology ,15(1): 186-190.
- Sultan, I.; Senkal, C.E.; Ponnusamy, S.; Bielawski, J.; Szulc, Z.; Bielawska A., Hannun,Y.A. and Ogretmen, B. (2006):** Regulation of the sphingosine-recycling pathway for ceramide generation by oxidative stress, and its role in controlling c-Myc/Max function. Biochem J., 393(Pt 2), 513-521.
- Sweeney, M.J. and Dobson, A.D.W. (1998):** Mycotoxin production by *Aspergillus*, *Fusarium* and *Penicillium* species. Int J Food Microbiol., 43, 141-158.
- Sweeney, M.J. and Dobson, A.D.W. (1999):** Molecular biology of mycotoxin production. FEMS Microbiol. Lett. **175**:149–163.
- Sydenham, E.W.; Gelderblom, W.C.A.; Thiel, P.G.; Marasas, W.F.O. (1990):** Evidence for the natural occurrence of fumonisin B1, a mycotoxin produced by *Fusarium moniliforme*, in maize. J Agric Food Chem. 38, 285–290.

- Sydenham, E.W.; Stockenstrom, S.; Thiel, P.G.; Shephard, G.S.; Koch, K.R. and Marasas W.F.O (1995):** Potential of alkaline hydrolysis for the removal of fumonisins from contaminated corn. J. Agric. Food Chem. 43: 1198-1201.
- Szasz,G.; Gruber, W. and Bernt, E. (1976):** Creatine Kinase in serum: Determination of optimum reaction conditions. Cln. Chem. 22: 650-656.
- Szauffer-Hajdrych, M., Drost-Karbowska, K., Kowalewski, Z. (1998):** Phenolic acids and alkaloids in roots of *Aquilegia vulgaris* L. (*Ranunculaceae*) part IV. Herba Polonica 44, 165–171.
- Terzi, V.; Morcia, C.; Faccioli, P.; Valè, G.; Tacconi, G. and Malnati, M. (2007):** In vitro antifungal activity of the tea tree (*Melaleuca alternifolia*) essential oil and its major components against plant pathogens. : Lett Appl Microbiol.;44(6):613-8.
- Thirumala-Devi, K. and Keller, N. (2004):** Mycotoxins Produced by Plant Pathogenic Fungi. Encyclopedia of Plant and Crop Sci. 10.1081.
- Tietz, N.W. (1987):** Fundamentals of clinical chemistry, 2nd Ed., Philadelphia, W.B. Saunders Co. P657.
- Towers, N.R. and Sposen, J.M. (1993):** Zearalenone-induced infertility in sheep and cattle in New Zealand, N.Z. Vet. J. 41, 223–224.

- Tuite, T. and Foster, G.H. (1979):** Control of storage diseases of grains. *Annu. Rev. Phytopathol.*, 17;343-366.
- Urano, T.; Trucksess, M.W.; Beaver, R.W.; Wilson, D.M.; Dorner, J.W. and Dowel, F.E. (1992):** Co-occurrence of cyclopiazonic acid and aflatoxins in corn and peanuts. *J Assoc. Official Analyt. Chem.* 75, 838– 841.
- Velluti, A.; Marin, S.; Bettucci, L.; Ramos, A.J. and Sanchis, V. (2000):** The effect of fungal competition of maize grain by *Fusarium moniliforme*, *F.proliferatum* and *F. graminearum* and on fumonisin B1 and zearalenone formation. *Int. J. Food Microbiol.* 59: 59-66.
- Visconti, A.; Boenke, A.; Doko, M.B.; Solfrizzo, M. and Pascale, M. (1995):** Occurrence of fumonisins in Europe and BCR measurement and testing projects. *Nat. Toxins* 3, 269–274.
- Voss, K.A.; Norred, W.P.; Bacon, C.W. and Meridith, F.I. (1996):** Comparative subchronic toxicity studies of nixtamalized and water-extracted *Fusarium moniliforme* culture material. *Food and Chemical Toxicol.* , 34, 623-632.
- Voss, K.A.; Riley, R.; Dunn, C. and Christopher Corton, J. (2006):** The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicol.* 222(3), 165-74.
- Waller, R.A. and Duncan, D.B. (1969):** A Bayes rule for the symmetric multiple comparison problems. *J. Am. Stat. Assoc.* 64: 1484-1503.

- Wannemacher, R.W.; Brunner, D.L. and Neufeld, H.A. (2000):** Toxicity of trichothecenes and other related mycotoxins in laboratory animals. In: Smith JE, Henderson RS, Eds. Mycotoxins and animal foods. Boca Raton: CRC Press.
- Warfield, C.Y. and Gilchrist, D.G. (1999):** Influence of kernel age on fumonisin B1 production in corn by *Fusarium moniliforme*. Appl. Environ. Microbiol. 65: 2853–2856.
- Warren, H.L. (1977):** Survival of *Colletotrichum graminicola* in corn kernels. Phytopathol., 67(2): 160-162.
- Wellancher, M. (1991):** *Fusarium* species on cereals and maize from Austria. Pflanzenschutzberich, 52 (1): 48- 50. (c.f Seed Path and Miraco., 1992 (3): 36).
- Weng, C.Y.; Martinez, A.J. and Park, D.L. (1994):** Efficacy and permanency of ammonia treatment in reducing aflatoxin levels in corn. Food Addit. Contam. 11, 649-658.
- WHO Food Additives Series, (2000):** Zearalenone, 53rd meeting of JECFA.
<http://www.inchem.org/documents/jecfa/jecmono/v44jec14.htm>.
- Winrow, V.R.; Winyard, P.G.; Morris, C.J. and Blake, D.R. (1993):** Free radicals in inflammation: Secondmessengers andmediators of tissue destruction. Br Med Bull 49: 506–522.

- Yang, C.F.; Liu, J.; Wasser, S.; Shen, H.M.; Tan, C.E. and Ong, C.N. (2000):** Inhibition by ebselen of aflatoxin B₁-induced hepatocarcinogenesis in Fischer rats. *Carcino.* 21: 2237–2243.
- Yasin, M.; Hanna, M.A. and Bullerman, L.B. (1992):** Potassium sorbet inhibition of mold in high moisture corn. *Amrican Soci. Agric.Engin.* 35 (4): 1229- 1233.
- Yoshida, S.; Kasuga, S.; Hayashi, N.; Ushiroguchi, T.; Matsuura, H. and Nakagawa, S. (1987):** Antifungal activity of ajoene derived from garlic. *Appl Environ Microbiol.* 53(3): 615–617.
- Yoshizawa, T.; Yamashita, A. and Luo, Y. (1994):** Fumonisin occurrence in corn from high- and low-risk areas for human esophageal cancer in China. *Appl Environ Microbiol* 60(5):1626–1629.
- Zhu, X.F.; Zhang, H.X. and Lo, R. (2005):** Antifungal activity of *Cynara scolymus* L. extracts. *Fitoterapia.* 76(1):108-11.
- Zohri, A.A; Abdel-Ster, M.A. and ISmail, M.A. (1995):** Incidence of aflatoxins and mould flora in corn snack. *L. of Food Sci. and Techologt, Mysore,* 32 (4): 289- 294.
- Zummo, N. and Scott, G.E. (1992):** Interaction of *Fusarium moniliforme* and *Aspergillus flavus* on kernel infection and aflatoxin contamination in maize ears. *Plant Dis.* 76: 771–773.