

REFERENCES

- Aboul Oyoum, H.; Hammouda, M.; Ahmed, A.; and Abdel-fatah,G. (2001):**
"Cartilage-perichondrium tympanoplasty for atelectatic ear" *Egypt. J. Otolaryngol*, Vol. 18, No.2,: 243-251
- Ackerman, M.N.; Friedman, R.; Doyle, W.; Bluestone, C. and Fireman, P. (1984):** "Antigen induced Eustachian tube obstruction: An intranasal provocative test." *J. Allergy Clin. Immunol.*,73: 604-609.
- Aimi, K. (1978):** "The tympanic isthmus: Its anatomy and clinical significance." *Laryngoscope*, 88: 1067-1081.
- Alberti (1964):**" Epithelial migration over tympanic membrane and external canal." *Journal of laryngology and otology*, 78, 808-830
- Anthony Wright (1997):** "Anatomy and ultrastructure of human ear", Scott Brown's diseases of the ear, Nose and Throat,7th edn.Butterworth, 1:1-49.
- Armstrong, B.W. (1954):** "A new treatment for chronic secretory otitis media".*Arch. Otolaryngol.*, 59: 653-654.
- Austin, D.E. (1991):** "Catarrhal disease of the middle ear". In Ballenger, J.J.(ed): Disease of the nose, throat, ear, head and neck. Fourteenth edition. Vol. II, pp. 1092-1104.
- Avinash Bhide, MS** "etiology of the retraction pocket in the posterosuperior quadrant of the eardrum" *Arch otolaryngology*- Vol 103, Dec 1977

- Berry, Q.C, Doyl, W.J, Cantekin, E.I., and Bluestone, C.D. (1979):**
"longitudinal assessment of Eustachian tube function in children"
laryngoscope 89: 1446-1456.
- Bhide, A. (1977):** "Etiology of the Retraction pocket in the posterosuperior
Quadrant of the eardrum." *Arch Otolaryngol*– Vol. 103: 707-711.
- Birken, E.; and Brookler, K. (1973):** "Surface tension lowering substance of
the Eustachian tube in non suppurative otitis media: an experimental
with dogs". *Laryngoscope*, 83: 255-258.
- Bluestone,C.D(1991):** "physiology of the middle ear and Eustachian tube"
otolaryngology third edition, Vol I,6 : 163-197
- Bluestone, C.D. (1996):**"Diseases and disorders of Eustachian tube and middle
ear". In *Otolaryngology*, 4rd edition, edited by paparella, M.M.;
Shumrick, D.A.; Gluckman, J.L. and Meyerhoff, W.L. Vol. II, pp.
1289-1316. W.B. Saunders company. Philadelphia.
- Bluestone, C.D. and Shurin, P. (1974):**"Middle ear diseases in children:
pathogenesis, diagnosis, and management". *Pediatr. Clin. North.
Am.*, 21: 379-400.
- Bluestone, C.D. and Klein, J.O. (1988):**"Otitis media in infants and children".
W.B. Saunders. Philadelphia.
- Buckingham, R.A.; Stuart, D.; Girgis, S.; Geick, M. and McGecs, T. (1985):**
"Experimental evidence against middle ear oxygen absorption".
Laryngoscope, 95:437-442.

- Bylonder, A. (1984):** "Function and dysfunction of the Eustachian tube in children". *Acta Otorhinolaryngol. Belg.*,38: 238-245.
- Bylonder, A. and Tjernstrom,O. (1983):**"Changes in Eustachian tube function With age in children with normal ears". *Acta otolaryngol.*, (stockh.), 96:467-477.
- Cantekin,E.; Bluestone,C. and Parkin,L. (1976):**"Eustachian tube ventilatory Function in children". *Ann. Otol. Rhinol. Laryngol.*, 85 (suppl.25): 171-177.
- Casselbrant, M.; Brostoff, L.; and Cantekin, E. (1985):**"Otitis media with effusion in preschool children". *Laryngoscope* 95: 428-436.
- Chays A, Cohen JM, Magnan J. (1995):** La microfibroendoscopie Tubo-Tympanique. *Tech Chirurg*; 24: 773-774.
- Dennis, S. Poe., Ashraf, A.H., and osama, A.R., (2001):**"Analysis of Dysfunctional Eustachian tube by Videoendoscopy" *otology and neurotology* 2001; 22:590-595.
- Dennis, S. Poe, MD,Ralph, B., Metson, MD, Oskar Kujawski, MD (2003):** "laser Eustachian tuboplasty: A preliminary report" *laryngoscope* April 2003; 113:583-591.
- Djalilian ,H.; and Paparella,M. (2000):** "The atelectatic ear." *Curr. Opin. Otolaryngol. & Head Neck Surg.*, 8: 369-374.

- Doyle, W.; Reilly, J.; Jardini, L. and Rovnak, S. (1986):** "Effects of palatoplasty on the function of Eustachian tube in children with cleft palate". *J. of otology* 23: 63-68.
- Donaldson, J.A., and Duckert, L.G. (1991):** "Anatomy of the ear". In: *Otolaryngology. Third edition, Vol. I ;2: 23-58*
- Farior, J.B.; Buckingham, R.A.; Donaldson, J.A.; Rombo, J.H.T.; Wright, W.K. and Zollner, F. (1989):**"Management of atelectatic middle ear". *Arch. Otolaryngol.*89: 225-232.
- Fayek, A.; Ateya, K. and Shaalan, H.(2000):** "T-tube ventilation by a tympanomeatal flap technique for treatment of intractable glue ear." M.Sc. Thesis, Cairo university.
- Fowler, C.G. and Shanks, J.E. (2002):** "Tympanometry" In physiological tests of auditory and related functions. Section III, pp 175-202
- Fria, T.; Cantekin, E.; and Eichler, J. (1985):** "Hearing acuity of children with atelectatic tympanic membrane." *Arch. Otolaryngol.*(111):10-16.
- Garside, J.; Antonelli, P. and Singelton, G. (1999):**" Canalplasty for chronic tympanic membrane atelectasis" *Am. J. of Otol.* Vol.20, no.1pp 2-6.
- Gates, G.; Avery, C.; Cooper, J.; and Pirchoda, T.(1989):** "Chronic secretory otitis media: effect of surgical management". *Ann. Otol. Rhinol. Laryngol.* Suppl. 138: 1-32.
- Gerard, J.M.; Decat, M. and Gersdorff, M. (2003):** " Tragal cartilage in tympanic membrane reconstruction." *Acta Otorhinolaryngol Belg.* 57(2):147-50.

- Gibb, A.G. (1986):**"Long term tympanic ventilation by Per-Lee tubes". *J. Laryngol. and Otol.*, Vol.100,pp.503-508.
- Goode, R.L. (1973):**"T-tube for middle ear ventilation". *Arch. Otolaryngology*; Vol. 97: pp.402-403.
- Gray (1980):** "Gray's anatomy." Edited by Williams P.L. 36th edn. Chirchill Livingstone, Edinburg, London and Newyork, 1138-1146.
- Hills, B.A.(1989):** "Hydrophobic lining of the Eustachian tube imported by surfactant." *Arch. Otolaryngol.* 110-119.
- Holmquist, J.(1978):**"Aeration in chronic otitis media ". *Clin. Otolaryngol.*, 8: 279-84.
- Holmquist, J. and olen , L. (1980):** "evaluation of eustachian tube function." *J. laryngology. Otol.* 94: 15-53.
- Honjo, L.(1985):**"Clearance function of the Eustachian tube". *Ann. Oto. Laryngol*, (Supp. 120): 29-30.
- Honse, W.(1990):**"The function of the Eustachian tube". *Arch. Otolaryngol.*, 71:405-407.
- House, W.F., Glasscock, M.E., Miles, J. (1969):** "Middle fossa approach Eustachian tuboplasty." *Laryngoscope*;79: 1765-1782.
- Ingelstedt, S., Ivarsson, A., and Jonson,B. (1967):** "quantitative determination of tubal ventilation during changes in ambient pressure as during ascent and descent aviation. *Acta. Otolaryngology(stockh.)*, 228 (suppl.): 31-34.

- Jansen, C.W. (1985):** "functional repair of the Eustachian tube": *Am, J, otol* 1985;6: 231-232.
- Jerger, J.; Anthony, L.; Jerger, S. and Mauldin, L.(1974):**"studies in impedance audiometry in middle ear disorders". *Arch. Otolaryngol.*, 99: 165-171.
- Joachims, A.(1980):**"Middle ear ventilation tubes."*Laryngoscope*.84:1098-1117
- John Groves (1985):** "A synopsis of otolaryngology" 4th edn. Published by Jone Wright & Sons Ltd, Techno House, Bristol, England. Pp 6-15.
- Jonson, B., and rundcrantz, H.(1969):** "posture and pressure within the internal jugular vein." *Acta. Otolaryngology. (stockh.)*, 68: 271-275.
- Kathleen, Campbell (2004):** "Impedance Audiometry." Article by Kathleen, Campbell. American Academy of otolaryngology-Head and Neck Surgery. eMedicine.com, Inc.
- Khalifa, M.SH.; Farid, A.S.; and Ghannoum, T. (1998):** "Audiometric immitencemetric measurements and endoscopic findings in atelectatic ears." M.Sc. Thesis by Abeir othman. Cairo university.
- Kujawski, O. (2002):** "laser eustachian tuboplasty(LETP)": 4th European congress of EUFOS Otorhinolaryngol Head and Neck surg; 2: 835-842.
- Levy, D.; Herman, M.; Luntz, M. and Sadé J.(1995):**" Direct demonstration of gas diffusion into the middle ear". *Acta Otolaryngol*;115(2):276-8.

- Lim, D.J.(1984):**" Functional morphology of the tubo-tympanum." *Acta otolaryngol.*(Stockh.),98 (suppl.) 414.
- Litton, W.B.(1963):**"Epithelial migration over tympanic membrane and external canal". *Arch.Otolaryngol.*,77: 254-258.
- Ludman, H. and Wright,T.(1998):**" Anatomy and development of the ear and hearing". Diseases of the ear, Sixth edition, pp. 13-20.
- Luntz ,M.; and Sadé, J. (1988):**"The value of politzerization in the treatment of Atelectatic ears." *J. Laryngol. Otol.*, 102:779-782.
- Ludman, M.E.(1997):**"Diagnostic Audiometry". In Scott-Brown's Otolaryngol. 6th edition edited by Kerr, A.G. Vol. II, pp.2/12/1- 2/12/28.
- Mawson, S.R. and Ludman (1979):** "Applied anatomy, Diseases of the ear." 4th edn. Edward Arnold, London, pp.351-358.
- Misurya, VK.(1975)** " Eustachian tuboplasty": *J laryngol otol* 1975;89:807-813.
- Misurya, VK., and Shrivastava, PK.,(1976)** "functional Eustachian tuboplasty: a new surgical technique" *Arch otolaryngology*,1976 Jun; 120(6): 330-333
- Myerhuff, WL. (1981):** "Use of tympanostomy tubes in otitis media." *Annals Oto Rhinol Laryngol*; 90: 537-42.
- Ostfeld EJ, Silberberg A. (1991):** "Transient pressure changes in the middle ear." *Otolaryngology head and neck surgery* 1991 Dec; 117(12): 1390-1394.

- Padgham,N.; Mills,R.; and Christmas,H. (1989):** "Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma." *J.Laryngol.& otol.* 103: 1034-1035.
- Pfaltz, C.R. (1988):** "Retraction pocket and development of cholesteatoma in children." *Advances in otolaryngology: Pediatric otology* (Cremers,C. & Hoogland,G. eds.), Karger.pp 118-123
- Proctor, B.(1973):** "Anatomy of Eustachian tube." *Arch.Otolaryngol.*,97:2-8.
- proctor, B.(1967):** "Embryology and anatomy of the Eustachian tube." *Archive otolaryngology* 86: 503-514.
- Pulec, J. (1999):** "Diseases of the tympanic membrane." In otolaryngology, vol. 2 edited by Paparella MM and Shumrick DA: Saunders;1381.
- Quarnberg, Y.(1981):** "Acute otitis media." *Acta Otolaryngol*(stockh); suppl.375:124-40.
- Robert, B. Meek (2001):**” Middle Ear, Eustachian tube,Inflammation/Infection” eMedicine.com, Inc.,section 5.
- Ronald, N.; Philips,D.; Rogers,J. and Singh,S. (1992):** "The use of ventilation tubes and the incidence of cholesteatoma surgery in the pediatric population of Liverpool. *Clin.Otolaryng.*,17: 437-439.
- Rood, S.R., and Doyle, W.J., (1985):** "Anatomy. In Bluestone, C.D., Doyle, W.J., and Arjona, S.A. (eds.): Eustachian tube function: physiology and Role in Otitis Media, workshop Report. *Annals*, supp. 120: 6-8.

- Rosen, G.(1989):** "Posterior superior retraction pockets vs.Pussak's retraction pockets as a cause of cholesteatoma." In: cholesteatoma and mastoid surgery. Amsterdam: Kugler and Ghedini: 425-7.
- Rosenfeld, M., and Bluestone C.D. (1999),** "Evidence based Otitis media" Hamilton London, St. louis: BC Decker.
- Sadé, J. (1966):** "Middle ear mucosa." *Arch. Otolaryngol.*, 84: 137-143.
- Sadé, J.(1993):** "Atelectatic tympanic membrane: histologic study. *Ann Otol Rhinol Laryngol.*, 102: 712-716.
- Sadé, J.(1997):** "On the function of pars flaccida: Retraction of pars flaccida and buffering of negative middle ear pressure." *Acta Otolaryngol(stockh)*;117: 289-292.
- Sadé, J.(2000):** "The buffering effect of middle ear negative pressure by retraction of the pars tensa." *Am. J. Otol*; 21(1):20-3.
- Sadé, J.(2001):** " Ciliary activity and middle ear clearance." *Otol Neurotol*; 22 (2) : 133-9.
- Sadé, J.; and Berco, E. (1976):** "Atelectasis and secretory otitis media." *Ann. Otol. Rhinol. laryngol*; 85, (suppl.25): 66-72.
- Sadé, J.; and Luntz, M.(1989):** "Gaseous pathway in atelectatic ears." *Ann. Otol. Rhinol. laryngol*; 98: 355-358.
- Sadé, J. and Fuchs,C. (1996):** Secretory otitis media in adults: the role of mastoid pneumatization as a risk factor." *Ann Otol Rhinol Laryngol*; 105: 643-7.

- Sadé J. and Fuchs, C. (1997):** " Secretory otitis media in adults:11: the role of mastoid pneumatization as a risk factor." *Ann Otol Rhinol Laryngol*, 106:37-40.
- Sadé J.; Fuchs,C. and Luntz,M. (1996):**"The pars flaccida middle ear pressure and mastoid pneumatization index." *Acta Otolaryngol*; 116(2):284-7.
- Sadé J.; Fuchs, C. and Luntz, M. (1997):**" Shrapnell membrane and mastoid pneumatization." *Arch Otolaryngol Head Neck Surg*; 123(6): 584-8.
- Srinivasan, V.; Banhegyi,G.; O'Sullivan,G. and Sherman, I. (2000):** "Pars tensa retraction pockets in children: treatment by excision and ventilation tube insertion." *Clin. Otolaryngol.*,25: 253-256.
- Tantawy, A.; Abdel-Maksoud, G. and El-hag, A.G. (2000):**"Tubal function in chronic otitis media with effusion." M.S.thesis, Faculty of medicine, Zagazig university.
- Thomson, I.S. (1974):** " Exudative otitis media, grommet's and cholesteatoma." *J.Laryngol.Otol.*88:947-953.
- Tony Write (1998):**"Anatomy and development of the ear and hearing." Diseases of the ear. 4th edn. Edward Arnold, London, pp. 11-35.
- Tomoda, K. (1981):** "Deviation with increasing age in histologic appearance of submucosal glands in human Eustachian tubes." *Acta otolaryngol. (stockh)* 92:436.

- Toss,M.; Hvid,G.; Stangerup,S. and Andreassen, U.(1990):** "Prevalence and progression of sequelae following secretory otitis. *Ann. Otol. Rhinol. Laryngol.* 99 (suppl. 149): 13.
- Walsh, R.M.; Pracy, J.; Harding,L. and Bowdlek,D. (1995):** "Management of retraction pockets of the pars tensa in children by excision and ventilation tube insertion." *Journal of Laryngology and Otol*, Vol. 109,pp. 817-820.
- Wullstein, H.,(1960)** "Eustachian tube on tympanoplasty." *Arch otolaryngol* 1960;71:408-410.
- Yamasheta, K. (1990):** "Endoscopic testing methods of Eustachian tube." *Ann. otolaryn.* 94,5120-26.
- Yuri, P.U. and John, S.(2003):** “Middle Ear, tympanic Membrane, infections.” eMedicine.com, Inc. section 2.
- Zollner, F.,** "therapy of Eustachian tube" *Arch otolaryngology*, 1963; 78: 394-399.