

- Afzelius, B.A. (1976):** A human syndrome caused by immotile difia. Science, 193: 317-19.
- Axon, A.T.R. (1996):** The transmission of H.pylori: which theory fits the facts? Eur. J. Gastroenterol. Hepatol., 8: 1-2.
- Babble, R.W. and Hansberger, H.R. (1991):** Optimization of techniques in screening CT of the sinuses. A J N R, 12-849-54.
- Bassa, O.; Mocario, F. and Boccis, S. (1988):** Is that possible to transit campylobacter pylori by the fibroptic endoscope (Abstract) 20th Congress sirmione on lake Garda, Italy. European association for gastroenterology and endoscopy April, 28-30.
- Beales, I.; Blaser, M.J.; Srinivasan, S. et al. (1997):** Effect of Helicobacter pylori products and recombinant cytokines on gastrin release from cultured canine G cells. Gastroenterology, 113: 465-471.
- Blender, G.C.; Terry, H.L. and Elian, J. (1997):** New trends in the management of helicobacter pylori. N. Engl. J. Med. 321, 1562-66.
- Cahill, R.J.; Xia.; Kilgallen, C. et al., (1995):** Effect of eradication of helicobacter pylori infection on gastric epithelial cell proliferation. Dig. Dis. Sci. 40: 1627-1631.

- Chan, W.Y.; Hui, P.K. and Leung, K.M. (1994):** Coccoid forms of *Helicobacter pylori* in the human stomach. *Am. J. Clin. Pathol*, 102: 503-507.
- Cliondna, A. and McNulty, M. (1987):** The treatment of campylobacter associated gastritis. *Am. J. Gastroenterol.*, 82 (3): 245-250.
- Concentin P and ,Narcy P.** Nasopharyngeal PH monitoring in infants and children with chronic rhinopharyngitis, *int J Pediatr Otorhinolaryngol* 1991; 22: 249 –255.
- D’Anastasio, C.; Varia, D. and Holton, J. (1988):** *Campylobacter pylori*: epidemiology consideration. 13th international congress of gastro enterology, (Edited by Tytgat, 1989).
- De Boet, W.A. (1996):** *Helicobacter pylori*: epidemiology, diagnosis and therapy. *Gut* 15: 1945-1950.
- Dian, M.D. and Bros, J. (1993):** Dual and triple therapy in management of *helicobacter pylori*. *Scand. J. Gastroenterol.* 23: 50-2.
- Draf, W. : Endoscopic anatomy and pathology of the paranasal sinuses.** In: *Endoscopy of paranasal sinuses*. Draf, W. (Edt) 1983, Springer- Verlag, New York.
- Eaton, K.A.; and Krakowa, S. (1994):** Effect of gastric PH on urease dependent colonization of gnotobiotic piglets by *helicobacter pyloric* infect *Immun* 26: 3604-3607.

- Eaton, K.A.; Morgan, D.R. and Krakowkas (1992):** Motility as a factor in the colonization of gnotobiotic piglets by helicobacter pylori. J. Med. Microbiol. 37: 123-127.
- Eaton, K.A.; Suerbaum, S.; Josenhans C. et al., (1996):** Colonization of gnotobiotic piglet by helicobacter pyloric deficient in two flagellin genes. Infect Immun. 64: 2445-2448.
- Engstrand, L.; Scheynins, A.; Pathlson, C.; et al., (1989):** Association of campylobacter pylori with induced expression of class II transplantation antigens on gastric epithelial cells. Infect Immun. 57: 827-832.
- Faigel, D.O.; Child, M.; Furth, E.E.; Alavi, A. and Metz D.C. (1996):** New noninvasive tests for helicobacter pylori gastritis: comparison with tissue based gold standard. Dig. Dis. Sci. 41: 740-748.
- Fennerty MB. 1999:** Extraesophageal gastroesophageal reflux disease. Gastroenterol clin North am: 28: 861 –861.
- Go, M. E. and Growe, S.E. (2000):** Vindence and pathogenieity of Helicolbacter
- Goodwin, C.S.; Blicow, E. and J.A. (1985 a):** Campylobacter pyloridis is a unique: GCLO-2 is an ordinary campylobacter. Lancet, ii 38-39.
- Graham, D.Y. (1991):** Helicobacter pylori: its epidemiology and its role in duodenal ulcer disease. J. Gastroenterol. Hepat., 6: 105-113.

- Graham, D.Y. and Klein, P.D. (1991):** What you should know about the methods, problems and uses of urea breath tests. Am J. Gastroenterol. 86: 1118-1122.
- Graham, D.Y. and Klein, P.D. (1991):** What you should know about the methods, problems and uses of urea breath tests. Am j. Gastroenterol. 86. 1118- 112.
- Gwaltney JM jr, scheld wm, sande MA, sydnor A. 1992:** the microbial aetiology and antimicrobial therapy of adults with acute community – acquired sinusitis:: 90: 457-62.
- Hahn, M.; Fennerty, M.B.; Corless, C.L., Magaret, N.; Lieberman, D.A. and Faigel, D.O. (2000):** Non-invasive tests as a substitute for histology in the diagnosis of helicobacter pylori infection. Gastrointestinal endoscopy. 52 (1):1-11.
- Healthy, R.V. and Wyatt, J.L. (1995):** Gastritis and duodenitis in: Bokus gastroenterology. Haubrich W.S., Schaffner f. and Berk J.E. 5th edition Vol. 1, p. 635-655. Saunders Co. Philadelphia London, Toronto, Montreal, Sydney, Tokyo.
- Hilding, A.C.:** The physiology of drainage of nasal mucosa. Drainage of the accessory sinuses in man. Ann. Otol. Rhinol. Laryngol. 1944, 53: 35-41. Quoted from: Lanza and Kennedy 1992.
- Holcombe, C. (1992):** H.pylori, the most common bacterial infection in Africa. A random serological study. Am. J. Gastroenterol; 87: 28-30.

- James, B.; Malow, M.D.; Catherine, M.; Creticos. M. (1989):** Non surgical treatment of sinusitis. Otolaryngologic Clin. North. Am., 4: 809-17.
- Kennedy, D.W. (1992):** Prognostic factors, outcomes and staging in ethmoid sinus surgery. Laryngoscope, 102: 1-18.
- Khandaker, M.A.; Scott, A and Eastwood, M.A. (1991):** Do teeth predispose to duodenal ulcer relapse? Gut, 32: 1207-1212.
- Kuipers, E.J.; Israel, D.A.; kusters, j.G. et al., (1998):** Wvidence for a conjugation – like mechanism of DNA transfer in Helicobacterpylori. J. Bacteriol. 180:2901-2905.
- Laine, L. and Cohen, H. (1999):** Helicobacter pylori drowning in a pool of blood. Gastrointestinal endoscopy. 49: 398-402.
- Leontiadis GI, Sharma VK, Howden CW. (1999):** Non-gastrointestinal tract associations of helicobacter pylori infection. Arch Intern Med; 159: 925-940.
- Loffeldl , R.J.F, stobberingh and flerdirig J.A H. pylori in gastric biopsy specimens comparison of culture modified giemsa and immunohisto chemistry Journal of pathology Vol. 165 : 69:73.**
- Lund, V.J., Holmstrom M. and Scadding, G.K. (1991):** Functional endoscopic sinus surgery in management of chronic rhinosinusitis: An objective assessment. J. Laryngol. Otol., 105: 832-5.
- Lund, V.J.; Kennedy, D.W. and Faculty of staging and therapy group:** Quantification for staging sinusitis. Annals Otol. Rhinol. Laryngol. 1995, Supplement 167 vol. 104, No. 2, 17-21.
- Macnab, R.M. and Airawax S.I. (1984):** Bacterial motility and the bacterial flagellar motor. Annu. Rev. Bev. Biophys. 13. 3183-3197.

- Malaty, H.M. and Graham, D.Y. (1994):** Importance of childhood socioeconomic status on the current prevalence of H.pylori infection. Gut, 35: 472-745.
- Malaty, H.M.; Evans, D.G.; Evans, D.J. Jr. and Graham, D.Y. (1992):** Helicobacter pylori in Hispanics: comparison with black and whites of similar age and socioeconomic class. Gastroenterology, 103: 813-816.
- Mark, M.D. and Brand, G.C. (1996):** Rapid urease test as diagnostic test for helicobacter pylori. Dig. Dis. Sci. 38: 1681-1687.
- Marshall, B.J. and Warren, J.R. (1984):** Identified curved bacilli in the stomach of patients with gastric and peptic ulceration. Lancet, 4: 1311-1315.
- May, M. (1991):** Complex paranasal sinus anatomy simplified for the surgeon. Oper. Tech. Otolaryngol. Head Neck Surg, Vol. 2 (4): 214-7.
- Megowan C.C.; Cover, T.L. and Blaser, M.J. (1994):** The proton pump inhibitor omeprazole inhibits acid survival of helicobacter pylori by a urease-dependent mechanism gastroenterology. 107: 1573-1578.
- Megraud F and , Marshall BJ. (2000):** How to treat helicobacter pylori gastroenterol Clin North Am; 29: 759-773.

- Ozdek A, cirak My,Samim E, A 2003:**possible role of helicobacter pylori infection in malignant and premalignant conditions of the head and neck. J laryngal otal. 117: 118-121.
- Pambiano, D.J. (1988):** Gastritis in the rectum: H pylori-like organisms in heterotopic inflamed gastric mucosa. Gastroenterology, 94: 340-349.
- Parveen Kumar. (1995):** Methods of diagnosis of H.pylori infection. Quoted from textbook of clinical medicine. 4th Ed. Ch4, P 190. Cambus Litho. Ltd. London Killbride, Scotland.
- Pounder, R.E. and Nqong , D. (1995):** The prevalence of H. pylori infection in different contries. Aliment. Pharmacol. Therapy. 9: 33-39.
- Prince, E.; Nord, B. and Heiver, D.J. (1995):** Proton pump inhibitors As an effective treatment of helicobacter pylori infection. Complylobacter pylori and gastroduodenal disease. Taisho, 5: 184-194.
- Putsep, K.; Branden, C.; Boman, H.G. et al., (1999):** Antibacterial peptide from H. pylori. Nature. 398: 671-672.
pylori: Gastroenterology clinics. 29(3): 1-18.
- Ramsey, E.J.; Carey, K.V. and Peterson, W.L. (1979):** Epidemic gastritis with hypo cholorhydria. Gastroentrology, 76: 1449-1457.

- Rauws, E.A.J. and Tytgat, G.N., (1992):** Helicobacter pylori and gastritis in: helicobacter pylori and gastroduodenal disease. Rathbone B.J., Heatley R.V. (Eds) P. 232 Oxford, Blackwell scientific publications.
- Renie, N.; Holter, M. and Drat, F. (1992):** Effect of dual and triple therapy in the management of helicobacter pylori. Dig. Dis. Sci. 36: 25-28.
- Romano, M.; Ricci, V.; De Popolo, A. et al., (1998):** Helicobacter pylori up regulates expression of epidermal growth factor related peptides, but inhibits their proliferative effect in gastric mucosal cells. J. Clin. Invest. 101: 1604-1613.
- Salentijn, L.M.(1985):** Anatomy and embryology of paranasal sinuses. In: Surgery of the paranasal sinuses. Blitzer, A.; Lawson, W. and Friedman, W.B. Saunders Co. Philadelphia.
- Segal, E.D. Falkow, S. and Tompkins, L.S. (1996):** Helicobacter pylori attachment to gastric cells induces cytoskeletal rearrangements and tyrosine phosphorylation of host cell proteins. Proc. Natl. Acad. Sci. USA. 93: 1259-1264. (Abstract).
- Shahamat, M.; Pasko-Kolva, C. and Yamamoto, H. (1989):** ecological studies of campylobacter Klin Wochenschr. 67: 62-63.

- Sobata, G.M. (1991):** Screening dyspepsia by serology to helicobacter pylori. *Lancet*, 338: 94-96.
- Stammberger, H. (1999):** Functional endoscopic sinus surgery; B.C Decker Philadelphia.
- Straatman, N.J. and Buiter, C.T. (1981):** Endoscopic surgery of the nasal fontanelle. *Arch. Otolaryngol*, 107: 290-3.
- Thijs J.C.; Van Zwet, A.A.; Thijs, W.J.; Oey, H.B.; Karrenbeld, A.; Stellaard, F. et al., (1996):** Diagnostic tests for helicobacter pylori: a prospective evaluation of their accuracy, without selecting a single test as the gold standard. *Am. J. Gastroenterol.* 91: 2125-2129.
- Tsang Kw and , Lam SK: (1999):** Helicobacter pylori and extra-digestive conditions. *J gastroenterol Hepatol*; 14: 844-850.
- Tytgat, G.N.J. (1989):** Campylobacter pylori past, present, and future. *Am. J. Gastroenterol.* 86 (2): 375-386.
- Ulualp SO, Toohill RJ, Hoffmann R, Shaker R. (1999):** Possible relationship of gastroesophago-pharyngeal acid reflux with pathogenesis of chronic sinusitis. *Am J Rhinol*; 13: 197-202.
- Unal M, Ozturk L, Ozturk C, Kabal A. (2003):** The seroprevalence of helicobacter pylori infection in patients with obstructive sleep apnoea: a preliminary study. *Clin Otolaryngol*; 28: 100-102.

- Viara D.; Holton, .J. and Londei, M. (1988):** Compylobacter pylori in abattoir workers: is it a zoonosis? Lancet, ii: 726.
- Waguespack, R. (1995):** Mucociliary clearance patterns following endoscopic sinus surgery. Laryngoscope, 105: 1-40.
- Warren, J.R. and Marshall, B.J. (1983):** Unidentified curved bacilli on gastric epithelium in active chronic gastritis. Lancet, 1: 1272-1275.
- Weinstein-WM. (1993):** Gastritis and gastropathies. In: Sleisenger MH, Fordtran JS, eds. Gastrointestinal disease: pathology, diagnosis, management, 5th ed. Philadelphia: Saunders, 545-571.
- Weir, N. and Golding-Wood, D.G. (1997):** Infective rhinitis and sinusitis. In: Scott-Brown's otolaryngology 6th ed., Mackay, I.S. and Bull, T.R. (Edts), Butterworth Heinemann, Oxford U.K.
- Weissefeld, A.S. (1996):** Invitro susceptibility of pre treatment isolates of helicobacter pylori from two multicentre united states trials. Gastroenterology, 110: 762-767.
- Wilson, R.(1987):** Upper respiratory tract viral infection and mucociliary clearance. European J. of Respiratory Disease-a, 70: 272-9.
- Wilson, R.; Roberts, D.; Cole, P.J. (1985):** Effect of bacterial products on human ciliary function in vitro. Thorax, 40: 125-31.

- Wilson, W.R. and Allansmith, M.R. (1976):** Rapid a traumatic method for obtaining nasal mucus samples. Ann. Otol. Rhinol. Laryngol, 85: 391-3.
- Yamaoka, Y.; Kita, M.; Kodama, T. et al., (1996) :** Helicobacter pylori coga A gene and expression of cytokine messenger m RNA in gastric mucosa. Gastroenterology 100:1744-1752.
- Yongging Guo, (1997):** Effects of functional endoscopic sinus surgery on maxillary sinus mucosa. Arch. Otolaryngol. Head Neck Surg, 123: 1097-100
- Younis, R.T. and Lazar, R.H(1991):** The approach to acute and chronic sinusitis in children. ENT J., 70: 35-9.
- Zaitoun, A.M. (1995):** The prevalence of lymphoid follicles in H.Pylori associated gastritis in patients with ulcers and non ulcer dyspepsia. J. Clin. Pathol., 48: 325-329.
- Zinreich, S.J.; Kennedy, D.W.; Roscenbaun, A.E. et al., (1987):** Paranasal **sinuses**: C T imaging requirements for endoscopic surgery. Radiology, 163: 769-75.