

References

- **Allam. A, (1969):** pneumatization of the temporal bone Ann oto Rhinol laryngol 78:49-64 .
- **Andreasson (1976):** correlation of tubal function and volume of the mastoid and middle ear space related to OM . ann . otol rhinol laryngol 85 : 198- 203
- **Anson and Donaldson (1981):** Surgical anatomy of the temporal bone 3rd edn .philadelphia :W.B Saunders Axelsson A(1968),The vascular anatomy of the cochlea in the guinea pig and in man. Acta otolaryngologica suppl 243, 6-134.
- **Anson. B, and Donaldson. (1967) :** The surgical anatomy of temporal bone and Ear Philadelphia, W.B. Saunders Co.PP29-30.
- **Aoki H, Takahashi H, and Sando I,. (1993):** mucosal fold of ET in man, Auris nasus larynx; 20: 125-30.
- **Aoki K, Esaki S, Kikuch Y and Kanekoy (1994) :** The size of mastoid pneumatization and OM with effusion in children .International Symposium or Recent advances in OM (Amsterdam New York Kugler publication 329-333.
- **Aoki Kazuhiro, Mitani Yukie, Tuji Tomihiko, Hamada Yukio, Utahashi Hiroya and Moriyama Hiroshi (1998):** Relationship between middle ear pressure, mucosal lesion, and mastoid pneumatization. laryngoscope 108 pp1840-1845.

- **Arora, M, Sain ML, Sodhi u.s (1973)** : Mastoid pneumatization in children –A Roentgenographic plainmetric study .Indian Journal of otolaryngology ,25pp 87-90.
- **Ars B and Piret N (1994)** : Middle ear pressure balance under normal conditions specific role of middle ear structures .Acta OtoRhinoLaryngol Belg 48: 339-342.
- **Ars B,Wuyts ,Van De Heyning P, Miled, Bogres J and Van Marck E(1997):** Histomorphometric study of the normal middle ear mucosa .Acta Otolaryngol (stockh) 117 pp 704-707.
- **Ballenger JJ 1977:** Diseases of the Nose Throat and Ear .12th edition lea ,Febieger Philadelphia.
- **Basak . S, Turkutanit. S,Sariarler. M, and metinkubilay (1999):** Effect of capsaicin pre treatment in experimentally induced SOM Journal of laryngolology and otology feb vol 113 pp 114-117.
- **Bayramoğlu I, Ardic FN, Kara CO, Özüer MZ, Katircioğlu o and Topuz B (1997):** Importance of mastoid pneumatization on secretory otitis media .Int J Pediatric otorhinolaryngology, 40 pp 61-66.
- **Beery Q.C, Doyle WJ,Cantekin and Bluestone 1979:** Longitudinal assesement of ventillatory function of E.T. in children Laryngoscope 98 pp 1446 -56.

- **Bess, FH., Schwartz, D.M., Red Field, N.P.(1976):** Audiometric impedance, otoscopic findings in children with cleft palates. Archives of otolaryngology ,102,465-469.
- **Black N. (1985):** Causes of glue ear An historical review of theories and evidence J of laryngol and otol 99. 953-966.
- **Bluestone and Cantekin (1979):** Design factors in the characterization and identification of OM and certain related condition ann otol Rhinol Laryngol 88 (60) 13:27 .
- **Bluestone C.D(1980):** Status of tympanostomy tubes in proceedings of sixth shambaugh international Workshop in otomicrosurgery and third shea fluctuant hearing loss symposium.
- **Bluestone CD (1998):** Anatomy ,physiology of the Eustachian tube, by Charels W Cummings, John M. Frendrichson, lee A. Richardson, David E,Schuller.3rd edition vol chapt 153 pp 3003-3025.
- **Bluestone CD and Doyle WJ(1985):** Eustachian tube function physiology and role in otitis media .Ann Oto Rhinol Laryngol 94(suppl 120)pp 1-60.
- **Bluestone CD and Klein (1995):** Otitis media in infant and children 2nd (ed) ch. 3 pp 17-34.
- **Borg (1973):** Neural organization of the Acoustic Reflex .Brain resp. vol. 49:pp 101-123.
- **Borg E (1975):** The activity of stapedius muscle in Man during vocalization Acta otolaryngol (stockh) vol 79:325-333.

- **Browen D. T, Prostic W.P, March R.R and litt M.(1995):**
Drugs affecting clearance of middle ear secretions Ann
otorhinolaryngol supp 117, 1-15.
- **Browning GG (1997):** Aetio pathology of inflammatory
conditions of external, middle ear In Scott-Brown's otolaryngology
6th edition vol 3 chap 3.
- **Bylander. A, Tjernström, Ivansson. A. and Andreassonl (1985):**
Eustachian tube function and its relation to middle ear pressure in
children .Auris Nasus Larynx (Tokyo) 42(suppl I) pp S43-5.
- **Caffarelli C,Sarini E and Giordano S (1998):** Atopy in children
with OME clinic Ex allergy 28 591-596.
- **Cancura (1980):** Statics of Malleus and Incus and function of
Malleus _Incus joint Acta otolaryngol (stockh)vol 89 :342_344.
- **Cantekin E.L. Bluestone CD and Parkin LP (1976):** ET
ventilatory function in children Ann. Otol Rhinol Laryngol 85-171.
- **Cantekin E.L. etal (1980):** Effect of decongestant with and
without antihistamine on Eustachian tube function. Ann. otorhino
laryngol 89 supp 68: 296-300.
- **Carrier S, Hutton DA and Birchall JP (1992):** OME
compartments which contribute to the viscous properties Acta
otolaryngol 112,pp 504-511.
- **Cassel brant M (1977):** Volume Displacement of tympanic
membrane in sitting position Act Otolaryngol (stokh) vol. 84: 402-
413.

- **Chantzi, Kafetzis, pairamis, avramidou, paleologou, girmani, apostolopoulos, and Papadopoulos (2006):** IgE sensitization , respiratory allergy symptoms and heritability independently increase the risk of OME allergy 61 pp 332 – 336 .
- **Chatterjee D, Ghosh B and Ghosh B (1990):** Size variation of mastoid air cell system in India people at different group, radiographic planimetric study. J laryngol otol, 104.603-605.
- **Clemis ,J.D. 1976:** Identification of allergic factors in middle ear effusion .Annals of otology ,Rhinology and laryngology (suppl 25), 85:234-237.
- **Clesen (1976) :** middle ear muscle activity during speech J Am Audiol soc vol 1 : 215 - 220
- **Collins M.P,Church M.K,Bukshi K.N and Osborne J.(1985):** Adenoid histamine and its possible relationship to secretory otitis media .J of laryngol and otol .99: 685-691.
- **Daly K.A , Hunter LL and Giebink ,GS 1999:** Chronic otitis media with effusion ,Relation of middle ear gas pressure in the pressure of obstructed E.T. pediatric in Review vol 20 pp 85-94.
- **Dang Hoang Son, Tran Kim Phuong, and Nhan Trung SON (1998):** Point prevalence of secretory otitis media in children in Southern Vietnam ,Ann Otol Rhinol Laryngol ,107 pp 406-410.
- **De R.R.(1980):** Secretory otitis media and allergic rhinitis J of laryngol and otol 94:185-89.

- **Deebeer BA ,Schilder AG ,Ingelsk , snik AF ,Zielhuis GA and graamank (2004):** Hearing loss in young adults who had ventilation tube insertion in childhood ,Ann Oto Rhinol Laryngol 113pp 438-444.
- **Diamant. M(1940) :** otitis and pneumatization of the mastoid bone . acta oto laryngol stockh supp41: 139-143.
- **Donald W ,chakeress Johne ,Sundaland and Brogan Martha L. (1998):** CT ,MRI of the whole body, temporal bone ch 14 pp 428-469.
- **Doyle WJ and Seroky IT (1994):** Middle ear gas exchange in rhesus monkey Ann Otol Rhinol Laryngol 103.pp 636-45.
- **Drake-Lee AB,HughesRG,and Dunn.c(2003):** Serum IgAand IgG functional Antibodies and their subclasses to streptococcus pneumoniae capsules antigen found in two aged matched cohorts of children with and without OME Clini otolaryngol Allied Sci 28(4).335-340.
- **El Garem F.(1996):** Otitis externa and media for postgraduate and practitioner clear otology II pp 89-150.
- **Elnor A(1976):** Normal gas exchange in human middle ear Ann Otol Rhinol Laryngol; 85 (supp 25) pp: 161-164.
- **Erlandsson B (1980) :** The effect of static middle ear pressure on the hearing Acta otolaryngol (Stockh) vol. 90:pp 324-331.
- **Falk P (1983):** Variability of tympanogram due to ET closing failure. Scand audiol 11-27

- **Faustine C and Guinto J (1998):** Imaging studies of the temporal bone Head and Neck surgery otolaryngology 2nd edition .
- **Feldman (1967):** A report of further impedance studies of Acoustic reflex J. speech hearing res. Vol. 10 pp 616-622.
- **Fiellau and Nikolajsen (1983) :** Tympanometry and SOM Observation on diagnosis epidemiology treatment and prevention in prospective short studies of three years of children Act otolaryngol 394: 1 - 73
- **Fischler H (1967) :** Dynamic response of middle ear structures J Acoust Sco. Am. Vol. 41: 56-60.
- **Francis and Quinn (1995):** temporal bone imaging . depart of otolaryngol. Utmb, Grang round .
- **Gates GA and Cooper Jr (1980):** Effect of anathetic gases on middle ear pressure in the presence of effusion Ann Otol Rhinol Laryngol 89-suppl 68-pp 62-9.
- **George T Nager (1993):** Pneumatization of the temporal bone chp 3 pp 53-59 .
- **Gibb A.G (1979):** Non supprative otitis media .In Scott- Brown's diseases of the ear, Nose and throat, vol 24 ed Ballantyne J and Grooves G Butterworths.
- **Gleeson, Flexis and Neivergelt (1991):** Quantitative and qualitative analysis of the human middle ear mucosa in :the Eustachian tube, Basic aspect. edited by J. Sade. Austerdam. Kugler and Ghediini. pp 125-131.

- **Goss ,c.(Ed) (1967):** Gray's anatomy of the Human Body. philadelphia, lea, Febiger, pp: 1087.
- **Gottschalk G.H. (1962):** Serous otitis treatment by controlled middle ear inflation .Laryngoscope ,72. 1379-90.
- **Guindi GM(1981):** Nasopharyngeal mechanoreceptors ORL J Otorhinolaryngol – relatt. Spec. vol. 43: 56-60.
- **Gundersen (1976):** Holographic vibration analysis of the ossicular chain ,Act otolarygol (stockh) vol 83:16-25.
- **Hadas e, and Sadé J., (1979):** prognosis in SOM relatively to pneumatization, Arch Otolaryngol; 225: 39-44.
- **Hall (1979):** Impedance audiometry in a young population J otolaryngol vol. 8 :210-222.
- **Harrison K (1975) :** Non suppurative otitis media in ballantyne J,Groves J ,Eds Scott-Brown's disease of the Ear ,Nose and throat vol. 2, the ear 3rd ed ,London : Butterworths; 2:193-235.
- **Hasebe S, Takahashi, Honjo I and Sudo M (2000):** Organic changes of effusion in the mastoid in OME and its relations to attic retraction, Int. J pediatric oto rhinolaryngol 53 pp 17-24.
- **Hassmann Elzbieta ,Skotnicka Bozena ,Baczek mana and Piszoz (2004):** Laser myringotomy in OME long term follow up Ear Arch otorhinology 261:316-320.
- **Hergils L and Magnusson B(1990):** Human middle ear gas composition studies by mass spectrometry. Acta otolaryngol, 110: 92-99.

- **Hergils L and Mugnuson B(1988):-** Regulation of negative middle ear pressure without tubal opening .Arch otolaryngo .head and neck surgery; 144 pp: 1442-1444
- **Hergils L, and Magnuson B (1985):** Morning pressure in the middle ear Arch Otolaryngol vol III pp 86-89.
- **Hiraide,F.and Inouye,T(1983):** The Fine surface view of the human adult Eustachian tube .Journal of Laryngology and Otology, 97:149-57.
- **Holborow ,C.A. (1975):** ET Function changes through childhood and neuromuscular central .Journal of Laryngology and Otology, 89: 47-48.
- **Holmquist J and Renwallu (1974):** ET functions in SOM Arch oto laryngol, 59-99.
- **Honjo , I and Kumazawat , G(1979):** Experimental study of the Eustachian tube function with regard to its related muscles.Acta Otolaryngologic, 89:84-89.
- **Honjo I, Takahashi H, Sudo M, Miura M and Tanabe M(1997):** Pathogenesis and sequel of OME. From the view pion of middle ear ventilation in proceedings of the XVI World Congress of oto rhino laryngology head and neck surgery, Monduzzi, Bolonga Itahy .
- **Hung-Meng, Min-Ching Chao, Yu-lin chen ,Hong Rong Hsiao(1998):** A combined method of conventional ,endoscopic Adenoidectomy The laryngoscope 108, 1104:1106.

- **Hurst and Venge (1996):** Level of eosinophil cationic protein and myeloperoxidase from chronic middle ear effusion in patient with allergy and or acute infection otolaryngol head,neck surgery 114. pp531-544.
- **Ikarashi and Nakaro (1987):** The effect of chronic middle ear inflammation on the pneumatization of the tympanic bulla in pig Acta otolaryngol 104 . pp 130-137.
- **Ikarashi Fumio(1998):** The effect of respiratory mode on human middle ear pressure .Auris Nasus Larynx 25,pp349-354.
- **Ikarashi Fumio, Takahashi S and Yamamoto Y (1999):** Carbon dioxide Exchange via the mucosa in healthy middle ear Arch Otolaryngol head and neck surgery vo, 125 pp 975-978.
- **Ingelstedt S, and Johnson B (1967):** Mechanism of gas exchange in the normal human middle ear .Acta otolaryngol 224:pp 452-61.
- **Ingelstedt, Flisberg K, and ortegzen., U 1963 :** the relation ship of middle ear disease to mastoid hyporcellularity. Acta Otolaryngol 112, pp 69-72.
- **Jeep S (1990):** Correlation of immunoglobulins ,the complement system and inflammatory mediators with reference to pathogenesis of SOM Larynorhinootologic69-pp(201-207).
- **Jeger J (1970):** Clinical Experience with Impendence Audiometry .Arch otolaryng. Vol. 69.:179-1198.
- **Jerger (1970):** Clinical experience with impedance audiometry Archives of otolaryngology 99:211.

- **Kamerer CB (1978):** Electromyographic correlations laryngoscope vol. 88:651-662.
- **Kanemaru shin ichi,Nakamura tatsuo masaru Yamashita, Akhmar Magrfor, Omorikoich and Juichi Ito (2007):** 5fluorouracil oint for treatment of OME laryngoscope vol pp.
- **Keith Rw (1975):** Middle ear function in Neonates Arch-Otolaryngol vol.101:376-379.
- **Kinnai TJ ,Rihkanen H ,Laine T salomenu E M and Jero J (2004) :** Albumine in coatul tympanostomy tube prospective double blind study laryngoscope 114: 2038-2043.
- **KitaJiri M.,SandoI .,Hashida Y. and Doyle W.J (1984):** Histopathology of otitis media in infant with cleft palates .Recent advances in otitis media with effusion proceeding of 3rd international symposium .BC.Deyken ,Inc,Burlington ,Ontario 96-100.
- **Klausen O,Moller P,Holme F,Jord A,Reisaeter(2000):** Lasting effects otitis media with effusion on language skills , listening performance Acta otolaryngol supp 543 pp 73-76.
- **Kubba H , Pearson J.P Birchall J.P (2000) :** The etiology of otitis media with effusion .a review clin otolaryngol allies sci 25:181.
- **Laércio Oswaldo (2005);** Anatomy of the skull base ,temporal bone, external ear and middle ear .Cumming vol 6 chap120 pp 2801-2814.

- **Lildholdt T (1980):** Negative middle ear pressure .Ann Otol Rhinol Laryngol (supple)89:67-70.
- **Lindeman (1948):** volume measurement of the middle ear and mastoid air cell system with impedance audiometry in patients with ear drum perforations thesis Dept otol and audiol, univ Goteborg , Goteborg , Sweden 19482 ; 6378
- **Loring SH and Butler J.p(1987):** Gas exchange in body cavities in tenney SK, LE Farhi hand book of physiology. The respiratory system vol 4 Gas exchange, American Physiological Society 283-96.
- **Love J T J R (1978):** The Biphasic Acoustic Reflex Laryngoscope vol .88:298-313.
- **Lucas, A.M and Douglas ,L.C (1934):** Principles underlying ciliary activities in the respiratory tract. Quoted from Ian ,mackay,and pater cele (1987): Rhinitis. sinusitis and associated chest disease .Scott-Brown's otolaryngology ,edited by Ian ,S.,Mackay and Bull ,T.o.5th edition vol 4 pp 61-89. Butter worth ,London , Boston ,Washington ,59. Sadler-Kimes ,D.,Siegel ,Mi and todhujnter .J.s. (1989): Age related morphological difference in the components of the Eustachian tube ,middle ear system .Annals of Otology ,Rhinology and Laryngology ,98-854-858.
- **Magnuson B and Falk B (1988):** Physiology of the E.T and middle pressure regulation (Jahn and Santossachi physiology of the ear .New York Ram press (81-101).

- **Magnuson, B, (1983):** Eustachian tube pathophysiology Amj otolaryngology 4. pp 123-30.
- **Makoto Miura, Takahashi Harue, Honjo I, Hasehe S and Tanabe M (1998):** Influence of the gas exchange function throught the middle ear mucosa on the development of sniff – induced middle ear diseases Laryngoscope 108 pp 683-686.
- **Mandel, Rockette, Bluestone, paradise and Nozza (1989):** Myringotomy with and without tympanostomy tubes for chronic OME Arch otolaryngol, 115 pp 1217-24.
- **Mary C. Hart, Deborah S., Nichols, Kamran Barin (1998):** Childhood imbalance ,chronic otitis media with effusion effect of tympanostomy tube insertion on standardized test of balance, locomotion. The laryngoscope 108,665-670.
- **Matsumura, H. (1955):** Studies on the composition of air in the tympanic cavity Archives of Otolaryngology 61:220-222.
- **Maw AR(1998):** Secretory otitis media in Disease of the ear edited by Harold Ludman ,Tony Wright 6th edition chapter 26.
- **Mawson S.R. (1974):** Middle ear effusion therapy and clinical results .Annals of Otology and Rhinology and Laryngology ,(Suppl II ,83: 71-72.
- **Mawson, S.R.(1988):** Applied anatomy of the auditory tube .Mawson's disease ofmiddle the ear . Edited by Harold Ludman, 5th edition, pp. 34-37., Edward Arnold puplishers, London, Baltimer, Melbourne, Auckland.

- **McGhee, J.R., Jackson. R.J and Staats, H.F.(1994):** The common mucosal immune system from basic principles to potential mucosal vaccines for otitis media in G. Mogi.J.E. Veldman, H.Kaw Quachi (E.d). immunology, in otorhinolaryngology progress of Decade Kugler Publication Amsterdam pp5-10.
- **MoGi G. Tomon AGAK ,and Watanabe (1992):** The role of type I allergy in Som and mast cell in middle ear mucosa. Acta otolaryngol 155-663.
- **Mollar A R (1962):** Acoustic reflex in man T acoustic sac Am vol. 34 : 1524-1534.
- **Moller A-R (1972):** The middle ear –vol. 2 Tobias J.V. New York-academic press.
- **Nc Nicol W.D (1983):** Otitis media with effusion in children and its association with deforming of the vermoethmoid suture .Journal of laryngology and otology 97: 203-212.
- **Nikolajesen F.M (1983):** Epidemiology of sec otitis media Annals of Otology ,Rhinology ,laryngology 92,172-177.
- **Northern, J.I, Grimes, A.M (1970):** Intoduction of acoustic impendence cited in handbook of clinical audiology edited by Jack Kartz, 2nd edition 356-372. Bal timere : Williams and Wilkins .
- **Orchik DJ, Moff R, Dunn JW, (1978):** Impendence Audiometry in serous otitis media "Arch otolaryngol , 104: 409-12.

- **Ovesen T, Felding Ju, Tonnerup B, and Schousboe Lp, (2000):** Effect of N acetylcysteine on incidence of recurrence of otitis media with effusion and reinsertion of ventilation tubes. Acta otolaryngol, suppl 543;79-81.
- **Ozbilen S, Akyildiz N, Goksun ,Ozgirgin Nand Bayramoglu I (1991):** Mastoid surgery in chronic secretory otitis media presented in politzer society international conference on Reality in ear surgery and otoneurosurgery ,maastricht, Netherland June pp 16-21.
- **Ozkui M, Görür, Uğur Ö, Atlar B, Kaptaner S and Tatar A (1999):** Proceedings of the seventh international symposium on recent advance in OM, volume 211 Florida, USA, June: 1-5.
- **Paap CM(1996):** Management of OME in young children .Ann Phamacother 30:1291.
- **PaParella, lung and Goycoolea (1991) :** OME otolaryngology ,vol 2 otology and neuro otology 3rd Philadelphia : chp 27 : 1317 – 1342 .
- **Pearson A,(1985):** Developmental anatomy of the ear, In English, GM,E.d. otolaryngology Harper and Row pub Philadelphia (1) pp 1-67.
- **Peerless S.A and Noiman A.H (1980):** Etiology of SOM Antihistamines and decongestant. laryngoscope90.

- **Phillips D.E, Maw. A.R and Harvey K(1987):** The Nasopharynx and adenoid in children with glue ear compared with normal control .*Clia, Otolaryngol* 2: 255-260.
- **Pitkaranta A.,JERO Jand Arruda E(1998):** Polymerase chain reaction based on detection of rhinovirus ,respiratory syncytial virus and coronavirus in OME *J.ped.*133 pp 390-394.
- **Portier F, Hus wc, Herman ph and Tran Ba Huy P (2001):** Serous or mucoid effusion in the course of secretory otitis media influence of ion transport modulation , *Auris Nasus Larynx* 28 pp 3-7.
- **Post J.C, Preston R.A and Auljj (1995):** Molecular analysis of bacteria pathogens in OME *JAMA* 273 pp 1598-1604.
- **Proctor, B. (1967):** anatomy of the Eustachian tube .*Archives of otolaryngology*, 97:12-36.
- **Puranik KR , Murrthy PSN , Gopalakir shnar and magak DR (1992) :** Unusually large mastoid antrum (mega antrum *J laryngol otol*) 106: 164-165.
- **Rahn, H., and Canfield, R.E: (1975):** The gas Exchange in different types of gas pockets with particular Reference to the lung .*Wright Ah develop .ctr. Tech.Rept.*,55-357:382.
- **Ransome J, (1986):** Myringotomy in Rob and smith's operative surgery (ear) fourth edition .*Butter Worths*.
- **Ranvall. U, lider. G, Jungrts and nilson (1975) :** Impedence audiometry in detection of SOM *Scand audiology* 4 : 119 : 124.

- **Reger S N (1960):** Effect of M.E. Muscle action Ann.Otal Rhinol Laryngol vol.69: 1179-1198.
- **Reker U (1977):** Methodological problems in the determination of stapedius Reflex Audiology vol. 16:487-498.
- **Robinson ., P.J, lodgess, Goligher, Bowley, and Grant (1993) :** secretory otitis media and mastoid air cell development int .J. Pediatr . otorhinolaryngology 25, 13-18 .
- **Rock EH (1991):** The physical volume test in impedance audiometry. Ear, Nose,Throat J ,70pp245-250.
- **Roger and Gray (1992):** Quoted from Synopsis of otolaryngology 5th ed. Chapter; 1, p: 6-7
- **Rood, S.R, Doyle, W.J. (1985):** Anatomy of the Eustachian tube. Annals of Otology, Rhinology and laryngology, (suppl.120),vol . 94,2-3.
- **Rosen LM (1985):** Anatomy of the ET. Annals of otology, Rhinology and Laryngology Suppl 120, Vol. 94: 6-8
- **Rosenfeld, Culpepper, Doyle Grund fast , Hoberman , Kenna, lieberth. M, Wahl , and Yawn (2004):** Clinical practice guideline :OME supp otolaryngology – head and Nack surgry . Vol 130 S95-S116 .
- **Roydhouse, (1981):** Branhexine for otitis media with effusion ,The Newzland medical Journal No 696:373-5.
- **Rubensohn G,(1965):** Mastoid pneumatization in children at varios age Acta otolaryngology (stockh 60: pp 11-14.

- **Sade (1979):** Secretory otitis media and clinical otolaryngol vol., Churchill Livingstone P. 154-70,184,206-239.
- **Sade and Luntz M (1993):** Dynamic measurements of gas composition in the middle ear II steady state value .Acta Otolaryngol (stockh) 113 pp 353-7.
- **Sadē J A (1997) :** Middle ear and auditory tube (middle ear clearance gas exchange and pressure regulation .otolaryngol head and neck surgery; 116.pp 499-524.
- **Sadē J and Fuchs (1994):** Comparison of mastoid pneumatization in adults and children with cholesteatoma Ear Arch otorhinolaryngol; 251 pp 191-195.
- **Sade J, and Hadas. E, 1979:** Prognostic evaluation of secretory otitis media as a function of mastoidal pneumatization Arch otorhinolaryngol; 225pp: 39-44.
- **Sade J,Luntz M (1990):** Middle ear as a gas pocket Annl Otol Rhino Laryngology ,99 pp 529-34.
- **Sadē Jacob ,Fuch Camiol , and Luntz Michal (1996):** Pars Flaccida middle ear pressure and mastoid pneumatization index Acta otolaryngol 116-pp 284-287.
- **Salen B (1978):** Electromyogram of tensor tympani muscle Acta Otolaryngol (stokh) vol. 85:453-455.
- **Sandos,I, Takahashi ,H,Matsune,As.and Aoki H (1994):** Localization of function in the Eustachian tube .A hypothesis. Annals of Otology, Rhinology and Laryngology ,103:311-314.

- **Sano S, Kamid, Schantern and paparella (1994):** Micropahologic changes of pars tensa in children with OME . Arch otolaryngology head and neck surgery 120: 815-819.
- **Schlder ,A.G.M ,Zielhuis,G.A,Straatomon,H.S, VAN Den-Broek, P(1992):** An Epidermiological approach to the etiology of the middle ear disease in the Netherlands, European Archives of OtoRhinolaryngology ,249:370-373.
- **Schwartz R.H, Puglese J. and Schwartz D.M(1980) :** Use of a short course of prednisone for treating middle ear effusion . Adouble blind cross over study .Ann otorhinolaryngol 89:386-91.
- **Segal J .etal (1983):**Mass soectometric analysis of gas composition in the gunea pig middle ear mastoid system . In lion DL etal ,Recent advances in otitis media with effusion Philadelphia.
- **Sesterhenn G (1976):** The Acoustic Reflex T low sensation levels Audiology vol. 15 pp 523-533.
- **Shah N. (1975):** Glue ear diagnosis and management proceedings of royal society of medicines 68:37-48.
- **Shea J.J (1971):** Auto –inflation treatment of serous otitis media in children J. of laryngol And otol . 58: 1254.
- **Simmons F.B (1964):** Perceptual Theories of the M.E. muscle function Ann Otol Rhinol Laryngol vol. 73 : 724-739.

- **Smikins,C.(1985):** Functional anatomy of the Eustachian tube. Annals of otology ,Rhinology and laryngology (suppl 120), vol 94. 6-8.
- **Steam Rw (1978) :** Emerge in characteristic of the Acoustic Reflex Otology vol. 86:628-636.
- **Stenstrom C, Ingvarsson L., (1995):** Late effect on ear disease in otitis prone children long term follow up study. Acta otolaryngol; 115: 658-63.
- **Tanabe M, Takahashi H, Honjo I and Hasebe S (1997):** Gas exchange function of middle ear in patients with otitis media with effusion Eur Arch otorhinolaryngol; pp: 453-455.
- **Teele, D.W. Kleim, J.o., Chase, C., Menyuk, P., Rosener B.A (1990):** Otitis media in infancy, intellectual ability, school achievement, speech, language at age 7 year, Journal of infectious Diseases, 162,685-694.
- **Thomsen J. et al (1988):** Long term antibiotic treatment of children with secretory otitis media Adouble blind placebo controlled study Acta-otolaryngol 449:49-50.
- **Tos Mirko, Stangerup Seven-Eric and Hvid Gert (1984):** Mastoid pneumatization Arch otolaryngol; 110, pp: 502-507.
- **Tos,M.(1970) :** Development of mucous glands in the human Eustachian tube, Acta otolaryngologica, 70: 340-350.
- **Von-Wedel H(1978):** The influence of Aging on the Middle ear Function Laryngol Rhinol Otol (stuttgart) vol. 57: 152-158.

- **Warwick, R. and Williams ,P (1973):** Gray anatomy 35th edition .p 114 ,2-3. Butterworth,London,Boston .
- **White DR, Heavner SB, Herdy SM, et al.,(2002):** Gastroesophageal reflux and ET dysfunction in an animal model. Laryngoscope; 112 (6): 955-61.
- **Wright A (1997):** Anatomy ,ultrastructure of the human ear. Scotta -Brown's otolaryngology 6th edition .vol I chapter I.
- **Wright T (1998):** Secretory otitis media disease of the ear edited by Harold Ludman , Tony wright 6th edition chapt 26 pp361-676.
- **Yamamoto Y (1999):** Gas exchange function throught the middle ear mucosa in piglets :comparative study of Normal and Inflamed Ears .Acta otolaryngol (stockh) vol 119 pp 72-77.
- **Yoing and Morris (1981):** Tuning fork tests in diagnosis for serous otitis media .British medica J. J 283:15760.
- **Zielhuis, G.A, Heuvalman- Heines, Iw., Rach, G.H., and Browek, PuiD (1989):** Enviromental risk factors for otitis media with effusion in Preschool Children , Scandina –Vian Journal of Primary Health care.7.pp 33-38.
- **Zielhuis, Rach and Van den Broek (1991) :** The occurance of otitis meaia in Dutch pre school children clin otolaryngol; 15: pp 147: 153.
- **Zollnger F (1942):** Quoted by paparella and Schumrick (1980): Atext book of otolaryngology ,second edition ,vol.1,chapter 7, pp 199-215. W.B Saunders company ,Philadelphia London, Toronto.
- **Zwislocki J., (1961):** Analysis of middle ear function part 1. input impedance , J Acoust soc Am; 34 No 8 part 2: 1316.