

REFERENCES

REFERENCES

Anson BJ, Bast TH, and Richany, SF. The fetal and early post nasal Development of the Tympanic Ring and Related structures in man. *Annals of Otology, Rhinology and Laryngology* 1955 ; 64: 802 - 824.

ANSON,B.J. and DONALDSON, J.A.(1981) *Surgical Anatomy of Temporal Bone* , 3rd edn.Philadelphia : W.B.Saunders.

Blevins NH, Carter BE. Routine Preoperative Imaging in chronic ear surgery. *The american Journal of Otology* . 1998 jul ; 19 (4): 527 - 538.

Bradley P. pickett, Wayne SC. , Paul Rb. Sinus Tympani: Anatomic considerations, computed tomography, and discussion of retrofacial approach for removal of disease. *The American Journal of Otology*. 1995 ; 16 (6)741-750.

Campbell JP. Pillsbury HC. The use of the computerized tomography in revision mastoid surgery for chronic otitis media. *Am. J. Otol* 1990 ; 14 : 387 - 94.

Chakers DW. CT of ear structure : A Tailored approach. *Radiol Clin N Am* ; 22 (1) : 3 - 15.

Cheatle AH. Surgical anatomy of temporal bone . London : J & A churchill, 1907.

DAVID Wright, Scott-Brown's Otolaryngology), (1987), 5th edn. :U.K Butterworth.

Donaldson JA, Anson BJ , Warpeha RL , Rensink MJ. The surgical anatomy of the sinus tympani. Arch Otolaryngol Head Neck Surg 1971; 94 418 - 425.

Farrior JB. Principles of surgery in tympanoplasty and mastoidectomy Laryngoscope 1966; 76 : 816 - 841.

Goodhill V. Circumferential tympanomastoid access : the sinus tympani area . Ann Otol Rhinol Laryngol 1973 ; 82 : 547 - 554.

Jackler RK. Dillon WP. Schindler RA. Computerized tomography in the suppurative ear disease. a correlation of surgical and radiologic findings. Laryngoscope 1980 ; 94 : 716-52.

Jako GJ. The posterior bony ear canal and the antrum threshold angle in conservative middle ear surgery. Laryngoscope 1966 ; 76 : 1260 - 1276.

Jansen C. The combined approach for tympanoplasty.J laryngol Otol 1968 ; 82 : 779 - 793.

Jazrawy H, Wortzman G, Cassel EE et al. Computed tomography of the temporal bone. J Otolaryngol 1983 ; 12: 37 - 45.

Johnson D, Voorhees R, Lufkin R, et al . Cholesteatoma of the temporal bone :Role of computed tomography. Radiology 1983 ; 148 : 733 - 737.

- Leutje CM.** Prevention of sinus tympani retraction following tympanoplasty . Arch Otolaryngol 1994 ; 6 : 120 : 1395-6.
- Lloyd TV. Aman MV. Johnson JC.** Aberrant jugular bulb presenting as a middle ear mass. Radiology 1979 ; 131:139-41.
- Mafee ME, Levin BC, Campos M, James CE.** Cholesteatoma of the middle ear and mastoid. Otolaryngol Clin North Am 1988 ; 21 : 265 - 93.
- Messerotti G, Ghibellini MD, Renaldi Ceroni A.** Some anatomical remarks on the posterior region of the tympanic cavity. Bollettino - Societa Italiana Biologia Sperimentale 1993 ; 69 (6) : 206 - 14.
- Noyek and Kassel** Otolologic Medicine and Surgery (1988), ;1:178-300.
- Overton SB. Ritter FM.** A high placed jugular bulb in the middle ear , a clinical and temporal bone study. Laryngoscope 1973 ; 83 : 1986 -91.
- Parlier-Cuau C. Champsaur P. Rabischong P. Lassau JP.** High resolution computed tomographic study of the retrotympanum. Anatomic correlations. Surg Radiol Anal. 1998; 20 (3) : 215 - 220.
- Pickett BP, Wayne SC. , Paul Rb.** Sinus Tympani: Anatomic considerations, computed tomography, and discussion of retrofacial approach for removal of disease. The American Journal of Otology. 1995 ; 16 (6)741-750.
- Potter GD.** The ear, The surgeon and The radiologist. Hickey lecture, American Journal of Roetgenology, Radiological Therapy and Nuclear Medicine 1973 ; 118: 501- 510.

Proctor B. Surgical anatomy of the posterior tympanum. Ann Otol 1969 ;78 : 1026 - 1040.

Proctor B. The development of middle ear spaces and their surgical significance. Jour. Laryngol and Otol. 1964; 78 : 631 - 648.

Pulec JL. Sinus tympani : Retrofacial approach for the removal of cholesteatoma. Ear, Nose Throat J 1996 ; 75 (2).

Saito R, Igarashi M, Alford BR, Guilford FR. Anatomical measurement of the sinus tympani. Arch. Otolaryngol Head Neck Surg. 1979; 94: 418 - 425.

Sheehy JL. Brackman DE. Graham MD.Cholesteatoma surgery ; residual and reccurent disease. Am Otol 1979 ; 86 : 451- 62.

Smyth GDL, Kerr AG, Goodey RJ. Current thoughts on combined approach tympanoplasty. J laryngol Otol 1971; 85 : 1013 - 1020.

Steinbrugge H. On the sinus tympani. Arch Otolaryngol 1889 ; 8 : 53 - 57.

Swartz JD, Faerber EN, Congenital malformation of external and middle ear :High resolution CT finding of surgical import. American Journal of Roentgenology 1985; 144 : 501 - 506.

Tamura N, Sashi R, Kobayashi H, Hirano Hashimoto M, and Watarai J. Normal variations of the temporal bone on high resolution CT. Clinical Radiology 1995 ; 50 : 144 - 148.

Taylars. The petrous temporal bone including the cerebello-pontine angle. Radiol Clin N Am 1982 ; 20 (1) 67 - 86.

Valvassori GE, Buckingham RA. Serial CT sections of temporal anatomy In : Valvassori : GE et al eds . Radiology of the temporal bone . stuttgart : George Thieme verlag, 1988: 9 - 40.

Vignaud J, Juster M, Lerich H, Lichtenberg R, Korach G. Radio anatomie de la cochlea . Acta Radiol 1969 ; 9:117-122 .

Virapongse C, Rothman SLG, Kier EL et al. Computed tomographic anatomy of the temporal bone. American journal of roentgenology 1982; 139 :739 - 749.

Vlvanis A, Kubrk & Aguz M. Exploration of facial nerve canal by high resoluloin computed tomography . Anatomy , pathology , and Neuroradiology 1989 ; 171 : 309 - 317.

Voorhees R. Jonhnson D. Lufkin R. et al. High resolution CT scanning for detection of cholesteatoma and complications in the postoperative ear. Laryngoscope 1983 ; 93 : 589 - 95.

Weit RJ, Glassock ME, Shambough GE. Surgical anatomy of the temporal bone by dissection : Shambough GE, Glassock ME, eds. Surgery of the ear . philadelphia : WB Saunders, 1980 : 699.