

REFERENCES

REFERENCES

=====

Abele, S.J., Miller, R.T., and Goodson, H.W.: Fine-Needle Aspiration of Palpable Breast Masses. Arch. Surg. 11 : 859, 1983.

Ackerman, L.V.: Classification of benign and malignant breast tumours. Cancer 31: 342, 1970.

Ackerman, L.V. , and del Regato, J.A.: Cancer of the mammary gland, in Ackerman, L.V. and del Regato, J.A. (eds): Cancer diagnosis, treatment and prognosis. St. Louis, C.V. Mosby Co., 1977.

Ahmann, D.L., O'Connell, M.J., and Hahn, R.G.: An evaluation of early or delayed adjuvant chemotherapy in premenopausal patients with advanced breast cancer undergoing oophorectomy. N.Engl.J.Med. 297: 356, 1977.

Ansfield, F.J., and Davis, H.L.: Further clinical studies with megestrol acetate in advanced breast cancer. Cancer 38: 53, 1976.

Atkins, H., Hayward, J.L., and Kingman, D.J.: Treatment of early breast cancer: a report after ten years of a clinical trial. Br.Med.J. 2: 423, 1972.

Atkins, H. : The treatment of breast cancer. Proc.R.Soc. Med. 67: 277, 1974.

Auchincloss, H.: Significance of location and number of axillary metastases in carcinoma of the breast: a justification for a conservative operation. Ann.Surg. 158: 37, 1963.

Bailey, H., and Love's, M.: Short Practice of Surgery, 18th edition. Great Britain, Lewis and Co LTD publisher, 1981.

Baum, M.: Carcinoma of the breast , in Selwyn Taylor (ed): Recent Advances-10- Surgery. Livingstone, Churchill, 1980.

Black, M., Opler, S., and Speer, F.: Survival in breast cancer cases in relation to the structure of the primary tumour and regional lymph nodes. Surg.Gynecol.Obstet. 100: 543, 1955.

Blichert, T.M., Dyreborg, U. , and Bogh, L.: Non palpable breast lesions-Mammographic wireguided biopsy and radiologic-histologic correlation. World J.Surg. 6/1: 119, 1982.

Bloomer, W.D., Botnick, E.L., and Weichselbaum, R.R.: Primary Radiation Therapy for Operable Breast cancer, in Theodore X O'Connell (ed): Surgical Oncology-Controversies in cancer treatment. Boston, Massachusetts, G.K. Hall Medical Publishers, 1981.

Bonadonna, G., Valagussa, P., and Rossi, A.: CMF Adjuvant chemotherapy in operable breast cancer, in Jones, S.E. and Salomon, S.E. (eds): Adjuvant chemotherapy of Cancer II. New-York, Grune and Stratton, 1979.

Bonadonna, G., Brusamolino, E., and Valagussa, P.: Combination chemotherapy as an adjuvant treatment in operable breast cancer. N.Engl.J.Med. 297: 405, 1976.

Boon, M.E., Trott, P.A., and Van Kaam, H. : Morphometry and cytodiagnosis of breast lesions. Virchows Arch.Abt.A.Pathol.An t. 396/1: 9, 1983.

Boova, R.S., Bonnani, R., and Rosato, F.E.: Patterns of axillary nodal involvement in breast cancer. Predictability of level one dissection. Ann.Surg. 196/6: 642, 1982.

Brambilla, C., De Lena, M., and Rossi, A.: Response and survival in advanced breast cancer after two non cross resistant combinations. Br.Med.J. 1: 801, 1976.

Brinkley, D., and Haybittle, J.L.: Treatment of stage II carcinoma of the female breast. Lancet 2: 1086, 1971.

Brooks, L.J., Ryan, A.J., and Bauermeister, E.D.: Prognostic significance of hormone receptors in early recurrence of breast cancer. Am.J.Surg. 145: 599, 1983.

Budzar, A.U., Blumenschein, G., and Gutterman, J.: Adjuvant therapy with 5-fluorouracil, adriamycin, cyclophosphamide and B.C.C. (FAC-BCG) for stage II or III breast cancer, in Jones, S.E. and Salmon, S.E. (eds): Adjuvant chemotherapy of Cancer II. New-York, Grune and Stratton, 1979.

Budzar, A.U., Smith, T. and Blumenschein, G.: Adjuvant chemotherapy with fluorouracil, doxorubicin and cyclophosphamide (FAC) for stage II or III breast cancer 5 year results, in Jones, S.E. and Salmon, S.E. (eds): Adjuvant chemotherapy of Cancer III . New-York, Grune and Stratton, 1981.

Budzar, A.U., Powell, K.C. and Blumenschein, G.: Aminoglutethimide after tamoxifen therapy in advanced breast cancer, M.D. Anderson hospital experience. Cancer Res. 42/8: 34485, 1982.

Cahill, C.J., Boulter, P.S., Gibbs, N.M., and Price, J.L.: Features of mammographically negative breast tumours. Br.J.Surg. 68: 882, 1981.

Calle, R., Pilleron, J., Schlienger, P.: Therapeutique avisée conservatrice des epitheliomas mammaires. Bull.du Cancer 60: 217, 1973.

Calle, R.: Conservative management of operable breast cancer. Cancer 42: 2045, 1978.

Cannellos, G.P., Pocock, S.J., and Taylor, S.J.: Combination chemotherapy for metastatic breast carcinoma: prospective comparison of multiple drug therapy with L-phenylalanine mustard. Cancer 38: 1882, 1976.

Carbone, P.P., and Tormey, D.C.: Combination chemotherapy for advanced disease, in Mc Guire W.L. (ed): Breast Cancer Advances in Research and Treatment. New-York, Plenum Medical Book Co., 1977.

Carter, S.K.: Integration of chemotherapy into combined modality treatment of solid tumours VII Adenocarcinoma of the breast. Cancer Treat. Rev. 8: 141, 1976.

Carter, A.C., Sedransk, N., and Kelley, R.M.: Diethylstilbestrol Recommended dosages for different categories of breast cancer patients. J.A.M.A. 237: 2979, 1977.

Cash, R., Brough, A.J., Cohen, M.N.P., and Satoh, P.S.: Aminogluthethimide (Elipten-Ciba) as an inhibitor of adrenal steroidogenesis. Mechanism of action and therapeutic trial. J.C.E.M. 27: 1239, 1967.

Chelbowski, R., Irwin, L. and Pugh, R.: Survival of patients with metastatic breast cancer treated with either combination or sequential chemotherapy. Clin. Res. 27: 53 A, 1979.

Christensen, K., Blichert, T.M., and Gierseng, U.: Phantom breast syndrome in young women after mastectomy for breast cancer. Physical, Social and Psychological aspects. ACTA Chir. Scand. 148/4: 351, 1982.

Cline, M. and Haskell, C.M.: Cancer chemotherapy. Philadelphia Saunders and Cy., 1980.

Cocconi, G., De Lisi, V., Mori, P. and Bozzetti, C.: Estrogen receptors and response to chemotherapy in advanced breast cancer. Tumori 68/1: 67, 1982.

Cohen, M.A.: Time for a balanced approach to the local treatment of operable carcinoma of the breast. Am. J. Surg. 83: 891, 1980.

Cooke, T., George, W.D., and Griffiths, K.: Possible tests for selection of adjuvant systemic therapy in early cancer of the breast. Br. J. Surg. 67: 747, 1980.

Coombes, R.C.: Biochemical markers in breast cancer, in Coombes, R.C., Powles, T.J., Ford, H.T. and Gazet, J.C.: Breast Cancer Management. London, Academic Press, 1981.

Cooper, R.G.: Combination chemotherapy in hormone-resistant breast cancer. Proc. Am. Assoc. Cancer Res. 10: 15, 1969.

Cooper, R.G., Holland, J.F., and Glidwell, H.: Adjuvant chemotherapy of breast cancer. Cancer 44: 793, 1979.

Crile, G. Jr.: The case for local excision of breast cancer in selected cases. *Lancet* 1: 549, 1972.

Crowe, J.P., Hubay, C.A., and Pearson, O.H.: Estrogen receptor status for stage I breast cancer patients. *Breast Cancer Res. Treat.* 21/2: 171, 1982.

Cunningham's: Manual of Practical Anatomy. Revised by G.J. Romanes. Great Britain, Oxford University Press, Oxford Medical Publications, 1981.

Cushieri, A., Hutchinson, F., and Neill, G.: Scintiscanning of the breast with $^{99}\text{Tc}^{\text{m}}$ - diethylene triamine pentaacetic acid- a prospective blind evaluation. *Br. J. Surg.* 68: 147, 1981.

Cutler, S.J., Connelly, R.R.: Mammary cancer trends. *Cancer* 42: 2045, 1969.

Dahl-Iversen. Radical mastectomy with parasternal and supra-clavicular dissection for mammary carcinoma. *Ann. Surg.* 157 :170, 1963.

Dohrmann, J.P., Hughes, E.S., Mc Dermott, F. and Price, A.: Symptom duration, tumour staging and survival in patients with carcinoma of the breast. *Surg. Gynecol. Obstet.* 154: 707, 1982.

Donegan, W.L. : General Considerations in Operative Surgery, Principles and Techniques edited by Paul F.N.. Philadelphia, Lea Febiger publishers, 1980.

Elston, C.W., Gresham, G.A., and Rao, G.S.: The cancer research campaign (King's Cambridge) Trial for early breast cancer Clinico-Pathological Aspects. Br. J. Cancer 45: 655, 1982.

Falkson, H.C., Falkson, G., and Portugal, M.A.: Carcinoembryonic antigen as a marker in patients with breast cancer receiving postsurgical adjuvant chemotherapy. Cancer 49/9: 1859, 1982.

Falkson, H.C., Falkson, G., and Portugal, M.A.: Adjuvant chemotherapy for operable breast cancer in premenopausal women. S. AFR.MED. J. 61: 651, 1982.

Fisher, B.: Prospects for the control of metastases. Cancer 24: 1263, 1969.

Fisher, B., Slack, N.H., and Cavanagh, P.J.: Postoperative radiotherapy in the treatment of breast cancer : Results of the NSABP clinical trial . Ann. Surg. 172: 711, 1970.

Fisher, E.R., Remigio, G.M., and Fisher, B.: Cancer 36: 1, 1975.

Fisher, B., Glass, A., and Redmond, C.: L-phenylalanine mustard (LPAM) in the management of primary breast cancer. Cancer 39: 2883, 1977.

Fisher, B., and Redmond, C.: Breast Cancer Studies of the National Surgical Adjuvant Breast and Bowel Project (NSABP), in Jones, S.E. and Salmon, S.E. (eds): Adjuvant Chemotherapy II New-York, Grune and Stratton, 1979.

Fisher, B., and Wolmark, N.: The current status of systemic adjuvant therapy in the management of primary breast cancer.

Surgical Clinics of North America 61/6: 1347, 1981.

Fisher, B.: The treatment of primary breast cancer with chemotherapy and tamoxifen correlation of quantitative estrogen receptor levels with response to therapy. N. Engl. J. Med. 305: 1, 1981.

Fletcher, G.H.: Management of localized breast, in Fletcher, G.H. (ed): Textbook of radiotherapy . Philadelphia, Lea and Febiger, 1973.

Foote, F.W., and Stewart, F.W.: Surgery 19: 74, 1946.

Ford, H.T.: Radiotherapy of early breast cancer, in Coombes, R.C., Powles, T.J., Ford, H.T. and Gazet, J.C. (eds): Breast cancer management. London, Academic Press, 1981.

Forrest, A.P.M.: Editorial Breast Cancer. Clin. Oncol. 2: 313, 1976.

Forrest, A.P.M., Stewart, H.J. and Roberts, M.M.: Simple mastectomy and axillary node sampling (Pectoral Node Biopsy) in the management of primary breast cancer. Ann. Surg. 1982.

Foster, C.S. and Neville, A.M.: Histopathology of breast cancer in Coombes, R.C., Powles, T.J., Ford, H.T. and Gazet, J.C. (eds): Breast Cancer Management. London, Academic Press, 1981.

Fraccia, A.A., Farrow, J.H. and Miller, T.R.: Hypophysectomy as compared to adrenalectomy for advanced breast cancer. Surg. Gynaec. Obstet. 133: 241, 1971.

Furnival, C.M., Chong, K.C., Watson, L.R. and Visona, A.: Fluorescent cytochemical oestrogen receptor assay: is it valid in breast cancer? Br. J. Surg. 70: 457, 1983.

Gazet, J.C.: Surgical Management of Breast Cancer, in Coombes, R.C., Powles, T.J.; Ford, H.T. and Gazet, J.C. (eds): Breast Cancer Management. London, Academic Press, 1981.

George, W.D., and Burn, J.I.: Drill biopsy in the diagnosis of breast cancer. Clin. Oncol. 1: 291, 1975.

Gray, H.: Gray's Anatomy edited by Warwicks, R. and William, P.L., 35th edition, Great-Britain, Longman publishers, 1973.

Greenspan, E.M., Fieber, M., and Lesnick, G.: Response of advanced breast carcinoma to the combination of the antimetabolite methotrexate and the alkylating agents, thiotepa. J. Mt. Sinai Hospital 30: 246, 1963.

Haagensen, C.D. and Cooley, E.: Radical mastectomy for mammary carcinoma. Ann. Surg. 170: 884, 1969.

Haagensen, C.C., Miller, E. and Handley, A.S.: Treatment of early breast cancer ; a comparative international study. Ann. Surg. 170: 875, 1969.

Haddow, A., Watkinson, J.M., and Patterson, E.: Influence of synthetic oestrogens upon advanced malignant disease. Br. Med. J. ii: 393, 1944.

Halsted, W.S.,: The results of operation of the cure of cancer of the breast. Johns Hopkins Hospital rep. 4: 297, 1894.

Handley, R.S.: Observations and reflexions on breast cancer. J. R. Coll. Surg. Edin. 6: 1, 1960.

Handley, R.S. : A surgeon's view of the spread of breast cancer. Cancer 24: 1231, 1969.

Handley, R.S. and Thackeray, A.C. : Conservative radical mastectomy (Patey's Operation). Ann. Surg. 170: 880, 1969.

Handley, R.S. : Symposium on early carcinoma of the breast: the early spread of breast carcinoma and its bearing on operative treatment. Br. J. Surg. 128: 276, 1974.

Handley, R.S., and Scalton, E.F.: Modified radical mastectomy in operative surgery. Principles and Techniques edited by Paul F. Nora, 2nd edition, Philadelphia, Lea and Febiger publishers, 1980.

Harper, A.P., Jackson, V.P. and Bies, J. : A preliminary analysis of the ultrasound imaging characteristics of malignant breast muscles as compared with X-ray mammographic appearances and the growth and microscopic pathology. Ultrasound Med. Biol. 8/4: 365, 1983.

Hawkins, R.A., Roberts, N.M., and Forrest, A.P.M. : Oestrogen receptors and breast cancer: current status. Br. J. Surg. 67: 153, 1980.

Haybittle, J.L., Blamey, R.W., Elston, C.W.: A prognostic index in primary breast cancer. Br. J. Cancer 45: 361, 1982.

Hayward, J.L., Carbone, T.P., Henson, J.C. : Assessement of response to therapy in advanced breast cancer. Eur. J. Cancer 13: 89, 1977.

Heise, E. and Gorlick, M.: Estradiol receptor activity in human breast cancer disease free interval and survival time. Anticancer Res. 2/12: 33, 1982.

Hermann, G.: Non palpable tumour of the breast radiological presentation. Br. J. Radiol. 55/657: 623, 1982.

Holland, J.F.: Adjuvant chemotherapy for breast cancer .
Surgical clinics of North America 61/6: 1361, 1981.

Horsley, J.S.: Bilateral oophorectomy with radical operation
for breast cancer. Surg. 15: 590, 1944.

Horwich, A.: The role of radiotherapy in locally advanced
and metastatic breast cancer, in Coombes, R.C., Powles, T.J., Ford,
H.T., and Gazet, J.C. (eds) : Breast Cancer Management. London,
Academic Press, 1981.

Host, H. and Brennhand, I.O.: Combined surgery and radiation
therapy versus surgery alone in primary mammary carcinoma I. The
effect of orthovoltage radiation. Acta Radiol. Ther. Phys. Biol.
14: 25, 1975.

Host, H. and Brennhand, I.O.: The effect of postoperative
radiotherapy in breast cancer. Int. J. Radiat. Oncol. Biol. Phys.
2: 1061, 1977.

Host, H.: Should postoperative radiation therapy be routinely
performed after mastectomy, in Theodore X-O'Connell (ed.):
Surgical Oncology: Controversies in Cancer Treatment. Boston,
USA, G.K. Medical publishers, 1981.

Hughes, L.E.: Operations for Benign Breast Disease, in Rob and
Smith (eds): Atlas of General Surgery, London, Butterworth and Co
publishers, 1981.

Humphry , J. L.: Subcutaneous mastectomy is not a prophylaxis
against carcinoma of the breast: opinion or knowledge? Am. J. Surg.
145/3 , 1983.

Johnstone, F.R.C.: Postoperative radiation in the treatment of carcinoma of the breast. *Am. J. Surg.* 128: 276, 1974.

Jones, S.E., Durie, B.G.M., and Salmon, S.E.: Combination chemotherapy with Adriamycin and cyclophosphamide for advanced breast cancer. *Cancer* 36: 90, 1975.

Kaae, S., and Johansen, E.: Simple mastectomy plus postoperative irradiation by the method of Mc. Whirter for mammary carcinoma. *Prog. Clin. Cancer* 1: 453, 1968.

Kalache, A.: Risk factors for breast cancer: a tabular summary of the epidemiological literature. *Br. J. Surg.* 68: 797, 1981.

Kalisman, M., Wolff, T.W., and Kleinert, H.E.: Postmastectomy brachial plexus compression. *Breast* 7/4 : 29, 1981.

Kasumi, F., Fukami, A., Kumo, K., and Kajetani, T.: Characteristic echographic features of circumscribed cancer. *Ultrasound Med. Biol.* 8/4 : 369, 1982.

Kennedy, B.J., Mielke, P.W. and Fortuny I.E.: Therapeutic castration versus prophylactic castration in breast cancer. *Surg. Gynec. Obstet.* 118: 524, 1964.

Kennedy, B.J.: Hormonal therapies in breast cancer. *Semin. Oncol.* 1: 119, 1974.

Kennedy, B.J. and Kiang, D.T.: The effect of short term cyclophosphamide on estrogen therapy in metastatic breast cancer. *Med. Pediatr. Oncol.* 1: 265, 1975.

Kissin, M.W., Thompson, E.M., and Price, A.B.: The inadequacy of axillary sampling in breast cancer. *Lancet* 1/8283: 1210, 1982.

Korenman, S.G. and Dukes, B.A.: Specific oestrógen binding by the cytoplasm of human breast carcinoma. J. Clin. Endocrinol. 30: 639, 1970.

Kouchoukos, N.T.: Cancer 20: 948, 1967.

Kreuzer, G. and Boquoi, E.: Aspiration, biopsy, cytology, mammography and clinical exploration: a modern setup in diagnosis of tumours of the breast. Acta Cytol. 20: 319, 1976.

Krohn, T.I., Cooper, R.D. and James, G.: Radical mastectomy Thick vs thin skin flaps. Arch. Surg. 117, 1982.

Last, R.J.: Lymph nodes of the axilla, in Last, R.J. (ed.): Anatomy regional and applied. Edinburgh and London, Churchill livingstone, 1979.

Leborgne, R.: Diagnosis of tumour of the breast by simple roentgenography. A.J.R. 65: 1, 1951.

Lee, S.H.: Cytochemical study of estrogen receptor in human mammary cancer. Am. J. Clin. Pathol. 70: 197, 1978.

Lee, Y.T.N., Haymond, H.R., and Feder, B.: Biochemical evaluation of patients with breast cancer. J. Surg. Oncol. 19/4: 197, 1982.

Legha, S.S., Davis, H.L., and Muggia, F.M.: Hormonal therapy of breast cancer: New approaches and concepts. Ann. Intern. Med. 88: 69, 1978.

Lennox, B.: Breast neoplasms, in Anderson, J.R. (ed): Muir's textbook of pathology. England, E.L.B.S., 1975.

Levitt, S.H., Richard, B.M. and Sony, C.W.: Radiotherapy in the postoperation treatment of operable cancer of the breast. Cancer 39: 933, 1977.

Lippman, M., Bolan, G. and Huff, K.: The effects of glucocorticoids and progesterone on hormone-responsive human breast cancer in long term tissue culture. *Cancer Res.* 36: 4602, 1976.

Lippman, M., Allegra, J.C., and Thompson, E.B.: The relation between estrogen receptors and response rate to cytotoxic chemotherapy in metastatic breast cancer. *New Engl. J. Med.* 298: 1223, 1978.

Longueville, J. and Maisin, H.: Combined therapy with Adriamycin DNA vincristine and medroxy-progesterone acetate in metastatic breast cancer. *Adriamycin Review part IV* , 1975.

Lokich, J.J., Skarin, A.T., Mayer, R.J.: Adriamycin plus alkylating agents in the treatment of metastatic breast cancer. *Cancer* 40: 2801, 1977.

Lythgoe, J.P., Leek, I. and Swindell, R.: Manchester regional breast study. *Lancet* 1: 744, 1978.

Mannes, P., Derriks, R. and Moens, R.: Multidisciplinary curative treatment for disseminated carcinoma of the breast. *Cancer Treat. Rep.* 60: 85, 1976.

Martinez, A.: Radical irradiation without a mastectomy : an alternative to radical surgery in the treatment of early breast cancer, in Williams and Whitehouse (eds): *Recent advances in clinical oncology*. Edinburgh and London, Churchill Livingstone, 1982.

Mauriac, L., Waffart, J. and Durand, M.: Contribution of drill biopsies to pre-treatment investigation of breast adenocarcinoma. *Bull. Cancer* 68/5: 417, 1981.

Mc Credie, J.A.: Breast, in Mc Credie, J.A. (ed): *Basic Surgery*. New-York, Macmillen Publishing Co, Inc., 1977.

Mc Gregor : Anatomy of the breast, in Du Plessis, D.J. (ed): Synopsis of Surgical Anatomy. Great-Britain, Bristol John Wright and Sons LTD, 1975.

Mc Whirter, R.: Some factors influencing prognosis in breast cancer. J. Fac. Radiol. Lond. 8: 220, 1956.

Meakin, J.A.: Ovarian irradiation and prednisone therapy following surgery and radiotherapy for carcinoma of the breast. Can. Med. Ass. J. 120: 1221, 1979.

Mecklenberg, R.S. and Lipsett, M.B.: Disappearance of metastatic breast cancer after oophorectomy. N. Engl. J. Med. 289: 845, 1973.

Meyer, J.E., Kopans, D.B. and Lawrence, W.D.: Normal intramammary lymph nodes presenting as occult breast masses. Breast 8/1: 30, 1982.

Mikuz, G. and Dietze, O.: Wien Klin Wochenschr 94/14: 368, 1982.

Moors, F.D., Van Devanter, S.B. and Boyden, C.M.: Adrenalectomy with chemotherapy in the treatment of advanced breast cancer: objective and subjective response rates, duration and quality of life. Surgery 76: 376, 1974.

Moseson, M.: Estrogen receptors and response to surgical adjuvant chemotherapy for breast cancer-hypothesized relationship to tumour stroma. Oncology 39/2: 83, 1982.

Mouridsen, H., Palshof, T. and Patterson, J.: Tamoxifen in advanced breast cancer. Cancer Treat. Rev. 5: 13L, 1978.

Murad, M.T.: Nipple discharge from the breast . Ann. Surg. 195/3: 259, 1982.

Murray, R.M.L.: Aminoglutethimide in tamoxifen-resistant patients: The Melbourne experience. Cancer Res. 42/8: 34375, 1982.

Mustakillio's: Conservative treatment of breast carcinoma review of 25 years follow-up. Clin. Radiol. 23: 110, 1972.

Neifeld, P.J., Lawrence, W.J. and Brown, W.P.: Estrogen receptors in primary breast cancer. Arch. Surg. 117: 753, 1982.

Nemoto, T., Rosner, D. and Diaz, R.: Combination chemotherapy for metastatic breast cancer comparison of multiple drug therapy with 5-fluorouracil, cytoxane and prednisone with adriamycin or adrenalectomy. Cancer 41: 2073, 1978.

Neville, E.M.: Clinical significance of recent inversion of the nipple : a reappraisal. J. R. Soc. Med. 75/2: 111, 1982.

Newsome, H.H.: Medical and surgical adrenalectomy in patients with advanced breast carcinoma. Cancer 39: 542, 1977.

Nissen, M.R., Manson, B., and Norris , T.: Surgical adjuvant chemotherapy. Results with one short course with cyclophosphamide after mastectomy for breast cancer. Cancer 41: 2088, 1978.

Nixon, D.W.: Diagnosis and management of breast cancer in Surgical Oncology Diagnosis and Management of Cancer. California, Addison-Wesley Publishing Company. Inc. Medical Nursing division, 1982.

O'Connell, T.: Surgical Oncology. Controversies in Cancer Treatment. Boston, Massachusetts, G.K. Hall Medical Publishers, 1981;

Osborne, M.P., Hayne, H.J. and Richardson, V.J.: The pre-operative detection of axillary lymph node metastasis in breast cancer by isotope imaging. Br. J. Surg. 70: 141, 1983.

Palmer, M.K., Lythgoe, J.P., and Alwyn, S.: Prognostic factors in breast cancer . Br. J. Surg. 69: 697, 1982.

Patterson, R., and Russell, M.H.: Clinical trials in malignant disease II. J. Fac. Radiol. Lond. 10 :130, 1959.

Patterson, R.: Breast cancer: a report of two clinical trials. J. R. Coll. Surg. Edinb. 7: 243, 1962.

Pearson, O.H.: Antiestrogen in the treatment of breast cancer, in Mayer, M., Saez, S. and Stoll, B.A. (eds) : Hormone deprivation in breast cancer. England, Imperial Chemical Industries Ltd., 1977.

Pearson, O.H., Manni, A. and Arafah, B.M.: Antiestrogen treatment of breast cancer. An overview. Cancer Res. 42/8: 3424s, 1982.

Perloff, M. and Lesnick, C.J.: Chemotherapy before and after mastectomy in stage III breast cancer. Arch. Surg. Chicago 117/7: 879, 1982.

Persujn, J.P., Korsten, C.B. and Engelsman, E.: Oestrogen and androgen receptors in breast cancer and response to endocrine therapy. Br. Med. J. 4: 503, 1975.

Peters, M.V.: Wedge resection and irradiation: an effective treatment in early breast cancer. JAMA 200: 18, 1967.

Peters, M.V.: Cutting the " Gordian Knot " in early breast cancer. Ann. R. Coll. Physicians Surg. Can. 8: 186, 1975.

Philip, F., Harris, W.G. and Rustage, J.H.: Radiography of breast biopsy specimens. Br. J. Surg. 69: 126, 1982.

Pierquin, B., Owen, R., and Maylin, C.: Radical radiation therapy of breast cancer. *Int. J. Radiat. Oncol. Biol. Phys.* 6: 17, 1980.

Poisson, R., Larose, C., Charlebois, S.: Preliminary report of the individualised non-mutilating treatment of operable breast cancer. *Clin. Oncol.* 2: 55, 1976.

Powell, W.R.: X-Ray calcifications as the only basis for breast biopsy. *Ann. Surg.* 197/5 : 555, 1983.

Powles, T.J.: Adjuvant Therapy in Breast Cancer . *Endocrine Therapy of Breast Cancer*, in Coombes, R.C., Powles, T.J., Ford, H.T. and Gazet, J.C. (eds): *Breast Cancer Management*. London, Academic Press, 1981.

Preece, P.E., Wood, R.A.B., Mackie, C.R., and Cuschieri, A.: Tamoxifen as initial sole treatment of localised breast cancer in elderly women: a pilot study. *Br. Med. J.* 284/6319, 1982.

Preece, P.E.; Importance of mastalgia in operable breast cancer. *Br. Med. J.* 284/6325 : 1299, 1982.

Prosnitz, R.L.: Radiation therapy as initial treatment for early stage cancer of the breast without mastectomy. *Cancer* 39: 917, 1977.

Raam, S., Nemeth, E., Tamura, H.: Immunohistochemical localization of estrogen receptors in human mammary carcinoma using antibodies to the receptor protein. *Eur. J. Cancer Clin. Oncol.* 18/1: 1, 1982.

Racanelli, A.: Accuracy of dynamic contact thermography in

the follow-up of breast cancer after surgery and radiochemotherapy.
Acta Thermographica 6/13: 91, 1983.

Rae, V.B., Nemoto, T., Schneider, S.L. and Dao, T.L.:
Prolactin binding by human mammary carcinoma: Relationship to
estrogen receptor protein concentration and patient age. Breast
Cancer Res. Treat. 1/3: 233, 1981.

Ravdin, R.G., Lewison, E.F. and Slack, N.H.: Results of a
clinical trial concerning the worth of prophylactic oophorectomy
for breast carcinoma. Surg. Gynec. Obstet. 151 : 1055, 1970.

Rifaat, M.A.: Surgery of the breast, in Rifaat, M.A. (ed):
A manual of surgery. The Scientific Book Center, 1981.

Rimsten, A., Stenkvis, B., Johanson, H.: The diagnostic
accuracy of palpation and fine-needle biopsy and an evaluation of
their combined use in the diagnosis of breast lesions . Ann. Surg.
182: 1, 1975.

Rissanen, P.N.: A comparison of conservative and radical
surgery combined with radiotherapy in the treatment of stage I
carcinoma of the breast. Br. J. Radiol. 42: 423, 1972.

Ross, M.B., Budzar, A.U. and Blumenschein, G.R.: Treatment
of advanced breast cancer with megestrol acetate after therapy
with tamoxifen. Cancer 49/3: 413, 1982.

Rothenberg, R.E., Sabatini, M.T., La Raja R.D., and Lobbato V.:
Mammary duct curettage for early detection of breast disease:
A preliminary report . Breast 8/2 : 26, 1982.

Rowse, A.D., Morrison, M.J., Scott, P.H.: Hydroxyproline
excretion in the detection of occult bone metastase from breast

cancer. Oncology 39/5: 287, 1982.

Santen, R.J., Samoilik, E., Lipton, A.; Aminoglutethimide therapy of breast cancer. Cancer 39: 2948, 1977.

Santen, R.J., Milton, S.: Suppression of estrogens with aminoglutethimide and hydrocortisone (medical adrenalectomy as treatment of advanced breast carcinoma). Breast cancer Res. Treat. 1/3 : 183 , 1981.

Sauven, P.; The role of mammography in the evaluation of advanced breast cancer treated by initial endocrine therapy. Br. J. Surg. 70: 453, 1983.

Say, C.C., and Donegan, W.L.: Invasive carcinoma of the breast prognostic significance of tumour size and involved axillary lymph nodes. Cancer 34: 468, 1974.

Scarff, R.W., and Torloni H. in : "Histologic typing of breast tumours" World Health Organisation Geneva : 1968.

Schottenfeld, D.; Ten year results of the treatment of primary operable breast carcinoma . Cancer 38: 1001, 1976.

Shabot, M.M., Goldberg, M.I., Nieberg, R., and Pilch, H.J.: Aspiration cytology is superior to Tru-Cut needle biopsy in establishing the diagnosis of clinically suspicious breast masses. Ann. Surg. 196/2 : 122, 1982.

Shons, R., and Barry, H.J.: Subcutaneous mastectomy. Arch. Surg. 118, 1983.

Sickles, A., Klein, L.D., Goodson, H.W. and Hunt, K.T.: Mammography after needle aspiration of palpable breast masses. Am. J. Surg. 145: 395, 1983.

Smith, S.R., Howell, A. and Morrison, J.M.: The clinical value immunohistochemically demonstrable CEA in breast cancer: A possible method of selecting patients for adjuvant chemotherapy Br. J. Cancer 46: 757, 1982.

Smith, I.E., Fitzharris, B.M., Mc. Kinna, J.A.: Aminogluthimide in the treatment of metastatic breast carcinoma. Lancet ii 646, 1978.

Stein, H.D.: Ambulatory breast biopsies. The patient's choice A.M. Surg. 48/5: 221, 1982.

Steele, M.: Cancer Breast , Theodore,R. (ed): Handbook of Surgery. USA, Jones Medical Publications, 1978.

Sterns, E.E., Curtis, A.C., and Miller, S.: Thermography in breast diagnosis. Cancer 50/2: 323, 1983.

Stewart, J.F., Rubens, R.D., and Hoare,S. : Serum sialyl transferase levels in patients with metastatic breast cancer treated by chemotherapy. Br. J. Cancer 46/2 : 208, 1982.

Stjernsward, J.: Decreased survival related to irradiation postoperatively in early operable breast cancer. Lancet 2: 1285, 1974.

Stoll, B.A.: Castration and oestrogen therapy in,Stoll, B.A.(ed): Endocrine Therapy in Malignant Disease. London, Saunders Co, 1972.

Symmers, W.: Systemic Pathology edited by Payling, G. and Symmers, W.. Amsterdam, Elsevier, 1964.

Taylor, G.W.: Artificial menopause in carcinoma of the breast New. Engl. J. Med. 211: 1138, 1934.

Taylor, G.W.: Evaluation of ovarian sterilization for breast cancer. Surg. Gynecol. Obstet. 68: 452, 1939.

Teixidor, S.: The use of ultrasonography in the management of masses of the breast. Surg. Gyn. and Obstet. 150: 486, 1980.

Thomas, L.P.: Breast in Macfarlaine, D.A. and Thomas, P.P. (eds): Textbook of Surgery. London, Churchill and Livingstone, 1974.

Thomas, J.M., Fitzharris, B.M., and Redding, W.H.: Xeromammography and fine needle aspiration cytology in the diagnosis of breast tumours. Br. Med. J. 2: 1139, 1978.

Toft, D.O., and Sherman, M.R.: Receptor identification by density gradient centrifugation in O'Malley B.W. and Hardman J.G. (ed). Methods in Enzymology 36: 156, 1975.

Trott, P.A., and Thomas, J.M.: Diagnosis of primary breast cancer in Coombes, R.C., Powles, T.J., Ford, H.T., and Gazet J.C. (eds): Breast Cancer Management. London Academic Press, 1981.

Tsou, K.C. and Rosato E.F.: Evaluation of 5' nucleotide-phosphodiesterase isozyme. V as a predictor for liver metastases in breast cancer patients. Cancer 50/2: 191, 1982.

Urban, J.A.: Significance of internal mammary lymph node metastases in breast cancer. Am. J. Roentgenal Radium Ther. Nucl. Med. III 1: 130, 1971.

Van Dyk, J.J., and Falkson, G.: Extended survival and remission rates in metastatic breast cancer. Cancer 27: 300, 1971.

Veronesi, V.: Conservative treatment of breast cancer. A trial in progress at the Cancer Institute in Milan. Reported

at the EORTC meeting in Copenhagen, 31 May-2 June 1979.

Veronesi, U.: Surgery for primary breast cancer, in William, C.G. and Whitehouse, J.M.A. (eds): Recent Advances-1- clinical oncology. London, Churchill Livingstone, 1982.

Voss, L.: A new method for puncture and marking of non - palpable breast cancer. Rontgen BL. 35/2: 54, 1982.

Wangensteen, O.H. and Lewis, F.J.: The extended or super-radical mastectomy for carcinoma of the breast. Surg. Clin. North Am. 36: 1051, 1956.

Watson, C.F.N.: Intractable pain with breast cancer. Can. Med. Assoc. J. 126/3: 263, 1982.

Wells, S.A.: Medical adrenalectomy with aminoglutethimide. Ann. Surg. 187: 475, 1978.

Wells, S.A.: Anti-estrogens and ablative endocrine medical therapy. Presented at the American Cancer Society. National Conference on Breast Cancer, New-York, 1979.

Wilson, J.L.: Breast, in Dunphy, J.E. and Way, L.W. (eds): Current surgical diagnosis and treatment. USA, Lange Medical Publications, 1975.

Wilson, R.E.: The role of surgical adrenalectomy, in Theodore O'Connell (ed): Metastatic breast cancer in surgical oncology: controversies in cancer treatment. Boston, USA, G.K. Hall Medical publishers, 1981.

Wilson, R.E.: The breast in Sabiston, D.C. (ed): Textbook of Surgery. London, Saunders Co, 1981.

Wise, L., Mason, A.Y., Ackerman, L.V.: Local excision and irradiation: an alternative method for the treatment of early mammary cancer. Ann. Surg. 174: 392, 1971.

Wolfe, J.N.: Analysis of 462 breast carcinomas. Am. J. Roentgenol 121: 846, 1974.

Zippen, R.A.: Five year survival rates according to stage of breast cancer. J. Nat. Cancer Inst. 39: 193, 1967.